UNIVERSAL LIBRARY OU_162617 AWWIND AWWIND

TO MY WIFE

GENEVA ROBERTSON FISCHER

In grateful recognition of her patience during the period I was "married" to the preparation of the manuscript and for her conscientious help in the arduous task of proofreading and preparation of the index.

PREFACE

This book is a guide and quick introduction to the literature on the biology and control of some 330 species of smut fungi and the diseases they cause. It represents the essential information on the subject matter contained in more than 3,000 scientific papers, bulletins, and books. The author's expectation is that his compilation will be valuable to those engaged in teaching, research, and extension work in plant pathology, mycology, agronomy, and botany.

The purpose in preparing the book is to make quickly available what is known concerning any particular smut fungus. In embarking on a research problem, the necessity of thoroughly reviewing the literature concerning what has already been published on the subject-and on related subjects—is often discouraging. Our accumulated knowledge in the field of mycology and plant pathology is scattered through literally hundreds of series of journals, periodicals, proceedings, archives. reports, bulletins, books, etc., representing many thousands of volumes and in some cases dating back more than a hundred years. The problem is how to get in touch with the literature without spending a disproportionate amount of time at the task even with the aid of such abstracting journals as the Review of Applied Mycology. The answer appears to lie in extensive and exhaustive bibliographic reviews. The present work is not offered as a model or example, but the author does hope that it will give subject-matter specialists in other phases of mycology and plant pathology some encouragement or inspiration to prepare similar reviews of their own fields.

The subject-matter guide subdivides, under each smut species, the published information pertinent to that species. The intent of this arrangement is to enable one to determine at a glance, at least in a general way, what has been published regarding the control, and the several phases of the biology of each species. Using the term "biology" in a broad sense, the several phases are: Culture on Artificial Media; Cytology; Heterothallism and Sex; Hybridization and Genetics; Life History, Parasitism and Factors Affecting; Longevity of Spores; Miscellaneous Records; Physiologic Specialization; Spore Germination and Factors Affecting; and Varietal Resistance and Susceptibility. It will be noticed that the references are arranged chronologically under each heading. This is done to indicate quickly the year of the first contribution as well as the author, for historical interest at least.

vi PREFACE

Naturally, the material bears witness to the fact that the smuts of our economic crops, particularly the cereals, have been the most thoroughly investigated. Most of the other species, by comparison, have been sadly neglected and indicate a fertile field for those interested in research in the biology of the smut fungi.

It is only theoretically possible for a review of this kind to be absolutely complete. The aim has been to achieve the greatest possible degree of practical completeness, except for such species as Tilletia caries and Tilletia foetida, where there have been many hundreds of publications of a popular nature which often duplicate for purely local use information published elsewhere. Also, many hundreds of references purposely have been omitted which are merely small lists or "contributions to the flora," etc. Such publications do contribute to our knowledge of geographic distribution of the smut fungi, but since the sum of their contributions is contained in Zundel's The Ustilaginales of the World, a purely taxonomic treatise in which the geographic distribution of each species is given, there would be little justification for duplicating such information here.

It cannot be claimed, either, that each reference in the bibliography is fairly and completely classified in the subject-matter guide. In some instances where the author has not been able to inspect the original article and therefore has had to rely on someone else's review of it, the available information may have been incomplete, resulting in incomplete classification of the subject-matter content. Perhaps it should go without saving that a complete review of the literature on the biology and control of any one smut species should include all the references indicated for that species, irrespective of subject-matter classification. Some hundreds of species are not represented in this book. Concerning them there is either no published information about their biology and control or such information was not discovered during the author's preparation of this work. He would be grateful for having his attention called to any instance where he has not done justice to the subjectmatter breakdown, relative to any reference; to reference material which has somehow been overlooked; and to textual misrepresentations and errors, of which more than a few have probably escaped detection. Such contributions and corrections will be acknowledged, accumulated. and later incorporated in a revised edition, perhaps ten years hence.

The author is indebted to many individuals and organizations for various kinds of aid given in the preparation of this book. George L. Zundel kindly gave permission to use a copy of his manuscript, *The Ustilaginales of the World*, as a guide to nomenclature, thus obviating the necessity of waiting for his contribution to appear in print. In general, the nomenclature and synonymy in the present work are

vii

taken or adapted from Zundel's monograph. In order to make the present work as useful as possible, the author has also followed Dr. Zundel's disposition of species, even though Dr. Zundel's treatment of many species is not in agreement with the species concept held by the author. He is grateful to C. S. Holton, H. A. Rodenhiser, R. Sprague, C. G. Shaw and other colleagues for suggestions regarding organization and treatment, and to the staff of the United States Department of Agriculture Library, Washington, D. C., for their courteous and helpful attention during a period of intensive review of literature which was not elsewhere available. Likewise, the helpful suggestions of John A. Stevenson, who made available the facilities of his personal library and that of the Division fo Mycology and Disease Survey, United States Bureau of Plant Industry, Beltsville, Maryland, have left me in his debt. The sympathetic attitude of the Division of Forage Crops and Diseases, Bureau of Plant Industry, Soils and Agricultural Engineering, United States Department of Agriculture, during the time the author was in their employ, is specifically acknowledged. He gratefully acknowledges, also, that this work was supported in part by the State College of Washington Research Fund. Finally, the author wishes to pay tribute to the invaluable assistance of several typists during the years this work has been in preparation, especially to the conscientious and highly competent efforts of the trio who suffered through the endless maze of foreign citations and technical terminology during the final preparation of the manuscript: Mrs. Roberta M. Law, Mrs. Donna I. Neumayer, and Mrs. Ava Butler.

GEORGE W. FISCHER

Pullman, Washington December, 1950

CONTENTS

PART I

SUB	JECT-MATTE	R GU	IDE	то	THE	LIT	ERA	TUR	Œ		. `		PAGE 3
	Where applicables species of the founder the heading thallism and Sex Factors Affecting Specialization; Sex sistance and Sussessing Specialization.	ollowin gs, Co ; Hyb g; Lon Spore (g gen ntrol; ridiza gevity Germi	era a Cultion tion	are cit ture o and C Spore	ted al n Art Jeneti s; Mi	lphab ificia .cs; I .scella	etical l Med life H ineous	ly an lia; C listory Rec	d chi ytolo , Pai ords;	ronology; I rasitis Phys	ogic Hetem, siole	ally ero- and ogic
	Burrillia .	•											3
	Cintractia .							•			•		3
	Cornuella .												8
	Doassansia .												8
	Doassansiopsis												12
	Entorrhiza .												13
	Entyloma .												14
	Farysia .												23
	Glomosporium												24
	Melanopsichium	ı .											24
	Melanotaenium												25
	Mundkurella												26
	Neovossia .												26
	Schizonella .												28
	Schroeteria .												2 9
	Sorosporium			_									30
	Sphacelotheca												33
	Thecaphora												49
	Tilletia .									_			52
	Tolyposporium					_							99
	Tracya .	•	·	•	į								100
	Tuburcinia .	•	•	•		Ī	į		i				100
	Urocystis .	•	Ċ	•									102
	Ustacystis .	•			-			-					118
	Ustilago .	•	•		•								119
	Ustilaginales. (Jenera	.1			•							210

x	CONTENTS
Α	CONTENTS

PART II

														PAGE
BIBLIOGI	RAF	ΉY	•	•	•	•	•	•	•	•	•	•	•	220
INDEX													_	379

THE SMUT FUNGI

SUBJECT MATTER GUIDE TO THE LITERATURE

BURRILLIA AJREKARI Thirum. Mycologia 39: 606. 1947.

CYTOLOGY

2971 Thirumalachar 1947 *

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2971 Thirumalachar 1947

SPORE GERMINATION AND FACTORS AFFECTING

2971 Thirumalachar 1947

BURRILLIA LIMOSELLAE (Kunze) Liro Lunnon Ystava 24: 73. 1929.

Protomyces limosellae Kunze, Rabenh., Fungi Europ. 1694. 1873. Entyloma limosellae Wint., Rabenh. Krypt. Fl. 11: 115. 1881.

Doassansia limosellae Schröt., Die Pilze Schl. 287. 1887.

MISCELLANEOUS

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

BURRILLIA PUSTULATA Setchell Amer. Acad. Art. Sci. Proc. 26: 18. 1891.

Doassansiopsis pustulata Kietel, Eng. and Prantl. 1: 22. 1897.

Miscellaneous

Morphology and symptoms 2730 Setchell 1892

SPORE GERMINATION AND FACTORS AFFECTING

2730 Setchell 1892

CINTRACTIA ARCTICA Lagerh. Vesterg. Micr. Rar. Sel. 182. 1899. Bot. Notiser 1900: 30.

Tilletia arctica Rostr., Bot. Tidsskr. 15: 230. 1886.

MISCELLANEOUS

Host range 1724 Liro 1938

CINTRACTIA ASPER Liro Ann. Acad. Sci. Fenn. A, 42: 18. 1938. LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1724 Liro 1938

Miscellaneous

Host range and morphology 1724 Liro 1938

Considered to be a synonym of C. microspora Sydow 1213 Hirschhorn 1947

^{*}The number preceding the author's name is the citation number in the bibliography; the number following is the year of publication.

CINTRACTIA AXICOLA (Berk.) Cornu Ann. Sci. Nat. Bot. VI. 15: 279. 1883.

Ustilago axicola Berk., Ann. Mag. Hist. II, 9: 200. 1852. Ustilago axicola Berk., Grevillea 3: 59. 1874. Ustilago fimbristylis Thum., Bull. Torr. Bot. Club 6: 95. 1876.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1763 McAlpine 1910

MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

CINTRACTIA CARICIS (Pers.) P. Magnus Verh. Bot. Ver. Prov. Brandenb. 37: 79. 1895.

Uredo caricis Pers., Syn. Fung. 225. 1801.

Farinaria carbonaria Sowerby, Engl. Fungi 4 (t 396): 1803.

Uredo carpophyla Schum., Enum. Pl. Sael. 2: 234. 1803.

Uredo segetum caricis DC., Poirault, in Lamarck, Enc. Meth. Bot. 8: 228. 1808.

Uredo decipiens B. caricum Strauss, Ann. Watt. Ges. 2: 111. 1811.

Uredo urceolorum DC., Fl. France 6: 78. 1815.

Caeoma decipiens Martius, Fl. Crypt. Erl., pp. 315. 1824.

Caeoma urceolorum Schlecht., Fl. Ber. 2: 130. 1824.

Caeoma caricis Link, in Willdenow, Sp. Pl. 6: 5. 1825.

Ustilago utricolorum Fries, Syst. Mycol. 3: 519. 1832.

Erysibe baccata Wallr., Fl. Crypt. Germ. 2: 214. 1833.

Ustilago caricis Unger, Einfl. Bodens 211. 1836.

Ustilago scirpi Kühn, Hedwigia 12: 150. 1873.

Ustilago urceolorum Kühn, Hedwigia 12: 150. 1873.

Ustilago caricis var. lejoderma Lagerh., Mitteil. Bad. Bot. Ver. 37, 1888.

Anthracoidea caricis Bref., Unters. Gesammt. Myk. 12: 144. 1895.

Ustilago caricis douglasii Shear, Fung. Col. 1485. 1901.

Cintractia pratensis Sydow, Ann. Mycol. 22: 288. 1924.

Cintractia hyperborea Cif., Ann. Mycol. 29: 64. 1931.

Cintractia carbonaria Cif., Ann. Mycol. 29: 72. 1931.

Cintractia lejoderma Cif., Ann. Mycol. 29: 72. 1936.

Cintractia carpophila Liro, Ann. Acad. Sci. Fenn. A., 42: 27. 1938.

Cintractia eructans (J. Kunze) Liro, Ann. Acad. Sci. Fenn. A, 42: 33. 1938.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2258 Persoon 1801

2870 Strauss 1810

437 Chevalier 1826

682 Duby 1830

1923 Merat 1834

438 Chevalier 1836

3056 Tulasne and Tulasne 1847

1098 Hazslinsky 1864

803 Fischer v. Waldheim 1869

2704 Schröter 1887

629 DeToni 1888

29 Anderson 1889

315 Brefeld 1895

1323 Magnus 1895

1827 Magnus 1896

647 Dietel 1897

649 Dietel 1898

2655 Schellenberg 1911

321 Brefeld 1912

930 Gaumann 1926

1724 Liro 1938

MISCELLANEOUS

Occurence in alternate years 29 Anderson 1889

Morphology, hosts, etc. 2655 Schellenberg 1911

Longevity of spores 779 Fischer 1936

- Comparative morphology on various Carex spp. 1724 Liro 1938 Host range 1724 Liro 1938

Physiologic Specialization

1650 Lemmermann 1901

698 Eliasson 1933

1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

313 Brefeld 1888

716 Essmond 1893

315 Brefeld 1895

1763 McAlpine 1910

564 Cunningham 1924

2336 Pohjakallio 1935

1724 Liro 1938

CINTRACTIA FISCHERI (Karst.) Liro Ann. Acad. Sci. Fenn. A, 42: 20. 1938.

Tilletia fischeri Karst., Med. Soc. F. F. Fenn. 2: 183. 1878.

Life History, Parasitism and Factors Affecting 1724 Lifo 1938

CINTRACTIA INCLUSA (Bref.) Liro Ann. Acad. Sci. Fenn. A, 42: 16. 1938.

Ustilago olivacea Schröt., Abhandl. d. Schles. Ges. Naturw. Abt. 1869: 4. 1871.

Ustilago subinclusa Wint., in Rabenh. Krypt. Fl. 1: 79-131. 1881.

Anthracoidea subinclusa Bref., Unters. Gesammt. Myk. 12: 146. 1895. Cintractia subinclusa Dietel, in Engler and Prantl, Die Natürl. Pflanz. 1: 12.

Anthracoidea inclusa Bref., Unters. Gesammt. Myk. 15: 36, 150. 1912.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

321 Brefeld 1912

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

321 Brefeld 1912

CINTRACTIA JUNCI (Schwein.) Trel. Bull. Torr. Bot. Club 12: 70. 1885.

Caeoma junci Schwein., Trans. Amer. Phil. Soc. II, 4: 4. 1832.

Ustilago junci (Schwein.) Curtis, Geol. Nat. Hist. Survey N. Carol. 1867: 123.

Ustilago liebanni P. Henn., Hedwigia 33: 229. 1894.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 3037 Trelease 1885

Miscellaneous

Morphology and symptoms 2655 Schellenberg 1911 Longevity of spores 779 Fischer 1936 Host range 1724 Liro 1938 Discussion of related forms 1724 Liro 1938 Spore Germination and Factors Affecting

3037 Trelease 1885

CINTRACTIA KARII Liro Ann. Acad. Sci. Fenn. A, 42: 31. 1938. LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1230 Holmberg 1929

MISCELLANEOUS

Comparison with C. fischeri 1724 Liro 1938 Geographic distribution 1724 Liro 1938 Spore Germination and Factors Affecting 2336 Pohjakallio 1935

CINTRACTIA LEJODERMA (Lagerh.) Cif. Ann. Mycol. 29: 43, 45. 1931.

Uredo caricis Albert. and Schwein., Consp. Fung. 130. 1805. p.p.
Uredo decipiens B. caricum Strauss, Ann. Wetterausch. Ges. 2: 111. 1810.
p.p.

Uredo urceolorum DC., Fl. France 6: 78. 1815. p.p.

Ustilago decipiens Schubert, Fl. Geg. Dresden 236. 1823. p.p.

Ustilago urceolorum Tul., Ann. Sci. Nat. Bot. III, 7: 86. 1847. p.p.

Ustilago caricis B. lejoderma Lagerh., Mitteil. Bad. Bot. Vereins 1888: 37.

Cintractia caricis var. lejoderma Bubak, Verh. Zool.-Bot. Ges. Wien. 48: 24. 1898.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1724 Liro 1938

MISCELLANEOUS

Host range 1724 Liro 1938

Considered to be synonym of C. arenaria Sydow 1213 Hirschhorn 1947

CINTRACTIA LEUCODERMA (Berk.) P. Henn. Hedwigia 34: 335. 1895.

Ustilago leucoderma Berk., Ann. Mag. Nat. Hist., II, 9: 200. 1852.
Cintractia krugiana P. Magnus, Bot. Jahrb. (Engler) 17: 490. 1893.
Ustilago leucoderma var. usambarensis P. Henn., Hedwigia 34: 335. 1895.
Cintractia leucoderma var. usambarensis P. Henn., Pflanz. Österr. Afrika, C. 5: 48. 1895.

Cintractia usambarensis Cif., Ark. Bot. 23, A (14): 7. 1931.

Cintractia amicta Cif., Ark. Bot. 23, A (14): 14. 1931. Cintractia portus-argenti Cif., Ark. Bot. 23, A (14): 14. 1931.

MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

CINTRACTIA LUZULAE (Sacc.) Clint. Jour. Mycol. 8: 148. 1902.

Ustilago luzulae Sacc., Mycol. Ven. Spec. 73. 1873. Giorn. Ital: 5: 463. 1873.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2553 Rostrup 1885

238 Blytt 1896

483 Clinton 1904

1841 Maire 1907

1724 Liro 1938

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

Stems of infected plants persist long after death of uninfected stems 1689 Lind 1913

Host range 1724 Liro 1938

CINTRACTIA MONTAGNEI P. Magnus Verh. Bot. Ver. Prov. Brandenb. 37: 79. 1896.

Microbotryum montagnei Lev., Ann. Sci. Nat. Bot. III, 8: 372. 1847. Ustilago montagnei var. major Dism., Plant Crypt. II, 1726. 1850.

Ustilago rhynchosporae Sauter, Klotz. Herb. Viv. Mycol. Fung. 1896. 1854.

Ustilago juncicola Speg. Fungi Guar. 15. 1891

Ustilago caricis auct.

Cintractia rhynchosporae Cif., Ark. Bot. 23, A (14): 11. 1931.

Cintractia ekmani Cif., Ark. Bot. 23, A (14): 11. 1931.

Cintractia eximia Cif., Ark. Bot. 23, A (14): 12. 1931.

Cintractia samanensis Cif., Ark. Bot. 23, A (14): 13. 1931.

Cintractia major Liro, Ann. Acad. Sci. Fenn. A, 42: 46. 1938.

Cintractia gigantospora Liro, Ann. Acad. Sci. Fenn. A, 42: 47. 1938.

CYTOLOGY

2416 Rawitscher 1922

HETEROTHALLISM AND SEX

2416 Rawitscher 1922 (copulation between promycelial cells)

Miscellaneous

Morphology and symptoms 2655 Schellenberg 1911

Cintractia gigantospora considered to be a synonym 1213 Hirschhorn 1947

SPORE GERMINATION AND FACTORS AFFECTING

2416 Rawitscher 1922 (cytology of)

CINTRACTIA PERIBEBUYENSIS (Speg.) Sawada Formosa Agric. Expt. Sta. Bull. 19: 363. 1919.

Ustilago peribebuyensis Speg., Anal. Soc. Cien. Argent. 17: 89. 1884. Cintractia axicola (Berk.) Cornu var. minor Clint., Proc. Bost. Soc. Hist. 31: 406. 1904. (Also Mycologia 12: 153. 1920.) MISCELLANEOUS

Incidence on mat-sedge in Bangalore 3108 Venkatarayan 1949

CINTRACTIA PULVERULENTA Cooke and Massee Grevillea 18: 34. 1889.

MISCELLANEOUS

Synonymous with *Ustilago sacchari* Rabenh. 2897 Sydow 1924 Comparison with other smuts on *Saccharum* and *Erianthus* 2897 Sydow 1924

Confused with Ustilago courtoisi Cif. 2056 Mundkur 1942

CINTRACTIA SCIRPI (Kühn) Schellenb. Beitr. Krypt. Schw. 3: 77. 1911.

Ustilago scirpi Kühn, Hedwigia 12: 150. 1873.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

CINTRACTIA SUBINCLUSA (Körn.) P. Magnus Verh. Bot. Ver. Prov. Brandenb. 37: 79. 1896.

Ustilago subinclusa Körn., Hedwigia 13: 159. 1874.

Anthracoidea subinclusa Bref., Unters. Gesammt. Mk. 12: 146. 1895.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1843 Maire and Marguery 1898

MISCELLANEOUS

Morphology 315 Brefeld 1895

Symptoms and morphology 2655 Schellenberg 1911

Longevity of spores 321 Brefeld 1912

Host range 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

313 Brefeld 1888

315 Brefeld 1895

CINTRACTIA TAUBERTIANA (P. Henn.) Clint. Jour. Mycol. 8: 142. 1902.

Ustilago taubertiana P. Henn., Bot. Jahrb. (Engler) 17: 525. 1893.

Miscellaneous

Host range 1724 Liro 1938

CORNUELLA LEMNAE Setchell Ann. Bot. 6: 34-36. 1892.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 2730 Setchell 1892

MISCELLANEOUS

Morphology and symptoms 2730 Setchell 1892

Spore Germination

2730 Setchell 1892

DOASSANSIA ALISMATIS (Nees) Cornu Ann. Sci. Nat. VI. 15: 285. 1883.

Sclerotium alismatis Nees in Fries, Syst. Mycol. 2: 257. 1822. Perisporium alismatis Fries, Syst. Mycol. 3: 252. 1829.

Dothidea alismatis Kirch., Lotos 6: 205. 1856.

Sphaeria alismatis Currey, Trans. Linn. Soc. 22: 334. 1859.

Uredo alismacearum Crenau, Fl. Finist. 8: 1867.

Sphaeropsis alismatis Cooke, Handb. Fung. 1: 429. 1871.

Aecidium incarceratum Berk. and Br., Ann. Mag. Nat. Hist. IV. 15: 36. 1875.

Protomyces macularis Thüm., Bull. Imp. Soc. Nat. Mosc. 52: 130. 1877.

Phyllosticta alismatis Sacc. and Speg., Michelia 1: 144. 1877.

Entyloma alismacearum Sacc., Michelia 2: 44. 1880.

Phyllosticta curryi Sacc., Syll. Fung. 2: 60. 1884.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

CYTOLOGY

579 Dangeard 1892

762 Ferry 1895

1751 Lutman 1910

2416 Rawitscher 1922

822 Fleroff 1924

HETEROTHALLISM AND SEX

579 Dangeard 1892

315 Brefeld 1895 (fusion of primary sporidia)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

542 Cornu 1883

1162 Heufler 1884

2730 Setchell 1892

579 Dangeard 1892

315 Brefeld 1895

762 Ferry 1895

322 Brefeld and Falk 1905

1751 Lutman 1910

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

SPORE GERMINATION AND FACTORS AFFECTING

543 Cornu 1883

542 Cornu 1883

770 Fisch 1884

315 Brefeld 1895

2655 Schellenberg 1911

1724 Liro 1938

2730 Setchell 1892

DOASSANSIA DEFORMANS Setchell Amer. Acad. Arts Sci. Proc.

26: 17. 1891.

Doassansia deformans Dietel, Eng. and Prantl, Nat. Pflanz. 1: 21. 1897.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2730 Setchell 1892

MISCELLANEOUS

Morphology and symptoms 2730 Setchell 1892

SPORE GERMINATION

2730 Setchell 1892

DOASSANSIA HORIANA P. Henn. Bot. Jahrb. (Engler) 37: 157. 1905.

Doassansiopsis horiana Shen, Sinensia 4: 319. 1934.

CULTURE ON ARTIFICIAL MEDIA

2148 Nisikado and Matsumoto 1936

MISCELLANEOUS

Description of disease on Sagittaria trifolia 2148 Nisikado and Matsumoto 1936

Morphological characters 2148 Nisikado and Matsumoto 1936 New combination from *Doassansia horiana* 2148 Nisikado and Matsumoto 1936

DOASSANSIA HOTTONIAE (Rostr.) DeToni

MISCELLANEOUS

Morphology and symptoms 2730 Setchell 1892

DOASSANSIA HYGROPHILAE Thirum. Lloydia 9: 24. 1946.

CYTOLOGY

2970 Thirumalachar 1946

2971 Thirumalachar 1947

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2970 Thirumalachar 1946

2971 Thirumalachar 1947

SPORE GERMINATION AND FACTORS AFFECTING

2970 Thirumalachar 1946

2971 Thirumalachar 1947

DOASSANSIA MARTIANOFFIANA (Thüm.) Schröt. Cohn, Krypt.

Fl. Schles. 3 (1): 287. 1887.

Protomyces martianoffiana Thüm., Bull. Soc. Imp. Nat. Mosc. 53: 207. 1878. Doassansiopsis martianoffiana Dietel, in Engler and Prantl, Nat. Pflanz. 1 (1): 21. 1897.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2729 Setchell 1891

2730 Setchell 1892

2731 Setchell 1894

1724 Liro 1938

2791 Thirumalachar 1947

MISCELLANEOUS

Morphology and symptoms 2730 Setchell 1892

Conidial stage described 2730 Setchell 1892

Hosts and morphology 1724 Liro 1938

Developmental morphology 2791 Thirumalachar 1947

SPORE GERMINATION AND FACTORS AFFECTING

2730 Setchell 1892

DOASSANSIA OBSCURA Setchell Amer. Acad. Arts. Sci. Proc. 26: 16. 1891.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 2730 Setchell 1892 MISCELLANEOUS

Morphology and symptoms 2730 Setchell 1892

SPORE GERMINATION AND FACTORS AFFECTING

2730 Setchell 1892

DOASSANSIA OCCULTA var. FARLOWII (Cornu) Setchell Amer. Acad. Arts. Sci. Proc. 26: 17. 1891.

Doassansia farlowii Cornu, Ann. Sci. Nat. VI, 15: 287. 1883.

MISCELLANEOUS

Morphology and symptoms 2730 Setchell 1892

DOASSANSIA OCCULTA (Hoffm.) Cornu Farlow in Trans. Ottowa Field Nat. Club 2: 129. 1884.

Sclerotium occultum Hoffm., Icon. Anal. Fung. 67. 1863. (Tab. 6, fig. 1-9). Doassansiopsis occulta Dietel, Eng. and Prantl. Nat. Pflanz. 1 (1): 21. 1897.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2730 Setchell 1892

2655 Schellenberg 1911

MISCELLANEOUS

Morphology and symptoms
Morphology and symptoms
Host range and morphology
2730 Setchell 1892
2655 Schellenberg 1911
1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

2730 Setchell 1892

2655 Schellenberg 1911

DOASSANSIA OPACA Setchell Amer. Acad. Arts. Sci. Proc. 26: 15. 1891.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2730 Setchell 1892

MISCELLANEOUS

Morphology and symptoms 2730 Setchell 1892

SPORE GERMINATION

2730 Setchell 1892

DOASSANSIA PUNCTIFORMIS (Niessl) Schröt. Krypt. Fl. Schles. 3 (1): 287. 1887. (not Winter, 1886).

Protomyces punctiformis Niessl, Verh. Nat. Ver. Brün. 10: 166. 1872.

Doussansia niesslii DeToni, Jour. Mycol. 4: 17. 1888. Setchellia punctiformis Magnus, Verh. Bot. Ver. Prov. Brandenb. 37: 93. 1895.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

1825 Magnus 1895

1724 Liro 1938

MISCELLANEOUS

Morphology and symptoms 315 Brefeld 1895

1825 Magnus 1895

Morphology 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

1825 Magnus 1895

DOASSANSIA SAGITTARIAE (Westend.) Fisch. Ber. Deutschen Bot. Ges. 2: 405. 1884.

Uredo sagittariae Westend., Herb. Crypt. Belge 1177. 1857. Physoderma sagittariae Fuck., Fungi Rhen. 1549. 1865. Protomyces sagittariae Fuck., Sumb. Mycol. 75. 1869. Protomyces bizzozerianum Sacc., Mycol. Ven. 889. 1876. Entyloma bizzozerianum Sacc., Michelia 2: 135. 1880.

CYTOLOGY

2416 Rawitscher 1922

2732 Seyfert 1927

HETEROTHALLISM AND SEX

770 Fisch 1884 (sporidial fusions)

2416 Rawitscher 1922 (denies fusions)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

770 Fisch 1884

2730 Setchell 1892

315 Brefeld 1895

1148 Hennings 1903

2416 Rawitscher 1922

2732 Seyfert 1927

MISCELLANEOUS

Symptoms and morphology 315 Brefeld 1895

Symptoms and morphology 2655 Schellenberg 1911

Formation of clamp connections on the mycelium 2732 Seyfert 1927

Host range and morphology 1724 Liro 1938

Physiologic Specialization

598 Davis 1903

SPORE GERMINATION AND FACTORS AFFECTING

770 Fisch 1884

340 Briard 1886

3039 Trelease 1886

2730 Setchell 1892

315 Brefeld 1895

2655 Schellenberg 1911

2416 Rawitscher 1922 (including cytology of)

2732 Seyfert 1927

DOASSANSIOPSIS NYMPHAEAE (Sydow) Thirum. Mycologia 39: 604. 1947.

Doassansia nymphaeae Sydow, Ann. Mycol. 10: 405. 1912.

MISCELLANEOUS

Symptoms and morphology 2971 Thirumalachar 1947

ENTORRHIZA ASCHERSONIANA (P. Magnus) Lagerh. Hedwigia 27. 262. Aug. 1888. (DeToni in Sace. Syll. Fung. 7 (2): 497. 28 Oct. 1888.)

Schinzia cypericola Magnus, Verh. Bot. Prov. Brandenb. 20: 54. 1878. p.p. Entorrhiza cypericola C. Weber, Bot. Ztg. 42: 378. 1884.

Schinzia aschersoniana P. Magnus. Ber. Deutschen Bot. Ges. 6: 103. 1888. Entorrhiza janci Bref., Unters. Gesammt. Myk. 15: 80. 1912.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 3185 Weber 1884

Miscellaneous

Morphology and symptoms 2655 Schellenberg 1911 Morphology 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

3185 Weber 1884

2710 Schwarz 1910

2655 Schellenberg 1911

321 Brefeld 1912

ENTORRHIZA CYPERICOLA (P. Magnus) DeToni Sacc. Syll. Fung. 7 (2): 498. 1888. Not Weber.

Schinzia cypericola P. Magnus, Verh. Bot. Ver. Brandenb. 20: 53. 1878.

Miscellaneous

Generic positions 1813 Magnus 1879

Morphology and symptoms 1816 Magnus 1888

Morphology and symptoms 2655 Schellenberg 1911

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1821 Magnus 1893

ENTORRHIZA DIGITATA Lagerh. Hedwigia 27: 263. 1888.

Entorrhiza cypericola Trail, Scot. Nat. N. S. 1: 241–243. 1884. Schinzia digitata Magnus, Jahresb. Naturf. Ges. Graubündens N.F. 34: 7.

Schinzia cypericola Swanton, Brit. Plant Galls, p. 141. 1912. Entorrhyza aschersoniana Lind, Danish Fungi, p. 271. 1913.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2710 Schwarz 1910

760 Ferdinandsen and Winge 1914

Miscellaneous

Morphology and symptoms 1605 Lagerheim 1888

Morphology 2655 Schellenberg 1911

Morphology 1724 Liro 1938

ENTORRHIZA ISOËTES (Rostr.) Liro Lunnon Ystava 38: 110. 1934.

Ustilago isoëtes Rostr., Bot. Tidsskr. 26: 306, 316. 1905.

MISCELLANEOUS

Morphology and symptoms 1724 Liro 1938

ENTORRHIZA RAUNKIAERIANA Ferd. and Winge Dansk. Bot. Archiv. 2: 8. 1914.

MISCELLANEOUS

Morphology 1724 Liro 1938

ENTORRHIZA SCIRPICOLA (Correns) Sacc. and H. and P. Sydow. Sacc. Syll. Fung. 14: 425. 1900.

Schinzia scirpicola Correns, Hedwigia 36: 40. 1897.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911 Morphology 1724 Liro 1938

ENTYLOMA ANTENNARIAE Liro Ann. Acad. Sci. Fenn. A, 42: 131. 1938.

MISCELLANEOUS

Morphology and relationship to other *Entyloma* spp. on Compositae 1724 Liro 1938

Spore Germination and Factors Affecting 1716 Liro 1904

ENTYLOMA ARNICALE Ell. and Ev. (N. A. Fungi 3136; hyponym. 1894); Bull. Torr. Bot. Club 22: 57. 1895.

Ramularia arnicalis Ell. and Ev., Proc. Acad. Nat. Sci. Philadelphia, 1891: 85. Entyloma calendulae Fragoso, Bol. R. Soc. Esp. Hist. Nat. 24: 122. 1904. p.p.

Entyloma arnicae H. and P. Sydow (nom. nud.), Ann. Mycol. 16: 244. 1918.

MISCELLANEOUS

Incidence in North America and relationship to other species on Compositae 2627 Savile 1947

ENTYLOMA ARNOSERIDIS H. and P. Sydow Ann. Mycol. 16: 244. 1918 (nom. nud.).

Culture on Artificial Media 1424 Kaiser 1936

ENTYLOMA ASCHERSONII (Ule) Woronin Abh. Senckenberg Naturf, Ges. 12: 580. 1882.

Sorosporium aschersonii Ule, Hedwigia 17: 18. 1878. Ustilago magnusii Wint., Rabenh. Krypt. Fl. 1: 87. 1881. p.p.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 3266 Woronin 1882

Spore Germination and Factors Affecting 3266 Woronin 1882

ENTYLOMA AUSTRALE Speg. Anal. Soc. Cien. Argent. 10: 5. Jl. 1880.

Protomyces physalidis Kalchb. and Cooke, Grevillea 10: 22. 1880. Entyloma besseyi Farl., Bot. Gaz. 8: 275. 1883. Entyloma physalidis Wint., Hedwigia 22: 130. 1883. LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1047 Hanna 1938

MISCELLANEOUS

Two distinct types of conidia 1047 Hanna 1938

ENTYLOMA BELLIDIASTRI Maire Österr. Bot. Zeitschr. 57: 274. 1907.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

ENTYLOMA BELLIDIS Krieger Hedwigia 35: 145. 1896.

MISCELLANEOUS

Symptoms and morphology 2655 Schellenberg 1911

ENTYLOMA BORAGINIS Cif. Bull. Soc. Bot. Ital. 1924: 52. 1924.

Entyloma serotinum Schröt., in Beitr. Biol. Pflanz. (Cohn) 2: 437. 1877. p.p. Entyloma canescens Schröt., Maire in Bull. Soc. Bot. France 48: 208. 1903.

MISCELLANEOUS

Considered as E. fergusoni phys. f. boraginis 1424 Kaiser 1936

ENTYLOMA CALENDULAE (Oud.) DeBary Bot. Ztg. 32: 105. 1874.

Protomyces calendulae Oud., Arch. Neerl. 8: 384. 1873.

CULTURE ON ARTIFICIAL MEDIA

2838 Stempell 1935

CYTOLOGY

2231 Paravicini 1917

2838 Stempbell 1935

1424 Kaiser 1936

HETEROTHALLISM AND SEX

2231 Paravicini 1917 (sporidial fusions)

1424 Kaiser 1936

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

617 DeBary 1874

2838 Stempbell 1935

1424 Kaiser 1936

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

Segregation into eight species on basis of host specialization as observed in field 2901 Sydow 1918

Description of disease and organism on dahlia 817 Flachs 1927

Formation of clamp connections on the mycelium 2732 Seyfert 1927

Incidence and symptoms in Germany 1898 Mehlisch 1935

Chlamydospores in culture 2838 Stempell 1935

Host range, morphology, and relation to similar species 1724

Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

617 DeBary 1874

619 DeBary 1887

1843 Maire and Marguery 1898

2625 Schellenberg 1911

2231 Paravicini 1917

2416 Rawitscher 1922

2838 Stempell 1935

1424 Kaiser 1936

ENTYLOMA CHRYSOSPLENII (Berk. and Br.) Schröt. In Cohn Beitr. z. Biol. d. Pflanz. 2: 372, 439. 1877.

Protomyces chrysosplenii Berk. and Br, Ann. Mag. Nat. Hist. VI, 15: 36. 1875.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911 Clamp connections on the mycelium 2732 Seyfert 1927

Spore Germination and Factors Affecting 1839 Maire 1900

ENTYLOMA COLLINSIAE Harn. Bull. Calif. Acad. Sci. 1: 40. 1884.

MISCELLANEOUS

Incidence in Oregon on Collinsia 1338 Jackson 1920

ENTYLOMA COMPOSITARUM Farl. Bot. Gaz. 8: 275. 1883.

Entyloma erigerontes Sydow, Ann. Mycol. 16: 244. 1918.

Entyloma madiae Cif., Atti R. Ist. Bot. Pavia III, 1: 88. 1924. (On Madia glomerata Hook).

Entyloma incertum Cif., Ann. Mycol. 26: 38. 1928. (On Bidens chrysanthemoides Michx).

Entyloma eupatorii Cif., Ann. Mycol. 26: 38. 1928. (On Eupatorium urticaefolium Reichard).

Entyloma wisconsiniense Cif., Ann. Mycol. 26: 40. 1928. (On Senecio aurens L.).

Entyloma helenii Cif., Ann. Mycol. 26: 40. 1928. (On Helenium autumnale L.).

Entyloma lepochydis Cif., Ann. Mycol. 26: 41. 1928. (On Lepochys pinnata (Vent.) T. and F.).

Entyloma davisii Cif., Ann. Mycol. 26: 43. 1928. (On Rudbeckia hieta L.). Entyloma anceps, Cif., Ann. Mycol. 26: 44. 1928. (On Rudbeckia lacinata L.).

Entyloma boltoniae Cif., Ann. Mycol. 26: 47. 1928. (On Boltonia asteroides (L.) L'Her.).

MISCELLANEOUS

Emended description and comparison with other species on Compositae 2627 Savile 1947

Association of Stagonospora sp. with on Ambrosia 2627 Savile 1947

ENTYLOMA CORYDALIS DeBary Bot. Ztg. 32: 104. 1874.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911 Host range and morphology 1724 Liro 1938 Spore Germination and Factors Affecting 617 DeBary 1874

ENTYLOMA CORYDALIS-LUTEAE Voglino Bull. Soc. Bot. Ital. 1896: 36.

MISCELLANEOUS

Morphology 2625 Schellenberg 1911

Spore Germination and Factors Affecting 2625 Schellenberg 1911

ENTYLOMA CRASTOPHILUM Sacc. Michelia 1: 540. 1879.

Thecaphora dactylidis Pass., in Fisch. v. Waldh., Apercu, 34. 1877.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911 Host range 1724 Liro 1938

ENTYLOMA DAHLIAE H. and P. Sydow. Ann. Mycol. 10: 36. 1912.

Entyloma dahliae Unamuno, in herb.; Fragoso, in Bot. R. Soc. Espan. Hist. Nat. 24: 123. 1924.

Entyloma unamunoi Cif., Atti R. Ist. Univ. Pavia, n.s. 1: 101. 1924.

Entyloma calendulae (Oud.) DeBary forma dahliae Viegas, Bragantia 4: 748. 1944.

CONTROL

984 Green 1932

2532 Roekens 1946

3128 Viennot-Bourgin 1947

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2228 Pape 1926

984 Green 1932

3128 Viennot-Bourgin 1947

Miscellaneous

Considered a form (f. sp. dahliae) of E. calendulae 2840 Sternon 1918

Incidence near Paris 82 Arnaud and Arnaud 1925

Incidence and description of disease in Germany 2228 Pape 1926 Description of disease 984 Green 1932

Incidence in Sumatra and Guatemala 2207 Palm 1932

Incidence and symptoms in Germany 1898 Mehlisch 1935

Longevity of spores; at least 10 years 779 Fischer 1936

First report from Palestine and Mediterranean region 2419 Rayss and Zwirn 1946

Severity in Belgium 2532 Rockens 1946

SPORE GERMINATION AND FACTORS AFFECTING

617 DeBary 1874

2228 Pape 1926

984 Green 1932

VARIETAL RESISTANCE AND SUSCEPTIBILITY

984 Green 1932

2207 Palm 1932

ENTYLOMA ERYNGII (Corda) DeBary, Bot. Ztg. 32: 105. 1874.

Physoderma eryngii Corda, Icon. Fung. 3: 3. 1839.

Protomyces eryngii Fuck., Symb. Mycol. 75. 1869.

Entyloma eryngii-plani Cif., Bull. Soc. Bot. Ital. 1924: 54. 1924.

MISCELLANEOUS

Longevity of spores; at least 11 years 779 Fischer 1936

SPORE GERMINATION AND FACTORS AFFECTING

617 DeBary 1874

3266 Woronin 1882

ENTYLOMA ESCHSCHOLTZIAE Harkn. Calif. Acad. Sci. 1: 40. 1884.

MISCELLANEOUS

Taxonomic study of, with other species on Papaveraceae 2625 Savile 1946

ENTYLOMA FERGUSSONI (Berk. and Br.) Plowr. British Uredineae and Ustilagineae, 289. 1889.

Protomyces fergussoni Berk. and Br., Ann. Mag. Nat. Hist. IV. 15: 36. 1875. Entyloma canescens Schröt., Beitr. Biol. Pflanz. (Cohn) 2: 273. 1877.

CULTURE ON ARTIFICIAL MEDIA

1424 Kaiser 1936

CYTOLOGY

1424 Kaiser 1936

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2655 Schellenberg 1911

1424 Kaiser 1936

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

Host range and morphology 1724 Liro 1938

Physiologic Specialization

1424 Kaiser 1936

Spore Germination and Factors Affecting

2698 Schröter 1877

2329 Plowright 1889

2655 Schellenberg 1911

1424 Kaiser 1936

ENTYLOMA FUSCUM Schröt. Beitr. Biol. Pflanz. (Cohn) 2: 373. 1877.

Entyloma fuscellum Rabenh., Fung. Europ. 2495. 1878. Entyloma bicolor Zopf., Rabenh., Fung. Europ. 2496. 1878.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 2698 Schröter 1877

Miscellaneous

Morphology and symptoms 2655 Schellenberg 1911

Incidence and symptoms in Germany 1898 Mehlisch 1935

Host range and history 1724 Liro 1938

Taxonomic study of, with other species on Papaveraceae 2625 Savile 1946

Spore Germination and Factors Affecting 2655 Schellenberg 1911

ENTYLOMA GLAUCII Dang. Le Botaniste 4: 12. 1894.

Entyloma fuscellum Sacc., in Herb.

CYTOLOGY

578 Dangeard 1891

581 Dangeard 1894

HETEROTHALLISM AND SEX

579 Dangeard 1892

581 Dangeard 1894

762 Ferry 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

578 Dangeard 1891

581 Dangeard 1894

762 Ferry 1895

MISCELLANEOUS

Should be included in E. fuscum 2625 Savile 1946

ENTYLOMA HIERACII H. and P. Sydow Ann. Mycol. 16: 244. 1918. nom. nud.

Entyloma calendulae f. hieracii Schröt., Beitr. Biol. Pflanz. (Cohn) 2: 439.

MISCELLANEOUS

Host range and morphology 1724 Liro 1938

ENTYLOMA IRREGULARE Johans. Oefvers, Kongl. Svensk. Vet. Akad. Förh. 41: 159. 1885.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

ENTYLOMA LEPROIDEUM Trabut Compt. Rend. Acad. Sci. Paris 118: 1288-1289. 1894.

MISCELLANEOUS

Symptoms and morphology but no formal description of the species 3028 Trabut 1894

ENTYLOMA LINARIAE Schröt. Beitr. Biol. Pflanz. (Cohn) 2: 371. 1877.

CULTURE ON ARTIFICIAL MEDIA

1047 Hanna 1938

CYTOLOGY

1047 Hanna 1938

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911 Produces two distinct types of conidia 1047 Hanna 1938 Host range and morphology 1724 Liro 1938

ENTYLOMA LOBELIAE Farl. Bot. Gaz. 8: 275. 1883.

CULTURE ON ARTIFICIAL MEDIA

1047 Hanna 1938

CYTOLOGY

1047 Hanna 1938

MISCELLANEOUS

Only one type of conidia produced 1047 Hanna 1938

ENTYLOMA MAGNUSII (Ule) Wor. Abh. Senc. Nat. Ges. 12: 580 1882.

Sorosporium magnusii Ule, Hedwigia 17: 20. 1878. Ustilago magnusii Wint., Rabenh. Krypt. Fl. 1: 87. 1881. p.p.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 3266 Woronin 1882

MISCELLANEOUS

Host range and morphology 1724 Liro 1938 Spore Germination and Factors Affecting 3266 Woronin 1882

ENTYLOMA MATRICARIAE Rostr. Thüm., Mycoth. Univ. 222 1884.

Entyloma matricariae Trail, Plowr., Brit. Ured. and Ust. 291. 1889. Entyloma trailii Massee, Brit. Fungi No. 192. 1891. Entyloma leucanthi H. and P. Sydow, Ann. Mycol. 1: 237. 1903. Entyloma lagerheimi Cif., Atti R. Ist. Bot. Univ. Pavia, n.s. 1: 92. 1924.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

ENTYLOMA MELILOTI MeAlp. Smuts of Australia 195. 1910. Miscellaneous

Two distinct types of conidia produced 1047 Hanna 1938

ENTYLOMA MENISPERMI Farl. and Trel. Bot. Gaz. 8: 275. 18: Culture on Artificial Media

1047 Hanna 1938

CYTOLOGY

1047 Hanna 1938

MISCELLANEOUS

Produces two distinct types of conidia 1047 Hanna 1938

ENTYLOMA MICROSPORUM (Unger) Schröt. Rabenh. Fur Europ. 1872. 1874.

Protomyces microsporum Unger, Exanth. Pflanz. 343. 1883. Entyloma ungerianum DeBary, Bot. Ztg. 32: 105. 1874. Life History, Parasitism and Factors Affecting 617 DeBary 1874

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

Host range 1724 Liro 1938

Spore Germination and Factors Affecting

617 DeBary 1874

2329 Plowright 1889

ENTYLOMA NEPHROLEPIDES Racib. Parasit. Alg. u. Pilz. Javas 3: 8. 1900.

Miscellaneous

Morphology and symptoms 2394 Raciborski 1900

SPORE GERMINATION

2394 Raciborski 1900

ENTYLOMA NYMPHAEAE (D. D. Cunningham) Setchell Bot. Gaz. 19: 189. 1894.

Ramphospora nymphaeae D. D. Cunningham, Sci. Med. Off. Army India 3: 32. 1888.

Entyloma castaliae Holw., Davis in Trans. Wis. Acad. Sci. 11: 174. 1897.

CULTURE ON ARTIFICIAL MEDIA

1047 Hanna 1938

CYTOLOGY

2392 Raciborski 1896

2393 Raciborski 1897

1751 Lutman 1910

MISCELLANEOUS

Only one type of conidia produced 1047 Hanna 1938

Host range and morphology 1724 Liro 1938

Spore Germination and Factors Affecting

563 Cunningham 1888

2392 Raciborski 1896

596 Davis 1896 (as E. castaliae)

2393 Raciborski 1897

ENTYLOMA ORYZAE H. and P. Sydow Ann. Mycol. 12: 197. 1914.

MISCELLANEOUS

Incidence in lower Mississippi Valley in U.S. 3059 Tullis 1934

ENTYLOMA POLYSPORIUM (Peck) Farl. Bot. Gaz. 8: 275. 1883.

Protomyces polysporius Peck, Thüm, Mycoth. Univ. 1813. 1881.

CULTURE ON ARTIFICIAL MEDIA

1047 Hanna 1938

MISCELLANEOUS

Emended description and comparison with other species on Compositae 2627 Savile 1947

ENTYLOMA RANUNCULI (Bonorden) Schröt. Beitr. Biol. Pflanz. (Cohn) 2: 370. 1877.

Fusidium ranunculi Bonorden, Handb. Mycol. 43. 1851.

Protomyces ficariae Cornu and Roze, Bull. Soc. Bot. (France) 22: 161. 1874.

Entyloma ungerianum f. ficariae Wint., Rabenh. Fungi Europ. 1873. 1874.

Entyloma ficariae Thüm. (see Mycoth. Univ. 219), Fisch. v. Waldh., Bull. Soc.

Nat. Imp. Mosc. 4: 309. 1877.

Entyloma verruculosum Fisch v. Waldh., Bull. Soc. Imp. Nat. Mosc. 4: 310. 1877. p.p.

CULTURE ON ARTIFICIAL MEDIA

312 Brefeld 1889

2838 Stempell 1935

CYTOLOGY

1459 Kharbush 1927

2838 Stempell 1935

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2698 Schröter 1877

312 Brefeld 1883

3180 Ward 1887

2655 Schellenberg 1911

2838 Stempell 1935

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

Conidial stage = Fusidium leptospermum Pass. 1689 Lind 1913

Destructive effects on Helleborus niger in France 79 Arnaud 1919

Clamp connections on the mycelium 2732 Seyfert 1927

Chlamydospores in culture 2838 Stempell 1935

Two distinct types of conidia produced 1047 Hanna 1938

Host range and morphology 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

617 DeBary 1874

3180 Ward 1887

2329 Plowright 1889

2655 Schellenberg 1911

ENTYLOMA SEROTINUM Schröt. Beitr. Biol. Pflanz. (Cohn) 2: 437. 1877.

Entyloma luteo-maculans Hume, Proc. Iowa Acad. Sci. 9: 238. 1902.

CULTURE ON ARTIFICIAL MEDIA

1853 Marchal and Sternon 1924

1424 Kaiser 1936 Marchal and Sternon's cultures are of some other fungus

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911 Incidence and symptoms in Germany 1898 Mehlisch 1935 Host range and morphology 1724 Liro 1938 ENTYLOMA THALICTRI Schröt. Krypt. Fl. Schles. 3: 282. 1887.

Entyloma ranunculi f. thalictri Farl., Bot. Gaz. 8: 275. 1883.

Miscellaneous

Morphology 2655 Schellenberg 1911

Host range and morphology 1724 Liro 1938

ENTYLOMA TRIGONELLAE Stevenson Mycologia 38: 524-533.

Miscellaneous

Morphology, with technical description and Latin diagnosis 2848 Stevenson 1946

ENTYLOMA VERRUCULOSUM Pass. Nouvo Gior. Bot. Ital. 9: 239. 1877.

MISCELLANEOUS

Morphology 2655 Schellenberg 1911

FARYSIA NIGRA G. H. Cunningham Trans. New Zeal. Inst. 56: 78. 1926.

Elateromyces niger G. H. Cunningham, Trans. New Zeal. Inst. 55: 416. 1924.

MISCELLANEOUS

Technical description and Latin diagnosis 564 Cunningham 1924 Spore Germination and Factors Affecting

564 Cunningham 1924

FARYSIA OLIVACEA (DC.) H. and P. Sydow Ann. Mycol. 17: 41. 1919.

Uredo olivacea DC., Fl. France 6: 78. 1815.

Caeoma olivaceum Schlecht., Fl. Berol. 2: 130. 1824.

Erysibe olivacea Wallr., Fl. Crypt. Germ. 2: 215. 1833.

Ustilago olivacea Tul., Ann. Sci. Nat. III. 1847.

Ustilago thümenii Fisch. v. Waldh., Hedwigia 17: 40. 1878.

Ustilago olivacea Tul. var. pseudo-cyperi Sacc., Ann. Soc. Cien. Argentina 11: 21. 1881.

Ustilago olivacea forma pseudocyperi Sacc., Syll. Fung. 7: 463. 1888.

Ustilago catenata Ludwig, Zeit. Pflanz. 3: 139. 1893.

Cintractia caricicola P. Henn., Hedwigia 34: 325. 1895.

Ustilago subolivacea P. Henn., Ann. R. Istit. Bot. Roma 6: 84. 1897.

Ustilago caricicola Tracy and Earle, Bull. Torr. Bot. Club 26: 493. 1899.

Elateromyces olivacea Bubak, Houby Ceske 2: 32. 1912.

Stilbella olivacea Jaap, Ann. Mycol. 14: 43. 1916.

Farysia olivacea Hönel, Ann. Mycol. 15: 293. 1917.

Farysia americana Cif., Ann. Mycol. 29: 73. 1931.

Farysia zeylanica Liro, Ann. Bot. Soc. Zool.-Bot. Vanama 6: 7. 1935.

Farysia catenata Sydow, Ann. Mycol. 35: 26. 1937.

Farysia caricis (DC.) Liro, Ann. Sci. Fenn. A, 42: 49. 1938.

CULTURE ON ARTIFICIAL MEDIA

312 Brefeld 1883

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2327 Plowright 1881

312 Brefeld 1883

2395 Raciborski 1909

1763 McAlpine 1910

321 Brefeld 1912

772 Fischer 1920

MISCELLANEOUS

Symptoms and morphology 312 Brefeld 1883

Symptoms and morphology 1763 McAlpine 1910

Symptoms and morphology 2655 Schellenberg 1911

Host range 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

312 Brefeld 1883

2329 Plowright 1889

1763 McAlpine 1910

564 Cunningham 1924

3279 Yen 1937

1724 Liro 1938

GLOMOSPORIUM AMARANTHI Hirschh. Mycologia 37: 280. 1945

MISCELLANEOUS

Morphology, symptoms and comparison with G. leptideum 1212 Hirschhorn 1945

GLOMOSPORIUM LEPTIDEUM (Sydow) Kochman Acta. Soc. Bot. Polon. 16: 58. 1939.

Tolyposporium leptideum Sydow, Ann. Mycol. 11: 365. 1913. Thecaphora leptideum Zundel, Mycologia 29: 583. 1937.

MISCELLANEOUS

Tolyposporium leptideum type of genus 1511 Kochman 1939 Spore Germination and Factors Affecting

1511 Kochman 1939

MELANOPSICHIUM AUSTRO-AMERICANUM (Speg.) G. Beck Ann. Nat. K. K. Hofmus. (Wien) 9: 122. 1894.

Ustilago austro-americana Speg., Ann. Soc. Cien. Argent. 12: 63. 1881. Sphacelotheca austro-americana Liro, Ann. Acad. Sci. Fenn. A, 17: 150. 1924.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2902 Sydow and Butler 1907

1763 McAlpine 1910

1720 Liro 1924

1972 Moesz 1927

Miscellaneous

History and morphology 1720 Liro 1924

Reasons for placing in Sphacelotheca 1720 Liro 1924

Host range 1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

2159 Norton 1896

2902 Sydow and Butler 1907

MELANOPSICHIUM ELEUSINIS (Kulk.) Mundk. and Thirum. Imp. Mycol. Inst. Mycol. Pap. No. 16. 1946.

Ustilago eleusinis Kulk., Ann. Appl. Biol. (India) 9: 184–186. 1922. Ustilago eleusinis H. Sydow, Ann. Mycol. 27: 421. 1929.

CYTOLOGY

2975 Thirumalachar and Mundkur 1947

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1589 Kulkarni 1922

1776 McRae 1929

2975 Thirumalachar and Mundkur 1947

MISCELLANEOUS

Morphology and symptoms 1589 Kulkarni 1922

Morphology and symptoms 2975 Thirumalachar and Mundkur 1947

SPORE GERMINATION AND FACTORS AFFECTING

1589 Kulkarni 1922

2975 Thirumalachar and Mundkur 1947

MELANOPSICHIUM EMODENSIS (Berk.) Zundel Ustilaginales of the World

Ustilago emodensis Berk., in Hooker's Jour. of Botany 3: 202. 1851. Ustilago treubii Solms, Ann. Jour. Bot. (Buitenzorg) 6: 79. 1887. Ustilago rosulata H. and P. Sydow, Ann. Mycol. 10: 77. 1902. Elateromyces treubii Bubak, Houby Ceske 2: 33. 1912. Farysia emodensis H. and P. Sydow, Ann. Mycol. 17: 42. 1919. Liroa emodensis Cif., Nuovo Giorn. Bot. Ital. n.s. 40: 264. 1933

HETEROTHALLISM AND SEX

2777 Solms 1887 (fusion of sporidia)

MISCELLANEOUS

Morphology and symptoms 2777 Solms 1887

Type of species of genus Liroa; Latin diagnosis n. gen. and n. sp. 470 Ciferri 1933

SPORE GERMINATION AND FACTORS AFFECTING 2777 Solms 1887

MELANOTAENIUM CINGENS (Beck.) Magnus Österr. Bot. Zeitschr. 42: 38. 1892.

Ustilago cingens Beck, Österr. Bot. Zeitschr. 31: 313. 1881.

Melanotaenium caulinum Schröt., Krypt. Schles. 3: 285. 1887. (based on Ustilago calium Schneider in litt. 1871 as per Magnus 1892).

Cintractia? cingens DeToni, Sacc. Syll. Fung. 7: 481. 1888.

Miscellaneous

Morphology and symptoms 315 Brefeld 1895

Morphology and symptoms 2655 Schellenberg 1911

SPORE GERMINATION AND FACTORS AFFECTING

1422 Juel 1894

315 Brefeld 1895

MELANOTAENIUM ENDOGENUM (Unger) DeBary Bot. Ztg. 32: 106. 1874.

Protomyces endogenum Unger, Exanth. d. Pflanz. 342. 1833. Protomyces galii Nees., Das Syst. d. Pilze. p. 10. 1837. Physoderma endogenum Cornu, Ann. Sci. Nat. Bot. VI. 15: 291. 1883.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

3266 Woronin 1882

1689 Lind 1913

Miscellaneous

Morphology and symptoms 2655 Schellenberg 1911

Host range 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

3266 Woronin 1882

2655 Schellenberg 1911

MELANOTAENIUM HYPOGAEUM (Tul.) Schellenb. Beitr. Krypt.

Schweiz 3: 108. 1911.

Ustilago? hypogaea Tul., Fungi Hypogali 196. 1851. Ustilago hypogaea Fisch. v. Waldh., Apercu Syst. Ustilag. p. 18. 1877.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 2655 Schellenberg 1911

Miscellaneous

Morphology and symptoms 2655 Schellenberg 1911

MELANOTAENIUM LAMII Beer Trans. Brit. Mycol. Soc. 6: 331–343. 1920.

MISCELLANEOUS

Morphology and general considerations of the entire genus 183 Beer 1920

CYTOLOGY

183 Beer 1920

MUNDKURELLA HEPTAPLEURI Thirum. Mycologia 36: 596. 1944.

CYTOLOGY

2969 Thirumalachar 1944

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 2969 Thirumalachar 1944

Spore Germination and Factors Affecting 2969 Thirumalachar 1944

NEOVOSSIA BARCLAYANA Bref. Unters. Gesammt. Myk. 12: 170. 1895.

Tilletia barclayana Sacc. and Sydow, Sacc. Syll. Fung. 14: 422. 1899.

CONTROL

436 Chevalier 1931

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 315 Brefeld 1895

Miscellaneous

Morphology and symptoms 315 Brefeld 1895

Possible incidence on Pennisetum typhoideum, in Senegal 436 Chevalier 1931

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

NEOVOSSIA HORRIDA (Takahashi) Padwick and Azmatullah Khan Imp. Mycol. Inst. (New Delhi) Mycol. Pap. No. 10: 2. 1944.

Tilletia horrida Takahashi, Bot. Mag. Tokyo 10: 20. 1896.

CONTROL

2482 Reves 1939

CULTURE ON ARTIFICIAL MEDIA

3095 Vanterpool 1932

548 Cralley 1934

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

26,27 Anderson 1899

28 Anderson 1902

402 Butler 1913

2584 Rutgers 1914

2481 Reyes 1933

2482 Reyes 1939

446 Chowdhury 1946

MISCELLANEOUS

Presence in rice feed meal 767 Filter 1911

SPORE GERMINATION AND FACTORS AFFECTING

2955 Teng 1931

3095 Vanterpool 1932

548 Cralley 1934

1688 Lin 1936

2203 Padwick and Khan 1944

NEOVOSSIA INDICA (Mitra) Mundkur Trans. Brit. Mycol. Soc. 24: 313. 1940.

Tilletia indica Mitra, Ann. App. Biol. 18: 178. 1931.

CONTROL

1963 Mitra 1935

1964 Mitra 1937

CULTURE ON ARTIFICIAL MEDIA

2402 Ramamoorthy and Mundkur 1944

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1963 Mitra 1935

1964 Mitra 1937

2200 Padwick 1939 (effect of irrigation on incidence)

2058 Mundkur 1943 (each smut ball represents a separate local infection caused by wind-borne sporidia)

MISCELLANEOUS

Technical description of species 1962 Mitra 1931

Parts of host affected 1962 Mitra 1931

Comparison of Tilletia indica with T. caries and T. foetida 1962 Mitra 1935

Not systemic or seed borne or soil borne but each smut ball represents a separate local infection caused by wind-borne sporidia 2058 Mundkur 1943

Comparison with *T. caries* and *T. foetida* 2058 Mundkur 1943 Spore Germination and Factors Affecting 1963 Mitra 1935

NEOVOSSIA MOLINIAE (Thüm.) Korn. Österr. Bot. Zeitschr. 29: 217. 1879.

Vossia moliniae Thüm, Österr. Bot. Zeitschr. 29: 19. 1879; Myc. Univ. 1319.

Sorosporium vossianum Thüm., Mycoth. Univ. 1319. 1879. Tilletia moliniae Wint., in Rabenh. Krypt. Fl. 1: 109. 1881.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

313 Brefeld 1888

315 Brefeld 1895

1831 Magnus 1900

MISCELLANEOUS

Symptoms and morphology 315 Brefeld 1895

Morphology and symptoms 2655 Schellenberg 1911

Morphology 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

2655 Schellenberg 1911

SCHIZONELLA COLEMANI Iyengar and Narasimhan Phytopath. 12: 435. 1922.

Miscellaneous

Morphology and symptoms 1334 Iyengar and Narasimhan 1922

SCHIZONELLA MELANOGRAMMA (DC.) Schröt. Beitr. Biol. Pflanz. (Cohn) 2: 362. 1877.

Uredo melanogramma (DC.), Fl. France 6: 75. 1815.

Caeoma melanogramma Schlecht., Linneae 1: 238. 1826.

Puccinia melanogramma Unger, Einf. Bodens 217. 1836.

Thecaphora melanogramma Lev., Ann. Sci. Nat. Bot. III, 8: 373. 1847.

Ustilago destruens afoliicola Hausman, Erb. Critt. Ital. 1300. 1865.

Geminella foliicola Schröt., Abh. Schles. Ges. Vaterl. Cult. Abth. Naturw. Med., 1869-72: 6. 1869.

Urocystis pusilla Cooke and Peck, Rept. N. Y. State Mus. Nat. Hist. 25: 90. 1873.

Ustilago ambiens Karsten, Oefv. K. Svensk. Vet. Akad. Forh. 29: 108. 1873. Geminella melanogramma Magnus, Hedwigia 14: 19. 1875.

Entyloma ambiens Johans., Oefv. K. Svensk. Vet. Akad. Forh. 41: 160. 1884. Schizonella pusilla Cif., Ann. Mycol. 29: 20. 1931.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2698 Schröter 1877

315 Brefeld 1895

2655 Schellenberg 1911

Miscellaneous

Morphology 315 Brefeld 1895

Morphology and symptoms 2655 Schellenberg 1911

Host range 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

2698 Schröter 1877

313 Brefeld 1888

315 Brefeld 1895

2655 Schellenberg 1911

SCHROETERIA DECAISNEANA (Boudier) DeToni Sacc. Syll. Fung. 7: 501. 1888.

Geminella decaisneana Boudier, Bull. Soc. Mycol. (France), 3: 150. 1887.

CYTOLOGY

760 Ferdinandsen and Winge 1914

MISCELLANEOUS

Morphology 2655 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

2698 Schröter 1877

321 Brefeld 1912

SCHROETERIA DELASTRINA (Tul.) Wint. Rabenh. Krypt. Fl. 1: 117. 1881.

Thecaphora delastrina Tul., Ann. Sci. Nat. III. 7: 7. 1847.

Geminella delastrina Schröt., Beitr. Biol. Pflanz. (Cohn) 2: 5. 1877.

Schroeteria delastrina var. reticulata Cocconi, Rend. Sess. Acad. Sci. Bologna, n.s. 2: 219. 1898.

CULTURE ON ARTIFICIAL MEDIA

312 Brefeld 1883

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

3237 Winter 1876

312 Brefeld 1883

287 Boudier 1886

288 Boudier 1887

499 Cocconi 1897

3093 Vandervst 1903

MISCELLANEOUS

Host range and morphology 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

3056 Tulasne and Tulasne 1847

2698 Schröter 1877

312 Brefeld 1883

SOROSPORIUM ANDROPOGONIS-SORGHI S. Ito. Trans. Sapporo Nat. Hist. Soc. 14: 79. 1935.

MISCELLANEOUS

Morphology and symptoms; technical description and Latin diagnosis. In ovaries and pedicels of sorghum 1328 Ito 1935

SOROSPORIUM ARGENTINUM Speg. Anal. Soc. Cien. Argent. 12: 64. 1881.

Ustilago negeriana Dietel, Hedwigia Beibl. 37: 147. 1898. Ustilago argentinum Speg., Revista Argent. Bot. 1: 151. 1926.

MISCELLANEOUS

Morphology and symptoms 1191 Hirschhorn 1939

SOROSPORIUM ARISTIDAE-CYANANTHAE (Bref.) Zundel Ustilaginales of the World

Ustilago aristidae cyananthae Bref., Unters. Gesammt. Myk. 12: 102. 1895.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING
315 Brefeld 1895

MISCELLANEOUS

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

SOROSPORIUM CONSANGUINEUM Ell. and Ev. Jour. Mycol. 3: 56. 1887.

Ustilago aristidae Peck, Bull. Torr. Bot. Club 12: 35. 1885. Sorosporium aristidae Neger, Ann. Univ. Santiago, Chile, 93: 789. 1896. Sorosporium bornmulleri P. Magnus, Verh. Zool.-Bot. Ges. (Wien) 1900: 434.

CYTOLOGY

1211 Hirschhorn 1945

MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

SPORE GERMINATION AND FACTORS AFFECTING

2159 Norton 1896

1763 McAlpine 1910

796 Fischer and Hirschhorn 1945

SOROSPORIUM CRYPTUM (McAlp.) Smuts of Australia, p. 176. 1910.

Ustilago crypta McAlp, Proc. Linn. Soc. New S. Wales 32: 42. 1897.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1763 McAlpine 1910

MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

SPORE GERMINATION AND FACTORS AFFECTING

1763 McAlpine 1910

SOROSPORIUM ENTEROMORPHUM (McAlp.) Smuts of Australia, p. 177. 1910.

Ustilago enteromorpha McAlp., Agric. Gaz. New S. Wales 7: 154. 1896.

MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

SOROSPORIUM EVERHARTII Ell. and Gall. Jour. Mycol. 6: 32. 1890.

Uredo syntherismae Ravenel (not Schweinitz), Ravenel Fung. Car. 2: 98.

Ustilago cesatii Fisch. v. Wald., Apercu Syst. Ust. p. 25. 1877. p.p. Tolyposporium everhartii Dietel, Engl. and Prantl Nat. Pflanz. 1: 14. 1897. Sorosporium syntherismae Amer. Auct. p.p.

MISCELLANEOUS

Sori much smaller in staminal than in ovarial tissues 1065 Hansing and Lefebvre 1941

SOROSPORIUM MELANDRII Sydow Ann. Mycol. 32: 286. 1934. MISCELLANEOUS

Longevity of spores; at least two years 779 Fischer 1936

Spore Germination and Factors Affecting

3266 Woronin 1882

SOROSPORIUM NEILII G. H. Cunningham Trans. New Zeal. Inst. 55: 428. 1924.

Miscellaneous

Morphology, technical description and Latin diagnosis 564 Cunningham 1924

SPORE GERMINATION AND FACTORS AFFECTING 564 Cunningham 1924

SOROSPORIUM PASPALI-THUNBERGII (P. Henn.) S. Ito Trans. Sapporo Nat. Hist. Soc. 14: 94. 1935.

Ustilago paspali-thunbergii P. Henn., Hedwigia 43: 140. 1904. Sorosporium paspali McAlp., Smuts of Australia, p. 180. 1910.

CONTROL

2622 Sattar 1930

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 2622 Sattar 1930

SPORE GERMINATION AND FACTORS AFFECTING 2622 Sattar 1930

SOROSPORIUM PILULIFORMIS (Berk.) McAlpine Smuts of Australia, p. 180. 1910.

Uredo piluliformis Berk., Hooker's Jour. Bot. (London) 2: 423. 1843. Ustilago piluliformis Tul., Ann. Sci. Nat. Bot. III. 7: 93. 1847.

Ustilago marmorata Berk., Jour. Linn. Soc. 13: 174. 1873. Ustilago mulleriana Thüm., Mycoth. Univ. 623. 1877. Cintractia piluliformis P. Henn., Hedwigia 27: 37. 1898. Cintractia muelleriana Cif., Ann. Mycol. 29: 72. 1931.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1763 McAlpine 1910

MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

SOROSPORIUM SAPONARIAE F. Rudolphi Linnaea 4: 116. 1829.

Caeoma schlechtendalii Klotz., Herb. Viv. Mycol. 87. 1832.
Schizoderma saponariae Fries, Syst. Mycol. 3: 477. 1832.
Ustilago rudolphi Tulasne, Ann. Sci. Nat. III. 7: 99. 1847.
Microbotryum rudolphi Leveille, Diet. Univ. Hist. Nat. 12: 787. 1849.
Thecaphora tunicae Auderswald, Österr. Bot. Zeitschr. 18: 242. 1868.
Urocystis purpurea Hazslinsky, Math. Termes. Magyar. Akad. 14: 82. 1876.
Sorosporium dianthorum Cif., Ann. Mycol. 26: 24. 1928.
Sorosporium gypsophilae Cif., Ann. Mycol. 26: 25. 1928.
Sorosporium silenis-inflatae Cif., Ann. Mycol. 26: 27. 1928.
Sorosporium alsinearum Cif., Ann. Mycol. 26: 27. 1928.
Sorosporium purpureum Liro, Ann. Acad. Sci. Fenn. A. 42: 63. 1938.
Sorosporium stellariae Liro, Ann. Acad. Sci. Fenn. A. 42: 65. 1938.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

3056 Tulasne 1847

615 DeBary 1863

803 Fischer v. Waldheim 1869

2297 Phillips and Plowright 1881

3266 Woronin 1882

2389 Plowright 1889

2655 Schellenberg 1911

1689 Lind 1913

1724 Liro 1938

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911 Incidence in Oregon on Silene and Stellaria 1338 Jackson 1920 Host range 1724 Liro 1938

Physiologic Specialization

1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

3266 Woronin 1882

315 Brefeld 1895

2655 Schellenberg 1911

1689 Lind 1913

SOROSPORIUM SETARIAE McAlp. Smuts of Australia, p. 183. 1910.

Life History, Parasitism and Factors Affecting 1763 McAlpine 1910 MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

SPORE GERMINATION AND FACTORS AFFECTING

1763 McAlpine 1910

SOROSPORIUM SIMII Pole Evans So. Afr. Jour. Sci. 12: 543. 1916.
MISCELLANEOUS

Distinct from S. reilianum 3342 Zundel 1930

SOROSPORIUM SOLIDUM (Berk.) McAlp. Smuts of Australia, p. 183. 1910.

Ustilago solida Berk., Fl. Tasmania 2: 270. 1860. (In Hooker, Bot. Antarctic Voyage 3: 2. 1860).

Urocystis solida Fisch. v. Waldh., Apercu Syst. Ust. p. 38. 1877.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1763 McAlpine 1910

SOROSPORIUM SYNTHERISMAE (Peck) Farl. Farlow and Seymour Host Index, N. A. Fungi 152. 1891.

Ustilago syntherismae Peck, Ann. Rept. N. Y. State Museum 27: 103. 1875. Sorosporium cenchri P. Henn., Hedwigia 35: 221. 1896.

CULTURE ON ARTIFICIAL MEDIA

1871 Martin and Kernkamp 1941

1870 Martin 1943

CYTOLOGY

1870 Martin 1943

Hybridization and Genetics

1870 Martin 1943 (with Sphacelotheca destruens)

Miscellaneous

Longevity of spores; at least 7 years 779 Fischer 1936

Effect of incubation temperatures on percentage of smut 1384 Johnson, Rodenhiser and Lefebvre 1940

Buff mutant produced 1385 Johnson, Rodenhiser and Lefebvre 1940

SPORE GERMINATION AND FACTORS AFFECTING

2159 Norton 1896

1517 Kolk 1943

1870 Martin 1943

796 Fischer and Hirschhorn 1945

SOROSPORIUM TUMEFACIENS McAlp. Smuts of Australia, p. 184. 1910.

MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

SPORE GERMINATION AND FACTORS AFFECTING

1763 McAlpine 1910

SPHACELOTHECA ANDROPOGONIS-ANNULATI (Bref.) Zundel Mycologia 22: 132. 1930.

Ustilago andropogonis-annulati Bref, Unters. Gesammt. Myk. 12: 109. 1895.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 315 Brefeld 1895

MISCELLANEOUS

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING 315 Brefeld 1895

Brit. Mycol. Soc. 23: 113. 1939.

Ustilago arundinellae Bref., Unters. Gesammt. Myk. 12: 108. 1895.

SPHACELOTHECA ARUNDINELLAE (Bref.) Mundkur Trans.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

MISCELLANEOUS

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

SPHACELOTHECA BARCINONENSIS Riofrio Bol. Real. Soc. Esp. Hist. Nat. 23: 192–195. 1923.

MISCELLANEOUS

Morphology and symptoms 2503 Riofrio 1923

SPORE GERMINATION AND FACTORS AFFECTING

2503 Riofrio 1923

SPHACELOTHECA BICORNIS (P. Henn.) Zundel Mycologia 22: 140. 1930.

Ustilago bicornis P. Henn., Hedwigia 35: 50. 1896.

SPORE GERMINATION AND FACTORS AFFECTING 3118 Viegas 1944

SPHACELOTHECA BOREALIS (Clint.) Schellenb. Ann. Mycol. 5: 386. 1907.

Sphacelotheca hydropiperis var. borealis Clint., Proc. Boston Nat. Hist. 31: 395. 1904.

MISCELLANEOUS

Morphology and symptoms 2654 Schellenberg 1907

Morphology and symptoms 2655 Schellenberg 1911

SPORE GERMINATION AND FACTORS AFFECTING

2654 Schellenberg 1907

2655 Schellenberg 1911

SPHACELOTHECA BOSNIACA (Beck) Maire Bull. Soc. Bot. France Ser. IV. 8: 150. 1908.

Uredo bistortarum ustilaginea DC., Fl. France 6: 76. 1815. Ustilago bosniaca Beck, Ann. k.k. Nat. Hofmus. (Wien) 9: 121. 1894.

Sphacelotheca alpina Schellenb., Ann. Mycol. 5: 392. 1907.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

174 Beck 1894

2872 Strohmeyer 1896

2654 Schellenberg 1907 (as S. alpina)

2655 Schellenberg 1911 (as S. polygoni-alpini and S. alpina)

1720 Liro 1924

MISCELLANEOUS

Symptoms and morphology as S. alpina 2654 Schellenberg 1907 Symptoms and morphology as S. alpina 2655 Schellenberg 1911 History and comparative morphology with related forms 1720 Liro 1924

Synonymy 1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

2655 Schellenberg 1911 (as S. alpina)

SPHACELOTHECA CRUENTA (Kühn) Potter Phytopath. 2: 98. 1912.

Ustilago cruenta Kühn, Hamburg Gart. Blumenztg. 28: 178. 1872. Ustilago tulasnei Kühn, Rabenh., Fungi Europ. 1997. 1875.

CONTROL

277 Borghardt 1932

2910 Takasugi and Akaishi 1933

1669 Leukel 1943

CULTURE ON ARTIFICIAL MEDIA

312 Brefeld 1883

314 Brefeld 1895

2515 Rodenhiser 1932

2517 Rodenhiser 1934

2745 Shih 1938

CYTOLOGY

2517 Rodenhiser 1934

HETEROTHALLISM AND SEX

311 Brefeld 1883 (sporidial fusions)

2515 Rodenhiser 1932

2519 Rodenhiser and Barnes 1933

2517 Rodenhiser 1934

2745 Shih 1938

HOST RANGE

1397 Johnston et al. 1938 (on Johnson grass, Sorghum halepense)

HYBRIDIZATION AND GENETICS

2516 Rodenhiser 1933 (with Sphacelotheca sorghi)

2519 Rodenhiser and Barnes 1933

2517 Rodenhiser 1934 (with Sphacelotheca sorghi)

3081 Vaheeduddin 1936 (with Sphacelotheca reiliana)

2518 Rodenhiser 1937 (with Sphacelotheca sorghi)

3082 Vaheeduddin 1938 (with Sphacelotheca reiliana)

3083 Vaheeduddin 1942 (with Sphacelotheca reiliana)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

311 Brefeld 1883

313 Brefeld 1888

314 Brefeld 1895

322 Brefeld and Falk 1905

2453 Reed and Faris 1924

2454 Reed and Faris 1924

732 Faris and Reed 1925

1868 Martin and Ratliffe 1927

2911 Takasugi and Akaishi 1937

2745 Shih 1938

MISCELLANEOUS

Comparison with other Sorghum smuts 1576 Kühn 1878 Infection of host by injecting sporidial suspensions 313 Brefeld

1888

Effect on host as compared with S. sorghi 2424 Reed 1923

Local infection of floral structures 732 Faris and Reed 1925

Second crop of Feterita smutted where none appeared in first crop 1868 Martin and Ratliffe 1927

Successful inoculation by hypodermic injection 3318 Zehner and Humphrey 1929

Spores not toxic to rodents, cattle and fowl 1135 Heller et al. 1930 Genetic data in support of specific distinction of S. cruenta from S. sorghi 2517 Rodenhiser 1934

Comparison with S. holci 1397 Johnston et al. 1938

As cause of hay fever and asthma 3246 Wittich 1939

Incidence in Italian E. Africa on sorghum 425 Castellani 1940

Severity in Nebraska 574 Cushing et al. 1940

Hay fever produced by 2296 Phillips 1940

Sori in both staminal and ovarial tissues 1065 Hansing and Lefebvre 1941

PHYSIOLOGIC SPECIALIZATION

1907 Melchers 1933

2518 Rodenhiser 1937 (distinct race on Johnson grass)

SPORE GERMINATION AND FACTORS AFFECTING

311 Brefeld 1883

403 Butler 1918

1586 Kulkarni 1918

2910 Takasugi and Akaishi 1933

2517 Rodenhiser 1934

2911 Takasugi and Akaishi 1937

2745 Shih 1938

1517 Kolk 1943

VARIETAL RESISTANCE AND SUSCEPTIBILITY AND INHERITANCE

1587 Kulkarni 1921

2424 Reed 1923

1591 Kulkarni 1924

2444 Reed 1936

2911 Takasugi and Akaishi 1937

1909 Melchers 1940

SPHACELOTHECA CYMBOPOGONIS Yen Rev. Mycol. 3: 7. 1938.

CYTOLOGY

3281 Yen 1938

MISCELLANEOUS

Morphology and symptoms 3281 Yen 1938

SPORE GERMINATION AND FACTORS AFFECTING

3281 Yen 1938

SPHACELOTHECA DESTRUENS (Schlecht.) Stevenson and Johnson Phytopath. 34: 613. 1944.

Uredo (Ustilago) segetum subsp. panici-miliacei Pers., Syn. Fung. 224. 1801.
Uredo (Ustilago) segetum var. panici Albertini and Schwein., Consp. Fung. 130. 1805.

Uredo carbo var. panici-miliacei DC., Fl. France 6: 76. 1815.

Caeoma destruens Schlecht., Fl. Berol. 2: 130. 1824. Link, in Willdenow Sp. Pl. 6: 3. 1824.

Uredo destruens Duby, Bot. Gall. 901. 1830.

Erysibe panicorum var. panici-miliacei Wallr., Fl. Krypt. Germ. 2: 216. 1833. Ustilago carbo var. destruens Tul., Ann. Sci. Nat. III. 7: 81. 1847.

Tilletia destruens Lev., Ann. Sci. Nat. III. 8: 372. 1848.

Ustilago destruens Schlecht., Rabenh. in Klotsch, Herb. Viv. Mycol. ed. 2. 400. 1856.

Ustilago panici-miliacei Wint., in Rabenh. Krypt. Fl. 1: 89. 1884.

Sorosporium panici-miliacei Tok., Bot. Mag. (Tokyo) 16: 184, 247. 1902.

Sphacelotheca panici-miliaceae Bubak, Houby Ceska 2: 27. 1912.

CONTROL

1269 Hori 1901

2877 Stuart 1901

2909 Takahashi 1902

3097 Vasey 1918

1598 Kutin 1921

2816 Stakman and Lambert 1923

2751 Sigriansky 1925

1007 Gussow and Conners 1927

3273 Yatzynina 1927

22 Alexeyeff 1928 (effect of high temperatures on spore viability and germination)

276 Borghardt 1928

278 Borghardt 1932

1514 Köck 1932

1657 Leszczenko 1935

2256 Perevesentzeva 1935 (use of magnesium arsenite)

2588 Ryakhovsky 1935

2589 Ryakhovsky and Gamarnik 1935

2486 Richter and Müller 1943

CULTURE ON ARTIFICIAL MEDIA

311 Brefeld 1883 (as U. panici-miliacei)

1871 Martin and Kernkamp 1941

1870 Martin 1943

CYTOLOGY

1870 Martin 1943

HETEROTHALLISM AND SEX

311 Brefeld 1883 (fusions between cells of promycelium)

159 Bauch 1934 (sporidial fusions with bipolar species)

Hybridization and Genetics

159 Bauch 1934

1870 Martin 1943 (with Sorosporium syntherismae)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

311 Brefeld 1883 (as U. panici-miliacei)

322 Brefeld and Falk 1905

1271 Hori 1907

1763 McAlpine 1910

3097 Vasey 1918

2163 Novopokrovski and Skaskin 1925

22 Alexeyeff 1928

1409 Jones and El Nasr 1938

MISCELLANEOUS

Eight-year-old herbarium material still viable (as *U. panicimiliacei*) 311 Brefeld 1883

Symptoms and morphology 1763 McAlpine 1910

Morphology and symptoms 2655 Schellenberg 1911

Spores disseminated by beetle (Phalacrus politus) 3097 Vasey 1918

Heavy losses due to in Russia 2751 Sigriansky 1925

Effect of smut on development of the host 388 Buchheim and Schmanev 1926

Control reduced considerably when treated seed is stored for any length of time before planting 3273 Yatzynina 1927

Heavy infestation responsible for difficult breathing of peasants during threshing 129 Balakhenoff 1928

Influence on development of host 385 Buchheim 1930

Morphological responses of the host to infection 385 Buchheim 1930

Stimulatory effects of ether 704 Enomoto 1934

Influence on development of host 386 Buchheim 1935

Fresh spores germinate less freely 1737 Lobik and Dahlstrem 1936

First report in Sweden 1705 Lindfors 1939

Symptoms and review of literature 2486 Richter and Müller 1943

S. destruens the valid name for the broomcorn millet fungus 2850 Stevenson and Johnson 1944 SPORE GERMINATION AND FACTORS AFFECTING

311 Brefeld 1883 (as U. panici-miliacei)

2163 Novopokrovsky and Skaskin 1925

22 Alexeveff 1928

1737 Lobik and Dahlstrem 1936 (temperature range for germination)

1737 Lobik and Dahlstrem 1936 (methods of)

3279 Yen 1937

1870 Martin 1943

796 Fischer and Hirschhorn 1945

SPHACELOTHECA DIGITARIAE (Kunze) Clint. N. A. Flora 7: 998. 1939.

Uredo digitariae Kunze, Holl. Flora 13: 369. 1830.

Ustilago digitariae f. panici-repentis Kühn, Hedwigia 15: 5. 1876. (Rabenh.

Fungi Europ. 2099, f. 11). Ustilago pallida Körn., Hedwigia 16: 34. 1877.

Ustilago digitariae Wint., Rabenh. Krypt. Fl. 1: 88. 1881.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911 Changed to Sorosporium digitariae n. comb. 2201 Padwick 1946

SPHACELOTHECA EXSERTA (McAlp.) Cif. Ann. Mycol. 26: 32. 1928 (nom. nud.)

Cintractia exserta McAlp., Smuts of Australia, p. 170. 1910. Sphacelotheca exserta Yen, Contr. Inst. Bot. Nat. Acad. Peiping 4: 196. 1936.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1763 McAlpine 1910

Miscellaneous

Symptoms and morphology 1763 McAlpine 1910

SPHACELOTHECA HOLCI Jackson Monogr. Univ. Puerto Rico. B.

No. 2: 259. 1934.

Spore Germination and Factors Affecting 1517 Kolk 1943

SPHACELOTHECA HYDROPIPERIS (Schum.) DeBary.

Uredo hydropiperis Schum., enum. Pl. Saell. 2: 234. 1804.

Uredo bistortarum ustilaginea DC., Fl. France 6: 76. 1815. p.p.

Caeoma utriculosum Link, in Willdenow, Sp. Pl. 6: 9. 1825. p.p. Erysibe utriculosa Wallr., Fl. Krypt. Germ. 2: 216. 1833.

Ustilago candollei Tul., Ann. Sci. Nat. Bot. III. 7: 187. 1884.

Sphacelotheca granosa Liro, Ann. Acad. Sci. Fenn. A. 17: 148. 1924.

HETEROTHALLISM AND SEX

315 Brefeld 1895 (fusion of sporidia)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

619 DeBary 1884

2654 Schellenberg 1907 (as U. candollei)

1720 Liro 1924

MISCELLANEOUS

Morphology 315 Brefeld 1895

Morphology and symptoms 2655 Schellenberg 1911

History and morphology 1720 Liro 1924

Host range 1720 Liro 1924

Physiologic Specialization

1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

803 Fischer v. Waldheim 1869

2704 Schröter 1887

2559 Rostrup 1890

315 Brefeld 1895

2654 Schellenberg 1907 (as U. candollei)

2655 Schellenberg 1911 (as U. candollei)

SPHACELOTHECA HYDROPIPERIS var. COLUMELLIFERA (Tul.)

Zundel. Ustilaginales of the World.

Ustilago hydropiperis var. columellifera Tul., Berk., in Jour. Linn. Soc. (London), 13: 174. 1873. Cooke, Handbook Australian Fungi 237. 1892.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1763 McAlpine 1910

SPHACELOTHECA INFLORESCENTIAE (Trel.) Maire Osterr. Bot.

Zeitschr. 57: 273. Oct. 1907.

Uredo bistortarum ustilagineae DC. p.p., Fl. France 6: 76. 1815.

Ustilago bistortarum var. inflorescentiae Trel., Harriman Alaska Exp. Crypt. 35. 1904.

Ustilago inflorescentiae Maire, Bull. Soc. Bot. (France). 54: 149. 1907.

Sphacelotheca polygoni-vivipari Schellenb., Ann. Mycol. 5: 388. Oct. 1907. (Appeared Nov. 1907).

Sphacelotheca inflorescentiae Jaap, Ann. Mycol. 6: 194. 1908.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2654 Schellenberg 1907 (as S. polygoni-vivipari)

1935 Migula 1910

3225 Wilson 1924

1720 Liro 1924

MISCELLANEOUS

Morphology and symptoms 2654 Schellenberg 1907

Comparative morphology with S. borealis and S. hydropiperis 2654 Schellenberg 1907

History and morphology (as U. ustilagineae) 1720 Liro 1924

Comparative morphology with S. borealis and S. hydropiperis 3225 Wilson 1924

Considered as synonym of *Ustilago bistortarum* 1213 Hirschhorn 1947

Physiologic Specialization

2655 Schellenberg 1911 (as S. polygoni-vivipari)

SPORE GERMINATION AND FACTORS AFFECTING

2654 Schellenberg 1907 (as S. polygoni-vivipari)

2655 Schellenberg 1911 (as S. polygoni-vivipari)

SPHACELOTHECA ISCHAEMI (Fuck.) Clint. Jour. Mycol. 8: 140. 1902.

Uredo (Ustilago) andropogoni Opiz, Naturw. 1823-24: 43. 1823. (doubtful description).

Ustilago ischaemi Fuck., Ver. Nat. Nassau. 15: 22. 1861.

Ustilago cylindrica Peck, Bot. Gaz. 7: 55, 1882.

Cintractia ischaemi H. and P. Sydow, Österr. Bot. Zeitschr. 51: 12. 1901.

Sphacelotheca andropogonis Bubak, Naturw. Landes. Böhm. 15: 25. 1916.

Sphacelotheca ischaemi f. heteropogonis Bacc., Ann. Bot. (France) 14: 131. 1917.

CULTURE ON ARTIFICIAL MEDIA

286 Boss 1927

CYTOLOGY

286 Boss 1927

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

647 Dietel 1897

2655 Schellenberg 1911

MISCELLANEOUS

Morphology 311 Brefeld 1883

Morphology and symptoms 2655 Schellenberg 1911

Chlamydospores (haploid) in culture 286 Boss 1927

SPORE GERMINATION AND FACTORS AFFECTING

311 Brefeld 1883

3282 Yen 1938

SPHACELOTHECA MICROSPORA (P. Henn.) Cif. Bot. Archiv. 34: 532. 1932.

Ustilago microspora Schröt. and Henn., Hedwigia 35: 215. 1895.

Ustilago paspali Speg., Ann. Mus. Nac. Buenos Aires 6: 209. 1898.

Ustilago paspali-notati P. Henn., in Herb. Holway, see Jour. Mycol. 8: 140. 1902.

Sphacelotheca paspali-notati Clint., Jour. Mycol. 8: 140. 1902.

Miscellaneous

Comparative morphology on various hosts and localities 1191 Hirschhorn 1939

SPHACELOTHECA MOLLERI (Bref.) Liro Ann. Acad. Sci. Fenn. 17: 158. 1924.

Ustilago mölleri Bref., Unters. Gesammt. Myk. 12: 132. 1895.

Miscellaneous

Morphology and description 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

SPHACELOTHECA MONTANIENSIS (Ell. and Holw.) Clint. Jour. Mycol. 8: 141. 1902.

Ustilago montaniensis Ell. and Holw., Jour. Mycol. 6: 119. 1891.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 29 Anderson 1889

MISCELLANEOUS

Importance on Muhlenbergia spp. in Montana 29 Anderson 1889 Adverse effects on hosts 29 Anderson 1889

SPHACELOTHECA PAMPARUM (Speg.) Clint Jour. Mycol. 8: 140. 1902.

Ustilago setariae Speg., Ann. Soc. Cien. Argent. 10: 5. 1880. Not U. setariae Niessl.

Ustilago pamparum Speg., Ann. Soc. Cien. Argent. 17: 89. 1884. Ustilago kolaczekii Kühn, Rabenh.-Wint. Fungi Europ. 3401. 1886.

MISCELLANEOUS

Nomenclatorial note and synonomy 472 Ciferri 1934

SPORE GERMINATION AND FACTORS AFFECTING 1191 Hirschhorn 1939

SPHACELOTHECA PAPPOPHORI (Pat.) Zundel Ustilaginales of the World.

Ustilago pappophori Pat., Bull. Soc. Mycol. (France) 22: 199. 1906. Ustilago pappophori Pat., var. magdalensis Hirschh., Darwiniana 3: 397. 1934. Ustilago magdalensis Hirschh., Ann. Soc. Cien. Argent. 83: 217. 1942.

Spore Germination and Factors Affecting 1191 Hirschhorn 1939

SPHACELOTHECA REILIANA (Kühn) Clint. Jour. Mycol. 8: 141. 1902.

Ustilago holci-sorghi Riv., Parassiti veg. 422. 1873. (sub. U. holci-sorghi) (nomen dubium).

Ustilago reiliana Kühn, in Rabenh., Fungi Europ. 1998. 1875.

Ustilago reiliana f. zeae Pass., in Rabenh., Fungi Europ. 2096. 1876.

Ustilago pulveracea Cooke, Grevillea 4: 115. 1876.

Cintractia sorghi DeToni, Sacc. Syll. Fung. 7: 48. 1888.

Endothlaspis sorghi Sorokine, Rev. Mycol. 12: 4. 1890.

Ustilago abortifera Speg., Ann. Mus. Nac. Buenos Aires II. 6: 207. 1899.

Cintractia reiliana Clint., Ill. Agric. Expt. Sta. Bull. 57: 346. 1900.

Ustilago (Cintractia) reiliana f. foliicola Kell., Ohio (State Univ.) Nat. 1: 9. 1900.

Sorosporium reilianum McAlp., Smuts of Australia, 181. 1910.

Sphacelotheca sorghi Speg., Rivista Arg. Bot. 1: 150. 1925.

Spacelotheca sorokiniana Cif., Ann. Mycol. 26: 2. 1928.

Sphacelotheca holci-sorghi Cif., Fl. Ital. Crypt. Fasc. 17: 267. 1938.

CONTROL

1761 McAlpine 1910

2068 Munerati 1910

1901 Melchers 1916

360 Britton-Jones 1922

3169 Wallace 1931

277, 278 Borghardt 1932

337 Bressman and Barss 1933

CULTURE ON ARTIFICIAL MEDIA

2349 Potter 1914 (including production of chlamydospores in culture)

1214 Hirschhorn and Hirschhorn 1935 (including development of chlamydospores)

CYTOLOGY

1039, 1040 Hanna 1929

HETEROTHALLISM AND SEX

1039, 1040 Hanna 1929

Hybridization and Genetics

3065 Tyler and Shumway 1935 (with Sphacelotheca sorghi)

3081 Vaheeduddin 1936 (with Sphacelotheca cruenta) 3083 Vaheeduddin 1942 (with Sphacelotheca cruenta)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2242 Passerini 1877

311 Brefeld 1883

479 Clinton 1900

1442, 1443 Kellerman 1900

1444 Kellerman and Jennings 1902

2021 Mottareale 1903

1271 Hori 1907

1761 McAlpine 1910

2348 Potter 1912

2349 Potter 1914

360 Britton-Jones 1922

451 Christensen 1926

935, 936 Geschele 1927

2463 Reed, Swabey and Kolk 1927

1039, 1040 Hanna 1929

337 Bressman and Barss 1933

1486 Kispatic 1948

MISCELLANEOUS

Comparison with other Sorghum smuts 1576 Kühn 1878

Spores still viable after 8 years 311 Brefeld 1883

Dry sporidia viable after several months 311 Brefeld 1883

Incidence and importance in S. Africa 2067 Mundy 1910

Incidence and importance in S. Africa 719 Evans 1911

Incidence in California 1783 Mackie 1920

Biological peculiarities 936 Geschele 1927

Smutty sorghum grain non-toxic to chickens, cattle and horses 1135 Heller et al. 1930

Prevalent and severe in Soviet Russia 277 Borghardt 1932

Abnormal vegetative proliferation of the ears of infected plants 337 Bressman and Barss 1933

Incidence in Oregon 337 Bressman and Barss 1933

Influence on development of host 386 Buchheim 1935

Longevity of spores; 2 years in herbarium material 779 Fischer 1936

Serological differentiation from related species 172 Beck 1938

Suspected as contributing to corn smut poisoning of children in

Yugoslavia 1891 Mayerhofer and Dragisic 1938

Incidence in Italian E. Africa 425 Castellani 1940

Severity in Nebraska 574 Cushing et al. 1940

Introduction into Yugoslavia 1486 Kispatic 1948

Physiologic Specialization

2463 Reed, Swabey and Kolk 1927 (smut on corn and sorghum considered distinct although they will cross-infect to some extent)

337 Bressman and Barss 1933 (smut from corn would not infect sorghum)

1486 Kispatic 1948

SPORE GERMINATION AND FACTORS AFFECTING

311 Brefeld 1883

2159 Norton 1896

1763 McAlpine 1910

360 Britton-Jones 1922

3282 Yen 1938

VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF 337 Bressman and Barss 1933

SPHACELOTHECA ROTTBOELLIAE (Sydow and Butler) Mundkur Trans. Brit. Mycol. Soc. 23: 111. 1939.

Ustilago rottboelliae Sydow and Butler, Ann. Mycol. 5: 486. 1907. Cintractia densa McAlp., Smuts of Australia, p. 168. 1910. Ustilago rottboelliae Miyake, Bot. Mag. (Tokyo) 27: 42. 1913. Sphacelotheca densa Cif., Ann. Mycol. 26: 32. 1928.

Spore Germination and Factors Affecting 1209 Hirschhorn 1943

SPHACELOTHECA SACCHARI (Rabenh.) Cif. Fl. Ital. Crypt. Fasc. 17: 262. 1938.

Ustilago sacchari Rabenh., Sitzungsber. Nat. Ges. Isis (Dresden) 1870: 227.

Ustilago sacchari-ciliaris Bref., Unters, Gesammt. Myk. 12: 109. 1895.

MISCELLANEOUS

Probably synonymous with Cintractia pulverulenta Cooke and Masse 2897 Sydow 1924

Comparison with other smuts on Saccharum and Erianthus 2897 Sydow 1924

Comparison with other sugar cane smuts
Identical with U. sacchari-ciliaris Bref.
Sphac. sacchari 2056 Mundkur 1942

Both should be called

SPHACELOTHECA SCHWEINFURTHIANA (Thüm.) Sacc. Ann. Mycol. 6: 554. 1908.

Ustilago schweinfurthiana Thüm., Mycoth. Univ. 726. 1877.

CULTURE ON SYNTHETIC MEDIA

315 Brefeld 1895

157 Bauch 1932

3278 Yen 1937

HETEROTHALLISM AND SEX

157 Bauch 1932

159 Bauch 1934

HYBRIDIZATION AND GENETICS

(sporidial fusions with bipolar species) 159 Bauch 1934

MISCELLANEOUS

Morphology 315 Brefeld 1895

First report on Saccharum (S. munja) 1458 Khanna and Ramnathan 1946

Effect on host 1458 Khanna and Ramnathan 1946

Spore Germination and Factors Affecting

315 Brefeld 1895

157 Bauch 1932

SPHACELOTHECA SORGHASTRI Zundel Phytopath. 32: 544. 1942.

MISCELLANEOUS

Technical description, Latin diagnosis, and brief account of distribution 1881 Massey and Zundel 1942

SPHACELOTHECA SORGHI (Link) Clint. Jour. Mycol. 8: 140. 1892.

Sporisorium sorghi Link, in Willdenow, Sp. Pl. 6: 86. 1825.

Tilletia sorghi-vulgaris Tul., Ann. Sci. Nat. III, 7: 116. 1847.

Ustilago sorghi Pass., Thüm., Hedwigia 12: 114. 1873. Cintractia sorghi-vulgaris Clint., Bull. Ill. Agric. Expt. Sta. 47: 404. 1897.

Sphacelotheca sorghi-saccharati Siemaszko, In Herb. Caucasus 1918.

CONTROL

479 Clinton 1900

1117, 1118 Hecke 1902

1119 Hecke 1903

3043 Trzebinski 1906

2508 Roberts and Freeman 1907

720 Evans 1914

1901 Melchers 1916

360 Britton-Jones 1922

2816 Stakman and Lambert 1923

2984 Thompson 1923

1398 Johnston and Melchers 1924

1915 Melchers and Walker 1924

```
1903 Melchers 1925
  824 Flor 1927
 1426 Kamat 1927
 1914 Melchers and Johnston 1927
 1399 Johnston and Melchers 1928
 3075 Uppal and Desai 1931
 3169 Wallace 1931
  277 Borghardt 1932
  696 El-Helaly 1939
 1672, 1673 Leukel and Nelson 1939
 1410, 1411 Jones and ElNasr 1940
 2019 Morwood 1941
 1770 McDougal 1941
 3083 Vaheeduddin 1942
  390 Buchholtz 1943
 1669 Leukel 1943
 1066 Hansing and Melchers 1944
 1592 Kulkarni 1944
 1671 Leukel and Livingston 1945
  105 Asthana 1947
 2020 Morwood 1947
CULTURE ON ARTIFICIAL MEDIA
   765 Ficke and Johnston 1930
 2515 Rodenhiser 1932
 2517 Rodenhiser 1934
  1324 Isenbeck 1935
 3063 Tyler 1938
CYTOLOGY
  2515 Rodenhiser 1934
  3063 Tyler 1938
HETEROTHALLISM AND SEX
  2515 Rodenhiser 1932
  2519 Rodenhiser and Barnes 1933
  2515 Rodenhiser 1934
  3062 Tyler 1934
  1324 Isenbeck 1935
  3063 Tyler 1938
  3282 Yen 1938 (sporidial fusions)
  3083 Vaheeduddin 1942
Hybridization and Genetics
  2515 Rodenhiser 1932
  2516 Rodenhiser 1933 (with Sphacelotheca cruenta)
  2519 Rodenhiser and Barnes 1933
                                    (with Sphacelotheca cruenta)
  2517 Rodenhiser 1934 (with Sphacelotheca cruenta)
  3065 Tyler and Shumway 1935 (with Sorosporium reilianum)
```

3081 Vaheeduddin 1936 (with Sphacelotheca cruenta)
2518 Rodenhiser 1937 (with Sphacelotheca cruenta)

3063 Tyler 1938 (intraspecific)

3082 Vaheeduddin 1938 (intraspecific)

1630 Laskaris 1939 (intraspecific)

1631 Laskaris 1941 (intraspecific)

3083 Vaheeduddin 1942 (intraspecific crosses)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1574 Kühn 1877

2372 Prillieux 1895

647 Dietel 1897

479 Clinton 1900

401 Busse 1904

322 Brefeld and Falk 1905

1763 McAlpine 1910

2348 Potter 1912

1586 Kulkarni 1918

360 Britton-Jones 1922

1590 Kulkarni 1922

2453, 2454 Reed and Faris 1924

1906 Melchers 1933

1324 Isenbeck 1935

595 Davis 1938

1913 Melchers and Hansing 1938

696 El-Helaly 1939

959, 960 Goidanich and Scardovi 1946

MISCELLANEOUS

Comparisons with other sorghum smuts 1576 Kühn 1878

Spores in herbarium material 6½ years old still viable 1678 von Liebenberg 1879

Variable symptomology according to host variety 401 Busse 1904 Infected broom corn almost worthless for making brooms 1763 McAlpine 1910

Symptoms and importance 1763 McAlpine 1910

On kaffir corn in S. Africa 720 Evans 1914

Spore longevity six years or more 360 Britton-Jones 1922

Comparison with S. cruenta re macromorphology 2424 Reed 1923 Comparison with S. cruenta re macromorphology 2453 Reed and Faris 1924

Influence of temperature, moisture and soil pH on infection 2453 Reed and Faris 1924

Incidence of on Andropogon sorghum in Australia 421 Carne 1927 Effect of digestive processes on spore viability 766 Ficke and Melchers 1929

Spores non-toxic to horses 766 Ficke and Melchers 1929

Spores non-toxic to rodents, cattle and fowl 1135 Heller et al. 1930

Comparative morphology of 5 physiologic forms 1912 Melchers et al. 1932

Comparative morphology of physiologic races 1912 Melchers, Ficke and Johnston 1932

Belated development 1906 Melchers 1933

Origin of new races through intra- and interspecific hybridization with S. cruenta 2517 Rodenhiser 1934

Genetic data supporting specific identity of S. sorghi from S. cruenta 2517 Rodenhiser 1934

Spores very finely warty, not smooth 3275 Yen 1934

Viability of spores, at least 13 years 779 Fischer 1936

High incidence in Kansas 1647 Lefebvre and Johnston 1937

Atypical symptoms resembling S. reiliana 1647 Lefebvre and Johnson 1937

Cases of respiratory allergy 3248 Wittich and Stakman 1937 Seriological differentiation from closely related species 172 Beck 1938

New physiologic race by intraspecific hybridization 3082 Vaheeduddin 1938

Transferred to genus Cintractia 1192 Hirschhorn 1939

As cause of hay fever and asthma 3246 Wittich 1939

Lysis in intraspecific crosses 1630 Laskaris 1939

Incidence in Italian E. Africa on sorghum 425 Castellani 1940

Severity in Nebraska 574 Cushing et al. 1940

Sori in both staminal and ovarial tissues 1065 Hansing and Lefebvre 1941

A heritable lysis in intraspecific crosses 1631 Laskaris 1941

Incidence on sorghum in Nandi Hills 2976 Thirumalachar, Swamy and Basheer 1943

Severity in Italy 959, 960 Goidanich and Scardovi 1946

Physiologic Specialization

3015 Tisdale, Melchers and Clemmer 1926

3016 Tisdale, Melchers and Clemmer 1927

765 Ficke and Johnston 1930

1911 Melchers et al. 1930

1912 Melchers et al. 1932

1912 Melchers et al. 1932 (comparative morphology of physiologic races)

3082 Vaheeduddin 1938

3083 Vaheeduddin 1942

SPORE GERMINATION AND FACTORS AFFECTING

1678 von Liebenberg 1879

315 Brefeld 1895

2372 Prillieux 1895

478 Clinton 1897

2159 Norton 1898 479 Clinton 1900

1763 McAlpine 1910

403 Butler 1918

1586 Kulkarni 1918

360 Britton-Jones 1922

1590 Kulkarni 1922

2517 Rodenhiser 1934

3063 Tyler 1938

3282 Yen 1938

1517 Kolk 1943

VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF

479 Clinton 1900

853 Freeman and Umberger 1908

2354 Potter and Melchers 1918

1587 Kulkarni 1921

2424 Reed 1923

1591 Kulkarni 1924

2456 Reed and Melchers 1925

3015 Tisdale, Melchers and Clemmer 1926

3016 Tisdale, Melchers and Clemmer 1927

2894 Swanson and Parker 1931

2444 Reed 1936

1860, 1861 Marcy 1937

1909 Melchers 1940

959, 960 Goidanich and Scardovi 1946

SPHACELOTHECA STRANGULANS (Issat.) Clint. Proc. Bost. Soc. Nat. Hist. 31: 392. 1904.

Ustilago strangulans Issatschenko, Scripta Bot. Hort. Univ. Petrop. 5: 225. 1896.

Miscellaneous

Every plant of approximately one acre stand of *Eragrostis neo-mexicana* infected 994 Griffiths 1904

SPHACELOTHECA VALESIACA Schellenb. Beitr. Krypt. Schweiz 3: 61. 1911.

Miscellaneous

Morphology and symptoms 2655 Schellenberg 1911

SPHACELOTHECA VIEGASIANA Zundel Mycologia 31: 588. 1931.

Spore Germination and Factors Affecting 3118 Viegas 1944

THECAPHORA ATERRIMA Tul. Ann. Sci. Nat. Bot. III. 7: 110. 1847.

Sorosporium atrum Peck, Bot. Gaz. 5: 35. 1880.

Tolyposporium aterrimum Dietel, in Engler and Prantl, Nat. Pflanz. 1: (1) 14. 1897.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

497 Cocconi 1890

2655 Schellenberg 1911

1689 Lind 1913 1724 Liro 1938

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911 Flowers hermaphroditic on infected plants 1689 Lind 1913 Host range 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING 497 Cocconi 1890

2655 Schellenberg 1911

THECAPHORA CUNEATA (Schofield) Clint. Jour. Mycol. 8: 146. 1902.

Sorosporium cuneatum Schofield; Bessey, in Contr. Bot. Dept. Univ. Nebr. 3: 48. 1892.

SPORE GERMINATION AND FACTORS AFFECTING 2159 Norton 1896

THECAPHORA DEFORMANS Dur. and Mont. Ann. Sci. Nat. Bot. III. 7: 110. 1847.

Thecaphora lathyri Kühn, Rabenh. Fung. Europ. 1797. 1873.
Thecaphora affinis Schneider, Jahresb. Schles. Ges. Vat. Kult. 52: 90. 1874.
Sorosporium desmondii Peck, Bot. Gaz. 3: 35. 1878.
Sorosporium astragali Peck, Bot. Gaz. 4: 218. 1879.
Thecaphora orobi Zil., Cif., in Ann Mycol. 29: 61. 1931.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

311 Brefeld 1883

1876 Massalongo 1896

Miscellaneous

Morphology and symptoms 2655 Schellenberg 1911

Spore Germination and Factors Affecting

311 Brefeld 1883

2655 Schellenberg **1911**

THECAPHORA LATHYRI Kühn Rabenh. Fungi Europ. 1797. 1873; Hedwigia 13: 58. 1874.

Sorosporium hyalinum Wint., Rabenh. Krypt. Fl. 1: 105. 1881. p.p. Sorosporium lathyri Ortel, Deutsche Bot. Monatschrift 4: 88. 1886.

Thecaphora hyalina Diedicke, Jahresb. Kgl. Akad. Gem. Wissensch. zu Erfurt N.F. 36: 313. 1910 p.p.

Thecaphora deformans Dur. and Mont., Schellenb. in Beitr. Krypt. Schweiz 3: 158. 1911. p.p.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 311 Brefeld 1883

MISCELLANEOUS

Morphology and symptoms 1565 Kühn 1874 Morphology and symptoms 311 Brefeld 1883 Morphology 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING 311 Brefeld 1883

THECAPHORA SEMINIS-CONVOLVULI (Desm.) Liro Ann. Acad. Sci. Fenn. A, 42: 317. 1938.

Uredo seminis-convolvuli Desm., Pl. Crypt. France, 1: 274. 1827; Duby Bot. Gall. 2: 901. 1830.

Ustilago capsularum Fries, Syst. Mycol. 3: 519. 1829.

Thecaphora hyalina Fingerhuth, Linnaea 10: 230. 1835.

Sorosporium hyalinum Wint., in Rabenh. Krypt. Fl. 1: 105. 1881, p.p.

Thecaphora convolvuli Rostr., Sack. Bot. Foren. Fest. 44: 157. 1890.

Thecaphora convolvuli Schilb., Gedenkbuch Ungar. Naturwiss. Ges. zu ihrem 50-jährigen Jubiläum, Budapest 1892: 623.

Thecaphora capsularum Magnus, Verhandl. Bot. Ver. Prov. Brandenb. 37: 80. 1895

Tuburcinia convolvuli Rostr., Veijledning i den Danske Fl. 2: 30. 1904.

Thecaphora capsularum Desm., according to Bubak in Archiv. Naturw. Land. Durschf. Böhm. 15: 37. 1916.

HETEROTHALLISM AND SEX

3266 Woronin 1882 (fusions between promycelial cells)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

3266 Woronin 1882

2660 Schilberszky 1892

2661, 2662 Schilberszky 1895

1875 Massalongo 1896

2570 Rostrup 1898

MISCELLANEOUS

Dimorphism induced in Convolvulus arvensis 2660 Schilberszky 1892

Observations on the conidial stage 2570 Rostrup 1898

Morphology and symptoms 2655 Schellenberg 1911

Host range and morphology 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

3266 Woronin 1882

2329 Plowright 1889

2655 Schellenberg 1911

THECAPHORA SOLANI Barrus Phytopath, 34: 712-714. 1944.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

141 Barrus and Müller 1943

MISCELLANEOUS

Technical description without Latin diagnosis; geographic distribution; effect on host 140 Barrus 1944

THECAPHORA TRAILII Cooke Grevillea 11: 155. 1883.

Thecaphora cirsii Boudier, Bull. Soc. Mycol. (France) 3: 149. 1887.

Schizonella subtrifida Ell. and Ev., Jour. Mycol. 6: 119. 1891. (N. Amer. Fungi 2266 hyponym 1889). (Type from Colorado, on Circiuochrocentrum.)

Poikilosporium trailii Vestergren, Micr. Rar. Sel. 452. 1902.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1724 Liro 1938

MISCELLANEOUS

Host range 1724 Liro 1938

Physiologic Specialization

1724 Liro 1938

TILLETIA AIRAE Blytt Forhdl. Vid.-Selsk. Christiania 1896: 31.

Tilletia cerebrina Ell. and Ev., Jour. Mycol. 3: 56. 1887.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING 796 Fischer and Hirschhorn 1945

TILLETIA ASPERIFOLIA Ell. and Ev. Jour. Mycol. 3: 55. 1887.

CULTURE ON ARTIFICIAL MEDIA

3095 Vanterpool 1932

Spore Germination and Factors Affecting 3095 Vanterpool 1932

TILLETIA BALDRATI Martemartini Bol. Studi Inform. R. Giard. Col a. Polermo 13 (ser. 3, vol. 7): 44-46. 1934.

MISCELLANEOUS

Incidence in Italian E. Africa and comparison with other Tilletia spp. on Eragrostis 427 Castellani and Ciccarone 1939

TILLETIA BUCHLOEANA Kell. and Sw. Jour. Mycol. 5: 11-12. 1889.

MISCELLANEOUS

Symptoms and morphology 1445 Kellerman and Swingle 1889 SPORE GERMINATION AND FACTORS AFFECTING

2159 Norton 1896

TILLETIA CARIES (DC.) Tul. Ann. Sci. Nat. Bot. III, 7: 113. 1847.

Lycoperdon tritici Bjerk., Kgl. Schmd. Akad. Wiss. Abhandl. 37: 326. 1775. (nom. nud.)

Uredo caries DC., Fl. France 6: 78. 1815.

Caeoma segetum Nees, Syst. Pilze 1: 14. 1817.

Uredo sitophila Ditmer, Sturm's Deutschl. Fl. 1: 69. 1817.

Uredo foetida Bauer, Ann. Sci. Nat. Bot. I, 2: 167. 1824.

Caeoma sitophilum Link, Willdenow in Sp. Pl. 6: 2. 1825.

Erysibe foetida Wallr., Fl. Crypt. Germ. 2: 213. 1833.

Uredo secalis Corda, in Hlubek, Oekon., Neuigk. und Verh. 1: 10. 1848.

Ustilago sitophila Bonorden, Kennt. Con. Crypt. 27. 1860.

Tilletia secalis Kühn, Deutsche Landw. Ztg. 19: 650. 1876 and Bot. Ztg. 34: 470. 1876.

Tilletia tritici Wint., in Rabenh., Krypt. Fl. 1: 110. 1881.

Tilletia separata Massee, Kew Bull., Miscellaneous Information 153-154: 150. 1899. p.p.

CONTROL

2706 Schulthess 1761

374 Bryant 1783 (discredits seed treatment practices)

1471 Kirby 1799 (early control experiments)

2366 Prevost 1807 (Keitt 1939) (first demonstration and recommendation of use of copper salts for control) 2645 Sandri 1847 1557 Kühn 1859 2126 Nielsen 1873 2127, 2128 Nielsen 1877 94 Arthur 1889 1448 Kellerman and Swingle 1890 2315 Piper 1894 263 Bolley 1897 264 Bolley 1899 266 Bollev 1900 2168 Oemichen 1900 1268 Hori 1901 3047, 3048 Tubeuf 1901 169 Beattie 1902 1729 Ljubanski 1902 1755 McAlpine 1902 3049, 3050, 3051 Tubeuf 1902 1473, 1474, 1475 Kirschner 1903 112 Augustin 1905 1637 Lawrence 1907 2892 Sutton and Pridham 1907 (effect on wheat germination) 2043 Müller 1909 2300 Piardi 1909 2891 Sutton and Downing 1910 1290 Humphrey 1912 1689 Lind 1913 (early history) 2487 Riehm 1913 416 Cardiff et al. 1914 3249 Woolman 1914 59 Appel 1915 1114 Heald and Woolman 1915 2386 Quanier and Boties 1915 1901 Melchers 1916 3260 Woolman 1916 1101, 1102 Heald 1918 1143 Henning 1919 3337 Zundel 1919 525 Coons 1920 1185 Hiltner 1920 3301 Zade 1920

586 Darnell-Smith 1921 1786 Mackie and Briggs 1921 2597 Salmon and Wormald 1921

289 Bouillard 1922 526 Coons 1922

708 Eriksson 1922

1113 Heald and Smith 1922

1144 Henning 1922

1187 Hiltner and Lang 1922 (fertilize with calcium cyanimide)

1608 Lambert and Bailey 1922

2000 Morettini 1922 (influence of copper compounds on productivity of wheat)

2307 Pichler and Wober 1922 (use of ultra-violet and X-rays and radium)

2598 Salmon and Wormald 1922

2645 Schaffnit 1922

2839 Stephens and Woolman 1922

341 Briggs 1923

397 Burk 1923

527 Coons 1923

680 Dreger 1923

847 Fraser and Simmonds 1923

907 Gassner 1923

920 Gassner and Esdorn 1923

1116 Heald, Zundel and Boyle 1923

1787 Mackie and Briggs 1923

2040 Müller et al. 1923

2095 Neill 1923

2479 Remy and Vasters 1923

2602 Sampson 1923

2642 Schafer 1923

2816 Stakman and Lambert 1923

530 Coons 1924

587 Darnell-Smith 1924

710 Esdorn 1924

713 Esmarch 1924

759 Ferdinandsen 1924

775 Fischer 1924

848 Fraser and Simmonds 1924

900 Garbowski and Leszczanko 1924

908 Gassner 1924

1773 McKillican 1924

2041 Müller et al. 1924

2382 Puttick 1924

2599 Salmon and Wormald 1924

3112 Vermorel 1924

3140 Vogt 1924

3263 Woolman and Humphrey 1924

3264 Woolman and Humphrey 1924 (history of control by seed treatment)

123 Bailly 1925

144 Barss 1925

- 166 Baunacke 1925
- 714 Esmarch 1925
- 625 Dellazoppa 1925
- 854 Friedrichs 1925
- 910 Gassner 1925
- 1229 Hollrung 1925
- 2045 Mullet 1925
- 2081 Nagel 1925
- 2099, 2100 Neill 1925
- 2324 Plaut 1925
- 2494, 2496 Riehm 1925
- 3113 Vermorel 1925
 - 268 Bolley 1926
 - 342 Briggs 1926
 - 889 Galkoff 1926
 - 926 Gassner and Rabien 1926
- 1168 Hilgendorff 1926
- 1418 Jorstad and Christie 1926
- 1659 Leukel 1926
- 1920 Mencacci 1926
- 2044 Müller 1926
- 2088 Natrass 1926
- 2101 Neill 1926
- 2295 Pfeil 1926
- 2505 Rivera 1926 (X-ray treatment ineffective)
- 2540 Rohweder 1926
- 2612 Sampson and Davies 1926
- 2646 Schaffnit 1926
- 3206 Westermeir 1926
 - 122 Bailey 1927
 - 391 Buddin 1927
 - 703 Englisch 1927
 - 715 Esmarch 1927
 - 913, 914 Gassner 1927
 - 970 Gram 1927
- 1108 Heald 1927
- 1222, 1223 Hoffmann 1927
- 1359 Jefferis 1927
- 1687 Limbourn and Throssell 1927
- 1978 Molz 1927 (a history of dusting for control)
- 2046 Müller 1927
- 2082 Nagel 1927
- 2102 Neill 1927
- 2263 Petit 1927
- 2500 Riehm 1927
- 2957 Terenyi 1927
- 3142, 3143 Volk 1927

```
276 Borghardt 1928
 515 Conners 1928
 712 Esdorn 1928
 831, 832 Florimond-Desprez 1928
 901 Garbowski and Leszczanko 1928
 971 Gram 1928
1012 Guvot 1928
2133, 2134 Niethammer 1928
2264, 2265, 2266, 2267 Petit 1928
2866 Straib 1928
 516 Conners 1929
 653 Dillon-Weston 1929
 972, 973 Gram 1929
1224 Hoffmann 1929
1470 Kirby 1929 (relation of smut ball removed)
2008 Morris and Kurtz 1929
3144 Volk 1929
1660 Leukel 1929
   9 Abramoff 1930
  83.84 Arnaud and Gaudineau 1930
 657 Dillon-Weston 1930
1110 Heald and Gaines 1930
1187 Hiltner and Tornow 1930
1419 Jorstad and Traaen 1930
1536 Krauss 1930
1554 Kuhl 1930
2270, 2271 Petit 1930
2292 Petri 1930
  10 Abramoff 1931
 857 Friedrichs 1931
 974 Gram 1931
1052 Hanna and Popp 1931
1087 Haskell et al. 1931
2272, 2273, 2274, 2275, 2277 Petit 1931
3061 Twentyman 1931
  86, 87 Arnaud and Gaudineau 1932
 253 Bodnar and Terenvi 1932
 278 Borghardt 1932
 678 Dounine and Simsky 1932
1532 Krause 1932
2302 Pichler 1932
 254 Bodnar and Terenyi 1933
 691 Eckhoff 1933
2279 Petit 1933
 929 Gaudineau 1934
1156, 1157 Hermann and Neiger 1934
```

1704 Lindfors 1934

2105, 2106, 2107, 2108 Neill 1934

255 Bodnar et al. 1935

625 Dellazoppa 1935

661 Dillon Weston and Booer 1935

1657 Leszczenko 1935

2018 Morwood 1935

2114, 2115 Nemlienko 1935 (vernalization process unfavorable for bunt infection)

2256 Perevesentzeva 1935

2281, 2283 Petit 1935

2303, 2304 Pichler 1935

626 Denaiffe, Colle and Flandrin 1936

1252 Holton and Heald 1936

2618 Sandu-Ville 1936

1667 Leukel 1937

2208 Palmiter and Keitt 1937

2794 Sprague et al. 1937

777 Fischer et al. 1938

1275 Houdayer 1938

1866 Martin 1938

1867 Martin and Sprague 1938 (no differences in response of various races to seed treatment)

2092 Nattrass 1938

283 Borzini and Bettolo 1939

1672 Leukel and Nelson 1939

2290 Petit 1939

2793 Sprague 1939

2030 Mourashkinsky 1940

1253 Holton and Heald 1941 (exhaustive review)

324 Bremer 1943

1353 Jamalainen 1943

81 Arnaud 1944

2632 Savulescu and Hulea 1944

1626 Lansade 1945

3283 Yersin et al. 1945

191 Benlloch 1946

2408 Rapin 1946

2582 Russell 1946 (centrifuge testing of seed to see if contain enough spores to warrant treating)

404 Buttress and Dennis 1947 (early history of cereal seed treatment)

2756 Simmonds 1948 (use of oil to counteract dust nuisance of fungicides)

CULTURE ON ARTIFICIAL MEDIA

311 Brefeld 1883

2621 Sartoris 1924

286 Boss 1927

```
1461 Kienholz and Heald 1930
  393 Buller 1933
  829 Flor 1933
  180 Becker 1936
  623 Defago 1938
 1621 Lange-de la Camp 1939
 1433 Keil 1940
 1245 Holton 1941
 1253 Holton and Heald 1941
 1286 Hulea 1947 (including Tilletia triticoides and T. inter-
    media)
CYTOLOGY
   771 Fisch 1885
   579 Dangeard 1892
   762 Ferry 1895
  1840 Maire 1902
 2415 Rawitscher 1914
 2231 Paravicini 1917
   590 Dastur 1921
  2416 Rawitscher 1922
  3261 Woolman 1923
   286 Boss 1927
  1460 Kharbush 1928
   393 Buller 1933
  1043 Hanna 1934
  3179 Wang 1934
  1239 Holton 1935
   462 Churchward 1940
  1253 Holton and Heald 1941
HETEROTHALLISM AND SEX
   196 Berkeley 1847 (sporidial fusions)
   579 Dangeard 1892 (sporidial fusions)
  2415 Rawitscher 1914
  2231 Paravicini 1917
   825 Flor 1931
   826 Flor 1932
  1043 Hanna 1934
   180 Becker 1936
  1245 Holton 1941 (of cultures from dwarf bunt)
  1253 Holton and Heald 1941
  1286 Hulea 1947 (including Tilletia "triticoides" and Tilletia
    "intermedia")
HOST RANGE
  3106 Vavilov 1918 (Aegilops spp.)
   887 Gaines and Stevenson 1922 (incidence in wheat-rye hy-
    brids)
```

888 Gaines and Stevenson 1923 (incidence in rve)

```
683 Ducomet 1927
                       (artificial infection of rye)
   331 Bressman 1931
                        (rve infected)
                        (Lolium infected)
   334 Bressman 1932
  2473 Reichert 1931 (Aegilops ventricosa)
                         (Aegilops ventricosa)
   928 Gaudineau 1932
                     (infection of rye)
  2143 Nieves 1935
   778 Fischer 1936
                     (Agropyron and Hordeum spp.)
  1724 Liro 1938
   782 Fischer 1939
                      (new grass hosts, Agroypron and Sitanion
    spp.)
    18 Ajroldi 1940 (rve not susceptible under Italian conditions)
  1253 Holton and Heald 1941
  2474 Reichert 1944 (three vars. wild emmer, Triticum dicoc-
    coides, highly susceptible)
HYBRIDIZATION AND GENETICS
                   (with Tilletia foetida)
   825 Flor 1931
                   (with Tilletia foetida)
   826 Flor 1932
                     (with Tilletia foetida)
   181 Becker 1936
  1043 Hanna 1934
   917 Gassner 1938
                      (natural hybridization with Tilletia foetida)
  1243 Holton 1938
                     (with Tilletia foetida)
                     (between dwarf bunt and Tilletia caries and
  1245 Holton 1941
    Tilletia foetida)
  1253 Holton and Heald 1941
  1247 Holton 1942 (pathogenicity of hybrids with Tilletia foe-
    tida)
  1246 Holton 1942
                     (transgressive inheritance)
  1249 Holton 1944
                     (chlamydospore and sorus characters in inter-
    species and interrace hybrids with Tilletia foetida)
  1250 Holton 1947
                     (with Tilletia foetida)
LIFE HISTORY, PARASITISM AND FACTORS AFFECTING
  3058 Tull 1733
  2995 Tillet 1755
   374 Bryant 1783
  2963 Tessier 1783
  2964 Tessier 1786
  1471 Kirby 1799
  2366 Prevost 1807
                      (Keitt 1939)
  2615 Sandri 1847
   196 Berkelev 1847
  3056 Tulasne and Tulasne 1847
  2477 Reissek 1852
  1557 Kühn 1859
  1023 Hallier 1867
   803 Fischer v. Waldheim 1869
```

1562 Kühn 1874 1567 Kühn 1874 311 Brefeld 1883

2992 Von Thümen 1888

94 Arthur 1889

1448 Kellerman and Swingle 1890

2315 Piper 1894

3047, 3048 Tubeuf 1901

990 Grenfell 1901

1729 Ljubanski 1902

3049, 3050, 3051 Tubeuf 1902

761 Ferle 1905

3146, 3147 Volkart 1906

62 Appel and Gassner 1907

1850 Malkoff 1907

1477 Kirchner 1908

1126 Hecke 1909

2836 Steglich 1909-11

1763 McAlpine 1910

2069 Munerati 1911

321 Brefeld 1912

2070 Munerati 1912

2039 Müller et al. 1913

71 Appel and Riehm 1914 (spores overwintered in soil not viable in spring)

2032, 2034 Müller and Molz 1914

3259 Woolman 1914

59 Appel 1915

1114 Heald and Woolman 1915

1100 Heald 1916

1479, 1480 Kirchner 1916

1617 Lang 1917

1101, 1102 Heald 1918

1111 Heald and George 1918

2869 Strampelli 1919

1185 Hiltner 1920

1301 Hungerford and Wade 1920

590 Dastur 1921

1163 Heuser 1922

1186 Hiltner and Lang 1922

1296 Hungerford 1922

2071 Munerati 1922

907 Gassner 1923

1392 Johnston 1923

2072 Munerati 1923

729 Faris 1924

946, 947 Gibs 1924

1127 Hecke 1924

1936 Milan 1924

- 2621 Sartoris 1924
- 3263 Woolman and Humphrey 1924 (historical review)
- 3264 Woolman and Humphrey 1924
 - 910 Gassner 1925
- 1019 Hahne 1925
- 2024 Mourashkinsky 1925
- 2099 Neill 1925
- 2164 Novopokrovsky and Skaskin 1925
 - 46 Antonoff 1926
 - 424 Caspar 1926
- 3206 Westermeier 1926
 - 40 Andreyeff 1927
- 1937 Milan 1927 (artificial infection of maturing wheat)
- 2390 Rabien 1927
- 2407 Rapin 1927
- 2613 Sampson and Davies 1927
- 2865 Straib 1927
 - 41 Andreveff 1928
- 1496 Klushnikova 1928
- 1655 Leszczenko 1928
- 1938 Milan 1928
- 2031 Mouravieff 1928
- 2474 Reichert 1928
- 768 Finnell 1929
- 950 Gieseke 1929
- 1504 Knorr 1929
 - 9 Abramoff 1930
- 1110 Heald and Gaines 1930
- 3130 Vilkaitis 1930
- 3262 Woolman 1930
 - 272 Bonne 1931
- 1941 Milan 1931
- 3061 Twentyman 1931
 - 86 Arnaud and Gaudineau 1932
- 659 Dillon Weston 1932
- 665, 666 Dielaloff 1932
- 764 Feucht 1932
- 828 Flor 1932
- 928 Gaudineau 1932
- 2028 Mourashkinsky 1932
- 2774 Smith 1932
- 3121 Viennot-Bourgin 1932
- 393 Buller 1933
- 669 Dobromysloff 1933
- 829 Flor 1933
- 932 Geach 1933 (combined action with Fusarium culmorum on occurrence of seedling blight)

- 1945 Milan 1933
- 2535 Roemer and Bartholly 1933
- 3132 Vilkaitis 1933
- 922 Gassner and Kirchoff 1934
- 929 Gaudineau 1934
- 1043 Hanna 1934
- 1057 Hanna and Popp 1934
- 2029 Mourashkinsky 1934
- 3133 Vilkaitis 1934
- 386, 387 Buchheim 1935
- 625 Dellazoppa 1935
- 834 Fomin 1935
- 2115 Nemlienko 1935
- 2175 Olgyay 1935
- 1044 Hanna 1936 (effect of vernalization on incidence)
- 1946 Milan 1936
- 2590 Ryzhkova 1936
 - 17 Ajroldi 1937
 - 550 Crepin et al. 1937
- 1667 Leukel 1937
- 3126 Viennot-Bourgin 1937
- 3151 Voss 1937
- 623 Defago 1938
- 917, 1918, 919 Gassner 1938
- 1632 Lasser 1938
- 1866 Martin 1938
- 2723, 2724, 2725 Sempio 1938
- 2834 Starr 1938
 - 782 Fischer 1939 (perennation in perennial hosts)
 - 816 Fittschen 1939
- 1621 Lange-de la Camp 1939
- 1629 Larose and Vanderwalle 1939
- 2793 Sprague 1939
- 3170 Walstedt 1939
 - 18 Ajroldi 1940
 - 462 Churchward 1940
- 1071 Hanson and Tervet 1940
- 1493 Klemm 1940
- 2529 Rodenhiser and Taylor 1940
- 1253 Holton and Heald 1941
- 2521 Rodenhiser and Holton 1942
- 2530 Rodenhiser and Taylor 1943
- 2632 Savulescu and Hulea 1944 (including Tilletia triticoides and T. intermedia)
- 1068 Hansen 1946
- 1550 Kristev 1946
 - 134 Bamberg et al. 1947

1250 Holton 1947

1286 Hulea 1947 (including Tilletia triticoides and T. intermedia)

LONGEVITY OF SPORES

3263, 3264 Woolman and Humphrey 1924

2390 Rabien 1927

1004 Guest 1929

2162 Novak 1929

1056 Hanna and Popp 1933

2175 Olgyay 1935

779 Fischer 1936

1737 Lobik and Dahlstrem 1936

18 Ajroldi 1940

1253 Holton and Heald 1941

MISCELLANEOUS RECORDS

Are the spores toxic to man and animals?

Toxicity of spores 862 Fries 1823

Toxicity of spores 1568 Kühn 1875

Spores toxic 2127, 2128 Nielsen 1877

Smutty wheat hay toxic to cattle 2187 Oppermann 1879

Toxicity of spores 2379 Pusch 1893

Smutty wheat is toxic to cattle, sheep, hogs and horses 3046 Tubeuf 1897

Toxicity of spores 1075 Hartig 1900

Toxicity of spores 864 Frohner 1901

Toxicity of spores 3051 Tubeuf 1902 Toxicity of spores 1006 Güssow 1907

Medicinal properties 727 Faminzin 1910

Smutty wheat is poisonous to humans and cattle 1763 McAlpine 1910

Smutty wheat caused enormous drop in egg production in domestic fowl 1763 McAlpine 1910

Toxicity of spores 1763 McAlpine 1910

Toxicity of spores 1690 Lind 1913

Destruction of digestive organs of animals 1726 Liskum and Krastavitsky 1914

Toxicity of spores 1311 Huss 1915

Cause of epileptiform convulsions and other effects in dogs 988 Greig 1924

Toxic effects of bunt-contaminated wheat bran on sheep and pigs 3189 Weiser 1926

Effect of smut spores on the digestibility of milling bran 2893 Syoboda 1928

Spores uninjurious 20 Albrecht 1896

No impairment of flour quality from smutty wheat 742 Farrer 1902

Spores uninjurious 3049, 3050 Tubeuf 1902

Are the spores toxic to man and animals?—(cont.)

Spores uninjurious 1261 Honcamp et al. 1910

Spores non-toxic 1260 Honcamp 1911

Daily diet of smut for three months not injurious 2659 Scheuhert and Lötsch 1911

Seed heavily contaminated with spores not injurious as feed to livestock 2380 Pusch 1912

Spores non-injurious to animals and man 160 Baudyš 1915

Spores not injurious 1311 Huss 1915

Spores not poisonous to poultry, mice, rabbits and author 162
Baudyš 1921

Spores conclusively shown to be non-toxic to dogs, rabbits, guinea pigs and fowl Spores not viable after passage through alimentary tract 670 Dobson 1926

Influence of external factors

Effect of temperature and soil on development 2407 Rapin 1927 Effect of fertilizers 764 Feucht 1932

Higher incidence of infection following peas than wheat 764 Feucht 1932

Vernalization process unfavorable for bunt infection 2115 Nemlienko 1935

Freezing injury more severe in certain varieties of wheat infected with bunt 2672 Schlehuber 1937

Adverse effects of vernalization 3336 Zuhr 1937

Influence of light and vernalization on infection 1632 Lasser 1938 Effect of nutrition of host plant on development of bunt 2723 Sempio 1938

Effect of high temperature up to boot stage on development of bunt 2724 Sempio 1938

Effect of purification of collections on percentage infection 212 Bever 1939

Vernalized seed gives high rate of infection 2030 Mourashkinsky 1940

Effect of fertilizers on development 1071 Hanson and Tervet 1940 Influence of soil type, sterilization and pH on extent of infection at different incubation temperatures 2528, 2529 Rodenhiser and Taylor 1940

Fall sowing necessary to dwarf bunt infection 133 Bamberg 1941 Breakdown of resistance when host grown under continuous light 2530 Rodenhiser and Taylor 1943

Effect of photoperiodism on bunt development 2530 Rodenhiser and Taylor 1943

Interaction with other parasites

Nematodes and bunt in same kernels 1840 Maire 1902

Smut-infected plants more susceptible to rusts 3110 Verhoeven 1902

Relationship of incidence of stripe rust and bunt 652 Dillon Weston 1927

Bunted plants more susceptible to *Puccinia glumarum* 656 Dillon Weston 1929

Simultaneous incidence with *Tilletia foetida* on same plant 2772 Smith 1929

Increased susceptibility to Puccinia glumarum 3130 Vilkaitis 1930

Competition with *Ustilago tritici* on same plant 2073 Munerati 1931

Ustilago tritici suppresses when both in same host plant 2073 Munerati 1931

Bunt-infected plants more susceptible to stripe rust 3131 Vilkaitis 1931

Bunted plants more susceptible to stripe rust 3145 Volk 1931

Competition and simultaneous occurrence with *Ustilago tritici* and ergot 1041 Hanna 1932

Infected plants more susceptible to Puccinia glumarum 3121 Viennot-Bourgin 1932

Ustilago tritici suppresses Tilletia caries when both in same host plant 1946 Milan 1936

Bunt and ergot (Claviceps purpurea) in same caryopsis 1046 Hanna 1938

Competition between Tilletia caries and Ustilago tritici results in suppression of the bunt 1046 Hanna 1938

Simultaneous occurrence with *Ustilago tritici* and ergot 1046 Hanna 1938

Antagonism between Erysiphe graminis and Tilletia caries 2725 Sempio 1938

Bunt infection has no effect on reaction of truly resistant varieties to stripe rust 2867 Straib 1938

Fusarial head blight depresses when in same plant 1068 Hanson 1946

Predisposes infected plants to seedling blight
Suppresses dwarf bunt when in the same plant
134 Bamberg et al.
1947

Screening effects, "build-up," etc.

Increase of strain of smut on same wheat variety increases virulence of strain 2026 Mourashkinsky 1928

Passage of one strain through same variety of wheat for five years greatly increased virulence to that host 2027 Mourashkinsky 1932

Screening effect of differential host varieties on mixtures of races 829 Flor 1933

Build-up of virulence by repeated culture on same host variety 2535 Roemer and Bartholly 1933

Screening effects, "build-up," etc.—(cont.)

Selective action of wheat varieties on (= screening action) smut mixtures 2399 Radulescu 1938

No build-up of susceptibility when resistant varieties inoculated repeatedly with their own smut 212 Bever 1939

Selective action of host and parasite on each other during 10 years culturing on same hosts 2534 Roemer 1939

No build-up of virulence when cultured repeatedly on same host 2716 Selaries 1939

Secondary effects on hosts

Effect on wheat quality 1471 Kirby 1799

Peculiar effect on Triticum spelta 2189 Orth 1880

Infected plants noticeably shorter than those infected with Tilletia foetida 1076 Harwood 1892

Secondary changes induced in host 694 Edler 1903

Secondary changes induced in host 50 Appel 1906

Ancestral reversion of Triticum compactum to T. vulgare caused by Tilletia caries 1933 Miczynski 1911

Secondary changes induced in host 2792 Sperling 1912

Infected club wheats produce slender heads 1114 Heald and Woolman 1915

Pathological morphology 139 Barrus 1916

Stunting of host 1617 Lang 1917

Number of kernels on smutted spikes greater than on normal 1425 Kajanus 1923

Morphological responses of wheat to bunt infection 2024 Mourashkinsky 1925

Influence on growth and morphology of host 2613 Sampson and Davies 1927

Effect of bunt on development of wheat spike 655 Dillon Weston 1929

Morphological changes induced by infection 3130 Vilkaitis 1930 Morphological alterations of bunted wheat heads 1941 Milan 1931

Culm length in wheat reduced 2514 Rodenhiser 1931

Branching in smutted heads of Minard wheat 335 Bressman 1932 Produces shorter infected plants than does *Tilletia foetida* 336 Bressman 1932

Both slender and thick types of smut balls produced by both Tilletia caries and T. foetida 764 Feucht 1932

Morphological reactions of plants to infection 3121 Viennot-Bourgin 1932

More caryopses on bunted heads than on healthy ones 1945 Milan 1933

Severely affected plants tiller less than healthy ones 1945 Milan 1933

Morphological changes in host 2146 Nilsson 1933

Recognition of infected plants by distortion of seedling 42 Angell 1934

Lesions on seedlings 460 Churchward 1934

Wheat plants containing mycelium more sensitive to light but less sensitive to gravity 1979 Montemartini 1935

Effect of infection on morphology of wheat plants 7 Aamodt et al. 1936.

Effect of bunt on host varies with the variety 2672 Schlehuber 1937

Pathological changes induced in the host 3126 Viennot-Bourgin 1937

Effect of bunt infection on root development 1136 Hely, Allan and Angell 1938

Effect of different physiologic races on host plant and morphology of smut balls 816 Fittschen 1939

Review of literature on morphologic responses of host 1253 Holton and Heald 1941

Morphological changes induced in the host 2347 Potapov et al. 1943

Spore load of seed and its significance

Quantitative determination of spore load of wheat 493 Cobb 1904 By methods of determination of number of smut spores, a minimum number is established at which it is safe to eliminate seed treatment 495 Cobb 1905

Quantitative determination of spore load of wheat 307 Bredemann 1911

Quantitative determination of spore load of wheat seed 1001 Groh 1913

Quantitative determination of spore load of wheat 307 Bredemann 1915

Relation of spore load to per cent of smut 1104, 1105 Heald 1921

Modification of importance of relation of spore load to per cent smut in crop 2071 Munerati 1922

Quantitative determination of percentage of spores in flour samples 309 Bredemann 1923

Quantitative determination of spore load of wheat 309 Bredemann 1923

Relation of spore load to per cent smut 1109 Heald and Boyle 1923

Number of spores per grain as an index to severity of attack 384 Buchheim 1926

Quantitative determination of spore load of wheat seed 1733 Lobik 1927

Determination of number of spores in grain samples 933 Gentner 1929

Spore load of seed and its significance—(cont.)

Number of spores per bunt ball; 450,000 spores weigh .001 grams 370 Brückner 1935

Improved method of detecting bunt spores in seed wheat 2595 Safronova 1936

141,000,000 spores per gram or 1,462,170 per smut ball in mixed sample from one district and 174,000,000 per gram and 2,041,-020 per ball from another district 2347 Potapov et al. 1943

Improved method for determining spore load as indication of need for seed treatment 431 Cherewick 1944

Spore load as indication of need for seed treatment 432, 433 Cherewick 1947 and 1948

Miscellaneous unclassified

Chemical composition of smutty wheat 839 Fourcroy 1810

Bromus secalinus, Hordeum murinum and other grasses not susceptible 1566 Kühn 1875

Relationship to Tilletia spp. on grasses 1566 Kühn 1875

Development of chlamydospores in culture 311 Brefeld 1883

Historical account 94 Arthur 1889

Spores much less viable after passing through digestive tract of domestic animals 3047 Tubeuf 1901

Bunt spores killed in passage through alimentary tract of horses or cattle 3050 Tubeuf 1902

Detection of spores in hay and fodder 1549 Krenz 1908

12,125,000 spores per spore ball 392 Buller 1909

Spores much less viable after passing through digestive tract of domestic animals 1261 Honcamp et al. 1910

Spores lose viability after passage through digestive tract of cattle 70 Appel and Riehm 1911

Chemistry of spore contents 3322, 3323 Zellner 1911

Chemistry of the spores 3324 Zellner 1912

Spores overwintered in soil not viable in spring 72 Appel and Riehm 1914

Fires in threshing separators due to spontaneous combustion of spores 416 Cardiff et al. 1914

Accounts and illustrations of explosions and fires in grain separators due to bunt 2367 Price and McCormick 1916

Wind dissemination of spores 1111 Heald and George 1918

Comparison with *Tilletia foetida* re symptoms and morphology 2351, 2352 Potter and Coons 1918

Effect of formaldehyde on wheat seed 128 Bakke and Plagge 1919

Spores found in human feces 372 Bruntz 1919

Effect of control measures on germination of seed 3340 Zundel 1921

Effect of formaldehyde on wheat 111 Atwood 1922

Effect of ultra-violet and X-rays and radium on spore germination 2307 Pichler and Wober 1922 Caused by wind-borne spores in Oregon 2839 Stephens and Woolman 1922

Comparative (with *Tilletia foetida*) incidence in Oregon 2839 Stephens and Woolman 1922

No correlation between H-ion concentration and resistance or susceptibility 1303 Hurd 1923

Combined control with loose smut 2040 Müller et al. 1923

Effect of formaldehyde on seed wheat 125 Baker 1924

Development of chlamydospores in culture 2621 Sartoris 1924

Literature review and history, 500 B.C. to 1924 3264 Woolman and Humphrey 1924

Factors contributing to recent severity in Turkestan 3314 Zaprometoff 1924

Biochemistry of the action of fungicides on the spores 249 Bodnar and Terenyi 1925

Violent discharge of sporidia 394 Buller and Vanterpool 1925

Favorable and adverse effects of seed treatment substances on germination of wheat seed. Some stimulatory 2726 Senf 1925

Comparative (with *Tilletia foetida*) incidence in European Russia 2751 Sigriansky 1925

Stimulatory action of certain fungicides on wheat 228 Bittera 1926

Biochemistry of the action of fungicides on the spores 249, 250, 251, 252, 253, 254 Bodnar and Terenyi 1926–1933

Copper carbonate treated seed not bothered by mice 1728 Mackie and Briggs 1926

Partial infection of individual grain 2750 Sieling 1926

No correlation between thickness of pericarp and rate of germination and susceptibility to formalin injury 3325 Zeuschner 1926 Partial infection 3327 Ziling 1926

Chlamydospores (haploid) in culture 286 Boss 1927

Artificial infection of maturing wheat 1937 Milan 1927

Widely distributed in Ireland 2079 Murphy 1927

Comparative distribution of *Tilletia caries* and *T. foetida* in U. S. 3012 Tisdale et al. 1927

More important on spring wheat in North Caucasus 41 Andreyeff 1928

Infection of wheat plants by application of spores to wounds at base of plants 1938 Milan 1928

Wheat can become infected with bunt when spores are present in tissues at base of culms during growing period 1938 Milan 1928

Effect of source of origin of inoculum on susceptibility 2026 Mourashkinsky 1928

Incidence in Bulgaria 106 Atanasoff 1929

Method of washing wheat free of smut 147 Bates et al. 1929

Effect of soil type and reaction on efficacy of fungicidal dusts 3144 Volk 1929

Miscellaneous unclassified—(cont.)

Effect of ultra-violet radiation on spores 662 Dillon Weston and Halnan 1930

Only Tilletia caries on durum wheats 1049 Hanna and Popp 1930 Prevalence in western Canada 1049 Hanna and Popp 1930

Increasing prevalence in U.S. 1086 Haskell et al. 1930

Inoculations with pure cultures gave negative results 1461 Kienholz and Heald 1930

Not practical to separate physiologic forms on constant cultural characters 1461 Kienholz and Heald 1930

Bunt collections sent to other countries are less virulent, and reasons for 2471 Reichert 1930

Change from gram-negative to gram-positive in early stages of infection 3262 Woolman 1930

Fungus enters epidermis of both resistant and susceptible seedlings with equal facility 3262 Woolman 1930

Tilletia secalis considered a form of T. caries 331 Bressman 1931

Dangers involved in forwarding collections of smut from one country to another 658 Dillon Weston 1931

Traces of bunt on resistant varieties due to mixture of forms in inoculum? 658 Dillon Weston 1931

Relation of pH and osmotic pressure to resistance 951 Giljarovskij and Zak 1931

Superior resistance of durum varieties presumably attributable to the higher pH value of cell sap and higher osmotic pressure 951 Giljarovskij and Zak 1931

Correlation between amount of infection in field and official grading for smut in the threshed grain 1082, 1083 Haskell and Boerner 1931

Durum wheats more susceptible than hard red ones 1083 Haskell and Boerner 1931

Epiphytotic due to development of new forms 1234 Holton 1931 No hereditary acquired immunity developed from seed selected from partially smutted or smut-free individuals in a lot of smutted plants 2276 Petit 1931

Immune varieties should be treated because of possibility of latent infection 3304 Zade 1931

Latent infection can cause considerable reduction in stand of "immune" varieties 3304 Zade 1931

Relation of "stimulatory" action of certain fungicides to latent infection 3304 Zade 1931

Case of smut-docked wheat being caused by heavy contamination with spores of *Ustilago utriculosa* from *Polygonum* growing in field 5 Aamodt and Malloch 1932

Adsorption of mercury salts by the chlamydospores 253 Bodnar and Terenyi 1932

Chemical composition of the spores 412 Campanile 1932 Chemistry of the spores 412 Campanile 1932 Susceptibility of rye, and use as differential host 659 Dillon Weston 1932

Relation of ridged versus flat rows as influencing degree of infection 669 Dobromysloff 1932

Relation of time of planting to efficacy of copper carbonate dust for control 827 Flor 1932

Production of chlamydospores in vegetative parts of secondary shoots from plants that had not previously shown smut 828 Flor 1932

Effect on yield of wheat 830 Flor et al. 1932

Inoculum from different sources gives different results 928 Gaudineau 1932

Cause of odor of the spores and genetic dominance of same 1042 Hanna 1932

Trimethylamine isolated, as cause of foetid odor of bunt 1060 Hanna et al. 1932

High percentage of infection resulting from wound inoculations 1942 Milan 1932

Count of infected plants does not give true representation of actual loss 2028 Mourashkinsky 1932

Effect of source of origin on susceptibility 2027 Mourashkinsky 1932

Transfer of smut immunity to hard red spring wheat 2769 Smith 1932

Effect of fall versus spring planting on resistance in Hope wheat 2769 Smith 1932

Latent infection in Martin wheat 2773 Smith 1932

Injurious effects of latent infection 3305 Zade 1932

Development of chlamydospores in culture 393 Buller 1933

Violent discharge of sporidia 393 Buller 1933

Overwintering of spores in western Canada 1056 Hanna and Popp 1933

Morphological and pathogenic difference between two races 1237 Holton 1933

Comparative (with *Tilletia foetida*) prevalence and distribution in Argentina 2145 Nieves et al. 1933

Method for germinating spores 3098 Vassilievsky 1933

Exposure of spore-contaminated wheat seed to dry heat does not reduce number of smutted plants 3132 Vilkaitis 1933

Prolonged exposure to sub-zero temperatures no adverse effects on spores 3132 Vilkaitis 1933

Comparative (with *Tilletia foetida*) incidence in Romania 2617 Sandu-Ville 1934

Biochemistry of the action of fungicides on the spores 255 Bodnar and Terenyi 1935

Morphological and cytological differences between two races 1239 Holton 1935

Removing smut balls from seed wheat 1310 Hurst et al. 1935

Miscellaneous unclassified—(cont.)

Comparison with *Tilletia foetida* and *T. indica* 1963 Mitra 1935 Possible explanations for increase of wheat bunt in Germany in spite of seed treatment 3236 Winkleman 1935

A new variety (dwarf bunt) 3286 Young 1935

"Inheritance of aggressiveness" 181 Becker 1936

Incidence in northeast Bulgaria 456 Cristoff 1936

Natural occurrence on crested wheat grass (Agropyron cristatum) 778 Fischer 1936

Relation of per cent bunt to per cent loss in yield 1667 Leukel 1937

Abnormal sporulation in resistant varieties 2672 Schlehuber 1937 Special greenhouse inoculation technique 3151 Voss 1937 Flour quality impaired 3214 Wickens 1937

Immunity not commercially necessary in wheat varieties 3215 Wiebe 1937

Case of respiratory allergy 3248 Wittich and Stakman 1937 All stages of partial infection described 918 Gassner 1938

"Forma intermedia" recognized. A form with very small reticulations and probably a natural hybrid with *Tilletia foetida* 917 Gassner 1938

Incidence and distribution in Turkey 917 Gassner 1938

Tilletia caries f. intermedia with fine shallow reticulations 917 Gassner 1938.

Competition with other fungi in the soil 1149 Henry and Campbell 1938

Unique method of inoculation by use of paired monosporidial cultures 1242 Holton 1938

Application of statistical methods to physiologic specialization data 2600 Salmon 1938

Much less prevalent in Wyoming than Tilletia caries 2834 Starr 1938

No build-up of susceptibility when resistant varieties inoculated repeatedly with their own smut 212 Bever 1939

Aneurin an indispensable factor in growth 624 Defago 1939

Effect of physical condition of soil on extent of infection 3170 Walstedt 1939

As cause of hay fever and asthma 3246 Wittich 1939

Infection initiated in coleoptiles. Penetration of host by means of small peg through cuticle between epidermal cells 462 Churchward 1940

Zones of prevalence in Germany 1493 Klemm 1940

Comparative incidence with *Tilletia foetida* in Afghanistan and Turkey 1683 Limber 1940

Seasonal asthma caused by spores 631 Diaz et al. 1941

Multiplicity of morphological variants in Argentina 1195 Hirschhorn 1941

Compilation of principal available information 1253 Holton and Heald 1941

Effect of station location on bunt reaction 2521 Rodenhiser and Holton 1942

Segregation of natural *Tilletia caries* × *T. foetida* hybrids into two species: *T. triticoides* and *T. intermedia* 2633 Savulescu, Hulea and Stanescu 1942

Dwarf bunt increasing as menace to western states 2523 Rodenhiser and Holton 1945

First report of dwarf bunt in New York 3064 Tyler 1945

Coincidence with *Tilletia foetida* in same caryopsis 979, 980 Grasso 1946

Comparative incidence and morphology with Tilletia triticoides and T. intermedia 980 Grasso 1946

Incidence and severity in Italy 979, 980 Grasso 1946

Spores inside grain, between pericarp and endosperm 979 Grasso 1946

Comparative distribution (with *Tilletia foetida*) in Bulgaria 1550 Kristev 1946

Distribution and importance in Mexico 2531 Rodriquez 1946 Host selectivity as means of eliminating weak strains of hybrids 1250 Holton 1947

Rapid method of detecting infected heads of wheat 2339 Popp 1947

Comparative incidence and morphology with Tilletia triticoides and T. intermedia 981 Grasso 1948

PHYSIOLOGIC SPECIALIZATION

2427 Reed 1924

729 Faris 1924

2430 Reed 1927

2527 Rodenhiser and Stakman 1927

882, 883, 884 Gaines 1928

2433 Reed 1928

2513 Rodenhiser 1928

2533 Roemer 1928

1504 Knorr 1929

1233 Holton 1930

1461 Kienholz and Heald 1930

2471, 2472 Reichert 1930

1 Aamodt 1931

332, 333 Bressman 1931

658 Dillon Weston 1931

1234 Holton 1931

830 Flor et al. 1932

2773 Smith 1932

327 Brentzel 1933

829 Flor 1933

886 Gaines and Smith 1933

1237 Holton 1933

2141 Nieves 1933 (in Argentina)

2535 Roemer and Bartholly 1933

1239 Holton 1935

2143 Nieves 1935 (in Argentina)

1252 Holton and Heald 1936

2784 Spangenberg and Gutner 1936

2520 Rodenhiser and Holton 1937

2716 Selaries and Rohmer 1937

461 Churchward 1938

623 Defago 1938

1243 Holton 1938

2536 Roemer et al. 1938

782 Fischer 1939 (reaction of races to selections of crested and slender wheat grasses, Agropyron cristatum and A. trachycaulum)

816 Fittschen 1939

2635 Savulescu and Sandu-Ville 1939 (physiologic races in Romania composed of a complex of biotypes. Biometrically significant differences in some races)

3353 Zybina 1939

1253 Holton and Heald 1941

1246 Holton 1942

1255 Holton and Rodenhiser 1942

2521 Rodenhiser and Holton 1942

2523 Rodenhiser and Holton 1945

3300 Yu et al. 1945 (in China)

1550 Kristev 1946

1250 Holton 1947

SPORE GERMINATION AND FACTORS AFFECTING

2365, 2366 Prevost 1807

196 Berkeley 1847

3056 Tulasne and Tulasne 1854

3057 Tulasne and Tulasne 1854

201 Berkeley 1857

1557 Kühn 1859

1225 Hoffman 1860

2188 Ørsted 1863

803 Fischer v. Waldheim 1869

520 Cooke 1872

617 DeBary 1874

3252 Wolff 1874

1678 Von Liebenberg 1879

2664 Schindler 1880

2677 Schmaler 1880

311 Brefeld 1883

```
313 Brefeld 1888
2329 Plowright 1889
3047 Tubeuf 1901
3050, 3051 Tubeuf 1902
3146 Volkart 1906
1763 McAlpine 1910
1260 Honcamp 1911
2655 Schellenberg 1911
2803 Stakman 1913
1114 Heald and Woolman 1915
1479 Kirchner 1916
2231 Paravicini 1917
2727 Sessous 1920
 590 Dastur 1921
1163 Heuser 1922
2416 Rawitscher 1922 (germination—reduction division—takes
  place within the spore and not in the promycelium)
 907 Gassner 1923
2492 Riehm 1923
3263 Woolman and Humphrey 1924
 395 Buller 1925
1019 Hahne 1925
1229 Hollrung 1925
1655 Leszczenko 1927
2390 Rabien 1927
2407 Rapin 1927
                  (effect of temperature on)
2957 Terenyi 1927
1461 Kienholz and Heald 1930
 332 Bressman 1931
 826 Flor 1932
3331 Zillig 1932
 393 Buller 1933
2535 Roemer and Bartholly 1933
3098 Vassilievsky 1933
1043 Hanna 1934
3179 Wang 1934
2175 Olgvav 1935
 181 Becker 1936
1737 Lobik and Dahlstrem 1936 (methods of)
 623 Defago 1938
 919 Gassner 1938
1433 Keil 1940
                   (of the "sterile" cells of dwarf bunt)
1245 Holton 1941
1253 Holton and Heald 1941
1248 Holton 1943
                   (dwarf bunt)
```

2347 Potapov et al. 1943

1286 Hulea 1947 (including Tilletia triticoides and T. intermedia)

1740 Lowther 1948 (dwarf bunt)

VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF

3044 Tscharner 1764

1578 Kühn 1880

740 Farrer 1901 (pioneer work on varietal resistance)

2294 Pev 1901

3047 Tubeuf 1901 (pioneer work on varietal resistance)

169 Beattie 1902

3050 Tubeuf 1902 (pioneer work on varietal resistance studies)

744 Farrer 1904 (pioneer work on production of resistant varieties by hybridization)

745 Farrer 1905 (pioneer work on production of resistant varieties by hybridization)

1122 Hecke 1906

1476 Kirchner 1906

2887 Sutton 1906

62 Appel and Gassner 1907

1124 Hecke 1907

1276 Howard and Howard 1907

1850 Malkoff 1907

1477 Kirchner 1908

2250 Peglion 1908

582 Darnell-Smith 1909

1126 Hecke 1909

1759 McAlpine 1909

583 Darnell-Smith 1910

1761, 1763 McAlpine 1910

2888 Sutton 1910

2069 Munerati 1911

2070 Munerati 1912

3105 Vavilov 1913

3259 Woolman 1914

1114 Heald and Woolman 1915

1479 Kirchner 1916

1480 Kirchner 1916

875 Gaines 1918

3106 Vavilov 1918

3106 Vavilov 1918 (no permanent genetic resistance in wheat to *Tilletia caries*. Resistance has been confused with disease escaping.)

876 Gaines 1919

2253 Peglion 1919

2696 Schribaux 1919

2869 Strampelli 1919

877 Gaines 1920

1999 Morettini 1920 2889 Sutton 1920 3054 Tubeuf 1920 675 Donkin 1921 1481 Kirchner 1921 1163 Heuser 1922 2071 Munerati 1922 2839 Stephens and Woolman 1922 119 Babowitz 1923 368 Brown 1923 878 Gaines 1923 1303 Hurd 1923 1392 Johnston 1923 529 Coons 1924 947 Gibs 1924 1393 Johnston 1924 3264 Woolman and Humphrey 1924 (history of) 3302 Zade 1924 879 Gaines 1925 1304 Hurd-Karrer 1925 2728 Sessous 1925 2783 Spangenberg 1925 3014 Tisdale et al. 1925 343 Briggs 1926 885 Gaines and Singleton 1926 275 Borghardt 1927 2604 Sampson 1927 2865 Straib 1927 2998 Tingey 1927 2470 Reichert 1928 80 Arnaud 1929 329 Brentzel and Smith 1929 345 Briggs 1929 553 Creseke 1929 654 Dillon Weston 1929 948 Gibs 1929 950 Gieseke 1929 1504 Knorr 1929 1684 Limbourn 1929 84 Arnaud and Gaudineau 1930 346, 347, 348 Briggs 1930 1232 Holton 1930

2138, 2139 Nieves 1930 (same varieties resistant also to Ustilago

2471 Reichert 1930

tritici)

1685 Limbourn 1930

1 Aamodt 1931

```
330, 332, 333 Bressman 1931
349 Briggs 1931
457 Churchward 1931
951 Giliarovskii and Zak 1931
  86, 87 Arnaud and Gaudineau 1932
335 Bressman 1932
350, 351 Briggs 1932
458 Churchward 1932
 659 Dillon Weston 1932
665, 666 Dielaloff 1932
 764 Feucht 1932
928 Gaudineau 1932
1532 Krause 1932
2769 Smith 1932
  90 Artemoff 1933
338 Bressman and Harris 1933
352 Briggs 1933
 476 Clark et al. 1933
 886 Gaines and Smith 1933
1466 Kilduff 1933
2074, 2075 Munerati 1933
2535 Roemer and Bartholly 1933
2669 Schlehuber 1933
2775 Smith 1933
 116 Ausemus 1934
 353 Briggs 1934
 408 Calniceanu 1934
2886 Sutherland and Jodon 1934
3243 Wismer 1934
 354 Briggs 1935
 375 Bryzgalova 1935
 834 Fomin 1935
2670 Schlehuber 1935
2999 Tingey 1935
1865 Martin 1936
2144 Nieves 1936
2671 Schlehuber 1936 (different degrees of resistance in F<sub>2</sub>)
  progeny)
 373 Bryan 1937
 550 Crepin, Bustarret and Chevalier 1937
2716 Selaries and Rohmer 1937
3151 Voss 1937
3215 Wiebe 1937
 461 Churchward 1938
 552 Crepin, Bustarret and Chevalier 1938
```

2525 Rodenhiser and Quisenberry 1938

2536 Roemer et al. 1938

2673 Schlehuber 1938

3137 Vogel and Holton 1938

782 Fischer 1939 (of wheatgrasses)

816 Fittschen 1939

3353 Zybina 1939

355 Briggs 1940

133 Bamberg 1941

1253 Holton and Heald 1941

2824 Stanford 1941

1257 Holton and Suneson 1942

2521 Rodenhiser and Holton 1942 (variability in varietal reaction)

324 Bremer 1943

1258 Holton and Suneson 1943 (dwarf bunt)

3258 Woodward and Tingey 1944

126 Baker and Briggs 1945

699 El-Khishen and Briggs 1945

1550 Kristev 1946

2408 Rapin 1946

TILLETIA CONTRAVERSA Kühn* Hedwigia 13: 188. 1874.

Uredo segetum tritici-repentis DC., Encycl. Bot. 8: 227. 1808.

Uredo sitophila agropyri Opiz, Sesnam rostlin Kventeny ceske. ii + 216 pp. Prague. 1852.

Tilletia tritici-repentis (DC.) Liro, Ann. Acad. Sci. Fenn. A, 42: 77. 1938.

HETEROTHALLISM AND SEX

315 Brefeld 1895 (fusion of primary sporidia)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

1884 Mattirolo 1896

MISCELLANEOUS

Relationship to Tilletia caries and other species 1563 Kühn 1874

Morphology and symptoms 315 Brefeld 1895

Morphology and symptoms 2655 Schellenberg 1911

Relation to Tilletia caries 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

TILLETIA DECIPIENS (Pers.) Körn. Hedwigia 16: 30. 1877.

Uredo segetum var. decipiens Pers., Syn. Fung. 225. 1801.

Uredo decipiens var. graminum Strauss, Ann. Wett. Ges. 2: 111. 1810.

Erysibe sphaerococca var. agrostidis Wallr., Fl. Krypt. Germ. 2: 213. 1833. Uredo (Ustilago) sphaerococca Rabenh., Deutschland Krypt. Fl. 1: 4. 1844. Tilletia caries var. agrostidis Auersw., Rabenh. Fungi Europ. 700. 1864.

Tilletia sphaerococca Fisch. v. Waldh., Bull. Soc. Nat. Mosc. 40: 255. 1867.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

*Usually spelled controversa, but Kühn, 1874, himself originally designated the species in question as "contraversa".

HETEROTHALLISM AND SEX

315 Brefeld 1895 (fusion of primary sporidia)

Miscellaneous

Infected plants spurned by cattle 862 Fries 1823

Wheat immune to 3238 Winter 1878

Morphology and symptoms 315 Brefeld 1895

Morphology and symptoms 2655 Schellenberg 1911

Host range 1724 Liro 1938

Infected plants dwarfed and as such were described by Linnaeus as "Agrostis pumila" 1724 Liro 1938 1566 Kühn 1875

Revision of *Tilletia*; comparison with *T. eremophila* and *T. muhlenbergiae* 1210 Hirschhorn 1944

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

2655 Schellenberg 1911

564 Cunningham 1924

TILLETIA EARLEI Griff. Bull. Torr. Bot. Club 29: 290. 1902.

Ustilago earlei Cif., Trans. Brit. Mycol. Soc. 18: 263. 1934.

MISCELLANEOUS

Should be placed in *Ustilago*, on basis of species description only 472 Ciferri 1934

TILLETIA EREMOPHILA Speg. Ann. Mus. Nac. Buenos Aires 12: (3) 291. 1902.

Tolyposporella eremophila Cif., Soc. Bot. Ital. Fasc. 17: 224. 1938.

Miscellaneous

Revision of *Tilletia*; comparison with *T. muhlenbergiae* and *T. decipiens* 1210 Hirschhorn 1944

TILLETIA EUPHORBIAE Lenz Mycologia 33: 155. 1941.

MISCELLANEOUS

Symptoms and morphology 1650 Lenz 1941

SPORE GERMINATION AND FACTORS AFFECTING

1650 Lenz 1941

TILLETIA FOETIDA (Wallr.) Liro Maanviljelys Talondellinen Doelaitos, Vuosikvija 1915–1916: 27. 1920.

Erysibe foetida Wallr., Fl. Crypt. Germ. 2: 213. 1833.

Ustilago foetans Berk. and Curtis, Ravenel Fungi Carol. 100. 1860.

Tilletia laevis Kühn, Rabenh. Fungi Europ. 1697. 1873; Hedwigia 12: 152. 1873.

Ustilago foetans Berk. and Curtis, Hedwigia 3: 59. 1874; Ravenel Fungi Carol. 5: 100. 1860.

Tilletia foetans Schröt., in Beitr. Biol. Pflanz. (Cohn) 2: 365. 1877.

Tilletia foetans Trel., Paras. Fungi Wisc. 35: 1884; Trans. Wisc. Acad. Sci. 6: 139. 1884.

CONTROL

1471 Kirby 1799

2365, 2366 Prevost 1807 (Keitt 1939) (first demonstration of

toxicity of copper salts to the spores and recommendations of use for control)

489 Cobb 1891

1729 Ljubanski 1902

1901 Melchers 1916

525 Coons 1920

289 Bouillard 1922

526 Coons 1922

1113 Heald and Smith 1922

1187 Hiltner and Lang 1922 (fertilization with calcium cyanimide)

2839 Stephens and Woolman 1922

527, 528 Coons 1923

847 Fraser and Simmonds 1923

907 Gassner 1923

920 Gassner and Esdorn 1923

1116 Heald, Zundel and Boyle 1923

2040 Müller et al. 1923

2095 Neill 1923

2816 Stakman and Lambert 1923

530 Coons 1924

587 Darnell-Smith 1924

710 Esdorn 1924

713 Esmarch 1924

759 Ferdinandsen 1924

775 Fischer 1924

908 Gassner 1924

1773 McKillican 1924

1915 Melchers and Walker 1924

2041 Müller et al. 1924

2382 Puttick 1924

2599 Salmon and Wormald 1924

3112 Vermorel 1924

3140 Vogt 1924

3205 Westermeier 1924

3263 Woolman and Humphrey 1924

123 Bailly 1925

166 Baunacke 1925

854 Friedrichs 1925

910 Gassner 1925

1229 Hollrung 1925

2045 Mullet 1925

2324 Plaut 1925

2494, 2496 Riehm 1925

3113 Vermorel 1925

926 Gassner and Rabien 1926

1168 Hilgendorff 1926

1659 Leukel 1926

1920 Mencacci 1926

2044 Müller et al. 1926

2295 Pfeil 1926

2505 Rivera 1926 (X-rays ineffective)

2646 Schaffnit 1926

3206 Westermeier 1926

40 Andreyeff 1927

703 Englisch 1927

913, 914 Gassner 1927

970 Gram 1927

1222, 1223 Hoffman 1927

1463 Kiesselbach 1927

1687 Limbourn and Throssell 1927

1978 Molz 1927 (history of dusting seed for control)

2263 Petit 1927

2500 Riehm 1927

3142, 3143 Volk 1927

12 Adams 1928

276 Borghardt 1928

712 Esdorn 1928

831, 832 Florimond-Desprez 1928

869 Fromme 1928

971 Gram 1928

1012 Guyot 1928

1745 Lungren and Durrell 1928

2133, 2134 Niethammer 1928

2254 Peltier 1928

2264, 2265, 2266, 2267 Petit 1928

2008 Morris and Kurtz 1929

2268 Petit 1929

3144 Volk 1929

83, 84 Arnaud and Gaudineau 1930

1110 Heald and Gaines 1930

1187 Hiltner and Tornow 1930

2270, 2271 Petit 1930

10 Abramoff 1931

2272, 2273, 2274, 2275, 2277 Petit 1931

3061 Twentyman 1931

86, 87 Arnaud and Gaudineau 1932

278 Borghardt 1932

665, 666 Djelaloff 1932

678 Dounine and Simsky 1932

1532 Krause 1932

2278 Petit 1932

2302 Pichler 1932

691 Eckhoff 1933

```
2279 Petit 1933
1704 Lindfors 1934
2018 Morwood 1935
```

2047 Muncie and Frutchev 1935

2256 Perevesentzeva 1935

2281, 2283 Petit 1935

2303, 2304 Pichler 1935

626 Denaiffe et al. 1936

1252 Holton and Heald 1936

2618 Sandu-Ville 1936

1667 Leukel 1937

2794 Sprague et al. 1937

777 Fischer et al. 1938

1275 Houdayer 1938

1866 Martin 1938

1867 Martin and Sprague 1938 (no differences in response of various races to seed treatment)

1672 Leukel and Nelson 1939

2290 Petit 1939

2793 Sprague 1939

1410, 1411 Jones and El Nasr 1940

2030 Mourashkinsky 1940

1253 Holton and Heald 1941

1353 Jamalainen 1943

81 Arnaud 1944

2632 Savulescu and Hulea 1944

324 Bremer 1945

3283 Yersin et al. 1945

191 Benloch 1946 (laboratory tests of fungicides)

2756 Simmonds 1948 (use of oil to counteract dust nuisance with fungicides)

CULTURE ON ARTIFICIAL MEDIA

240 Bodine and Durrell 1930

1461 Kienholz and Heald 1930

239 Bodine 1931

826 Flor 1932

393 Buller 1933

829 Flor 1933

1908 Melchers 1934

623 Defago 1938

1253 Holton and Heald 1941

1286 Hulea 1947

CYTOLOGY

771 Fisch 1885

579 Dangeard 1892

1840 Maire 1902

2415 Rawitscher 1914

```
393 Buller 1933
  1043 Hanna 1934
  3179 Wang 1934
  1253 Holton and Heald 1941
HETEROTHALLISM AND SEX
   825 Flor 1931
   826 Flor 1932
  1043 Hanna 1934
  1253 Holton and Heald 1941
  1286 Hulea 1947
HOST RANGE
  1332 Ivanoff 1926
                      (rye infected in Bulgaria)
  1734 Lobik 1930
                    (on rye in North Caucasus)
   334 Bressman 1932 (Lolium infected)
  2141 Nieves 1933
                     (infection of rve)
  2143 Nieves 1935
                      (infection of rye)
   778 Fischer 1936
  1724 Liro 1938
   782 Fischer 1939
                      (new grass hosts)
    18 Ajroldi 1940 (rye not susceptible under Italian conditions)
  1253 Holton and Heald 1941
Hybridization and Genetics
   825 Flor 1931
                 (with Tilletia caries)
   826 Flor 1932
                   (with Tilletia caries)
  1043 Hanna 1934
                     (with Tilletia caries)
                     (with Tilletia caries)
   181 Becker 1936
   917 Gassner 1938 (natural hybridization with Tilletia caries)
                     (with Tilletia caries)
  1243 Holton 1938
                     (Tilletia foetida × "dwarf bunt" race of Til-
  1245 Holton 1941
    letia caries)
  1253 Holton and Heald 1941
                     (pathogenicity of hybrids with Tilletia caries)
  1247 Holton 1942
                     (inheritance of chlamydospore and sorus char-
  1249 Holton 1944
    acters in inter-race and inter-species hybrids with Tilletia
    caries)
  1250 Holton 1947
                     (with Tilletia caries)
LIFE HISTORY, PARASITISM AND FACTORS AFFECTING
  2995 Tillet 1755
  1471 Kirby 1799
  1560 Kühn 1873 (early inoculation experiments with Triticum
    spp.)
  1562 Kühn 1874
  3252 Wolff 1874
    93, 94 Arthur 1889
   263 Bolley 1897
  2717 Selby 1898
  3047, 3048 Tubeuf 1901
```

- 3049, 3050, 3051 Tubeuf 1902
- 1729 Ljubanski 1902
- 1333 Ivanoff 1903
- 1271 Hori 1907
- 2250 Peglion 1908
- 1763 McAlpine 1910
- 2252 Peglion 1910
 - 321 Brefeld 1912
- 139 Barrus 1916
- 2351, 2352 Potter and Coons 1918
- 1163 Heuser 1922
- 1186 Hiltner and Lang 1922
- 2071 Munerati 1922
- 2072 Munerati 1923
 - 729 Faris 1924
 - 946, 947 Gibs 1924
- 1936 Milan 1924
- 2427 Reed 1924
- 3263, 3264 Woolman and Humphrey 1924
 - 910 Gassner 1925
- 2024 Mourashkinsky 1925
 - 46 Antonoff 1926
 - 424 Caspar 1926
- 3206 Westermeier 1926
- 1937 Milan 1927 (artificial infection of maturing wheat)
- 2613 Sampson and Davies 1927
- 2865 Straib 1927
 - 40 Andreyeff 1927
 - 41 Andreveff 1928
 - 869 Fromme 1928
- 1745 Lungren and Durrell 1928
- 1938 Milan 1928
- 2031 Mouravieff 1928
 - 9 Abramoff 1930
- 1110 Heald and Gaines 1930
- 2138 Nieves 1930
- 1941 Milan 1931
 - 665, 666 Djelaloff 1932
- 764 Feucht 1932
- 828 Flor 1932
- 2028 Mourashkinsky 1932
- 2774 Smith 1932
- 829 Flor 1933
- 3285 Young 1933
- 1043 Hanna 1934
- 2029 Mourashkinsky 1934
 - 17 Ajroldi 1937

550 Crepin et al. 1937

1667 Leukel 1937

623 Defago 1938

917, 918, 919 Gassner 1938

1409 Jones and El Nasr 1938

1866 Martin 1938

2834 Starr 1938

3119 Vielwerth 1938

782 Fischer 1939 (perennation in perennial hosts)

2793 Sprague 1939

18 Ajroldi 1940

1071 Hanson and Tervet 1940

1493 Klemm 1940

2529 Rodenhiser and Taylor 1940

1253 Holton and Heald 1941

2521 Rodenhiser and Holton 1942

2632 Savulescu and Hulea 1944

134 Bamberg et al. 1947

LONGEVITY OF SPORES

1678 von Liebenberg 1879

2759 Sitensky 1896

3263, 3264 Woolman and Humphrey 1924

1004 Guest 1929

779 Fischer 1936

1253 Holton and Heald 1941

MISCELLANEOUS

Effect on wheat quality 1471 Kirby 1799

Infected plants little if any dwarfed as compared with those infected with *Tilletia caries* 1076 Harwood 1892

Bunt spores killed in passage through alimentary tract of horses or cattle 3051 Tubeuf 1902

Quantitative determination of spores in flour, bran and grain 306 Bredemann 1911

Chemistry of spore contents 3322, 3323 Zellner 1911

Seed heavily contaminated with spores is not injurious as feed for livestock 2380 Pusch 1912

Chemistry of the spores 3324 Zellner 1912

Fires in threshing separators due to spontaneous combustion of spores 416 Cardiff et al. 1914

Determination of smut spore content in flour, bran and grain 307, 308 Bredemann 1915

Pathological morphology 139 Barrus 1916

Comparison with *Tilletia caries* re symptoms and morphology 2351, 2352 Potter and Coons 1918

Effect of formaldehyde on wheat seed 128 Bakke and Plagge 1919 Prevention of explosions and fires in threshing machines due to smut 2539 Roethe 1920

Smut-infected plants more susceptible to rusts 3110 Verhoeven 1920

Suppression of awns in wheat-spelt hybrid 2965 Thatcher 1921 Effect of control measures on germination of seed 3339, 3340 Zundel 1921

Effect of formaldehyde on wheat 111 Atwood 1922

Modification of importance of spore load to per cent smut in crop 2071 Munerati 1922

Caused by wind-borne spores in Oregon 2839 Stephens and Woolman 1922

In western but not eastern Oregon 2839 Stephens and Woolman 1922

Determination of spore load 309 Bredemann 1923

Relation of spore load to per cent smut 1109 Heald and Boyle 1923

Effect of formaldehyde on seed wheat 125 Baker 1924

Literature review and history 500 B.C. to 1924 3264 Woolman and Humphrey 1924

Factors contributing to recent severity in Turkestan 3314 Zaprometoff 1924

Biochemistry of the action of fungicides on the spores 249 Bodnar and Terenyi 1925

Morphological responses of host 2024 Mourashkinsky 1925

Comparatively rare in Russia 2751 Sigriansky 1925

Stimulatory action of certain fungicides on wheat 228 Bittera

Biochemistry of the action of fungicides on the spores 249-254 Bodnar and Terrenyi 1926-33

Losses in Kansas and Colorado 1079 Haskell 1926

Copper carbonate treated seed not bothered by mice 1788 Mackey and Briggs 1926

Comparative distribution of *Tilletia caries* and *T. foetida* in U. S. 3012 Tisdale *et al.* 1926

Toxic effects of bunt-contaminated wheat bran on sheep and pigs 3189 Weiser 1926

No correlation between thickness of pericarp and rate of germination of seed and susceptibility to formalin injury 3325 Zeuschner 1926

Artificial infection of maturing wheat 1937 Milan 1927

Effect on growth and morphology 2613 Sampson and Davies 1927

More important on winter wheat 41 Andreyeff 1928

Rye mixed with winter wheat resulted in higher percentage of bunt 129 Balakhonoff 1928

Infection of wheat plants by application of spores to wounds at base of plants 1938 Milan 1928

Wheat can become infected with bunt when spores are present in tissues at base of culms during growing period of host 1938 Milan 1928

Increase of strain of smut on same wheat variety increases virulence of strain 2026 Mourashkinsky 1928

Effect of smut spores on the digestibility of milling bran 2893 Svoboda 1928

Incidence in Bulgaria 106 Atanasoff 1929

Method of washing wheat free of smut 147 Bates et al. 1929

Effect of grazing on extent of wheat smut 768 Finnell 1929

Determination of number of spores in grain samples 933 Gentner 1929

Simultaneous incidence with *Tilletia caries* on same plant 2772 Smith 1929

Effect of soil type and reaction on efficacy of fungicidal dusts 3144 Volk 1929

Inoculation methods 240 Bodine and Durrell 1930

Inoculation of wheat plants up to 18 inches tall 240 Bodine and Durrell 1930

Production of chlamydospores in culture 240 Bodine and Durrell 1930

Biochemistry of the action of fungicides on the spores 252 Bodnar and Terrenyi 1930

Prevalence in western Canada 1049 Hanna and Popp 1930

Increasing prevalence in U.S. 1086 Haskell et al. 1930

Inoculations with pure cultures gave purely negative results 1461 Kienholz and Heald 1930

Not practicable to separate physiologic forms on constant cultural characters 1461 Kienholz and Heald 1930

Incidence on rye 1734 Lobik 1930

Double plate method good for culturing 239 Bodine 1931

Correlation between amount of infection in field with official grading for smut in threshed grain 1083 Haskell and Boerner 1931

Durum spring wheats more susceptible than hard red ones 1083 Haskell and Boerner 1931

Epiphytotic due to development of new forms 1234 Holton 1931 No hereditary acquired immunity developed from seed selected

from partially smutted or smut-free plants in a smutted lot 2275 Petit 1931

Length of host plant culms reduced by 2514 Rodenhiser 1931 Immune varieties should be treated because of possibility of latent infection 3304 Zade 1931

Latent infection can cause considerable reduction in stand of immune varieties 3304 Zade 1931

Relation of "stimulatory" effect of certain fungicides to latent infection 3304 Zade 1931

Incidence of smut-docked wheat as a result of contamination with

spores of Ustilago utriculosa from Polygonum lapathifolium 5 Aamodt and Malloch 1932

On Lolium spp. 334 Bressman 1932

Produces taller infected plants than does Tilletia caries 336 Bressman 1932

Relation of ridged versus flat rows as influencing infection—669 Dobromysloff 1932

Both slender and thick types of smut balls produced by *Tilletia* foetida and *T. caries* 764 Feucht 1932

Effect of fertilizers on 764 Feucht 1932

Higher incidence of infection following peas than wheat 764 Feucht 1932

An undertermined number of sex groups represented 826 Flor 1932 Production of chlamydospores in vegetative parts of secondary shoots of plants that had not previously shown smut 828 Flor 1932

Relation of time of planting to the efficacy of copper carbonate dust for control 827 Flor 1932

Cause of odor of spores and genetic dominance of same 1042 Hanna 1932

Isolation of trimethylamine from spores 1060 Hanna et al. 1932 Trimethylamine, the cause of bunt odor, not in Tilletia caries 1042 Hanna et al. 1932

High percentage of infection resulting from wound inoculations 1942 Milan 1932 (needle prick at base of culm or by being broken off at base of culm)

Build-up of virulence by five years continuous passage through same wheat variety 2026, 2027 Mourashkinsky 1932

Count of infected plants does not give actual loss 2028 Mourash-kinsky 1932

Effect of source of origin on susceptibility 2026, 2027 Mourash-kinsky 1932

Increase of strain of smut on same wheat variety increases virulence of strain 2027 Mourashkinsky 1932

Transfer of smut immunity to hard red spring wheat 2769 Smith 1932

Effect of fall versus spring planting on susceptibility of Hope wheat 2774 Smith 1932

Further studies on latent infection and effect on host plant 3305 Zade 1932

Biochemistry of the action of fungicides on the spores 254 Bodnar and Terenyi 1933

Successful artificial inoculation of emmer 327 Brentzel 1933

Screening effect of differential varieties on mixed collections 829 Flor 1933

More caryopses on bunted heads than on healthy ones 1945 Milan 1933

Severely affected plants tiller less than healthy ones 1945 Milan 1933

Comparative (with *Tilletia caries*) prevalence and distribution in Argentina 2145 Nieves et al. 1933

Soil infestation of chlamydospores 3285 Young 1933

Recognition of infection by deformation of seedlings 42 Angell 1934

Build-up of pathogenicity by repeated inoculation of variety with own smut 1908 Melchers 1934

Comparative (with *Tilletia caries*) incidence in Romania 2617 Sandu-Ville 1934

Biochemistry of the action of fungicides on the spores 255 Bodnar et al. 1935

Removing smut balls from seed wheat 1310 Hurst et al. 1935.

Comparison with *Tilletia caries* and *T. indica* 1963 Mitra 1935 Effect of infection on the morphology of wheat plants 7 Aamodt et al. 1936

Longevity of spores; at least 25 years 779 Fischer 1936

Ratio of per cent bunt to per cent loss in yield 1667 Leukel 1937 Effect of bunt on the host varies with the wheat variety 2672 Schlehuber 1937

Freezing injury more severe in certain varieties of wheat infected with bunt 2672 Schlehuber 1937

Flour quality impaired by 3214 Wickens 1937

Causing respiratory allergy 3248 Wittich and Stakman 1937

All stages of partial infection described 918 Gassner 1938

Incidence and distribution in Turkey 917 Gassner 1938

Effect of bunt infection on root development 1136 Hely et al. 1938

Competition with other fungi in soil 1149 Henry and Campbell 1938

Unique method of inoculating with paired monosporidial cultures 1242 Holton 1938

Screening effect of wheat varieties on smut mixtures 2399 Radulescu 1938

Application of statistical methods to physiologic specialization data 2600 Salmon 1938

Much more prevalent than *Tilletia caries* in Wyoming 2834 Starr 1938

Build-up of pathogenicity when collection cultured successively on other than host variety on which collected 3119 Vielwerth 1938

Decline in pathogenicity when collection cultured on only moderately susceptible host and same host on which collected 3119 Vielwerth 1938

No build-up of susceptibility of host or pathogenicity of race when resistant varieties inoculated repeatedly over a three-year period with their own smut 212 Bever 1939

Causes chlorotic mottling of wheat leaves 1396 Johnston and Lefebvre 1939

Effect of physical condition of soil on extent of infection 3170 Walstedt 1939

As cause of hay fever and asthma 3246 Wittich 1939

Effect of fertilizers on development 1071 Hanson and Tervet 1940

Zones of prevalence in Germany 1493 Klemm 1940

Comparative incidence with *Tilletia caries* in Afghanistan and Turkey 1683 Limber 1940

Vernalized seed gives high rate of infection 2030 Mourashkinsky 1940

Influence of soil type, sterilizaton and pH on extent of infection at different temperatures 2528, 2529 Rodenhiser and Taylor 1940

Seasonal asthma caused by spores 631 Diaz et al. 1941

Pine wood smoke only partially effective as control 1353 Jamalainen 1942

Effect of station location on bunt reaction 2521 Rodenhiser and Holton 1942

Segregation of natural Tilletia caries \times T. foetida hybrids into two species: Tilletia triticoides and T. intermedia 2633 Savulescu et al. 1942

Improved method of determining spore load as indication of need for seed treatment 431 Cherewick 1944

Rag-doll technique for inoculation purposes 1728 Livingston and Kneen 1944

Coincidence with *Tilletia caries* in same caryopsis 979, 980 Grasso 1946

Incidence and importance in Italy 979, 980 Grasso 1946

Spores inside grain between pericarp and endosperm 979 Grasso 1946

Fusarial head blight depresses when in same plant 1068 Hanson 1946

Predisposes infected plants to seedling blight 1069 Hanson 1946 Comparative (with *Tilletia caries*) distribution in Bulgaria 1550 Kristev 1946

Distribution and importance in Mexico 2531 Rodriguez 1946

Depresses dwarf bunt when in same plant 134 Bamberg et al. 1947

Spore load of grain as indication of need for seed treatment 432, 433 Cherewick 1947 and 1948

Host selectivity as means of eliminating weak hybrids (Tilletia caries \times T. foetida) 1250 Holton 1947

Rapid method of detecting infection in heads of wheat 2339 Popp 1947

```
Physiologic Specialization
```

2430 Reed 1927

2527 Rodenhiser and Stakman 1927

882, 883, 884 Gaines 1928

2433 Reed 1928

2513 Rodenhiser 1928

106 Atanasoff 1929

1461 Kienholz and Heald 1930

1 Aamodt 1931

332, 333 Bressman 1931

1234 Holton 1931

327 Brentzel 1933

829 Flor 1933

886 Gaines and Smith 1933

2141 Nieves 1933

1908 Melchers 1934

2143 Nieves 1935

2520 Rodenhiser and Holton 1937

3119 Vielworth 1938

782 Fischer 1939 (reaction of races to selections of crested and slender wheat grasses)

2635 Savulescu and Sandu-Ville 1939 (physiologic races in Romania composed of a complex of biotypes. Biometrically significant differences in some races.)

3351 Zybina 1939

1253 Holton and Heald 1941

1255 Holton and Rodenhiser 1942

2521 Rodenhiser and Holton 1942

1067 Hansing and Melchers 1945

2523 Rodenhiser and Holton 1945 (5 new races)

3300 Yu et al. 1945

SPORE GERMINATION AND FACTORS AFFECTING

3252 Wolff 1874

2159 Norton 1896

482 Clinton 1902

3146 Volkhart **19**06

2803 Stakman 1913

1163 Heuser 1922

3263 Woolman and Humphrey 1924

1019 Hahne 1925

1229 Hollrung 1925

1937 Milan 1927

2390 Rabien 1927

240 Bodine and Durrell 1930

1461 Kienholz and Heald 1930

332 Bressman 1931

826 Flor 1932

```
2175 Olgvay 1935
   623 Defago 1938
   919 Gassner 1938
  1253 Holton and Heald 1941
  1550 Kristev 1946
  1286 Hulea 1947
VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF
   740 Farrer 1901
  1850 Malkoff 1907
   582 Darnell-Smith 1909
  1759 McAlpine 1909
  2383 Pye 1909
   583 Darnell-Smith 1910
  1761, 1763 McAlpine 1910
   675 Donkin 1921 (Triticum spp.)
  1481 Kirchner 1921
  2839 Stephens and Woolman 1922
   529 Coons 1924
  1393 Johnston 1924
  2427 Reed 1924
  2817 Stakman et al. 1924
  3302 Zade 1924
  2795 Stadler 1925
   881 Gaines 1927
  2465 Straib 1927
  2513 Rodenhiser 1928
   329 Brentzel and Smith 1929
  1684 Limbourn 1929
  1685 Limbourn 1930
  2138, 2139 Nieves 1930 (same varieties also resistant to Ustilago
    tritici)
      1 Aamodt 1931
   330, 332, 333 Bressman 1931
  2140 Nieves 1931
    86, 87 Arnaud and Gaudineau 1932
   335 Bressman 1932
  1532 Krause 1932
  2769 Smith 1932
    90 Artemoff 1933
   476 Clark et al. 1933
   886 Gaines and Smith 1933
  1466 Kilduff 1933
  2669 Schlehuber 1933
  2775 Smith 1933
  2886 Sutherland and Jodon 1934
  3243 Wismer 1934
```

2670 Schlehuber 1935

1865 Martin 1936

2144 Nieves 1936

50 Crepin et al. 1937

2525 Rodenhiser and Quisenberry 1938

3137 Vogel and Holton 1938

782 Fischer 1939 (wheat grasses)

3353 Zybina 1939

47 Apostolides 1940

1253 Holton and Heald 1941

2521 Rodenhiser and Holton 1942 (variability in varietal reaction)

324 Bremer 1943

3258 Woodward and Tingey 1944

1550 Kristev 1946

TILLETIA FUSCA Ell. and Ev. Jour. Mycol. 3: 55. 1887.

MISCELLANEOUS

Very prevalent smut on annual fescues in central Washington 993 Griffiths 1903

Symptoms and morphology 1763 McAlpine 1910

SPORE GERMINATION AND FACTORS AFFECTING

1763 McAlpine 1910

796 Fischer and Hirschhorn 1945

TILLETIA GUYOTIANA Hariot Jour. Bot. (Paris) 14: 117. 1900. Thecaphora guyotiana Hariot, Mem. Soc. Acad. Aube 61: 195. Hyponym.

Tilletia velenovskyi Bubak, Österr. Bot. Zeitschr. 53: 51. 1903.

Tilletia belgradensis Magnus, Hedwigia 48: 145. 1908.

MISCELLANEOUS

Host range 1724 Liro 1938

First report from Switzerland 3148 Volkart 1939

SPORE GERMINATION AND FACTORS AFFECTING

796 Fischer and Hirschhorn 1945

TILLETIA HOLCI (Westend.) DeToni In Sacc. Syll. Fung. 7: 484. 1888.

Polycystis holci Westend., Bull. Acad. Belg. II. 11: 651. 1861. Tilletia rauwenhoffii Fisch. v. Waldh., Apercu Syst. Ust. 50. 1877.

CULTURE ON ARTIFICIAL MEDIA

3095 Vanterpool 1932

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2149 Noack and Fahrendorff 1925

3331 Zillig **1932**

1724 Liro 1938

MISCELLANEOUS

First report from North America 1338 Jackson 1920 Incidence on *Holcus* in Oregon 1338 Jackson 1920 Formation of clamp connections on the mycelium 2732 Seyfert 1927

Incidence in food samples of *Holcus lanatus* 677 Dorph-Peterson 1931

Longevity of spores; at least 12 years (as Tilletia rauwenhoffii) 779 Fischer 1936

Spore Germination and Factors Affecting 3095 Vanterpool 1932

TILLETIA HORDEI Körn. Hedwigia 16: 30. 1877.

? Tilletia trabuti Jaczewski, Bull. Soc. Mycol. France 9: 50. 1893.

MISCELLANEOUS

Review of other *Tilletia* spp. described on *Hordeum* spp. 1724 Liro 1938

Spore Germination and Factors Affecting 1763 McAlpine 1910

TILLETIA HYALOSPORA Massee Kew Bul. 153-154: 148. 1899. MISCELLANEOUS

Revision of *Tilletia*; comparison with *Tilletia hypsophila* 1204 Hirschhorn 1942

TILLETIA HYPSOPHILA Speg. Anal. Mus. Nac. Buenos Aires 12: 59. 1902.

Miscellaneous

Revision of *Tilletia*; comparison with *Tilletia hyalospora* 1204 Hirschhorn 1942

TILLETIA LOLII Auerswald Klotzsch-Rabenh., Herb. Viv. Mycol. ed. I. 1899: 1855.

CYTOLOGY

2416 Rawitscher 1922

MISCELLANEOUS

Wheat not susceptible 3238 Winter 1878

Host range 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

1557 Kühn 1859

2416 Rawitscher 1922

TILLETIA MUHLENBERGIAE Clint. N. A. Flora 7: 46. 1906.

Miscellaneous

Revision of Tilletia; comparison with Tilletia eremophila and T. decipiens 1204 Hirschhorn 1942

TILLETIA OLIDA (Riess) Winter Rabenh. Krypt. Fl. 1: 107. 1881.

Uredo olida Riess, Klotzsch-Rabenh. Herb. Viv. Mycol. 1695. 1852.

Tilletia endophylla DeBary, Rabenh. Viv. Mycol. ed. nova 500. 1857.

Ustilago olida Cif., Fl. Ital. Crypt. 17: 296. 1938.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 803 Fischer v. Waldheim 1869 MISCELLANEOUS

Closely related to Tilletia sessleriae 1422 Juel 1894

Morphology and symptoms 2655 Schellenberg 1911

Comparative morphology on different hosts 1724 Liro 1938

Host range 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

2698 Schröter 1877

TILLETIA PANCICII Bubak and Ranojevic Zeitschr. Landw. Versuch. Österr. 1899: 545.

CONTROL

1596 Kuribayashi and Ichikawa 1946

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1595 Kuribayashi and Ichikawa 1945

MISCELLANEOUS

Morphology and symptoms and comparison with other *Tilletia* spp. 378 Bubak 1909

Considered cause of stinking smut of barley 2945 Tasugi and Yamde 1925

Infection of barley varieties with 665 Djelaloff 1932

TILLETIA SECALIS (Corda) Kühn Deutsche Landw. Ztg. 19: 650. 1876.

Uredo secalis Corda, in Hlubek, Oekon. Neuigk. u. Verhand. 1848: 10.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

535 Corda 1848

1569 Kühn 1876

2171 Oertel 1887

MISCELLANEOUS

Collected in N. Y. in 1892; considered distinct from *Tilletia caries* 1338 Jackson 1920

History, distribution and losses in Russia 1346 Jaczewski 1923

Effect on animals 39 Andres and Trussov 1924

Heavy losses in rye in Russia 2751 Sigriansky 1925

Biologically closely related to Tilletia caries 2751 Sigriansky 1925

Incidence in Kaluga, Russia 2006 Morozov 1926

Very prevalent in Czecho-Slovakia in 1931 231 Blattny 1931

Considered to be a form of Tilletia caries 331 Bressman 1931

Early history 1724 Liro 1938

Validity of the species 1724 Liro 1938

Capricious in severity from year to year 3148 Volkart 1939

Difficult to induce spore germination 3148 Volkart 1939

Distinct from *Tilletia caries* on basis morphology and pathogenicity 3148 Volkart 1939

TILLETIA SEPARATA Kunze Kunze, Fungi Sel. Exs. No. 29. 1876.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2698 Schröter 1877

1724 Liro 1938

MISCELLANEOUS

Foetid odor of spores 2698 Schröter 1877

Morphology and symptoms 2835 Stec-Rouppertowa 1932

Incidence in Poland 2835 Stec-Rouppertowa 1932

Longevity of spores; at least 12 years 779 Fischer 1936

Host range 1724 Liro 1938

Physiologic Specialization

1724 Liro 1938

TILLETIA TEXANA Long in Clint. Jour. Mycol. 8: 149. 1902.

MISCELLANEOUS

Morphology and symptoms 2548 Rosen 1921

Relationship to certain other species of Tilletia 2548 Rosen 1921

TILLETIA TUMEFACIENS H. and P. Sydow Ann. Mycol. 10: 255. 1912.

MISCELLANEOUS

Effect on host and general characteristics of the smut 2060 Mundkur 1944

Powerful trimethylamine odor 2060 Mundkur 1944

TILLETIA WILCOXIANA Griff. Bull. Torr. Bot. Club 31: 88. 1904. MISCELLANEOUS

Infected plants of Stipa eminens andersoni (S. lepida andersoni) erroneously described as new species, S. hassei 3219 Wilcox 1902

TILLETIA ZONATA Bref. Unters. Gesammt. Myk. 12: 161. 1895 CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

HETEROTHALLISM AND SEX

315 Brefeld 1895 (fusion of primary sporidia)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

Miscellaneous

Morphology 315 Brefeld 1895

TILLETIA ZUNDELI Hirschh. Rev. Argentina Agron. 10: 186–189. June 1943.

MISCELLANEOUS

Description of disease and effect on host 1207 Hirschhorn 1943 Technical description 1207 Hirschhorn 1943

TOLYPOSPORIUM ANTHISTIRIAE Cobb Agric. Gaz. New S. Wales 3: 1006. 1892.

Tolyposporium anthistiriae P. Henn., Hedwigia 37: 283. 1898. Tolyposporium bursum McAlp., Smuts of Australia, p. 186. 1910.

Miscellaneous

Spore longevity at least four years 1763 McAlpine 1910 Symptoms and morphology 1763 McAlpine 1910

SPORE GERMINATION AND FACTORS AFFECTING

1763 McAlpine 1910

TOLYPOSPORIUM BULLATUM Schröt. Krypt Fl. Schles. 3: 276. 1887.

Sorosporium bullatum Schröt., Abh. Schles. Ges. Abth. Nat. Med. 1869-70: 6. 1870.

Tolyposporium senegalense Speg., Ann. Museo Nac. Hist. Nat. 26: 118. 1914.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

MISCELLANEOUS

Morphology 315 Brefeld 1895

Morphology and symptoms 2655 Schellenberg 1911

Tolyposporium senegalense is synonym 1197 Hirschhorn 1941

SPORE GERMINATION AND FACTORS AFFECTING

2730 Setchell 1892

315 Brefeld 1895

2655 Schellenberg 1911

TOLYPOSPORIUM CENCHRI Bref. Unters. Gesammt. Myk. 12: 156. 1895.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

MISCELLANEOUS

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

TOLYPOSPORIUM EHRENBERGII (Kühn) Patouillard Bull. Soc.

Mycol. (France) 19: 254. 1903.

Sorosporium ehrenbergii Kühn, Mitteil. Ver. Erdkunde (Holle) 1877: 87. 1887.

Tolyposporium filiferum Busse, Arb. K. Biol. Abt. Landw. Forstw. 4: 384. 1904.

Sorosporium filiferum Zundel, Mycologia 22: 148. 1930.

CONTROL

360 Britton-Jones 1922

3169 Wallace 1931

CULTURE ON ARTIFICIAL MEDIA

401 Busse 1904

1427 Kamat 1933

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1427 Kamat 1933

2361 Prasad 1945

Miscellaneous

Used as food in Egypt when young 360 Britton-Jones 1922 Sorosporium ehrenbergii and Tolyposporium filiferum are synonyms 1874 Mason 1926

Distinct from Sorosporium filiferum 3342 Zundel 1930

Transferred to Sorosporium 3342 Zundel 1930

Incidence in Italian E. Africa on sorghum 425 Castellani 1940

SPORE GERMINATION AND FACTORS AFFECTING

360 Britton-Jones 1922

1427 Kamat 1933

TOLYPOSPORIUM EHRENBERGII (Kühn) Patouillard var. GRANDIGLOBUM Uppal and Patel Indian Jour. Agric. 13: 520–521. 1943

MISCELLANEOUS

Technical description and comparison with species 3076 Uppal and Patel 1943

TOLYPOSPORIUM GLOBULIGERUM (Berk. and Br.) Ricker Jour. Mycol. 11: 112. 1905.

Thecaphora globuligera Berk. and Br., Trans. Linn. Soc. II. 1: 407. 1879. Testicularia leersiae Cornu, Ann. Sci. Nat. VI. 15: 275. 1883. (Type from Algeria on Leersia hexadra).

Ustilago leersiae Durien, Cornu in Ann. Sci. Nat. VI. 15: 274. 1883. (As a synonym).

MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

TOLYPOSPORIUM JUNCI (Schröt.) Woronin Abh. Senck. Nat. Ges. 12: 577. 1882.

Sorosporium junci Schröt., Abh. Schles. Ges. Vat. Kult. 1869-72: 6. 1872.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2698 Schröter 1877

3266 Woronin 1882

647 Dietel 1897

Miscellaneous

First report from North America 1338 Jackson 1920

SPORE GERMINATION AND FACTORS AFFECTING

3266 Woronin 1882

315 Brefeld 1895

2655 Schellenberg 1911

1689 Lind 1913

TOLYPOSPORIUM KOCHIANUM Gäumann Ber. Schweiz. Bot.

Ges. 41: 179. 1932

MISCELLANEOUS

Morphology and symptoms 931 Gäumann 1932

SPORE GERMINATION AND FACTORS AFFECTING

931 Gäumann 1932

TOLYPOSPORIUM LEPTIDEUM Sydow. Ann. Mycol. 11: 365. 1913.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 165 Baudys and Pichauer 1924 Spore Germination and Factors Affecting 165 Baudyš and Pichauer 1924

TOLYPOSPORIUM PENICILLARIAE Bref. Unters, Gesammt. Myk. 12: 154. 1895.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

16 Ajrekar and Likhite 1933

218 Bhatt 1946

MISCELLANEOUS

Morphology 315 Brefeld 1895

Identical with Ustilago penniseti 467 Ciferri 1931

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

3282 Yen 1938

TRACYA HYDROCHARIDIS Lagerh. In Vestergren Mic. Rar. Sel. 396. 1899. Nom. nud. Bot. Not. 1902: 175.

Doassansia reukaufii P. Henn., Hedwigia 43: 434. 1904. (Misspelled as "Renkaufii.")

HETEROTHALLISM AND SEX

2480 Reukauf 1906

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2480 Reukauf 1906

2655 Schellenberg 1911

1724 Liro 1938

MISCELLANEOUS

Morphology and symptoms 2480 Reukauf 1906

Morphology and symptoms 2655 Schellenberg 1911

SPORE GERMINATION AND FACTORS AFFECTING

2480 Reukauf 1906

2655 Schellenberg 1911

TUBURCINIA PARIDIS (Unger) Vestergren Bih. Vet.-Akad. Handl. 22 (Afd. 3): 9. 1896

Protomyces paridis Unger, Die Exanth. 344. 1833.

Polycystis colchici Fries, Summa veg. Scandinaviae 516. 1846.

Tuburcinia trientalis Berk. and Br., Ann. Mag. Nat. Hist. II. 5: 464. 1850.

Polycystis opaca Strauss, in Sturm's Deutschland Fl. 334: 47. 1857. p.p.

Tuburcinia schröteri Wint., Hedwigia 18: 170. 1879.

Sorosporium opacum Wint., Hedwigia 19: 3, 109. 1880. p.p.

Sorosporium paridis Wint., Rabenh. Krypt. Fl. 102. 1881.

Tuburcinia trientalis DeToni, Syllog. Ust. 507. 1888. p.p.

HETEROTHALLISM AND SEX

3266 Woronin 1882 (fusion of sporidia)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

3266 Woronin 1882

2655 Schellenberg 1911

MISCELLANEOUS

Morphology and symptons 2655 Schellenberg 1911

Conidial stage = Ascomyces trientalis Berk. 1689 Lind 1913

Incidence on Trientalis latifolia in Oregon 1338 Jackson 1920

Clamp connections on the mycelium 2732 Seyfert 1927

Type species of Ciferri's genus Ginanniella, emend 3069 Ulbrich 1940

SPORE GERMINATION AND FACTORS AFFECTING

3266 Woronin 1882

2329 Plowright 1889

2655 Schellenberg 1911

TUBURCINIA PRIMULICOLA (Magnus) Bref. Unters. Gesammt. Myk. 12: 180. 1897.

Urocystis primulicola Magnus, Verh. Bot. Prov. Brandenb. 20: 50. 1878 and Hedwigia 17: 19. 1879.

Ginanniella primulicola Cif., Fl. Ital. Crypt Ust. Fasc. 17: 152. 1938.

CYTOLOGY

3224 Wilson 1916

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1810 Magnus 1878

2316 Pirotta 1881

1581 Kühn 1882

3255 Wolley 1884

2704 Schröter 1887 (conidial stage)

497 Cocconi 1890

2317 Pirotta 1891

1585 Kühn 1892

315 Brefeld 1895

2655 Schellenberg 1911

1694 Lindau 1912 (conidial stage)

1687 Lind 1913

3224 Wilson 1916

673 Dominik 1936

MISCELLANEOUS

First report from France 954, 955 Godfrin 1891

Morphology and symptoms 2655 Schellenberg 1911

Conidial stage = Paipalopsis Irmischiae Kühn 1689 Lind 1913

Formation of clamp connections on the mycelium 2732 Seyfert 1927

Morphology and host range 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

2316 Pirotta 1881

2329 Plowright 1889

497 Cocconi 1890

1585 Kühn 1892

315 Brefeld 1895

1843 Maire and Marguery 18982655 Schellenberg 1911

UROCYSTIS AGROPYRI (Preuss) Schröt. Abh. Schles. Ges. Abth. Nat. Med. 1869–72: 7. 1870.

Uredo agropyri Preuss, Linnaea 24: 102. 1851.

Thecaphora occulta Desmazieres, Pl. Crypt. France ed. III. 653. 1859.

Urocystis preussii Kühn, Rabenh., Fungi Europ. 1898. 1874.

Urocystis occulta Schlechtendal, Passerini, in Nuovo Giorn. Bot. Ital. 9: 238. 1877.

Polycystis agropyri Schröter, Beitr. Biol. Pflanz. (Cohn) 2: 376. 1877.

Urocystis ulei Magnus, Rabenh., Fungi Europ. 2390. 1878.

Urocystis occulta var. tritici Ellis, N. A. Fungi 293. 1879.

Urocystis alopecuri Frank, Krankheit. Pflanz. 440. 1880.

Urocystis festucae Ule, Verh. Bot. Ver. Prov. Brandenb. 25: 215. 1884.

Urocystis ulei Magnus, in Ule, Verh. Bot. Ver. Prov. Brandenb. 25: 215. 1884.

Tuburcinia agropyri Liro, Ann. Univ. Fenn. Aboen. A. 1: 15. 1922. Tuburcinia alopecuri Liro, Ann. Univ. Fenn. Aboen. A. 1: 24. 1922.

Tuburcinia poae Liro, Ann. Univ. Fenn. Aboen. A. 1: 22. 1922.

Tuburcinia elynii Cif., Ann. Mycol. 29: 17. 1931.

Tuburcinia avenae-elatioris Kochman. Act. Soc. Bot. Polon. 16: 53-67. 1939.
 Urocystis poae Padwick and Agmatulla Khan, Imp. Mycol. Inst. (New Delhi)
 Mycol. Papers No. 10: 2. 1944.

CULTURE ON ARTIFICIAL MEDIA

2973 Thirumalachar and Dickson 1948

2974 Thirumalachar and Dickson 1949

CYTOLOGY

2973 Thirumalachar and Dickson 1948

2974 Thirumalachar and Dickson 1949

HETEROTHALLISM AND SEX

2973 Thirumalachar and Dickson 1948

2974 Thirumalachar and Dickson 1949

HOST RANGE

786 Fischer 1942

798 Fischer and Holton 1943

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2698 Schröter 1877

2704 Schröter 1887

1689 Lind 1913

1724 Liro 1938

2974 Thirumalachar and Dickson 1949

MISCELLANEOUS

Simultaneous occurrence with Ustilago hypodytes (Ustilago spegazzinii) on same plants of Agropyron repens 1564 Kühn 1874

Morphology and symptoms 2655 Schellenberg 1911

Comparison with *Urocystis bolivari* on *Lolium*. Grasses attacked by *Urocystis agropyri* never produce stems 380, 381 Bubak 1922

Redtop (Agrostis alba) new host 601 Davis 1922

Biometric segregates from 467 Ciferri 1931

Host range and morphology 1724 Liro 1938

Urocystis avenae elatioris may be synonym 1511 Kochman 1939 Morphological identity with Urocystis tritici 786 Fischer 1942 Further data on the synonomy with Urocystis tritici 788 Fischer 1943

Wheat flag smut and grass flag smut only biotypes of one morphologic species 798 Fischer and Holton 1943

Comparative pathogenicity with *Urocystis tritici* and *U. occulta* 798 Fischer and Holton 1943

Timothy (Phleum pratense) new host 1546 Kreitlow and Cassell 1945

Comparison (symptoms) with *Ustilago striiformis* 1545 Kreitlow 1948

Physiologic Specialization

1724 Liro 1938

1511 Kochman 1939

798 Fischer and Holton 1943

SPORE GERMINATION AND FACTORS AFFECTING

2973 Thirumalachar and Dickson 1948

2974 Thirumalachar and Dickson 1949

UROCYSTIS ALLII Schellenb. Beitr. Krypt. Schweiz 3: 141. 1911.

Urocystis colchici f. allii-subhirsuti Beltrani, Thüm., Mycoth. Univ. 1219. 1878.

Tuburcinia allii Liro, Ann. Univ. Fenn. Aboen. A, 1: 50. 1922.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

UROCYSTIS ANEMONES (Pers.) Wint. Rabenh. Krypt. Fl. 1: 123. 1881.

Uredo anemones Pers., Tent. Disp. Method. Fung. 56. 1797.

Uredo ranunculacearum var. anemones-nemorosae DC., Fl. France 6: 75. 1815.

Caeoma ranunculacearum Link, in Linne Sp. Pl. 2: 23. 1825. p.p.

Uredo ranunculacearum Chevallier, Fl. envir. Paris 399, 1826. p.p.

Caeoma pompholygodes Schlecht., Linnaea 1: 248. 1826.

Erysibe aritlata var. ranunculacearum Wallr., Fl. Crypt. Germ. 2: 211. 1883.

Uredo pompholygodes Rabenh., Krypt. Fl. Handb. 1: 4. 1844.

Polycystis pompholygodes Lev., Ann. Sci. Nat. Bot. III, 5: 270. 1846. p.p.

Polycystis ranunculacearum Fries, Sum. Veg. Scand. 516. 1846.

Polycystis anemones Lev., Ann. Sci. Nat. III, 8: 372. 1847. p.p.

Tuburcinia anemones Liro, Ann. Univ. Fenn. Aboen. A, 1: 55. 1922.

Tuburcinia hepaticae-trilobae (DC.) Liro, Ann. Univ. Fenn. Aboen. A, 1: 59. 1922.

CULTURE ON ARTIFICIAL MEDIA

1500 Kniep 1921 (from smut spore to smut spore in culture)

CYTOLOGY

2231 Paravicini 1917

1500 Kniep 1921

3179 Wang 1934

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2329 Plowright 1889 (as Urocystis ranunculi)

1148 Hennings 1903

2655 Schellenberg 1911

321 Brefeld 1912

2231 Paravicini 1917

1500 Kniep 1921

1718 Liro 1922

3068 Ulbrich 1931

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

Subdivision of *Urocystis anemones* into species on basis of host restriction 1718 Liro 1922

Clamp connections on the mycelium 2732 Seyfert 1927

Giant forms of host resulting from infection 3068 Ulbrich 1931

Host range and morphology 1724 Liro 1938

Physiologic Specialization

1862 Markova 1927

SPORE GERMINATION AND FACTORS AFFECTING

803 Fischer v. Waldheim 1869 (as Urocystis pompholygodes)

2329 Plowright 1889 (as Urocystis ranunculi)

315 Brefeld 1895 (as Urocystis ranunculi)

2655 Schellenberg 1911 (as Urocystis ranunculi)

2231 Paravicini 1917

1500 Kniep 1921 (as Urocystis ranunculi)

UROCYSTIS BOLIVARI Bubak and Fragoso Bull. Real Soc. Espan. Hist. Nat. 22: 205. 1922.

Tuburcinia bolivari Fragoso, Cif. in Nuovo Giorn. Bot. Ital. n.s. 40, 267. 1933.

MISCELLANEOUS

Technical description and comparison with related species 380, 381 Bubak 1922

UROCYSTIS BRASSICAE Mundkur Phytopath. 28: 141. 1938.

HOST RANGE

2052 Mundkur 1938

MISCELLANEOUS

Technical description and Latin diagnosis. Comparison with Urocystis coralloides. 2052 Mundkur 1938

UROCYSTIS CARCINODES (Berk. and Curtis) Fisch. v. Waldh. Apercu Syst. Ust. 38: 1877

Thecaphora carcinodes Berk. and Curtis, Grevillea 3: 58. 1874.

Tuburcinia carcinodes Liro, Ann. Univ. Fenn. Aboen. A, 1: 30. 1922. p.p.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

UROCYSTIS CEPULAE Frost In Farlow Ann. Rep. Sec. Mass. Board Agric. 24: App. 174. 1877.

Urocystis colchici cepulae Cooke, Gard. Chron. n.s. 7: 735. 1877. Tuburcinia cepulae Liro, Ann. Univ. Fenn. Aboen. A, 1: 47. 1922.

CONTROL

415 Capron 1870

2953 Taylor 1874

736 Farlow 1877

1846 Malbranche 1881

2712 Scribner 1890

2966 Thaxter 1890

1412 Jones 1891

2967 Thaxter 1891

2880 Sturgis 1893

2881 Sturgis 1896

1032 Halsted 1898

2718 Selby 1900

2758 Sirrine and Stewart 1900

2719 Selby 1902

2856 Stone 1909

2220 Pammel 1912

2857 Stone 1914

3102 Vaughan and Walker 1919

3162 Walker 1919

3163 Walker 1920

142 Barss 1921

902 Gardner 1921

3212 Whitehead 1921

985, 986 Gregory 1922

33 Anderson 1923

37 Anderson and Osmun 1923

3330 Zillig 1923

35 Anderson 1924

38 Anderson and Osmun 1924

2946 Taubenhaus and Mally 1924

21 Alcock et al. 1926

2616 Sands 1926

1007 Gussow and Conners 1927

1885 Matzulevitch 1936

323 Bremer 1936

944 Gibbs 1938

756 Felix 1939

2111 Nelson 1939

945 Gibbs et al. 1940

2121 Newhall 1940

758 Felix 1941

```
2122 Newhall 1944
  2194 Osmun 1944
   676 Doran and Sproston 1945
  1952 Miller and McWhorter 1945
  2112 Nelson 1946
  1715 Linn and Newhall 1948
CULTURE ON ARTIFICIAL MEDIA
    32 Anderson 1921
  3330 Zillig 1923
  3167 Walker and Wellman 1924
   232, 233 Blizzard 1926
  3168 Walker and Wellman 1926
CYTOLOGY AND SEX
    32 Anderson 1921
   232, 233 Blizzard 1926
   722 Evans 1933
HOST RANGE
   483 Clinton 1904
   545 Cotton 1919
  3330 Zillig 1923
    34 Anderson 1924
    36 Anderson 1925
LIFE HISTORY, PARASITISM AND FACTORS AFFECTING
  2958 Taylor 1874
   735, 736 Farlow 1877
   521, 522, 523 Cooke 1877
   524 Cooke 1879
   539, 540 Cornu 1879
   541 Cornu 1880
  2966 Thaxter 1890
  1644 Leather 1891
  2967 Thaxter 1891
  2881 Sturgis 1896
  1033 Halsted 1899
  2718 Selby 1900
   849 Freeman 1905
  2220 Pammel 1912
  1350 Jagger 1918
    32 Anderson 1921
  3166 Walker and Jones 1921
  3213 Whitehead 1921
  3330 Zillig 1923
    38 Anderson and Osmun 1924
  2946 Taubenhaus and Mally 1924
   232, 233 Blizzard 1926
```

2904 Szembel 1926

3168 Walker and Wellman 1926

1007 Güssow and Conners 1927

1505 Knott 1930

722 Evans 1933

1885 Matzulevitch 1936

944 Gibbs 1938

755 Felix 1938

MISCELL'ANEOUS

Report of incidence and importance of, in U.S. 3182 Ware 1870

Identical with Urocystis magica 736 Farlow 1877

Probable origin 736 Farlow 1877

First report from Europe 540 Cornu 1879

Spore longevity 2966 Thaxter 1890

Historical review 2966 Thaxter 1890

Onion smut carried from one locality to another with soil or implements 1033 Halsted 1899

Morphology and symptoms 2655 Schellenberg 1911

Discovery in Great Britain 545 Cotton 1919

Budding secondary sporidia produced 3213 Whitehead 1921

History of disease 3213 Whitehead 1921

Questions on the biology and control needing clarification 3330 Zillig 1923

History of onion smut 38 Anderson and Osmun 1924

Taxonomic history 38 Anderson and Osmun 1924

Tuburcinia vs. Urocystis 38 Anderson and Osmun 1924

History and geographic distribution 2946 Taubenhaus and Mally 1924

Origin of disease in America 36 Anderson 1925

Infection occurs only at seedling stage 2904 Szembel 1926

Spores survive in soil many years in absence of host 2904 Szembel 1926

Wild onion (Allium sabulosum) natural host 2904 Szembel 1926 Simulation of true haustoria 722 Evans 1933

Known in Europe since 1837 1721 Liro 1934

Origin of onion smut in Europe rather than in North America 1721 Liro 1934

Method of determining number of spores in contaminated soil 1885 Matzulevitch 1936

Incidence for first time in New Zealand 944 Gibbs 1938

Host range and morphology 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

2966 Thaxter 1890

32 Anderson 1921

3213 Whitehead 1921

3330 Zillig 1923

38 Anderson and Osmun 1924

2946 Taubenhaus and Mally 1924

3167 Walker and Wellman 1924

3168 Walker and Wellman 1926

VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF

34 Anderson 1924 (suspectibility of species)

36 Anderson 1925

757 Felix 1941

3165 Walker et al. 1944 (the hybrid onion Allium fistulosum, is source of resistance to onion smut in commercial varieties)

UROCYSTIS COLCHICI (Schlecht.) Rabenh. Fung. Europ. 396. 1861.

Caeoma colchici Schlecht., Linnaea 1: 251. 1826.

Sporisorium colchici Libert, Pl. Crypt. Ard. 194. 1832.

Uredo colchici Link, Handb. Erkennung. Gewäch. 4: 435. 1833.

Erysibe arillata colchici Wallr., Fl. Crypt. Germ. 2: 211. 1833.

Polycystis pompholygodes Lev., Ann. Sci. Nat. Bot. III, 5: 11. 1846. p.p.

Polycystis colchici Strauss, Sturm's Deutschland Fl. 3: 45. 1853.

Tuburcinia colchici Liro, Ann. Univ. Fenn. Aboen. A, 1: 52. 1922.

Tuburcinia scillae Cif., Atti R., Bot. Ist. Univ. Pavia N. S. 1: 79. 1924.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2370, 2371 Prillieux 1880

2655 Schellenberg 1911

1724 Liro 1938

MISCELLANEOUS

Morphology 2655 Schellenberg 1911

Host range and morphology 1724 Liro 1938 Relation to similar species 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

2370, 2371 Prillieux 1880

UROCYSTIS CORALLOIDES Rostr. Bot. Centralb. 5: 126. 1881.

Tuburcinia coralloides Liro, Ann. Univ. Fenn. Aboen. A, 1: 86. 1922.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1775 McRae 1926

1961 Mitra 1928

2052 Mundkur 1938

MISCELLANEOUS

Morphology and symptoms 2552 Rostrup 1881

Host range 2052 Mundkur 1938

Morphology and symptoms 2052 Mundkur 1938

Proposed as new species, Urocystis brassicae 2052 Mundkur 1938

UROCYSTIS FILIPENDULAE (Tul.) Fuck. Symb. Myc. 1: 5. 1871.

Polycystis filipendulae Tul., Ann. Sci. Nat. Bot. IV, 2: 163. 1854.

Uredo filipendulae Dietrich, Archiv. Nat. Liv-Esth-Kurlands, II, 1: 278. 1859. Urocystis filipendulae Schröt., Abhandl. Schles. Gesel. Vat. Cult. Abt. Nat.

Med. 1869-1871: 7. 1871.

Tuburcinia filipendulae Liro, Ann. Univ. Fenn. Aboen. A, 1: 87. 1922.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2698 Schröter 1877

2655 Schellenberg 1911

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

SPORE GERMINATION AND FACTORS AFFECTING

2698 Schröter 1877

315 Brefeld 1895

2655 Schellenberg 1911

UROCYSTIS FISCHERI Körn. Hedwigia 16: 34. 1877.

Urocystis agropyri Fisch. v. Waldh., Bull. Soc. Nat. Mosc. 40: 258. 1867. Tuburcinia fischeri Liro, Ann. Univ. Fenn. Aboen. A, 1: 29. 1922.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

Host range and morphology 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

2329 Plowright 1889

UROCYSTIS FRASERII Clint. and Zundel N. A. Flora 7(12): 1018. 1939.

Miscellaneous

Comparison with other stem smuts on Stipa and Oryzopsis; pathological histology; geographic distribution 790 Fischer 1945

UROCYSTIS GALANTHI Pape Arb. Biol. Reichsanst. f. Landw. u. Forstw. 11: 335. 1923

Urocystis colchici (Schlecht.) Rabenh., in Vaumler Verh. Ver. Natur. u. Heilkunde Pressburg, N. F. 7: 38-39. 1891. p.p.

Tuburcinia galanthi Liro, Ann. Univ. Fenn. Aboen. A, 1: 39. 1922.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2226 Pape 1923

Miscellaneous

Technical description 2226 Pape 1923

UROCYSTIS GLADIOLI W. G. Smith Gard, Chron. II, 6: 421. 1876.

Tuburcinia gladioli Liro, Ann. Univ. Fenn. Aboen. A, 1: 37. 1922.

CULTURE ON ARTIFICIAL MEDIA

3197 Wernham 1938

MISCELLANEOUS

Chlamydospores formed on agar germinate same as those formed on host 3197 Wernham 1938

First report from U.S. 3197 Wernham 1938

Morphological distinction from Papulospora gladioli, mistaken for Urocystis gladioli in the U.S. 1274 Hotson 1942

Macroscopic characters 1682 Limber 1948

SPORE GERMINATION AND FACTORS AFFECTING

3197 Wernham 1938

UROCYSTIS HEPATICAE-TRILOBAE (DC.) Zundel In Ustilaginales of the World

Uredo ranunculacearum var. hepaticae-trilobae DC., Fl. France 6: 75. 1815.

Caeoma pompholygodes Schlecht., Linnaea 1: 248. 1826. p.p.
Uredo ranunculacearum Duby; Bot. Gall. 2: 901. 1830. p.p.
Erysibe arillata var. ranunculacearum Wallr., Fl. Crypt. Germ. 2: 211. 1833. p.p.

Uredo syncocca Kirchner, Lotus 6: 179. 1856.

Uredo ranunculacearum var. anemones-hepaticae-trilobae Grognot, Pl. Crypt. cell. Saône-et-Loire Synop. 156. 1863.

Urocystis pompholygodes Schröt., Abhandl. Schles. Ges. Naturw. Abth. 6. 1869. p.p.

Urocystis anemones Wint., in Rabenh., Krypt. Fl. 1: 123. 1881. p.p.
Urocystis sorosporioides Maire, Bull. Soc. Mycol. (France) 16: 72. 1900.
Tuburcinia hepaticae-trilobae Liro, Ann. Univ. Fenn. Aboen. A, 1: 56. 1922.
Tuburcinia syncocca Jørstad, Kgl. Norske Vid. Selsk. Skrift. 38: 75. 1935.

CYTOLOGY

1751 Lutman 1910

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1148 Hennings 1903

MISCELLANEOUS

Host range, morphology and comparison with other related species 1724 Liro 1938

Physiologic Specialization

1862 Markova 1927

UROCYSTIS HORDEI (Cif.) Zundel In, Ustilaginales of the World Tuburcinia hordei Cif., Ann. Mycol. 29: 13. 1931. Urocystis occulta Auct. p.p.

MISCELLANEOUS

Comparison with *Urocystis occulta* 467 Ciferri 1931 Mistaken for Urocystis occulta in Italy 467 Ciferri 1931 Technical description n. sp. 467 Ciferri 1931

UROCYSTIS JUNCI Lagerh. Bot. Notiser 1888: 201.

Tuburcinia junci Liro, Ann. Univ. Fenn. Aboen. A, 1: 33. 1922.

MISCELLANEOUS

Morphology 2655 Schellenberg 1911

UROCYSTIS LUZULAE (Schröt.) Wint. Rabenh. Krypt. Fl. 1: 120. 1881.

Polycystis luzulae Schröt., Beitr. Biol. Pflanz. (Cohn) 2: 380. 1877. Tuburcinia luzulae Liro, Ann. Univ. Fenn. Aboen. A, 1: 36. 1922.

MISCELLANEOUS

Morphology 2655 Schellenberg 1911

UROCYSTIS MIYABEANA Togashi and Onuma Japanese Jour. Bot. **5**: **25**. 1930.

MISCELLANEOUS

Comparison with Urocystis colchici, U. jaapiana and U. trillii 3023 Togashi and Onuma 1930

UROCYSTIS OCCULTA (Wallr.) Rabenh. Klotzsch-Rabenh. Herb. Mycol. ed. II. 393. 1865.

Erysibe occulta Wallr., Fl. Crypt Germ. 2: 212. 1833.

Uredo parallela Berk., Hooker in Engl. Fl. 5: 375. 1836.

Ustilago occulta (Wallr.) Rabenh., Klotschii Herb. Viv. Myc. 1898; Rab. Handb. 1: 4. 1844.

Uredo occulta Rabenh., Krypt. Fl. 1: 4. 1844.

Polycystis pomphologodes Lev., Ann. Sci. Nat. III, 5: 270. 1846. p.p.

Polycystis parallela Britton and Brown, Ann. Mag. Nat. Hist. II, 5: 464. 1850.

Polycystis occulta Schlecht., Bot. Ztg. 10: 602. 1852.

Urocystis parallela Fisch. v. Waldh., Jahrb. Wiss. Bot. (Pringsheim) 7: 107. 1870.

Tuburcinia occulta Liro, Ann. Univ. Fenn. Aboen. A, 1: 12. 1922.

CULTURE ON ARTIFICIAL MEDIA

1709 Ling 1940

CONTROL

1364 Jensen 1888

2896 Swingle 1898

2011 Mortensen 1910

2012 Mortensen et al. 1910

2013 Mortensen et al. 1911

2413 Ravn 1912

1730 Ljung 1913

2033 Müller and Molz 1914

2818 Stakman and Levine 1916

211 Bessey and Makemson 1918

1143 Henning 1919

1144 Henning 1922

2063 Müller and Molz 1922

2816 Stakman and Lambert 1923

1007 Güssow and Conners 1927

3114 Verona 1927

130 Baldrati 1928

971 Gram 1928

973 Gram 1929

1863 Marshner 1931

278 Borghardt 1932

1656 Leszcyenko 1932

1651 Lepik 1933

1704 Lindfors 1934

1657 Leszczenko 1935

1658 Leszczenko 1938

CYTOLOGY

2807 Stakman et al. 1934

2820 Stakman et al. 1934

HOST RANGE

786 Fischer 1942 (grass hosts)

798 Fischer and Holton 1943

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1929 Meyen 1841

1557 Kühn 1859

3251 Wolff 1873

3252 Wolff 1874

1364 Jensen 1888

990 Grenfell 1901

1124 Hecke 1907 (infection of vegetative parts)

1271 Hori 1907

2818 Stakman and Levine 1916

211 Bessey and Makemson 1918

2674 Schlumberger 1920

2820 Stakman et al. 1934

3134 Vilkaitis 1936

1711 Ling and Moore 1937

1709 Ling 1940

1710 Ling 1941

MISCELLANEOUS

Infection of freshly cut vegetative tissues of Secale montanum 1124 Hecke 1907

Illness developed from threshing infected rye
Analysis of changes induced in infected plants
1689 Lind 1913
2674 Schlumberger
1920

Comparison with Urocystis bolivari on Lolium 381 Bubak 1922

Incidence in Russia 2751 Sigriansky 1925

Incidence in Italy 130 Baldrati 1928

First report from S. Africa 3117 Verwoerd 1929

Biometric segregates from 467 Ciferri 1931

Comparison with Urocystis hordei 467 Ciferri 1931

In Germany in 1929 1863 Marschner 1931

Supposed infection of wheat really due to *Urocystis tritici*. Comparison with *U. tritici* 224 Biraghi 1933

Smutted culms much shorter than the healthy ones due to shortening of nodes 3134 Vilkaitis 1936

Case of respiratory allergy 3248 Wittich and Stakman 1937

Host range and morphology 1724 Liro 1938

First report from Switzerland 3148 Volkart 1939

As cause of hay fever and asthma 3246 Wittich 1939

Histology of infection of resistant and susceptible varieties 1709 Ling 1940

Relationship to *Urocystis tritici* and *U. agropyri* 788 Fischer 1943 Comparative pathogenicity with *Urocystis agropyri* and *U. tritici* 798 Fischer and Holton 1943

Relationship to *Urocystis agropyri* and *U. tritici*. Cross inoculations. 798 Fischer and Holton 1943

SPORE GERMINATION AND FACTORS AFFECTING

1557 Kühn 1859

3251 Wolff 1873

3252 Wolff 1874

315 Brefeld 1895

1072 Harper 1898

1763 McAlpine 1910

2655 Schellenberg 1911

2818 Stakman and Levine 1916

2820 Stakman et al. 1934

1708 Ling 1940

UROCYSTIS ORNITHOGALI Körn. Fisch. v. Waldh., Apercu Syst. Ustil. 41. 1877.

Urocystis hypogea Körn., Fuckel in Symb. Myc. 3: 9. 1876. Tuburcinia ornithogali Liro, Ann. Univ. Fenn. A, 1: 45. 1922.

Miscellaneous

Morphology and symptoms 2655 Schellenberg 1911 Host range and morphology 1724 Liro 1938

UROCYSTIS RANUNCULI-AURICOMI (Liro) Zundel In, Ustilaginales of the World

Uredo ranunculacearum Dietrich, Liv., -u Kur. II, 1: 278. 1856. p.p.
Urocystis pompholygodes Rabenh., in Fisch. v. Waldh. Apercu Syst. Ustil.
40: 1877. p.p.

Urocystis anemones var. irregularis Juel, Oversigt. Sv.-Vet.-Akad. Forh. 1894: 496. p.p.

Tuburcinia ranunculi-auricomi Liro, Ann. Univ. Fenn. Aboen. A, 1: 73. 1922.

Miscellaneous

Hosts, morphology and related forms 1724 Liro 1938 Spore Germination and Factors Affecting

1724 Liro 1938

UROCYSTIS SOROSPORIOIDES Körn. in Fuck., Symb. Myc. 3: 10. 1875.

Tuburcinia sorosporioides Liro, Ann. Univ. Fenn. Aboen. A, 1: 77. 1922. Tuburcinia aquilegiae Cif., Ann. Mycol. 29: 28. 1931.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 2655 Schellenberg 1911

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911 Host range and morphology 1724 Liro 1938 First report from India 2051 Mundkur 1938

UROCYSTIS TRITICI Körn. Hedwigia 16: 33. 1877.

Tuburcinia tritici Liro, Ann. Univ. Fenn. Aboen. A, 1: 17. 1922.

CONTROL

1763 McAlpine 1910

2368 Pridham 1913

585 Darnell-Smith 1914

588 Darnell-Smith and Ross 1919

2381 Putterill 1920

1035 Hamblin 1921

124 Baker 1923

3006, 3007 Tisdale et al. 1923

1007 Gussow and Conners 1927

3013 Tisdale et al. 1927

3117 Verwoerd 1929

2014 Morwood 1930

2015 Morwood 1931

2279 Petit 1933

43 Angell 1934

613 Dawson 1934

2281 Petit 1935

1409 Jones and El Nasr 1938

2290 Petit 1939

1410, 1411 Jones and El Nasr 1940

CULTURE ON ARTIFICIAL MEDIA

3268 Wu 1949

CYTOLOGY

2152 Noble 1924

224 Biraghi 1934

460 Churchward 1934

HOST RANGE

786 Fischer 1942

798 Fischer and Holton 1943

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1763 McAlpine 1910

2249 Peacock 1913

2368 Pridham 1913

585 Darnell-Smith 1914

357 Brittlebank 1920

2381 Putterill 1920

1035 Hamblin 1921

124 Baker 1923

2150 Noble 1923

3006, 3007 Tisdale et al. 1923

418 Carne 1924

995, 996 Griffiths 1924

2152 Noble 1924

3013 Tisdale et al. 1927

835 Forster and Vasey 1929

3117 Verwoerd 1929

1358 Jarret 1932

731 Faris 1933

932 Geach 1933 (combined action with Fusarium culmorum on the occurrence of seedling blight)

42 Angell 1934

460 Churchward 1934

536 Corneli 1934

613 Dawson 1934

1953 Miller and Millikan 1934

45 Angell et al. 1937

1956 Millikan and Sims 1937

44 Angell et al. 1938

1409 Jones and El Nasr 1938

1954, 1955 Millikan 1939

1410, 1411 Jones and El Nasr 1940

697 El-Helaly 1948

3268 Wu 1949

LONGEVITY OF SPORES

995 Griffiths 1924

3117 Verwoerd 1929

2153 Noble 1934

MISCELLANEOUS

Considered same as Urocystis occulta 3251 Wolff 1873

Separation from *Urocystis occulta* as a distinct species on wheat and morphologically distinct from *U. occulta* 1523 Körnicke 1877

Incidence in Australia 489 Cobb 1891

Incidence in Japan 1267 Hori 1901

Incidence in Australia (under name *Urocystis occulta*) 1756 McAlpine 1905

Incidence in Japan 1271 Hori 1907

Comparison with flag smut of rye in symptoms produced 1763 McAlpine 1910

Historical background 1763 McAlpine 1910

Spores viable after passage through alimentary tract of horses and cattle 1763 McAlpine 1910

Substantiation of Körnicke's establishment of *Urocystis tritici* as distinct from *U. occulta*, on basis of cross-inoculation experiments 1763 McAlpine 1910

Incidence of flag smut in crop that was first crop in seven years on same land 1767 McDiarmid 1912

First report from United States 1293 Humphrey and Johnson 1919 Serious incidence in Victoria, Australia 357 Brittlebank 1920

Introduced into United States from Australia 358 Brittlebank 1921

Spores viable after passage through alimentary tract of horses and cattle 1035 Hamblin 1921

Incidence in South Africa 124 Baker 1923

Considerable crop loss in New South Wales in 1922 146 Bartlett 1923

Probably introduced from Australia 3007 Tisdale et al. 1923

Incidence in Australia and losses from, 418 Carne 1924

Distribution over the world 995 Griffiths 1924

Sporulation 29 days after inoculation 2152 Noble 1924

Spread in New South Wales by feeding horses straw of infected wheat 477 Clayton 1925

Incidence of and importance in Australia 422 Carne and Limbourn 1927

Manurial treatment increases infection 835 Forster and Vasey 1929

Can live in soil for at least four years 3117 Verwoerd 1929

No adverse effects on chickens 3117 Verwoerd 1929

Prevalence in South Africa 3117 Verwoerd 1929

Soils with high moisture content favorable to disease 3117 Verwoord 1929

Spores viable after passage through alimentary tract of domestic animals 3117 Verwoerd 1929

Inoculation methods 1358 Jarrett 1932

Comparison with Urocystis occulta 224 Biraghi 1933

Incidence in Italy mistaken for *Urocystis occulta* 224 Biraghi 1933

Predisposes to seedling blight (Fusarium culmorum) 932 Geach 1933

Predisposes to seedling blight (Fusarium spp.) 42 Angell 1934 Recognition of infection by deformation of seedlings 42, 43 Angell 1934

Necrotic spots on inoculated seedlings as evidence of infection 460 Churchward 1934

First report from Cyprus 2090 Nattrass 1934

Serious incidence in Transcaucasia 2906 Szembel 1934

Life history and control in Tasmania 217 Bevin 1936

Significantly reduced development of infected plants 44, 45 Angell et al. 1937, 1938

Geographic distribution 1724 Liro 1938

First report from Washington 1112 Heald and Holton 1940

Extent of incidence in Egypt 1410 Jones and El Nasr 1940

Morphologically indistinct from and therefore synonymous with Urocystis agropyri 788 Fischer 1943

Comparative pathogenicity with *Urocystis agropyri* and *U. occulta* 798 Fischer and Holton 1943

Pathogenic relationship to *Urocystis agropyri* 798 Fischer and Holton 1943

Imported from United States on straw used as packing for laboratory glassware into Palestine 1958 Minz 1943

First report from Mexico 279 Borlaug et al. 1946

First report from Palestine 2419 Rayss and Zwirn 1946

Geographic distribution 2419 Rayss and Zwirn 1946

UROCYSTIS VIOLAE Physiologic Specialization 3117 Verwoerd 1929 3298 Yu et al. 1936 2205 Pal and Mundkur 1941 1254 Holton and Johnson 1943 3299 Yu et al. 1945 SPORE GERMINATION AND FACTORS AFFECTING 1763 McAlpine 1910 124 Baker 1923 2150 Noble 1923 995 Griffiths 1924 2152 Noble 1924 3117 Verwoerd 1929 225 Biraghi 1934 1953 Miller and Millikan 1934 VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF 2368 Pridham 1913 2452 Reed and Duncan 1920 3006, 3007 Tisdale et al. 1923 995, 996 Griffiths 1924 2954 Tehon 1924 3117 Verwoerd 1929 2014 Morwood 1930 2369 Pridham and Dwyer 1930 1686 Limbourn 1931 2015 Morwood 1931 3292 Yu and Chen 1931 1358 Jarrett 1932 3293 Yu et al. 1933 536 Corneli 1934 1953 Miller and Millikan 1934 2743 Shen 1934 3296 Yu et al. 1934 3298 Yu et al. 1936 1956 Millikan and Sims 1937 2205 Pal and Mundkur 1941 3299 Yu et al. 1945 697 El-Helaly 1948

UROCYSTIS VIOLAE (Sow.) Fisch, v. Waldh. Bull. Soc. Nat. Mosc. 40: 258, 1867.

Granularia violae Sow., Engl. Fungi pl. 440. 1815.
Uredo vesicaria Kalfuss, Kunze and Schmidt, Myk. 1: 67. 1817.
Erysibe arillata violarum Wallr., Fl. Germ. 2: 211. 1833.
Uredo violarum Berk., in Hooker, Engl. Fl. 5: 380. 1836. p.p.
Polycystis violae Britton and Brown, Ann. Mag. Hist. Nat. II. 5: 464. 1850.
Sorosporium schizocaulon var. violae Casp., Klotzsch-Rabenh. Herb. Mycol.
Ed. Nova. 190. 1855.

Urocystis vesicaria Brochm., Arch. ver. Freunde Nat. (Mecklenburg) 17: 233. 1863.

Tuburcinia violae Liro, Ann. Univ. Fenn. A. 1: 91. 1922.

CONTROL

1552 Krüger and Rörig 1908

CYTOLOGY

579 Dangeard 1892

2231 Paravicini 1917

2414 Rawitscher 1922

HETEROTHALLISM AND SEX

2231 Paravicini 1917 (sporidial fusions)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1573 Kühn 1876

2370 Prillieux 1880

2575 Roumeguerre 1885

579 Dangeard 1892

3159 Wakker 1892

315 Brefeld 1895

1976 Molliard 1902

2093 Naumann 1905

2655 Schellenberg 1911

2227 Pape 1925 (seed transmission)

MISCELLANEOUS

Pathological histology 579 Dangeard 1892

Pathological morphology and histology 3159 Wakker 1892

Morphology and symptoms 315 Brefeld 1895

Morphology and symptoms 1976 Molliard 1902

Morphology and symptoms 2655 Schellenberg 1911

Seed transmission 2227 Pape 1925

Hosts and morphology 1724 Liro 1938

SPORE GERMINATION AND FACTORS AFFECTING

1573 Kühn 1876

2370 Prillieux 1880

2389 Plowright 1889

579 Dangeard 1892

315 Brefeld 1895

2655 Schellenberg 1911

2231 Paravicini 1917

2414 Rawitscher 1922 (including cytology)

USTACYSTIS WALDSTEINIAE (Peck) Zundel Mycologia 37: 796. 1945

Urocystis waldsteiniae Peck, Ann. Rep. N. Y. State Mus. 46: 112. 1893. Ustilago waldsteiniae Paz., in Rabenh.-Wint.-Paz., Fungi Europ. 4011. 1895. Urocystis gei Ell. and Ev., Bull. Torr. Bot. Club 27: 572. 1900.

Whetzelia waldsteiniae (Peck) Zundel, Mycologia 37: 371. 1945.

CYTOLOGY

1070 Hanson and Atkinson 1938

USTILAGO ADOXAE Bref. Untersuch. Gesammt. Myk. 12: 119. 1895.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

MISCELLANEOUS

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO AIRAE-CAESPITOSAE (Lindr.) Liro Ann. Acad. Sci. Fenn. A. 17: 71. 1924

Tilletia striaeformis Calkoen, Ured. en Ustil. Nederl. 135. 1883. p.p. Tilletia striaeformis Rostr., Bot. Foren. Fest. 1890: 148.

Tilletia airae-caespitosae Lindr., Acta Soc. F. F. Fenn. 26: 15. 1904.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1720 Liro 1924

MISCELLANEOUS

History and morphology 1720 Liro 1924

Physiologic Specialization

1720 Liro 1924

USTILAGO ANDROPOGONIS-TUBERCULATA Bref. Unters.

Gesammt. Myk. 12: 108. 1895

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

MISCELLANEOUS

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO ANOMALA J. Kunze. (Fungi Sci. Exs. 23: hyponym 1877); Wint. in Rabenh. Krypt. Fl. 1: 100. 1881.

Ustilago pallida Schröt. in Fisch. v. Waldh., Apercu Syst. Ust. 30. May 1877. Ustilago carnea Liro, Ann. Soc. 2001-bot. Fenn. Venamo 1: 27. 1921. Ustilago muricata Liro, Ann. Acad. Sci. Fenn. Ser. A. 17: 238. 1924. Ustilago persicariae Cif., Ann. Mycol. 29: 41. 1931.

CULTURE ON ARTIFICIAL MEDIA

1501 Kniep 1926

HETEROTHALLISM AND SEX

2559 Rostrup 1890 (sporidia fuse)

315 Brefeld 1895 (fusion of sporidia)

2655 Schellenberg 1911 (sporidia do not fuse)

1720 Liro 1924

1501 Kniep 1926

HYBRIDIZATION AND GENETICS

1501 Kniep 1926 (sporidial fusions with other species)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2655 Schellenberg 1911

321 Brefeld 1912

1720 Liro 1924

MISCELLANEOUS

Infected plants of Polygonum dumetorum immune from rust, Puccinia mamillata 1034 Halsted 1899

Ustilago muricata Liro and U. persicariae Cif. are synonyms 1213 Hirschhorn 1947

Variety carnea proposed, based on Ustilago carnea Liro 1213 Hirschhorn 1947

Polygonum dumetorum var. apterum Saelan is merely the morphologically modified plants of Polygonum dumetorum due to the smut 1717 Liro 1921

Physiologic Specialization

1720 Liro 1924 (including the synonymous species, *Ustilago carnea*)

SPORE GERMINATION AND FACTORS AFFECTING

2698 Schröter 1877

2559 Rostrup 1890

315 Brefeld 1895

2655 Schellenberg 1911

USTILAGO ARABIS-ALPINAE Liro Ann. Acad. Sci. Fenn. A. 42: 507. 1938

Life History, Parasitism and Factors Affecting 1724 Lifo 1938

MISCELLANEOUS

Morphology and symptoms 1724 Liro 1938

USTILAGO ARTHURII Hume Proc. Iowa Acad. Sci. 9: 233. 1902.

Ustilago scolochloge Griff., Bull. Torr. Bot. Club 31: 86. 1904.

MISCELLANEOUS

At least 50 per cent infection on Scolochloa festucaea in southeast Oregon 993 Griffiths 1903

USTILAGO AVENAE (Pers.) Rostr. Overs. K. Danske Vid. Selsk. Forh. 1890: 13. March, 1890.

Reticularia segetum Builliard, Hist. Champ., 1791: 90. pl. 472, fig. II. p.p. Uredo segetum sub. sp. avenae Pers., Syn. Fungi. 224. 1801.

Uredo carbo var. avenae DC., Fl. Fr. 6: 76. 1815.

Ustilago segetum Link, Ditmar in Sturm's Deutsch. Fl. III, 1: 67. 1817. p.p.

Caeoma segetum Link, in Willdenow, Sp. Pl. 6: 62. 1825. p.p.

Erysibe vera var. avenae Wallr., Fl. Crypt. Germ. 2: 217. 1833. p.p. Uredo carbo-avenae Phillipar, Meni. Soc. Roy. Agric. Arts Seine-et-Oise 37: 194. 1837.

Uredo avenae Corda, Oekonom., Neuigk. und Verh. 1846: 486.

Uredo carbo-vulgaris avenae Tul., Ann. Sci. Nat. Bot. III. 7: 80. 1847.

Ustilago segetum var. avenae Jensen, Jour. Roy. Agric. Soc. England II. 24. 407. 1888. (nom, nud.)

Ustilago segetum var. avenae Jensen, Charb. Cereales 4. 1889. (nom. nud.)
Ustilago avenae (Persoon) Jensen, in Kellerman and Swingle, Ann. Rept. Kans. Agric. Expt. Sta. 2: 215. June, 1890.

Ustilago avenae f. folliicola Almeida, Revista Agron. (Lisbon) 1: 20. 1903.

CONTROL

1447 Kellerman and Swingle 1890

489 Cobb 1891

2223 Pammel and Stewart 1893

263 Bolley 1897

487 Close 1897

2541, 2542 Rommetin 1902

1390, 1391 Johnson 1902

2543 Rommetin 1903

61 Appel and Gassner 1906

2411 Raum 1908

2386 Quanjer and Botjes 1915

1901 Melchers 1916

1186 Hiltner and Lang 1922

1278 Howitt 1922

1279 Howitt and Stone 1922

2307 Pickler and Wober 1922 (use of ultra-violet, X-ray and radium)

641 Dickson et al. 1923

1280 Howitt and Stone 1923

1837 Mahner 1923

2504 Ritzema 1923

2602 Sampson 1923

2816 Stakman and Lambert 1923

642 Dickson et al. 1924

909 Gassner 1924

1281 Howitt and Stone 1924

3303 Zade 1924

639 Dickson 1925

644 Diehl 1925

2324 Plaut 1925

2760 Skaskin 1925

1659 Leukel 1926

2546 Rosch 1926

703 Englisch 1927

711 Esdorn 1927

1007 Gussow and Conners 1927

2400 Raeder and Hungerford 1927

2638 Savre and Thomas 1927

2914 Tamme 1927

868 Fromme 1928

2639, 2640 Sayre and Thomas 1928

973 Gram 1929

```
1526 Kosterz 1929
 2312 Pierstorff and Sayre 1929
 2637 Sayre 1929
 1429 Karns 1930
 2959 Terenyi 1930
    10 Abramoff 1931
 2278 Petit 1932
 2920 Tapke 1932
 1771 McKay 1933
 2279 Petit 1933
 3287 Young and McClelland 1933
  1704 Lindfors 1934
  1657 Leszczenko 1935
 2018 Morwood 1935
  2280, 2281 Petit 1935
 2304 Pichler 1935
  2305 Pichler 1936
  2506 Rivier 1936
 2507 Rivier 1938
  3288 Young and McClelland 1940
   983 Greaney and Wallace 1943
  2409 Rapin 1947
CULTURE ON ARTIFICIAL MEDIA
    69 Appel and Riehm 1911
   821 Fleroff 1923
  2517 Rodenhiser 1928
  1235 Holton 1931
  1313 Hüttig 1931
  2124 Nicolaisen 1934
  2340 Popp and Hanna 1935
  2444 Reed 1936
  2614 Sampson and Western 1938
  2690 Schopfer and Blumer 1938 (auxo-autotrophic)
  3079 Utter 1938
  1433 Keil 1940
CYTOLOGY
  2231 Paravicini 1917
   821 Fleroff 1923
    76 Arland 1924
  1459 Kharbush 1927
  1516 Kolk 1930 (cytology of mycelium in host)
  1313 Hüttig 1931
  1236 Holton 1932
  1314 Hüttig 1933
  2124 Nicolaisen 1934
HETEROTHALLISM AND SEX
```

2231 Paravicini 1917 (copulation between promycelial cells)

```
1050 Hanna and Popp 1930
 1054 Hanna and Popp 1931
  1235 Holton 1931
 1313 Hüttig 1931
 1236 Holton 1932
  159 Bauch 1934
 2124 Nicolaisen 1934
 2340 Popp and Hanna 1935
  1241 Holton 1936
  3208 Western 1937
Hybridization and Genetics
  1050 Hanna and Popp 1930
  1235 Holton 1931
  1238 Holton 1933
  2124 Nicolaisen 1934
  1236 Holton 1935
  2340 Popp and Hanna 1935 (with Ustilago kolleri)
  1240, 1241 Holton 1936 (with buff smut and Ustilago kolleri)
    24 Allison 1937
  2614 Sampson and Western 1938
  3079 Utter 1938 (with Ustilago kolleri)
   797 Fischer and Holton 1941 (inheritance of sorus characters
    in avenae × perennans)
  1244 Holton 1941
  1251 Holton and Fischer 1941 (cross with Ustilago perennans)
   159 Bauch 1934 (sporidial fusions with multipolar-species)
LIFE HISTORY, PARASITISM AND FACTORS AFFECTING
  1557 Kühn 1859
  1226 Hoffman 1866
  3251 Wolff 1873
  1562 Kühn 1874
   311 Brefeld 1883
  1363 Jensen 1888
  1447, 1449 Kellerman and Swingle 1890
   314 Brefeld 1895
  1158 Herzberg 1895
  1413 Jones 1896
  3046 Tubeuf 1897
   479 Clinton 1900
  2412 Ravn 1901
  3047 Tubeuf 1901
  3051 Tubeuf 1902
  2547 Rose 1903
  1175 Hiltner 1907
   707 Eriksson 1908
```

(first demonstration of formation of dormant

724 Falck 1908

mycelium in seed hulls)

1751 Lutman 1910

1763 McAlpine 1910

1615 Lang 1913

3301 Zade 1922 (second demonstration of "blossom" infection and establishment of resting mycelium as source of infection)

145 Bartholomew and Jones 1923 (influence of soil temperature and moisture on infection)

821 Fleroff 1923

76 Arland 1924

3303 Zade 1924

546 Coulson and Lods 1925 (heavier percentage of infection results from smaller seed)

644 Diehl 1925

2163, 2164 Novopokrovsky and Skaskin 1925 (effect of temperature on germination of spores)

2546 Rosch 1926

711 Esdorn 1927

874 Gage 1927

1394 Johnson 1927 (soil moisture, temperature and dehulling)

1973 Moldenhauer 1927

2914 Tamme 1927

2606 Sampson 1929

1516 Kolk 1930

2123 Nicolaisen 1931

77 Arland 1932

3301 Zade and Arland 1933

2124 Nicolaisen 1934

1772 McKay 1936

2445 Reed 1936 (no influence of rate of growth of host on the development of smut)

2925 Tapke 1936

3207 Western 1936

24 Allison 1937

296 Brandwein 1937

1489 Kitunen 1937

1649 Leitzke 1937

297 Brandwein 1938

2446 Reed 1938 (no influence of rate of growth of host on the development of smut)

2614 Sampson and Western 1938

3306, 3307 Zade 1939

2451 Reed 1942

LONGEVITY OF SPORES

1678 von Liebenberg 1879

1361 Jensen 1887

2412 Ravn 1901

2605 Sampson 1928

MISCELLANEOUS

Oat smut segregated from *Ustilago carbo* (*U. segetum*) as *U. avenae*. No distinction made from *Ustilago kolleri*, as yet unrecognized 1367 Jensen 1889

Covered smut recognized as distinct from loose smut and described as variety *Ustilago avenae* var. *levis* 1447 Kellerman and Swingle 1890

Early history 1447 Kellerman and Swingle 1890

Fusarium ustilaginis K. & S. parasitic on, 1447 Kellerman and Swingle 1890

Good history of seed treatment for smut 1447 Kellerman and Swingle 1890

Macrosporium utile parasitic on 1447 Kellerman and Swingle 1890

Three species of beetles (*Phalacrus and Brachytorsus* spp.) which feed on 1447 Kellerman and Swingle 1890

Sporulation in anthers of host 1357 Japp 1907

Effect of ultra-violet and X-rays and radium on germinability of spores 2307 Pichler and Wober 1922

Sporulation in leaves 145 Bartholomew and Jones 1923

Chlamydospores produced in culture 821 Fleroff 1923

Morphological abnormalities induced in Avena ludoviciana 2912
Talieff and Grigorovitch 1923

Symptoms, morphology and taxonomic position 76 Arland 1924 Sporulation in leaves 2455 Reed et al. 1925

Rapid testing of efficacy of disinfectants 2545 Rosch 1926

Closely similar to but not identical with *Ustilago perennans* 2546 Rosch 1926

Incidence in Ireland 2079 Murphy 1927

Inoculation methods 2914 Tamme 1927

Effect of fertilizers on incidence of 1526 Kosterz 1929

Seedlings from small seed more susceptible than those from large seed 1738 Lods and Coulson 1929

Partial vacuum method of inoculation 1013 Haaring 1930

Use of evacuation method of inoculation for laboratory testing of fungicides 1014 Haaring 1930

Distribution of mycelium in seedlings of various ages 1516 Kolk 1930

One hundred per cent infection from dry spore dusting of dehulled seed 1516 Kolk 1930

Relation of host and pathogene 1516 Kolk 1930

On wild oats, Avena fatua 2754 Simmonds 1930

Copper adsorption by spores 2959 Terenyi 1930

Sex segregated independently of cultural characters 1313 Hüttig 1931

Temperature influences type of germination and segregation for sex and other characters 1313 Hüttig 1931

Chemical composition of spores 412 Campanile 1932

Effect on rust development 3196 Welsh 1932

Effect of smut infection on height and tillering 3196 Welsh 1932

Morphological responses of host 3196 Welsh 1932

Smut-infected plants more susceptible to crown rust 3196 Welsh 1932

Injurious effects of latent infection 3305 Zade 1932

Effect of physical and chemical factors on time of reduction division 1315 Hüttig 1933

Buff smut and crosses with *Ustilago avenae* and *U. kolleri* 1238 Holton 1933

Macroscopic morphologic differences between *Ustilago avenae* and *U. kolleri* 1468 Kingsley 1933

Defense of their evacuation method of inoculating 3308 Zade and Arland 1933

Inoculation methods 3308 Zade and Arland 1933

Necrotic spots on inoculated seedlings as evidence of infection 460 Churchward 1934

Fresh spores germinate less readily than those kept at room temperature for several days 704 Enomoto 1934

Stimulatory effects of ether 704 Enomoto 1934

Most herbarium specimens at Pusa labelled *Ustilago avenae* were *U. kolleri* 2048 Mundkur 1934

Natural hybridization with Ustilago kolleri 2142 Nieves 1934

Inoculation with sporidial cultures 2124 Nicolaisen 1934

Occurrence of sori in leaves 2049 Mundkur 1935

Inoculation with sporidial cultures 2125 Nicolaisen 1935

Longevity of spores; at least 13 years 779 Fischer 1936

Fresh spores germinate less freely 1737 Lobik and Dahlstrem 1936

Sporulation in leaves; high per cent in field 1772 McKay 1936 Ungerminated spores rather than resting mycelium considered source of infection 1772 McKay 1936

Rate of growth of host has almost no effect on development of smut 2445 Reed 1936

Influence of dehulling on the per cent smut resulting from naturally infected seed 2925 Tapke 1936

Five grades of parasitism in resistant varieties 3207 Western 1936 Latent infection not harmful to host. Cytology of latent infection 296 Brandwein 1937

Comparative importance of spores and dormant mycelium in oat hulls as sources of infection 1489 Kitunen 1937

Effect of using spore mixtures 1649 Leitzke 1937

Case of respiratory allergy 3248 Wittich and Stakman 1937

Serological studies 172 Beck 1938

Comparative effectiveness of various inoculation methods 1674 Leukel et al. 1938 Rate of growth of host has almost no effect on development of smut 2446 Reed 1938

Growth factors 2690 Schopfer and Blumer 1938

Per cent smut reduced by vernalization of oat seed 2949 Taylor and Coffman 1938

Host specialized races not distinguishable by cultural characters 3079 Utter 1938

Build-up of pathogenicity by successive culturing on same host 3099 Vaughan 1938

As cause of hay fever and asthma 3246 Wittich 1939

Partial vacuum method of inoculation 3306, 3307 Zade 1939

Comparative results of different inoculation techniques 285 Rose and Mundkur 1941

Morphologically indistinct from and therefore synonymous with Ustilago perennans and U. nigra 788 Fischer 1943

Imported into Palestine from United States on straw used to pack laboratory glassware 1958 Minz 1943

Variable extent of infection obtained in different lots of seed of same variety 2962 Tervet 1944

Twenty-five per cent crop reduction due to, with *Ustilago kolleri* 2409 Rapin 1947

Physiologic Specialization

2426 Reed 1924

2603 Sampson 1925

2431 Reed 1927

2513 Rodenhiser 1928

2434 Reed 1929

2606 Sampson 1929

2123 Nicolaisen 1931

2124 Nicolaisen 1934

2125 Nicolaisen 1935

2398 Radulescu 1935

1063 Hansing et al. 1936

2458 Reed and Stanton 1936

3099 Vaughan 1938

2448 Reed 1940

2960, 2961 Tervet 1940

2962 Tervet 1944 (necessity of using same lot of seed over period of years in specialization studies)

1062 Hansing et al. 1945

1064 Hansing et al. 1946

2462 Reed et al. 1947

1256 Holton and Rodenhiser 1948

SPORE GERMINATION AND FACTORS AFFECTING

3056 Tulasne and Tulasne 1847

311 Brefeld 1883

1447 Kellerman and Swingle 1890

```
489 Cobb 1891
```

1158 Herzberg 1895

684 Duggar 1901

1126 Hecke 1909

1763 McAlpine 1910

2655 Schellenberg 1911

2231 Paravicini 1917

1404 Jones 1922

3301 Zade 1922

1405 Jones 1923

2605 Sampson 1928

1313 Hüttig 1931

1315 Hüttig 1933

2124 Nicolaisen 1934

1737 Lobik and Dahlstrem 1936

1489 Kitunen 1937

3208 Western 1937

1433 Keil 1940

1517 Kolk 1943

VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF

1363, 1365 Jensen 1888

1449 Kellerman and Swingle 1890

1413 Jones 1896

2737 Shamel 1901

3051 Tubeuf 1902

2547 Rose 1903

3316 Zavitz 1909

3317 Zavitz 1914

3106 Valivov 1918

1103 Heald 1919

2423 Reed 1920

2831 Stapledon 1921

2610 Sampson and Davies 1923

2457 Reed and Stanton 1925

2445 Reed et al. 1925

2457 Reed and Stanton 1925

2914 Tamme 1927

2513 Rodenhiser 1928

893 Garber et al. 1929

2549 Rosenstiel 1929

2606 Sampson 1929

2123 Nicolaisen 1931

2438 Reed 1931

3195 Welsh 1931

2439 Reed 1932

895 Garber and Hoover 1934

2441 Reed 1934

2653 Schattenberg 1934

2825 Stanton et al. 1934

2828 Stanton et al. 1934

2829 Stanton et al. 1934

834 Fomin 1935

2398 Radulescu 1935

2442 Reed 1935

3107 Vears and Macindoe 1935

1063 Hansing et al. 1936

2458 Reed and Stanton 1936

229 Blair 1937

1292 Humphrey and Coffman 1937

2078 Murphy et al. 1937

2306 Pichler 1937

2459 Reed and Stanton 1937

503 Coffman et al. 1938

2460 Reed and Stanton 1938

3152 Voss 1939

285 Bose and Mundkur 1941

3001 Tingey et al. 1941

2451 Reed 1942

2461 Reed and Stanton 1942

2827 Stanton and Murphy 1942

2243 Patel 1943

3326 Ziegenbein 1944

1062 Hansing et al. 1945

1064 Hansing et al. 1946

2462 Reed et al. 1947

1256 Holton and Rodenhiser 1948

USTILAGO AVICULARIS Liro Ann. Acad. Sci. Fenn. 17: 18. 1924

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1724 Liro 1924

PHYSIOLOGIC SPECIALIZATION

1724 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

1724 Liro 1924

USTILAGO BETONICAE G. Beck Verh. Zool.-Bot. (Wien) 30: 10. 1881.

Ustilago violacea f. salviae Ferraris, Ann. R. Istit. Bot. Roma 9: 190. 1902. Ustilago betonicae Kirch., Zeitschr. Pflanz. 33: 97. 1923. Ustilago salviae Cif., Ann. Mycol. 29: 5. 1931. (nom nud)

CULTURE ON ARTIFICIAL MEDIA

311 Brefeld 1883

HETEROTHALLISM AND SEX

311 Brefeld 1883

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

311 Brefeld 1883

1482 Kirschner 1923

SPORE GERMINATION AND FACTORS AFFECTING

311 Brefeld 1883

1482 Kirschner 1923

USTILAGO BISTORTARUM (DC.) Körn. Hedwigia 16: 38. 1916

Uredo bistortarum pustulata DC., Fl. France 6: 76. 1815.

Caeoma bistortarum Link, in Willd., Sp. Pl. 6: 10. 1825.

Tilletia bullata Fuck., Symb. Mycol. 40. 1869.

Ustilago pustulata Wint., Hedwigia 18: 109. 1880.

Ustilago pustulata Bubak, Archiv. Naturwiss. Landes Böhm. 15: 17. 1916.

HETEROTHALLISM AND SEX

315 Brefeld 1895 (fusion of sporidia)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 2655 Schellenberg 1911

MISCELLANEOUS

Morphology and symptoms 315 Brefeld 1895

Morphology and symptoms 2655 Schellenberg 1911

Sphacelotheca inflorescentiae Trel. considered synonym 1213 Hirschhorn 1947

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO BOUTELOUAE Kellerm. and Sw. Jour. Mycol. 5: 13. 1899.

MISCELLANEOUS

Morphology and symptoms 1445 Kellerman and Swingle 1889 Comparison with other smuts on *Bouteloua* 472 Ciferri 1934

SPORE GERMINATION AND FACTORS AFFECTING

1445 Kellerman and Swingle 1889

2159 Norton 1896

USTILAGO BOUTELOUAE-HUMILIS Bref. Unters. Gesammt. Myk.

12: 116. 1895

MISCELLANEOUS

Morphology 315 Brefeld 1895

Comparison with other smuts on Bouteloua 472 Ciferri 1934

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO BROMIVORA (Tul.) Fisch. v. Waldh., Bull. Soc. Nat. Mosc. 40: 252. 1867.

Ustilago carbo vulgaris bromivora Tul., Ann. Sci. Nat. Bot. III. 7: 81. 1847. Cintractia patagonica Cooke and Massee, Grevillea 18: 34. 1899. (Type from Patagonia on Bromus unioloides).

Ustilago bromivora Tul. forma brachypodii Hariot, Bull. Soc. Hist. Nat. Afr. Nord 9: 192. 1921.

Ustilago bromi-arvensis Liro, Ann. Acad. Sci. Fenn. A. 17: 93. 1924.

Ustilago bromi-mollis Liro, Ann. Acad. Sci. Fenn. A. 17: 94. 1924.

```
Culture on Artificial Media (See also under Ustilago bullata and
  U. lorentziana)
   311 Brefeld 1883
   150 Bauch 1925
  1501 Kniep 1926
  2690, 2691 Schopfer and Blumer 1938 (auxo-autotrophic)
   780 Fischer 1940
  1900 Meiners 1947
CONTROL (See also under Ustilago bullata and U. lorentziana)
  1374 Jensen 1893
  1375 Jensen 1895
  2569 Rostrup 1896
  1285 Huergo 1905
  1763 McAlpine 1910
  2384 Quanjer 1913
    59 Appel 1915
  1693 Lind 1915
  2386 Quanier and Boties 1915
   973 Gram 1929
  2018 Morwood 1935
  2735 Simmonds 1936
   674 Donald 1939
   787 Fischer 1942 (as Ustilago bullata)
CYTOLOGY AND SEX (See also under Ustilago bullata and U. lorentzi-
  ana)
   150 Bauch 1925
HETEROTHALLISM AND SEX (See also under Ustilago bullata and
  U. lorentziana)
   311 Brefeld 1883
   150 Bauch 1925
  1501 Kniep 1926
   159 Bauch 1934
Host Range (See also under Ustilago bullata and U. lorentziana)
   780 Fischer 1937
Hybridization and Genetics (See also under Ustilago bullata and
  U. lorentziana)
  1501 Kniep 1926
                     (sporidial fusions with other species)
   159 Bauch 1934 (sporidial fusions with multipolar species)
   793 Fischer 1948 (with Ustilago hordei)
   794 Fischer 1948 (with Ustilago striiformis)
LIFE HISTORY, PARASITISM AND FACTORS AFFECTING (See also under
     Ustilago bullata and U. lorentziana)
  1557 Kühn 1859
  1562 Kühn 1874
   311 Brefeld 1883
   314 Brefeld 1888
   1975 Molliard 1898
```

502 Cocconi 1904

1763 McAlpine 1910

1720 Liro 1924

150 Bauch 1925

506 Cohen 1946

MISCELLANEOUS (See also under *Ustilago bullata* and *U. lorent-ziana*)

Morphology and symptoms 311 Brefeld 1883

Possible toxicity to cattle 2556 Rostrup 1889

Possible toxicity to cattle 2562 Rostrup 1890

Possible toxicity to cattle 2567 Rostrup 1893

Causing floral proliferation in Bromus erectus 1975 Molliard 1898

Seed crop in mountain brome and cheat (Bromus marginatus and B. secalinus) very materially reduced in western states 993 Griffiths 1903

Smutty prairie grass (*Bromus catharticus*) unsuitable for fodder 494 Cobb 1904

Extreme prevalence in Australia 1763 McAlpine 1910

Spores retain viability at least 21/2 years 1763 McAlpine 1910

Smut beetle, *Phalacrus corruscus* (Panz.) Everts, feeds upon the sori 2384 Quanjer 1913

History, host range and morphology 1720 Liro 1924

Longevity of spores; as much as 10 years 779 Fischer 1936

Comparative morphology with *Ustilago lorentziana* and *U. bullata* with which species consolidation is recommended 780 Fischer 1937

Growth factors 2690, 2691 Schopfer and Blumer 1938

Comparative morphology on *Bromus* spp. in Argentina 1191 Hirschhorn 1939

First report from Romania (on Bromus tectorum) 2631 Savulescu 1940

Physiologic Specialization (See also under *Ustilago bullata* and *U. lorentziana*)

1720 Liro 1924

Spore Germination and Factors Affecting (See also under Ustilago bullata and U. lorentziana)

311 Brefeld 1883

2329 Plowright 1889

716 Essmond 1893

2318 Pitzorno 1893

501 Cocconi 1903

1763 McAlpine 1910

2384 Quanjer 1913 1720 Liro 1924

150 Bauch 1925

780 Fischer 1937

1517 Kolk 1943 506 Cohen 1946

USTILAGO BULGARICA Bubak Zeitschr. Landw. Versuchs. Österr.

1910: 53. 1910

CONTROL

278 'Borghardt 1932

MISCELLANEOUS

Morphology, symptoms and comparison with other sorghum smuts 379 Bubak 1910

USTILAGO BULLATA Berk., in Hooker Fl. New Zealand 2: 196. 1855.

Ustilago agropyri Bisby and Buller, Trans. Brit. Mycol. Soc. 8: 98. hyponym. 1922.

Control (See also under Ustilago bromivora and U. lorentziana)

846 Fraser and Scott 1926

1007 Güssow and Conners 1927

973 Gram 1929

2018 Morwood 1935

2753 Simmonds 1936

1153 Henry et al. 1938

674 Donald 1939

787 Fischer 1942

CULTURE ON ARTIFICIAL MEDIA (See also under *Ustilago bromivora* and *U. lorentziana*)

315 Brefeld 1895

784 Fischer 1940

1900 Meiners 1947

HETEROTHALLISM AND SEX (See also under *Ustilago bromivora* and *U. lorentziana*)

1501 Kniep 1926

784 Fischer 1940

HOST RANGE (See also under *Ustilago bromivora* and *U. lorentzi-* ana)

780 Fischer 1937

Hybridization and Genetics (See also under *Ustilago bromivora* and *U. lorentziana*)

1501 Kniep 1926 (incomplete hybrid with *Ustilago hordei* and *U. perennans*)

793 Fischer 1948 (with Ustilago hordei)

794 Fischer 1948 (with Ustilago striiformis)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING (See also under Ustilago bromivora and U. lorentziana)

1763 McAlpine 1910

846 Fraser and Scott 1926

1007 Güssow and Conners 1927

2202 Padwick and Henry 1935

784 Fischer 1940

Miscellaneous (See also under *Ustilago bromivora* and *U. lorent-ziana*)

Incidence on slender wheat grass in Canada 846 Fraser and Scott 1926

Incidence on slender wheatgrass near Omsk. Similar to *Ustilago* turcomanica 2025 Mourashkinsky 1926

Smut on Bromus unioloides responsible for fatal injury to sheep and contagious abortion in horses 1855 Marchionatto 1930

Incidence in seed samples of *Bromus arvensis* 677 Dorph-Petersen 1931

Longevity of spores; at least three years 779 Fischer 1936

Comparative morphology with *Ustilago bromivora* and *U. lorentziana* with which consolidation is recommended 780 Fischer 1937

Host range 780 Fischer 1937

Morphological comparison with *Ustilago lorentziana* and *U. bromivora* 780 Fischer 1937

Haplo-lethal deficiency operative against saprophytism 784 Fischer 1940

Comparative morphology germinating spores in races in Argentina 1196 Hirschhorn 1941

Physiologic Specialization (See also under *Ustilago bromivora* and *U. lorentziana*)

785 Fischer 1940

1548 Kreizinger et al. 1947

Spore Germination and Factors Affecting (See also under *Ustilago bromivora* and *U. lorentziana*)

315 Brefeld 1895

1763 McAlpine 1910

2202 Padwick and Henry 1935

780 Fischer 1937

1196 Hirschhorn 1941

796 Fischer and Hirschhorn 1945

Varietal Resistance and Susceptibility (See also under *Ustilago bromivora* and *U. lorentziana*)

674 Donald 1939 (Bromus catharticus)

2234 Parker 1942 [in Bromus catharticus (unioloides)]

1548 Kreizinger et al. 1947 (in Bromus marginatus and Elymus canadensis)

USTILAGO CALAMAGROSTIDIS (Fuck.) Clint. Jour. Mycol, 8: 138. 1902.

Tilletia calamagrostis Fuck., Sym. Myc. 40. 1869.

Tilletia calamagrostidis Schröt., Pilze, Schles. 1: 279. 1887.

Ustilago scorbiculata Liro, Ann. Acad. Sci. Fenn. A, 17: 68. 1924.

MISCELLANEOUS

Smutted plants probably injurious to livestock 576 Dammann 1892

Host range, morphology and historical background 1720 Liro 1924

USTILAGO CALANDRINIAE Clint. Proc. Boston Soc. Nat. Hist. 31: 378. 1904

31: 378, 1904
THE HISTORY PARAGETTAN AND F

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1763 McAlpine 1910

Miscellaneous

Symptoms and morphology 1763 McAlpine 1910

SPORE GERMINATION AND FACTORS AFFECTING

1763 McAlpine 1910

USTILAGO CALCARA Griff. Bull. Torr. Bot. Club 31: 85. 1904.
MISCELLANEOUS

Comparison with other smuts on Bouteloua 472 Ciferri 1934

USTILAGO CARDUI Fisch. v. Waldh. Bull. Soc. Nat. Moscow 40 (1): 14. 1867.

Ustilago reesiana Kühn, Rabenh., Fungi Europ. 1798; 1799. 1874.

CULTURE ON ARTIFICIAL MEDIA

311 Brefeld **1883**

1501 Kniep 1926

HETEROTHALLISM AND SEX

311 Brefeld 1883 (fusion of sporidia and development of infection hyphae)

1501 Kniep 1926

HYBRIDIZATION AND GENETICS

1501 Kniep 1926 (sporidial fusions with other species)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

311 Brefeld 1883

MISCELLANEOUS

Symptoms and morphology 2655 Schellenberg 1911

Hosts and morphology 1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

311 Brefeld 1883

1565 Kühn 1874

1720 Liro 1924

USTILAGO CICHORII Sydow Ann. Mycol. 27: 713. 1929.

HETEROTHALLISM AND SEX

2898 Sydow 1929 (fusion of sporidia)

MISCELLANEOUS

Technical description and Latin diagnosis 2898 Sydow 1929

SPORE GERMINATION AND FACTORS AFFECTING

2898 Sydow 1929

USTILAGO COICIS Bref. Unters. Gesammt. Myk. 12, p. 110. 1896. CONTROL

447 Chowdbury 1946

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

447 Chowdbury 1946

MISCELLANEOUS

Morphology 315 Brefeld 1895

Morphology 2394 Raciborski 1900

First report from U.S. (from seed imported from Philippine Islands) 2977 Thomas 1920

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

2394 Raciborski 1900

447 Chowdbury 1946

USTILAGO COMBURENS Ludwig Zeitschr. Pflanz. 3: 130. 1893.

Ustilago microspora Massee and Rodway, Kew Bull. 1901: 160. Ustilago exigua Sydow, Ann. Mycol. 1: 177. 1903.

MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

Epidemic on Danthonia pilosa in New Zealand 2235 Parlane 1929 First report on Danthonia pilosa for New Zealand 2235 Parlane 1929

Irritation of mucous membrane of nose in sheep caused by in New Zealand 2235 Parlane 1929

SPORE GERMINATION AND FACTORS AFFECTING

1763 McAlpine 1910

2235 Parlane 1929

USTILAGO CONSIMILIS Sydow Ann. Mycol. 22: 281. 1924.

MISCELLANEOUS

Comparison with other smuts on Saccharum and Erianthus 2897 Sydow 1924

Comparison with other sugar-cane smuts 2054 Mundkur 1939 Comparison with other sugar-cane smuts 1198 Hirschhorn 1941

USTILAGO CORTADERIAE Grodsinsky. Physis 12 (43): 173. 1936. (nom. nud.) Darwinia 3: 368-369. 1939.

MISCELLANEOUS

Morphology, symptoms and Latin diagnosis 1191 Hirschhorn 1939

USTILAGO CRAMERI Körn. In Fuckel, Jahrb. Nass. Ver. Naturk. 27–28: 11. 1873.

CULTURE ON ARTIFICIAL MEDIA

3174 Wang 1938

CONTROL

1901 Melchers 1916

```
3097 Vasey 1918
  2883 Sundararaman 1921
  270 Bolley and Brentzel 1927
  1007 Güssow and Melchers 1927
  1905 Melchers 1927
  1914 Melchers and Johnston 1927
  2343 Porter et al. 1928
  2628 Savoff 1928
  2858, 2859 Stone 1928
   278 Borghardt 1932
  3294 Yu et al. 1934
  3176 Wang 1944
CYTOLOGY
  3174 Wang 1938
  3175 Wang 1943
HETEROTHALLISM AND SEX
   311 Brefeld 1883 (fusions between cells of promycelium)
LIFE HISTORY, PARASITISM AND FACTORS AFFECTING
  1121 Hecke 1905
  1271 Hori 1907
  3097 Vasey 1918
  2883 Sundararaman 1921
   473 Ciferri 1938
Miscellaneous
  Morphology 311 Brefeld 1883
  Spores disseminated by beetle (Phalacrus politus) 3097 Vasey
    1918
  Longevity of spores; at least four years 779 Fischer 1936
  Longevity of spores (as much as 64 years) 3173 Wang 1936
  Case of respiratory allergy 3248 Wittich and Stakman 1937
  Chlamydospores produced in culture have normal morphology and
    germination 3174 Wang 1938
  Morphology and symptoms 1191 Hirschhorn 1939
  As cause of hay fever and asthma 3246 Wittich 1939
PHYSIOLOGIC SPECIALIZATION
  3289 Yu 1937 (evidence of)
  3176 Wang 1944 (six races)
Spore Germination and Factors Affecting
  3056 Tulasne 1847
  3252 Wolff 1874
   311 Brefeld 1883
  2655 Schellenberg 1911
  3173 Wang 1936
VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF
  2342 Porter et al. 1930
```

3045 Tu and Li 1935 3289 Yu 1937 3292 Yu 1942 3176 Wang 1944

USTILAGO CRUS-GALLI Tracy and Earle Bull. Torr. Bot. Club 22: 175. 1895.

Cintractia seymouriana P. Magnus, Ber. Deutschen Bot. Ges. 14: 217. 1896. Cintractia crus-galli P. Magnus, Ber. Deutschen Bot. Ges. 14: 392. 1896.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1827 Magnus 1896

1763 McAlpine 1910

MISCELLANEOUS

Pathological histology 1827 Magnus 1896

Symptoms and morphology 1763 McAlpine 1910

Incidence and importance in India on Echinochloa frumentacea 2057 Mundkur 1943

Revised description 2057 Mundkur 1943

USTILAGO CYNODONTIS (Pass.) P. Henn. Bot. Jahrb. (Engler) 14: 369. 1891.

Ustilago carbo var. cynodontis Pass., Erb. Critt. Ital., ser. 2, 450. 1871, and Nuovo Giorn. Bot. Ital. 9: 236. 1877.

Ustilago cynodontis Curzi, Istit. Bot. Univ. Pavia and Lab. Critt. Univ. Pavia 3: 153. 1927.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

1830 Magnus 1899

1763 McAlpine 1910 2655 Schellenberg 1911

1899 Mehta 1923

506 Cohen 1946

Miscellaneous

Morphology 315 Brefeld 1895

Historical background and comparison with other species on Cynodon 1830 Magnus 1899

Longevity of spores; at least 5 years 779 Fischer 1936

Differentiation from Ustilago paraguariensis 3349 Zundel 1939

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

1763 McAlpine 1910

2655 Schellenberg 1911

506 Cohen 1946

USTILAGO DAVISI Liro Ann. Acad. Sci. Fenn. 17: 80. 1924.

Ustilago longissima var. macrospora Davis, Trans. Wisc. Acad. Sci. Arts 11: 174. 1897.

CULTURE ON ARTIFICIAL MEDIA

1501 Kniep 1926

1428 Kammerling 1929

CYTOLOGY

149 Bauch 1923

HETEROTHALLISM AND SEX

149' Bauch 1923

1501 Kniep 1926

1428 Kammerling 1929

Hybridization and Genetics

1501 Kniep 1926 (sporidial fusions with other species)

1428 Kammerling 1929 (with Ustilago longissima)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

149 Bauch 1923

1428 Kammerling 1929

Miscellaneous

Simultaneous occurrence with *Ustilago longissima* in same collection and even same plant 151 Bauch 1926

Simultaneous occurrence with *Ustilago longissima* in same collection and even same plant 1428 Kammerling 1929

SPORE GERMINATION AND FACTORS AFFECTING

1428 Kammerling 1929

USTILAGO DOMESTICA Bref. Unters. Gesammt. Myk. 12: 135. 1895.

HETEROTHALLISM AND SEX

315 Brefeld 1895 (sporidial fusions)

Miscellaneous

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO DURIAEANA Tul. Ann. Sci. Nat. Bot. III, 7: 105. 1847.

Ustilago ducellieri Maire, Bull. Soc. Hist. Afr. Nord. 8: 140. 1917. (On Avenaria serpyllifolia L.)

HETEROTHALLISM AND SEX

315 Brefeld 1895 (fusion of sporidia while still attached to promycelium)

MISCELLANEOUS

Hosts and morphology 1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO ECHINATA Schröt. Abh. Schles. Ges. Abth. Nat. Med. 1869-72: 4. 1870.

Caeoma longissimum Dozy and Molkenboer, pp., Tidsskr. Nat. Gesch. Phys. 11: 407. 1884. Ustilago verrucosa Vestergren, Jahreskat. Wiener Krypt. Tausch. 3: 1897. (Type from Sweden on Baldingera arundinacea). Not Ustilago verrucosa Schröt. 1896.

Ustilago baldingerae Vestergren, in Scheduleae.

Ustilago vestergreni Sacc. and Sydow, Sacc. Syll. Fung. 14: 413. 1899.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2190 Orth 1880

315 Brefeld 1895

2872 Strohmeyer 1896

MISCELLANEOUS

Suspected of causing abortion in cows 2191 Orth 1881

Suspected of causing abortion in cows 576 Dammann 1892

Symptoms and morphology 2655 Schellenberg 1911

Unusual distorting effect on inflorescence in Michigan 188 Benedict 1929

SPORE GERMINATION AND FACTORS AFFECTING

313 Brefeld 1888

USTILAGO ENGENULA Sydow and Butler Ann. Mycol. 10: 251. 1912.

MISCELLANEOUS

Morphology and symptoms 2903 Sydow and Butler 1912

SPORE GERMINATION AND FACTORS AFFECTING

2903 Sydow and Butler 1912

USTILAGO ESCULENTA P. Henn. Hedwigia 34: 10. 1895.

CONTROL

2197 Ou 1938

MISCELLANEOUS

Used by women in Japan as eyebrow pencil and as dye for greying hair 1967 Miyabe 1895

Morphology 1967 Miyabe 1895

Comparison (morphological) between Japanese and Formosan specimens 1272 Hori 1907

Spores are echinulate rather than smooth 1272 Hori 1907

The unripe smut is a table delicacy 1272 Hori 1907

First report from U.S. 2246 Patterson 1912

Highly prized as food in Japan 1432 Kawagoe 1925

Method of cultivation for food 1432 Kawagoe 1925

SPORE GERMINATION AND FACTORS AFFECTING

1272 Hori 1907

3282 Yen 1938 (in various media)

USTILAGO GLOBIGENA Speg. Anal. Mus. Nac. Buenos Aires 6: 208. 1899.

MISCELLANEOUS

Comparative morphology with *Ustilago sphaerogena* 1191 Hirschhorn 1939

USTILAGO GOEPPERTIANA Schröt. Krypt. Fl. Schles. 31: 272. 1889.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2704 Schröter 1887

315 Brefeld 1895

1720 Liro 1924

MISCELLANEOUS

Symptoms and morphology 2655 Schellenberg 1911

History and morphology 1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO GRANDIS Fries Syst. Mycol. 3: 518. 1829.

Erysibe typhoides Wallr., Flora Crypt Germ. 2: 215. 1833.

Ustilago typhoides Berk. and Br., Ann. Mag. Nat. Hist. ser. 2, 5: 465. 1850.

CULTURE ON ARTIFICIAL MEDIA

1501 Kniep 1926

CYTOLOGY

2732 Sevfert 1927

HETEROTHALLISM AND SEX

150 Bauch 1925

159 Bauch 1934

1501 Kniep 1926

Hybridization and Genetics

1501 Kniep 1926 (sporidial fusions with other species)

159 Bauch 1934 (sporidial fusions with multipolar species)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

311 Brefeld 1883

2559 Rostrup 1890

845 Frank 1896

647 Dietel 1897

322 Brefeld and Falk 1905

1714 Linkola 1910

2655 Schellenberg 1911

321 Brefeld 1912

1689 Lind 1913

150 Bauch 1925

Miscellaneous

Symptoms and morphology 2655 Schellenberg 1911

History and morphology 1720 Liro 1924

Formation of clamp connection on the mycelium 2732 Seyfert 1927

Distribution 1094 Häyren 1932

Fresh spores germinate less readily than those kept at room temperature for several days 704 Enomoto 1934

Stimulatory effects of ether 704 Enomoto 1934

SPORE GERMINATION

1575 Kühn 1877

311 Brefeld 1883

2329 Plowright 1889

1720 Liro 1924

150 Bauch 1925

USTILAGO HALOPHILA Speg. Anal. Mus. Buenos Aires III, 1: 58. 1902.

Ustilago hypodytes (Schlecht.) Fr. Syst. Myc. 3: 518. 1822 in part. Cintractia distichlidis McAlp., Smuts of Austr. 169. 1910.

CYTOLOGY

1211 Hirschhorn 1945

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1763 McAlpine 1910 (as Cintractia distichlidis)

MISCELLANEOUS

Report on prevalence in western states (under name of Ustilago hypodites) 993 Griffiths 1903

Symptoms and morphology (as Cintractia distichlidis) 1763 McAlpine 1910

Position in "Ustilago hypodytes" complex; comparison with other spp. Ustilago causing stem smut; geographic distribution 795 Fischer and Hirschhorn 1945

SPORE GERMINATION

1763 McAlpine 1910 (as Cintractia distichlidis)

1517 Kolk 1943 (as Ustilago hypodytes)

795, 796 Fischer and Hirschhorn 1945

USTILAGO HEUFLERI Fuck. Symb. Mycol. 39. 1869.

Caeoma tulipae Heufler, in Litt.

Urocystis pompholygodes f. tulipae Rabenh., Fungi Europ. No. 1099, 1866. Ustilago erythronii Clint., in Peck Bull. Buffalo Nat. Sci. 1: 67. 1873.

Ustilago tulipae Wint., Rabenh. in Krypt. Fl. 1: 86. 1881.

Ustilago ornithogali f. erythronii DeToni, in Sacc. Syll. Fung. 7: 452. 1888.

CULTURE ON ARTIFICIAL MEDIA

2621 Sartoris 1924

CYTOLOGY

2621 Sartoris 1924

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2621 Sartoris 1924

MISCELLANEOUS

Completion of life cycle on artificial media 2621 Sartoris 1924 SPORE GERMINATION AND FACTORS AFFECTING

2621 Sartoris 1924

USTILAGO HIERONYMI Schröt. Hedwigia 35: 238. Aug. 1, 1896.

Ustilago filifera Norton, Trans. Acad. Sci. St. Louis 7: 237. Nov. 9, 1896.

MISCELLANEOUS

Comparison with other smuts on Bouteloua 472 Ciferri 1934

SPORE GERMINATION AND FACTORS AFFECTING

2159 Norton 1896

USTILAGO HOLOSTEI DeBary Jahrb. Wissen. Bot. 7: 105. 1869. HETEROTHALLISM AND SEX

315 Brefeld 1895 (fusion of sporidia)

MISCELLANEOUS

Morphology and symptoms 315 Brefeld 1895

Morphology and symptoms 2655 Schellenberg 1911

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO HORDEI (Pers.) Lagerh. Mitteil. d. Badischen Bot. Ver. 70. 1889.

Uredo segetum subsp. hordei Pers., Synop. Fung. 224. 1801.

Uredo carbo var. hordei DC., Fl. France 6: 76. 1815. p.p.

Ustilago segetum Link, Ditmar in Sturm's Deutschland Fl. III, 1: 67. 1817 p.p.

Caeoma segetum Link in Wildenow, Sp. Pl. 6: 1. 1825. p.p.

Erysibe vera hordei Wallr., Fl. Crypt. Germ. 2: 217. 1833.

Uredo carbo-hordei Philippar., Mem. Soc. Roy. Agr. Arts Seine-et-Oise 37: 195. 1837.

Ustilago carbo vulgaris hordeacea Tul., Ann. Sci. Nat. Bot. III, 7: 80. 1847. Ustilago segetum subsp. hordei Rabenh., Herb. Mycol. Ed. II, 397. 1856.

Ustilago segetum var, hordei f. tecta Jensen, Oru Korns, Brand. 61: 1888.

Ustilago segetum subspecta Jensen, Jour. Roy. Agric. Soc. England II, 24: 406. 1888.

Ustilago segetum var. tecta Jensen, Charb. Cereals 4: 1889.

Ustilago tecta hordei Jensen, Ann. Rept. Kans. Agric. Expt. Sta. 2: 269. 1890.
Ustilago jensenii Rostr., Overs. Kong. Danske. Vid. Selsk. Forh. 1890: 12.
March 1890.

Ustilago hordei Kell. and Sw., Ann. Rept. Kans. Agric. Expt. Sta. 2: 268. June, 1890.

CONTROL

1363, 1364 Jensen 1888

1447 Kellerman and Swingle 1890

1137 Henderson 1898

2386 Quanjer and Batjes 1915

1901 Melchers 1916

2596 Salmon and Wormald 1918

223 Binz and Bausch 1922 (Ehrlich's application of chemotherapeutical index works for vegetable pathology, according to results with *Ustilago hordei*)

1143 Henning 1919

1144 Henning 1922

2307 Pichler and Wober 1922 (use of ultra-violet, X-rays and radium)

2602 Sampson 1923

2816 Stakman and Lambert 1923

```
3021 Tisdale, Taylor and Griffiths 1923
  911 Gassner 1925
 1659 Leukel 1926
 2469 Reichert 1926 (sulphur dust inferior to other dusts)
 2580 Rump 1926
  270 Bolley and Brentzel 1927
  824 Flor 1927
 1007 Güssow and Conners 1927
 1463 Kiesselbach 1927
 2341 Porter 1928
  516 Conners 1929
 1660 Leukel 1929
 2344 Porter et al. 1929
 1661 Leukel 1930
 1662 Leukel 1930 (comparative advantages and disadvantages
    of dusts and liquids as fungicides)
 2951 Taylor and Zehner 1930
 2016 Morwood 1932
 2103 Neill 1932
 2278 Petit 1932
 2279 Petit 1933
 1164 Hewlett and Hewlett 1934
 1407 Jones 1934
 2017 Morwood 1934
 2018 Morwood 1935
 2280, 2283 Petit 1935
 2304 Pichler 1935 (hydrogen peroxide inadequate)
 1664 Leukel 1936
 2753 Simmonds 1936
 1409 Jones et al. 1938
  1672 Leukel and Nelson 1939
 2288, 2289, 2290 Petit 1939
  1410 Jones and El Nasr 1940
 3288 Young and McClelland 1940
   983 Greaney and Wallace 1943
 3149 Volosky de Hernandex 1945
 2582 Russell 1946 (centrifuge testing of seed to determine if con-
    tains enough spores to warrant treatment)
CULTURE ON ARTIFICIAL MEDIA
  1158 Herzberg 1895 (as Ustilago jensenii)
    68 Appel and Riehm 1911
  1172 Hils 1912
   820 Fleroff 1919
  821 Fleroff 1923
  2621 Sartoris 1924
  1501 Kniep 1926
```

2580 Rump 1926

```
2647 Schaffnit 1926
  2513 Rodenhiser 1928
  1313 Hüttig 1931
  3178 Wang 1932
  2586, 2587 Ruttle 1934
 2690, 2691 Schopfer and Blumer 1938 (auxo-autotrophic)
  1433 Keil 1940
CYTOLOGY
  2231 Paravicini 1917
  2580 Rump 1926
   633 Dickinson 1927
  1459 Kharbush 1927
  1313 Hüttig 1931
  3178 Wang 1932
    24 Allison 1937
HETEROTHALLISM AND SEX
  2231 Paravicini 1917 (copulation between sporidia)
  1501 Kniep 1926
  1313 Hüttig 1931
   159 Bauch 1934
  2586, 2587 Ruttle 1934
  1988 Moor and Allison 1935 (two sex groups in albino strains)
    24 Allison 1937
HOST RANGE
  1347 Jaczewski 1925 (on rye in Siberia)
   781 Fischer 1939 (on grasses)
Hybridization and Genetics
   634 Dickinson 1926 (incomplete hybridization with Ustilago
    kolleri, i.e., infection, but not carried to chlamydospore pro-
    duction)
  1501 Kniep 1926
                    (sporidial fusions with other species)
   159 Bauch 1934 (sporidial fusions with multipolar species)
  2587 Ruttle 1934 (with smut intermediate between Ustilago
    nigra and U. nuda)
    23 Allison 1935
    24 Allison 1937
                     (with Ustilago nuda, unsuccessful)
    24 Allison 1937
                     (with Ustilago avenae, U. tritici, and U. kolleri
    unsuccessful—only sporidial fusions)
  1300 Hungerford 1938 (with Ustilago nigra)
   213 Bever 1942
                     (a buff-colored, nonpathogenic F<sub>3</sub> segregate
    from cross with Ustilago nigra)
  2937 Tapke 1944 (natural hybridization between races)
   215 Bever 1945 (with Ustilago nigra)
   793 Fischer 1948 (with Ustilago bullata)
LIFE HISTORY, PARASITISM AND FACTORS AFFECTING
  1929 Meyen 1841
  1226 Hoffman 1866
```

803 Fischer v. Waldheim 1869

3252 Wolff 1874

1363 Jensen 1888

1447 Kellerman and Swingle 1890

1158 Herzberg 1895

318 Brefeld 1903

2547 Rose 1903

319 Brefeld 1907

1271 Hori 1907

851 Freeman and Johnson 1909

1763 McAlpine 1910

2655 Schellenberg 1911

321 Brefeld 1912

1172 Hils 1912

230 Blaringhem 1923

1618 Lang 1923

3002 Tisdale 1923

728 Faris 1924

2163 Novopokrovsky and Skaskin 1925

176 Beck 1926

2580 Rump 1926

2647 Schaffnit 1926

634 Dickinson 1927

1661 Leukel 1930

2952 Taylor and Zehner 1931

3085 Vanderwalle 1932

2586, 2587 Ruttle 1934

4 Aamodt and Johnson 1935

24 Allison 1937

1409 Jones and El Nasr 1938

1599 Kutzevol 1938

2931, 2932 Tapke 1940

MISCELLANEOUS

Comparative effectiveness of inoculation methods 2942 Tapke and Bever 1942

Differentiation from *Ustilago nuda* and other early data 1363 Jensen 1888

Simultaneous incidence with *Ustilago nuda* in same plant 1363 Jensen 1888

Excellent early history 1447 Kellerman and Swingle 1890

Chlamydospores in culture 820 Fleroff 1919

Effect of ultra-violet and X-rays on germinability 2307 Pichler and Wober 1922

Development of chlamydospores in culture 821 Fleroff 1923

Confusion with *Ustilago nuda* on symptomology 1618 Lang 1923 Effect of dehulling on per cent infection 3002 Tisdale 1923

Inoculation method 3002 Tisdale 1923

Sporulation in leaves 728 Faris 1924

Hosts, history and morphology 1720 Liro 1924

Development of chlamydospores in culture 2621 Sartoris 1924

Completion of life cycle on artificial media 2621 Sartoris 1924

Inoculation experiments 176 Beck 1926

Development of chlamydospores in culture 2580 Rump 1926

Production of chamydospores on agar and which germinate normally 2580 Rump 1926

Spores retain viability at least 5 years 2580 Rump 1926

Sporidia viability on malt agar 7 weeks; 4-7 months in damp chamber 2580 Rump 1926

Sporulation in nodal tissues 2580 Rump 1926

Completion of life cycle in biomalt agar, but spores do not germinate 2647 Schaffnit 1926

Extraction of fat from within and around spores 2647 Schaffnit 1926

Factors contributing to and repressing production of sporidia 2647 Schaffnit 1926

Per cent infection increased by dehulling seed with sulphuric acid 344 Briggs 1927

Hyphal fusions 633 Dickinson 1927

Incidence in Ireland 2079 Murphy 1927

Segregation of sex and cultural characters is independent 1313 Hüttig 1931

Type of germination regulated by temperature 1313 Hüttig 1931 Effect of depth of seeding on per cent smut 2952 Taylor and Zehner 1931

Chemical composition of the spores 412 Campanile 1932

Beetle feeding on and possibility of biological control 3085 Vanderwalle 1932

Hybrid (natural) with *Ustilago nuda* (?) 3085 Vanderwalle 1932 *Trichothecium roseum* parasitic on 3085 Vanderwalle 1932

Completion of life history on artificial media 3178 Wang 1932

Development of chlamydospores in culture 3178 Wang 1932

Comparison with field collections of *Ustilago nuda* 2585 Ruttle 1933

Fresh spores germinate less readily than those kept at room temperature for several days 704 Enomoto 1934

Highest per cent infection from hand-dehulled seed 4 Aamodt and Johnston 1935

Per cent infection increased by debulling seed with sulphuric acid 4 Aamodt and Johnston 1935

Albino strains 1988 Moore and Allison 1935

Inoculation method 2923 Tapke 1935

Longevity of spores; at least 23 years 779 Fischer 1936

Freshly collected spores germinate less freely 1737 Lobik and Dahlstrem 1936

Case of respiratory allergy 3248 Wittich and Stakman 1937 Serological differentiation in closely related species 172 Beck 1938 Incidence in Cyprus 2092 Nattrass 1938

Growth factors 2690, 2691 Schopfer and Blumer 1938

Artificial infection of Agropyron caninum, Elymus canadensis, E. glaucus, E. sibericus, Hordeum nodosum, and Sitanion jubatum 781 Fischer 1939

Natural infection of Agropyron cristatum and Elymus glaucus 781 Fischer 1939

Spores retain viability four years under laboratory conditions 2204 Pal and Mundkur 1939

As cause of hay fever and asthma 3246 Wittich 1939

Increased susceptibility of barley dehulled seed may be due to longer period of emergence 1410 Jones and El Nasr 1940

Lack of uniformity in results of inoculations with same collections and same host testers 2721 Semeniuk 1940

Effect of X-radiation on the germination of spores 2524 Rodenhiser and Maxwell 1941

Rate of mutation not influenced by X-rays 2524 Rodenhiser and Maxwell 1941

Morphologically indistinct from and therefore synonymous with Ustilago kolleri (U. levis) 788 Fischer 1943

Badly contaminated seed not suited for malting purposes 1897 Mead 1943

Brewing normal flavored beer from smut contaminated barley 3078 Urion and Hanus 1947

PHYSIOLOGIC SPECIALIZATION

730 Faris 1924

2513 Rodenhiser 1928

4 Aamodt and Johnston 1935

24 Allison 1937

2926 Tapke 1937

2721 Semeniuk 1940

3297 Yu and Fang 1945

SPORE GERMINATION AND FACTORS AFFECTING

803 Fischer v. Waldheim 1869

1584 Kühn 1889

1447 Kellerman and Swingle 1890

1932 Miczynski 1893

314 Brefeld 1895

315 Brefeld 1895

1158 Herzberg 1895

62 Appel and Gassner 1907

1751 Lutman 1910

1763 McAlpine 1910

2655 Schellenberg 1911

2231 Paravicini 1917

2163 Novopokrovsky and Skaskin 1925

2580 Rump 1926

2647 Schaffnit 1926

1313 Hütting 1931

1737 Lobik and Dahlstrem 1936 (methods of)

1737 Lobik and Dahlstrem 1936 (temperature range for germination)

1433 Keil 1940

1517 Kolk 1943

215 Bever 1945

VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF

1103 Heald 1919

730 Faris 1924

513 Conners 1927

2513 Rodenhiser 1928

1053 Hanna and Popp 1931

2087 Nahmacher 1932

1401 Johnston 1934

3295 Yu et al. 1934

4 Aamodt and Johnston 1935

24 Allison 1937

3290 Yu 1940

2378 Pugsley and Vines 1946

1256 Holton and Rodenhiser 1948

USTILAGO HYPODYTES (Schlecht.) Fries Syst. Mycol. 3: 518. 1829.

Caeoma hypodytes Schlecht., Fl. Berol. 2: 129. 1824.

Erysibe hypodytes Wallr., Fl. Crypt. Germ. 2: 216. 1833.

Uredo hypodytes Desm., Ann. Sci. Nat. Bot. II. 13: 182. 1840.

Ustilago lygei Rabenh., Unio. Itin. Crypt. 4: 1886.

Ustilago hypodytes var. lygei Rabenh., Fung. Europ. No. 1800. 1873.

Ustilago hypodytes forma tritici repentis Rabenh., Hedwigia 12: 149. 1873.

Ustilago sporoboli Ell. and Ev., Bull. Torrey Bot. Club 24: 282. 1897.

Ustilago funalis Ell. and Ev., Bull. Torrey Bot. Club 24: 457. 1897.

Ustilago stipicola Speg., Anal. Mus. Nac. Buenos Aires III. 1: 59. 1902.

Ustilago nummularia Speg., An. Mus. Nac. Buenos Aires III. 1: 59. 1902. Cintractia hypodytes Maire, Bull. Soc. Bot. (France) 53: 197. 1906.

Cintractia distichlydis McAlp., Smuts of Australia 169. 1910.

Ustilago distichlydis Cif., Ann. Mycol. 26: 32. 1928.

Ustilago bromi-erecti Cif., Ann. Mycol. 29: 51. 1931.

Ustilago stipae Cif., Ann. Mycol. 29: 52. 1931.

Ustilago sumnevicziana Lavrov, Trav. Inst. Sci. Biol. Univ. Tomsk 2: 21.
1936. (On Glyceria distans Wahl. = Atropia distans Rupr., in N. E. Turkistan).

Cintractia hypodytes Maire, Meni. Soc. Sci. Nat. Maroc. 45: 44. 1937.

Note: See also the note under Ustilago spegazzinii and U. spegazzinii var. agrestis. Fischer (790) and Fischer and Hirschhorn (795) considered the binomial U. hypodytes as a catch-all nomen dubium for several species producing similar symptoms on grasses. This included U. nummularia Speg. and since the binomial U. hypodytes appeared to be a nomen dubium it was pro-

posed to use Spegazzini's binomial for the stem smuts with small, smooth spores, lacking bipolar crests or appendages. Recently, however, Hirschhorn (1213) after critical study of a designated lectotype of $U.\ hypodytes$, concluded that $U.\ nummularia$ is probably identical and recommends that the latter be considered a synonym or at most a variety of $U.\ hypodytes$. Hence, I have returned to the binomial $U.\ hypodytes$ and have included $U.\ nummularia$ among the synonyms.

CULTURE ON ARTIFICIAL MEDIA

286 Boss 1927

280 Bornhövd 1936

CYTOLOGY

286 Boss 1927

1459 Kharbush 1927

280 Bornhövd 1936

HETEROTHALLISM AND SEX

159 Bauch 1934 (probably refers to *Ustilago spegazzinii* var. agrestis)

HYBRIDIZATION AND GENETICS

159 Bauch 1934 (sporidial fusion with bipolar species—probably refers to *Ustilago spegazzinii* var. agrestis)

HOST RANGE

280 Bornhövd 1936

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2667 Schlechtendal 1824

1929 Meven 1841

202 Berkeley and Broome 1850

614 DeBary 1853

300 Braun 1854

1557 Kühn 1859

803 Fischer v. Waldheim 1869

2329 Plowright 1889

845 Frank 1896

1828 Magnus 1896

647 Dietel 1897

2655 Schellenberg 1911

1690 Lind 1913

2573 Rostrup 1913

2468 Reichert 1921

1720 Liro 1924

774 Fischer and Gäumann 1929

763 Feucht 1930

3331 Zillig 1932

280 Bornhövd 1936

MISCELLANEOUS

First description (as Caeoma hypodytes) 2667 Schlechtendal 1824 History, hosts and morphology 1720 Liro 1924 Morphological modifications 763 Feucht 1930 Morphological changes in the host 280 Bornhövd 1936

Comparison with other stem smuts of grasses, Stipa and Oryzopsis; pathological histology; geographic distribution 790 Fischer 1945

Morphology and symptoms 796 Fischer and Hirschhorn 1945

Position in the "Ustilago hypodytes" complex and comparison with other spp. of Ustilago causing stem smut 795 Fischer and Hirschhorn 1945

Designation of a lectotype 1213 Hirschhorn 1947

Further clarification of the binomial "Ustilago hypodytes" 1213
Hirschhorn 1947

SPORE GERMINATION AND FACTORS AFFECTING

3237 Winter 1876

311 Brefeld 1883

716 Essmon 1893

286 Boss 1927

280 Bornhövd 1936

795 Fischer and Hirschhorn 1945 (as Ustilago nummularia)

796 Fischer and Hirschhorn 1945 (as Ustilago nummularia)

USTILAGO INTERMEDIA Schröt. Beitr. Biol. Pflanz. (Cohn) 2: 352. 1877. Hedwigia 12: 149. 1873. (Rabenh., Fung. Europ. No. 1696, 1873).

CULTURE ON ARTIFICIAL MEDIA

311 Brefeld 1883

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2655 Schellenberg 1911

MISCELLANEOUS

Symptoms, morphology and comparison with related species 2655 Schellenberg 1911

SPORE GERMINATION AND FACTORS AFFECTING

2698 Schröter 1877

311 Brefeld 1883

USTILAGO JACKSONII Zundel and Dunlap N. A. Flora 7: (14): 982. 1939.

MISCELLANEOUS

Comparison with other stem smuts on Stipa and Oryzopsis; pathological histology; geographic distribution 790 Fischer 1945

USTILAGO JACKSONII Zundel and Dunlap var. VENTANENSIS Hirschh. Notas Museo de La Plata 8: 171. 1943.

MISCELLANEOUS

Technical description and Latin diagnosis and comparison with other *Ustilago* spp. on Stipa 1209 Hirschhorn 1943

USTILAGO KENJIANA S. Ito Trans. Sapparo Nat. Hist. Soc. 14: 87. 1935.

MISCELLANEOUS

Technical description and Latin diagnosis. In ovaries of sorghum in Manchuria 1328 Ito 1935

USTILAGO KOLLERI Wells Bot. Notiser 1893: 10.

Ustilago avenae var. levis Kell. and Sw., Ann. Rept. Kansas Agric. Expt. Sta.

Ustilago levis Magnus, Ber. Natur-Wiss.-Mediz. Ver. (Innsbruck) 21: 33. 1894.

CONTROL

61 Appel and Gassner 1906

1901 Melchers 1916

847 Fraser and Simmonds 1923

1116 Heald et al. 1923

1280 Howitt and Stone 1923

2816 Stakman and Lambert 1923

848 Fraser and Simmonds 1924

639 Dickson 1925

1659 Leukel 1926

270 Bolley and Brentzel 1927

1007 Güssow and Conners 1927

1463 Kiesselbach 1927

2400 Raeder and Hungerford 1927

2638 Sayre and Thomas 1927

868 Fromme 1928

2639, 3640 Sayre and Thomas 1928

516 Conners 1929

2312 Pierstorff and Sayre 1929

2637 Sayre 1929

1429 Karns 1930 (use of iodine dust)

2920 Tapke 1932

3287 Young and McClelland 1933

2063 Mundkur and Khan 1934

136 Barbee 1935

2018 Morwood 1935

983 Greaney and Wallace 1943

2582 Russell 1946 (centrifuge testing of seed to determine if contains enough spores to warrant treating)

2409 Rapin 1947

2756 Simmonds 1948 (use of oil to counteract dust nuisance in fungicides)

CULTURE ON ARTIFICIAL MEDIA

635 Dickinson 1928

2513 Rodenhiser 1928

637 Dickinson 1931

1235 Holton 1931

2340 Popp and Hanna 1935

2444 Reed 1936

2614 Sampson and Western 1938

2690, 2691 Schopfer and Blumer 1938 (auxo-autotrophic)

3079 Utter 1938

CYTOLOGY 1236 Holton 1932 1244 Holton 1941 (buff smut) GENETICS 633, 634 Dickinson 1927 635 Dickinson 1928 637 Dickinson 1931 HETEROTHALLISM AND SEX 1050 Hanna and Popp 1930 1054 Hanna and Popp 1931 1235 Holton 1931 1236 Holton 1932 1238 Holton 1933 2340 Popp and Hanna 1935 1241 Holton 1936 1244 Holton 1941 Hybridization and Genetics 634 Dickinson 1927 (incomplete hybrid with Ustilago hordei infection but not carried to spore formation) 1050 Hanna and Popp 1930 637 Dickinson 1931 (seven pairs of independent characters) 1235 Holton 1931 638 Dickinson 1932 1236 Holton 1932 1238 Holton 1933 2124 Nicolaisen 1934 2340 Popp and Hanna 1935 (with Ustilago avenae, and intraspecific) 1240, 1241 Holton 1936 (with buff smut and Ustilago avenae) 24 Allison 1937 2614 Sampson and Western 1938 3079 Utter 1938 (with Ustilago avenae) 1244 Holton 1941 LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 3222 Wille 1893 61 Appel and Gassner 1906 2642 Schafer 1923 (effect of dehulling on infection) 546 Coulson and Lods 1925 (heavier percentage of infection results from smaller seed) 3031 Traen 1925 (temperature and humidity requirements for infection) 640 Dickson 1926 1394 Johnston 1927 (soil moisture, temperature and dehulling) 2606 Sampson 1929 2607 Sampson 1933

6 Aamodt and Platt 1936

2444 Reed 1936

2445 Reed 1936 (rate of growth of host has little effect on development of smut)

3207 Western 1936

24 Allison 1937

296 Brandwein 1937

297 Brandwein 1938

2614 Sampson and Western 1938

2447 Reed 1939 (rate of growth of host has little effect on development of smut)

298 Brandwein 1940

2451 Reed 1942

299 Brandwein 1944

MISCELLANEOUS

Covered smut of oats recognized as distinct from loose smut and described as variety *Ustilago avenae* var. *levis* 1447 Kellerman and Swingle 1890

Ustilago avenae var. levis raised to specific rank 1822 Magnus 1894

Effect of dehulling oat seed on per cent infection 880 Gaines 1925 Sporulation in leaves 2455 Reed et al. 1925

Acontium ustilaginicola n. sp. parasitic on, 640 Dickson 1926

Hyphal fusions 633 Dickinson 1927

Pathological histology. Incomplete hybrids with other species 634 Dickinson 1927

Incidence in Ireland 2079 Murphy 1927

Permanence and segregation of cultural characters 635 Dickinson 1928

Longevity of spores 2605 Sampson 1928

Dehulling increases per cent infection 167 Bayles and Coffman 1929

High mean temperatures at time of seeding favorable to infection 167 Bayles and Coffman 1929

Seedlings from small seed more susceptible than those from large seed 1738 Lods and Coulson 1929

Sporulation in leaves 2606 Sampson 1929

Influence of environment on segregation for sex and cultural characters 636 Dickinson 1930

Incidence on Avena fatua in western Canada 2754 Simmonds 1930

On wild oats, Avena fatua 2754 Simmonds 1930

Dehulling necessary to satisfactory interpretation of the results of studies of inheritance of smut resistance 2826 Stanton et al. 1930

Influence of dehulling on per cent infection 2826 Stanton et al. 1930

Increase in per cent infection by dehulling (hulling) seed 2766
Smith and Bressman 1931

Inducing infection on the resistant Markton by cutting back plants 2766 Smith and Bressman 1931

Effect on height and tillering 3196 Welsh 1932

Effect of smut on rust development 3196 Welsh 1932

Morphological responses of plants to infection 3196 Welsh 1932 Smut-infected plants more susceptible to crown rust 3196 Welsh 1932

Buff smut and crosses with *Ustilago avenae* and *U. kolleri* 1238 Holton 1933

Macroscopic distinctions from *Ustilago avenae* 1468 Kingsley 1933

Comparative development of two races on same oat variety Sampson 1933

Influence of smut infection on plant vigor 1283 Hubbard and Stanton 1934

Most herbarium specimens of oats smuts at Pusa labelled *Ustilago* avenae were *U. kolleri* 2048 Mundkur 1934

Longevity of spores; at least 4 years 779 Fischer 1936

Mutation 1241 Holton 1936

Rate of growth of host does not greatly influence development of smut 2445 Reed 1936

Adverse effects of latent infection 2843 Stevens 1936

Five grades of parasitism in resistant varieties 3207 Western 1936 Variation in extent of infection in different seed lots of same host variety 3207 Western 1936

Cytology of latent infection 296 Brandwein 1937

Latent infection not harmful to host 296 Brandwein 1937

Emergence of seedlings inhibited by smut infection 297 Brandwein 1938

Comparative effectiveness of various inoculation methods 1674 Leukel et al. 1938.

Rate of growth of host does not greatly influence development of smut 2446 Reed 1938

Loss of specific pathogenicity through screening effect of hosts 2614 Sampson and Western 1938

Growth factors 2690, 2691 Schopfer and Blumer 1938

Per cent smut decreased by vernalization of the seed 2949 Taylor and Coffman 1938

Host specialized races not distinguishable by cultural characters 3079 Utter 1938

Spores lose viability 4 months under laboratory conditions 2204
Pal and Mundkur 1939

As cause of hay fever and asthma 3246 Wittich 1939

Cause of respiratory allergy 3160 Waldbott and Ascher 1940

Spores quickly lose viability after 4th month 285 Bose and Mundkur 1941

Comparative morphology with *Ustilago hordei*, with which consolidation is recommended 788 Fischer 1943

Variable extent of infection obtained in different seed lots of same variety 2962 Tervet 1944

Twenty-five per cent crop reduction due to, with *Ustilago avenae* 2409 Rapin 1947

PHYSIOLOGIC SPECIALIZATION

2426 Reed 1924

2603 Sampson 1925

2431 Reed 1927

2513 Rodenhiser 1928

2434 Reed 1929

2606 Sampson 1929

2448 Reed 1940

2960, 2961 Tervet 1940

1244 Holton 1941 (seven physiologic races of the buff smut mutant)

2962 Tervet 1944 (need for using same lot of seed over period of years in specialization work)

1256 Holton and Rodenhiser 1948

SPORE GERMINATION AND FACTORS AFFECTING

1447 Kellerman and Swingle 1890

1158 Herzberg 1895

62 Appel and Gassner 1907

2655 Schellenberg 1911

1277 Howe 1926 (effect of pH on)

2605 Sampson 1928

VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF

2423 Reed 1920

2830 Stanton et al. 1924 (immunity of Markton)

879, 880 Gaines 1925

2457 Reed and Stanton 1925

2455 Reed et al. 1925

2606 Sampson 1929

504 Coffman et al. 1931

2437, 2438 Reed 1931

2766 Smith and Bressman 1931

3195 Welsh 1931

2439 Reed 1932

1389 Johnson 1933

895 Garber and Hoover 1934

2441 Reed 1934

2825 Stanton et al. 1934

2828 Stanton et al. 1934

2829 Stanton et al. 1934

136 Barbee 1935

834 Fomin 1935

2442 Reed 1935

3107 Vears and Macindoe 1935

6 Aamodt and Platt 1936

2444 Reed 1936

2458 Reed and Stanton 1936

229 Blair 1937

1292 Humphrey and Coffman 1937

2459 Reed and Stanton 1937

503 Coffman et al. 1938

2460 Reed and Stanton 1938

285 Bose and Mundkur 1941 (in India)

3001 Tingey et al. 1941

2451 Reed 1942

2827 Stanton and Murphy 1942

USTILAGO KÜHNEANA Wolff. Bot. Ztg. 1874: 814

CULTURE ON ARTIFICIAL MEDIA

311 Brefeld 1883

HETEROTHALLISM AND SEX

311 Brefeld 1883

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

311 Brefeld 1883

2655 Schellenberg 1911

Miscellaneous

Symptoms and morphology 311 Brefeld 1883 Symptoms and morphology 2655 Schellenberg 1911

History and morphology 1720 Liro 1924

Spore Germination and Factors Affecting

3252 Wolff 1874

311 Brefeld 1883

2329 Plowright 1889

USTILAGO LAGERHEIMII Bref. Gesammt. Myk. Unters. 12: 136. 1895.

HETEROTHALLISM AND SEX

315 Brefeld 1895 (fusion of sporidia)

MISCELLANEOUS

Morphology and symptoms 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO LONGISSIMA (Schlecht.) Meyen. Pflanz. Path. 124. 1841.

Lycoperdon filiferum Schrank, Hoppe's Bot. Taschenb. 69. 1793.

Uredo longissima Sow., English Fungi. 139. 1799.

Caeoma longissimum Schlecht., Fl. Berol. 2: 129. 1824.

Erysibe longissima Wallr., Fl. Crypt. Germ. 2: 215. 1833.

Ustilago longissima Tul., Ann. Sci. Nat. III. 7: 76. 1847.

Uredo fusco-virens Cesati, Klotzsch-Rabenh. Herb. Viv. Mycol. 1497. 1850. Ustilago filiformis Rostr., Bot. Foren. Fests. 136. 1890. Ustilago glyceriae Cif., Ann. Mycol. 29: 31. 1931.

CULTURE ON ARTIFICIAL MEDIA

311 Brefeld 1883

1501 Kniep 1926

1428 Kammerling 1929

155 Bauch 1931

2690 Schopfer and Blumer 1938

CYTOLOGY

2682 Schmitz 1879

2231 Paravicini 1917

149 Bauch 1923

2732 Seyfort 1927

HETEROTHALLISM AND SEX

159 Bauch 1934

311 Brefeld 1883 (fusions between sporidia)

2231 Paravicini 1917 (fusions between sporidia)

149 Bauch 1923

1501 Kniep 1926

1428 Kammerling 1929

153 Bauch 1930 (multipolar sexuality)

154 Bauch 1930

155 Bauch 1931

158 Bauch 1932

Hybridization and Genetics

159 Bauch 1934 (sporidial fusions with bipolar species)

1501 Kniep 1926 (sporidial fusions with other species)

1428 Ka.nmerling 1929 (with Ustilago longissima var. macrospora)

155 Ba ich 1931 (intraspecific)

158 Bauch 1932 (genetic bases for hybridization and sterility)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1929 Meyen 1841

614 DeBary 1853

803 Fischer v. Waldheim 1869

311 Brefeld 1883

2554 Rostrup 1885

2329 Plowright 1889

2559 Rostrup 1890

2872 Strohmeyer 1896

1975 Molliard 1898

1148 Hennings 1903

321 Brefeld 1912

149 Bauch 1923

1720 Liro 1924

155 Bauch 1931

MISCELLANEOUS

Morphology and symptoms 311 Brefeld 1883

Toxicity of infected plants 1823 Magnus 1895

Causing modification of bundle structure in Glyceria aquatica 1975 Molliard 1898

Toxicity of infected plants 2693 Schoug 1899

Toxicity of infected plants to cattle 705 Eriksson 1900

Toxicity of infected plants to cattle 2550 Rostowzew 1902

Toxicity of infected plants 1129 Hedlund 1908

Toxicity of infected plants 1607 Lagerheim 1909

Toxicity of infected plants 1694 Lindau 1912

Toxcity of infected plants 1690 Lind 1913

Spores not poisonous to animals 162 Baudys 1921

Evidence for and against toxicity of infected plants to cattle 1720 Liro 1924

History, hosts and morphology 1720 Liro 1924

Simultaneous occurrence with var. macrospora in same collection and even on same plant 151 Bauch 1926

Clamp connections on the mycelium 2732 Seyfert 1927

Simultaneous occurrence with var. macrospora in same collection and even on same plant 1428 Kammerling 1929

Some collections on Glyceria aquatica show all three sex groups, some show only two. Only two on G. plicata 1428 Kammerling 1929

SPORE GERMINATION AND FACTORS AFFECTING

1225 Hoffmann 1860

616 DeBary 1866

803 Fischer v. Waldheim 1869

311 Brefeld 1883

619 DeBary 1884

2329 Plowright 1889

3335 Zopf 1893

2655 Schellenberg 1911

2231 Paravicini 1917

149 Bauch 1923

USTILAGO LORENTZIANA Thüm. Flora 63: 30. 1880 (see also Ustilago bullata)

Ustilago holwayi Dietel, Bot. Gaz. 18: 253. 1893.

Ustilago hordeicola Speg., Anal. Mus. Nac. Buenos Aires III. 12: 1909.

HETEROTHALLISM AND SEX

1048 Hanna and Hurst 1949

MISCELLANEOUS

Common occurrence on *Hordeum jubatum* in Montana (under name of *Ustilago segetum*) 30 Anderson 1889

Inoculations with *Ustilago tritici* and *U. nuda* on *Hordeum jubatum*, wheat and barley; all negative results 851 Freeman and Johnson 1909

Comparative morphology with *Ustilago bromivora* and *U. bullata* with which consolidation is recommended 780 Fischer 1937

USTILAGO MACROSPORA Desm. Pl. Crypt. II. 1727. 1850.

Tilletia serpens Karstens, Fung. Fenn. 599. 1866.

Tilletia aculeata Ule, Abh. Bot. Ver. Prov. Brand. 25: 213. 1884. Ustilago aculeata Liro, Ann. Acad. Sci. Fenn. A. 17: 66. 1824.

MISCELLANEOUS

The binomial *Ustilago macrospora* is based on a collection of *Urocystis* 1720 Liro 1924

Morphology (as *Ustilago aculeata*) 796 Fischer and Hirschhorn 1945

SPORE GERMINATION AND FACTORS AFFECTING

796 Fischer and Hirschhorn 1945 (as Ustilago aculeata)

USTILAGO MAJOR Schröt. Krypt. Fl. Schles. 31: 273. 1889.

HETEROTHALLISM AND SEX

1498 Kniep 1919

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 2655 Schellenberg 1911

MISCELLANEOUS

Morphology 315 Brefeld 1895

Symptoms and morphology 2655 Schellenberg 1911

History and morphology 1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

2329 Plowright 1889

315 Brefeld 1895

USTILAGO MARGINALIS (DC.) Lev. D'Orbigny in Diot. Univ. Hist. Nat. 12: 778. 1848.

Uredo bistortarum f. marginales DC., Fl. France 6: 76. 1815.

Uredo pteridiformis Funck, Krypt. Gewächse 27: 4. (No. 564). 1819.

Caeoma marginale Link, in Willd., Sp. Pl. 6: 10. 1825.

Uredo marginalis Rabenh., Krypt, Fl. 1: 7. 1844.

Ustilago bistortarum Rabenh., Krypt. Fl. 1: 95. 1881. p.p.

Ustilago marginalis Schröt., Krypt. Fl. Schles. 3: 272. 1889.

CYTOLOGY

2231 Paravicini 1917

HETEROTHALLISM AND SEX

2231 Paravicini 1917 (fusions between sporidia)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

314 Brefeld 1895

315 Brefeld 1895

2655 Schellenberg 1911

321 Brefeld 1912

1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

2704 Schröter 1887

315 Brefeld 1895

1841 Maire and Brockman-Jerosch 1907

2655 Schellenberg 1911

2231 Paravicini 1917

USTILAGO MAYDIS (DC.) Corda Icones Fung. 5: 3. 1842.

Lycoperdon zeae Beckm., Hannov. Mag. 6: 1330. 1768. (Pre-Persoonian)

Uredo segetum var. mays-zeae DC., Fl. Fr. 2: 506. 1805.

Uredo zeae-mays DC., Syn. Pl. Fl. Gall. 47: 1806.

Uredo segetum f. zea mays DC., Encycl. Metho. Bot. 8: 229. 1808.

Uredo maydis DC., Fl. Fr. 6: 77. 1815.

Uredo zeae Schwein., Schr. Nat. Ges. Leipzig 1: 71. 1822.

Caeoma zeae Link, Sp. Pl. 6: 2. 1825.

Uredo zeae Chevallier, Fl. Paris 1: 403. 1826.

Erysibe maydis Wallr., Fl. Crypt. Germ. 2: 215. 1833.

Ustilago zeae Unger., Einf. Bodens 211. 1836.

Ustilago carbo-maydis Phillipar, Traite Caris. Charbon 68. 1837.

Ustilago maydis Lev., Ann. Sci. Nat. II. 11: 13. 1839.

Ustilago maydis Corda, Icon. Fung. 5: 3. 1842.

Ustilago schweinitzii Tul., Ann. Sci. Bot. III. 7: 86. 1847.

Ustilago reiliana f. zeae Pass., Bull. Com. Agric. Parmense, 1-3 (extra). 1876.

Ustilago zeae mays Wint., Rabenh. Krypt. Fl. 1: 97. 1881.

Ustilago euchlaenae Pass., Erb., Critt. Ital. 2: Fasc. 23-24, No. 1125. 1882.

Ustilago maydis f. foliicola D. Sacc., Mycol. Ital. 1269. 1886.

Ustilago maydis f. androphila D. Sacc., Mycol. Ital. 1270. 1886.

Ustilago zeae-maydis (DC.) Tul., in Roumeguere, Fungi. Europ. Gall. 4318. 1888. (Rev. Mycol. 10: 8. 1888).

Ustilago mays-zeae Magnus, in Verh. Bot. Ver. Prov. Brandenb. 37: 72. 1895.

CONTROL

205 Bessey 1889

2993 Von Thuemen 1889

1936 Kellerman 1891 (fungicidal sprays)

2223 Pammel and Stewart 1893

103 Arthur and Stuart 1896

2874 Stuart 1896 (fungicidal sprays)

104 Arthur and Stuart 1900

1140 Henning 1901

3193 Weiss 1902

1901 Melchers 1916

2307 Pichler and Wober 922 (use of ultra-violet and X-rays and radium)

2355 Potter and Melchers 1925 (including fungicidal sprays)

1007 Güssow and Conners 1927

819 Fleischmann 1937

1519 Kornfeld 1937

2707 Schultz 1937

2257 Perlet 1938

2255 Pepper and Haenseler 1944

CULTURE ON ARTIFICIAL MEDIA

311 Brefeld 1883

314 Brefeld 1895

```
1838 Maire 1898
 1003 Grüss 1902
 2310 Piemeisel 1917
 2621 Sartoris 1924
 2355 Potter and Melchers 1925
  455 Christensen and Stakman 1926
 3011 Tisdale and Johnston 1926
  692, 693 Eddins 1929
 1037, 1040 Hanna 1929
 2812 Stakman et al. 1929
 2811 Stakman et al. 1929
 2403 Ranker 1930 (comparative growth in expressed juice from
    resistant and susceptible corn lines)
 2404 Ranker 1930
  452 Christensen 1931
 1313 Hüttig 1931
   156 Bauch 1932
 2763 Sleumer 1932
 2822 Stakman et al. 1933
 1214 Hirschhorn and Hirschhorn 1935 (including spore forma-
    tion)
  441 Chilton 1938
  1329 Itzerott 1938 (influence of extract of coleoptiles on rate of
    growth)
  1452 Kernkamp 1938
  1712 Link et al. 1938
 2690, 2691 Schopfer and Blumer 1938 (growth factors)
  1215 Hirschhorn and Hirschhorn 1939 (effect of pH of medium
    and mutation on cultural characters)
  1216 Hirschhorn and Hirschhorn 1939
  1453 Kernkamp 1939
  2022 Moulton and Link 1940 (auxin production)
  2681 Schmitt 1940
  1454 Kernkamp 1942
   927 Gattani 1946 (physiologic differences between diploid lines)
  2821 Stakman et al. 1946 (tolerance to arsenites)
CYTOLOGY
  1838 Maire 1898
  2414 Rawitscher 1912
  2732 Seyfert 1927
  1460 Kharbush 1928
  1039, 1040 Hanna 1929
   452 Christensen 1931
  2763 Sleumer 1932
  3171 Walter 1934
```

291 Bowman 1940

```
442 Chilton 1940
   292 Bowman 1946
HETEROTHALLISM AND SEX
  2732 Sevfert 1927
  2809 Stakman and Christensen 1927
  1039, 1040 Hanna 1929
  2811 Stakman et al. 1929
                            (sex governed by multiple factors)
  2812 Stakman et al. 1929
   452 Christensen 1931
  1313 Hüttig 1931
   156 Bauch 1932
  2763 Sleumer 1932
                    (6 sex groups)
   159 Bauch 1934
  2823 Stakman et al. 1935
  1453 Kernkamp 1939
   291 Bowman 1940
   442 Chilton 1940
  2681 Schmitt 1940
   292 Bowman 1946 (sporidial fusions)
Hybridization and Genetics
  2811 Stakman et al. 1929
                            (intra-specific)
  2812 Stakman et al. 1929
   452 Christensen 1931
  1980 Moore 1932
   159 Bauch 1934
                    (sporidial fusions with bipolar species)
  2805 Stakman 1936
   441 Chilton 1938
  1452 Kernkamp 1938
  1453 Kernkamp 1939
                       (intra-specific)
   442 Chilton 1940 (delayed reduction of diploid nucleus)
  2681 Schmitt 1940 (intra-specific hybridization for color, growth
    type and sex segregation)
   443 Chilton 1943 (inheritance of lysis character)
  2814 Stakman et al. 1943
  2815 Stakman et al. 1943 (inheritance of white mutant character)
LIFE HISTORY, PARASITISM AND FACTORS AFFECTING
  1317 Imhoff 1784
  2476 Reissek 1847
  1556 Kühn 1858
  1558 Kühn 1866
  1562 Kühn 1874
   311 Brefeld 1883
   173 Beck 1885
   547 Craig 1886
   313 Brefeld 1888
  1506 Knowles 1889
```

2223 Pammel and Stewart 1893

3272 Yasuda 1894

314 Brefeld 1895

1218 Hitchcock and Norton 1896

2720 Selby and Hickman 1897

104 Arthur and Stuart 1900

479 Clinton 1900

- 600 Davis 1900

1217 Hitchcock 1900

1856 Marchis 1900

1140 Henning 1901

1003 Grüss 1902

2418 Ray 1903

322 Brefeld and Falk 1905

439 Chifflot 1907

440 Chifflot 1909

1316 Iltis 1910

3202 Werth 1913

2309 Piemeisel 1914

2310 Piemeisel 1917

2353 Potter and Melchers 1917

1790 MacMillan 1918

260 Bois 1921

230 Blaringhem 1923

2621 Sartoris 1924

2163 Novopokrovsky and Skaskin 1925

2355 Potter and Melchers 1925

505 Coffman et al. 1926

1655 Leszczenko 1926

3011 Tisdale and Johnston 1926

189 Benigni 1927

1007 Güssow and Conners 1927

2648 Schaffnit and Volk 1927

2732 Sevfert 1927

998 Griffiths 1928

1322 Immer and Christensen 1928

692, 693 Eddins 1929

1039, 1040 Hanna 1929

1602 Kyle 1929

2321 Platz 1929

1603 Kyle 1930

2402 Ranker 1930

1916 Melhus and Davis 1931

592 Davis 1932

1893, 1894, 1895 Maze and Maze 1932

2113 Nemec 1932 (pathological histology and development of the galls)

2763 Sleumer 1932

2299 Piacco 1933

2833 Starr 1933

3171 Walter 1934

282 Borzini 1935

281 Borzini 1935

593 Davis 1935

1214 Hirschhorn and Hirschhorn 1935

3172 Walter 1935

594 Davis 1936

594 Smith 1936

819 Fleischmann 1937

2707 Schultz 1937

1519 Kornfeld 1937

1312 Hutchins and Lutman 1938

1330 Itzerott 1938

1329 Itzerott 1938

3141 Vohl 1938

1611 Landen 1939

2022 Moulton and Link 1940

2681 Schmitt 1940

1455 Kernkamp and Martin 1941 (paired haploid lines vs. composite of mixed haploids in pathogenicity)

2116 Nemlienko 1941

2255 Pepper and Haenseler 1944

3221 Wilkinson and Kent 1945

1922 Menzies and Stanberry 1947753, 754 Feldman 1948

2077 Munnecke 1948

2077 Munnecke 194

Miscellaneous

Host abnormalities induced 2476 Reissek 1847

Lethal effect on young corn seedlings 1562 Kühn 1874

Medicinal properties 964 Goss 1881

Medicinal properties 1018 Hahn 1881

Evidence against toxicity to cattle 1151 Henry 1881

Medicinal properties 1387 Johnson 1882

Chemical analysis 2237 Parsons 1882

Inoculation methods and experiments 311 Brefeld 1883

Medicinal properties 934 George 1884

Medicinal properties 1388 Johnson 1884

Spores still viable after passing through digestive tract of cows 2002 Morini 1884

Connection with pellagra 2232 Pari 1884

Physiological effects upon nervous system 1960 Mitchel 1886

"Ustilagini,"-active medicinal principle 2396 Rademaker and Fischer 1887

Inoculation experiments 313 Brefeld 1888

Evidence for and against toxicity of corn smut to cattle 205 Bessey 1889

Pathological histology 1506 Knowles 1889

Lethal effect on young corn seedlings 314 Brefeld 1895

Early appearance in Germany 1824 Magnus 1895

Corn smut not toxic to cattle 1998 Moore and Schweinitz 1896

Corn smut not toxic to cattle 2764 Smith 1896

Effect on uterine contractions 305 Braunstein 1897

Comparative dimensions of sporidia from different culture media 1838 Maire 1898

Lethal effect on young corn seedlings 104 Arthur and Stuart 1900 Spores not viable after passing through digestive tract of cow 104 Arthur and Stuart 1900

Effect on yield 479 Clinton 1900

Analysis of toxic constituents of corn smut 2876 Stuart 1901

Production of chlamydospores in culture 1003 Grüss 1902

Source of an alkaloid 1857 Marchis 1904

Chemistry of 3320 Zellner 1910

Proliferation caused by 1316 Iltis 1910

Corn smut poisonous to cattle 2219 Pammel 1911

Medicinal properties 727 Faminzin 1912

Toxicity of spores to animals 1726 Liskun and Krastavitsky 1914 Lethal effect on young corn seedlings 2310 Piemeisel 1917

No loss of virulence by prolonged culturing on synthetic media 2310 Piemeisel 1917

Spores lost viability after few weeks in silo 2310 Piemeisel 1917 Epidemic following hail storm 1790 MacMillan 1918

Effect of ultra-violet and X-rays and radium on germinability 2307 Pichler and Wober 1922

Corn smut spores in the air at high altitudes 2813 Stakman et al. 1923

Discovery in the gold coast of Africa 575 Dade 1924

Effect on yield 1092 Hayes et al. 1924

Production of chlamydospores in culture 2621 Sartoris 1924

Oospora verticillioides parasitic on in Russia 622 Deckenbach 1925

Use of hypodermic needle to inoculate 455 Christensen and Stakman 1926

Influence of weather conditions on incidence of infection 505 Coffman et al. 1926

Effect of smut on sap concentration 1305 Hurd-Karrer 1926

Carrot decoction cultures better inoculum than spores or agar cultures 3011 Tisdale and Johnston 1926

Greenhouse testing of varietal reaction 3011 Tisdale and Johnston 1926

Use of hypodermic needle to inoculate 3011 Tisdale and Johnston 1926

Cardinal temperatures for spore germination 189 Benigni 1927

Longevity of the spores 189 Benigni 1927

Effect of smut infection on sugar content of corn stalks 1306 Hurd-Karrer and Hasselbring 1927

Differences between highly susceptible and resistant varieties re number and size of galls 1319 Immer 1927

Use of hypodermic needle to inoculate 1319 Immer 1927

Formation of clamp connections in mycelium 2732 Seyfert 1927

Influence of corn smut on yield 894 Garber and Hoover 1928

Smut susceptibility of naturally resistant corn when artificially inoculated 998 Griffiths 1928

Determination of losses due to smut infection 1321 Immer and Christensen 1928

Pathogenicity of monosporidial vs. multisporidial cultures 693 Eddins 1929

Solopathogenic lines 693 Eddins 1929

Use of hypodermic needle to inoculate 693 Eddins 1929

Effect of digestive processes on spore viability 766 Ficke and Melchers 1929

Spores non-toxic to horses 766 Ficke and Melchers 1929

Use of hypodermic needle to inoculate 998 Griffiths 1929

Production of sporidia on infected corn leaves floated on distilled water 1040 Hanna 1929

Effect of smut on yield 1415 Jorgensen 1929

Ears with short husks more liable to smut 1602 Kyle 1929

Sectoring and mutation 2811, 2812, Stakman et al. 1929

Solopathogenic lines 2811 Stakman et al. 1929

Inoculation by hypodermic injection 3318 Zehner and Humphrey 1929

Bacterial antibiosis 131 Bamberg 1930

Susceptibility directly related to vigor of host plant 1603 Kyle 1930

Nature of resistance 2403 Ranker 1930

Physiological and morphological resistance in the host 2403 Ranker 1930

Synthetic nutrient media for cultures 2404 Ranker 1930

Bacterial antibiosis 132 Bamberg 1931

Genetic studies 452 Christensen 1931

Solopathogenic lines 452 Christensen 1931

Factors for sex segregated independently of those for cultural characters 1313 Hüttig 1931

Type of germination markedly influenced by temperature 1313 Hüttig 1931

Effect on yield 1323 Immer and Christensen 1931

Reaction of the host plant 1323 Immer and Christensen 1931

Nodal infection 1916 Melhus and Davis 1931

Relation of surface tension of sporidial suspensions to per cent smutted plants 1916 Melhus and Davis 1931

Incidence in Cyprus 2089 Nattrass 1931

Prevalent and severe in Soviet Russia 277 Borghardt 1932

Chemical composition of the spores 412 Campanile 1932

Relation of axillary bud development to nodal smut infection 592 Davis 1932

Nature of resistance 1894 Maze and Maze 1932

Genetic studies 1980 Moore 1932

Development of smut galls 2113 Nemec 1932

Pathological histology of galls 2113 Nemec 1932

Tetraploidy and polyploidy in affected host cells 2113 Nemec 1932

Solopathogenic lines 2763 Sleumer 1932

Spores contain a substance acting similarly to ergotamine on adrenalin hyperglycaemia 137 Bajaktarovic and Bogdanovic 1933

Fresh spores germinate less readily than those kept at room temperature for several days 704 Enomoto 1934

Stimulatory effects of ether 704 Enomoto 1934

Medicinal properties 1675 Levy and Bogdanovic 1934

Causes estimated annual loss in U.S. of about 55,000,000 bushels 3171 Walter 1934

Size of smut galls not sole measure of resistance or susceptibility 453 Christensen and Johnson 1935

Oospora verticilioides, parasitic on corn smut 622 Deckenbach 1935

Aqueous extract of spore material more toxic than ergot extract to mice 679 Dragisic and Varicak 1935

Influence of corn smut on yield 896 Garber and Hoover 1935

Determination of reduction in yield 1386 Johnson and Christensen 1935

Direct correlation of high osmotic pressure of seed with smut susceptibility 2405 Ranninger and Lerner 1935

Review of various inoculation methods and results obtained 3172 Walter 1935

Poor stands associated with heavy smut infections 396 Burk et al. 1936

Longevity of spores; at least 2 years 779 Fischer 1936

Incidence in south Germany 1527 Kotte 1936

Number of barren stalks of corn directly proportional to percentage of infection in field 2768 Smith 1936

Susceptibility of teosinte 819 Fleisehmann 1937

Hail storms increase incidence 1519 Kornfeld 1937

Longevity of spores under variable conditions 1519 Kornfeld 1937

Case of dermatomycosis caused by 2362 Preininger 1937

Review of 64 papers on corn smut 2702 Schultz 1937

Composed of indefinite number lines especially adapted to genetic and mutation studies 2806 Stakman 1937

Causing respiratory allergy 3248 Wittich and Stakman 1937 Seriological differentiation in closely related species 172 Beck 1938

Lysis in promycelia of hybrid chlamydospores 441 Chilton 1938 Solopathogenic lines 441 Chilton 1938

Toxic effect of extracts of corn smut on various animals 1302 Hunt and Thompson 1938

Abortion in animals and other injurious effects 1302 Hunt and Thompson 1938

Review of pharmacological investigations on *Ustilago maydis* 1302 Hunt and Thompson 1938

Spine development on spores 1312 Hutchins and Lutman 1938 Influence of extract of coleoptiles and auxins and vitamins on growth in culture 1329 Itzerott 1938

Influence of pH on spore germination and formation of sporidia 1330 Itzerott 1938

Production of auxones in culture 1712 Link et al. 1938

Fifteen cases of smut poisoning of children in Jugoslavia 1891 Mayerhofer and Dragisic 1938

Smutty corn not safe to use for fodder to feed livestock 2257
Perlet 1938

Growth factors 2690, 2691 Schopfer and Blumer 1938

Linkage relations between smut resistance and semi-sterility in corn 398 Burnham and Cartledge 1939

Sensitivity to ultra-violet light 1611 Landen 1939

Spores not toxic to guinea pigs 1331 Itzerott 1939

As cause of hay fever and asthma 3246 Wittich 1939

Incidence in Italian E. Africa 425 Castellani 1940

Delayed reduction of the diploid nucleus 442 Chilton 1940

Inoculation method 643 Dickson and Bowman 1940

Production of auxins in culture 2022 Moulton and Link 1940

Attempts to produce chlamydospores on agar uniformly unsuccessful 2681 Schmitt 1940

Comparative rate of mutation between sporidial and mycelial lines 2681 Schmitt 1940

Rate of mutation not affected by X-ray, ultra-violet or high temperature near thermal death point 2681 Schmitt 1940

3/4000 monosporidial lines solopathogenic 2681 Schmitt 1940

Artificial culture for medicinal use 2711 Scossiroli 1940

Cause of respiratory allergy 3160 Waldbott and Ascher 1940

Various types of germination and promycelia produced rather than supposedly normal four-celled promycelium 1456 Kernkamp and Petty 1941

Physical and chemical adaptation in cultures 2293 Petty 1942

A source of mitogenetic radiation 428 Cercos and Favret 1946 Physiologic (cultural) differences between diploid lines 927 Gattani 1946

Host range 1917 Melhus and Kent 1946

Build-up of tolerance to arsenites through continuous exposure 2821 Stakman et al. 1946

Inoculation method 2844 Stevens et al. 1946

Ustilago euchlaenae Passerini is synonym 1213 Hirschhorn 1947 Physiological studies of hybrid lines 753, 754 Feldman 1948

Physiologic Specialization

1902 Melchers 1921

455 Christensen and Stakman 1926 (on cultural basis plus pathogenicity)

2808 Stakman and Christensen 1926

2809 Stakman and Christensen 1927 (on cultural basis)

3115 Verplancke 1930 (biometric study)

2823 Stakman et al. 1935 (on cultural basis)

1216 Hirschhorn and Hirschhorn 1939 (510 races on basis of cultural characters)

SPORE GERMINATION AND FACTORS AFFECTING

3251 Wolff 1873

1573 Kühn 1876

311 Brefeld 1883

313 Brefeld 1888

314 Brefeld 1895

2851 Stewart 1895

2159 Norton 1896

1838 Maire 1898

2655 Schellenberg 1911

2803 Stakman 1913

2309 Piemeisel 1914

2310 Piemeisel 1917

1406 Jones 1923

2163 Novopokrovsky and Skaskin 1925

1654 Leszczenko 1926

2322 Platz et al. 1927 (stimulating effect of carbonic acid)

2320 Platz 1928 (importance of oxygen)

452 Christensen 1931

1313 Hüttig 931 (marked influence of temperature on)

2763 Sleumer 1932

281, 282 Borzini 1935

1330 Itzerott 1938 (effect of acidity on spore germination)

2681 Schmitt 1940

VARIETAL RESISTANCE. SUSCEPTIBILITY AND INHERITANCE OF

1402 Jones 1918

1403 Jones 1920

1092 Hayes et al. 1924

897 Garber and Quisenberry 1925

1320 Immer and Christensen 1925

505 Coffman et al. 1926

997 Griffiths 1927

1319 Immer 1927

998 Griffiths 1928

2321 Platz 1929

1603 Kyle 1930

2403 Ranker 1930 (morphological versus physiological resistance)

1263 Hoover 1932

2405 Ranninger and Lerner 1935 (correlation of susceptibility with high osmotic pressure of seed)

396 Burk et al. 1936

2591 Saboe and Hayes 1941

1917 Melhus and Kent 1946

1091 Hayes, Rinke and Tsiang 1946

1919 Melhus and Semeniuk 1946

USTILAGO MEDIANS Biedenkopf Zeitschr. f. Pflanzenkr. 4: 321. 1894.

CULTURE ON ARTIFICIAL MEDIA

24 Allison 1937

HETEROTHALLISM AND SEX

24 Allison 1937

Hybridization and Genetics

23 Allison 1935

24 Allison 1937 (with Ustilago hordei)

24 Allison 1937 (incomplete hybridization with Ustilago avenae, U. kolleri, U. nuda, U. tritici, i.e., sporidial fusions but little or no infection)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

24 Allison 1937

MISCELLANEOUS

Description and account of symptoms 219 Biedenkopf 1894

Distribution in the United States 1987 Moore and Allison 1935 Based on a mixed collection of *Ustilago nuda* and *U. nigra* and therefore invalid binomial 2935 Tapke 1943

USTILAGO MICROTHELIS H. and P. Sydow Ann. Mycol. 22: 280. 1924

MISCELLANEOUS

Comparison with other smuts on Saccharum and Erianthus 2897 Sydow 1924

Comparison with other sugar cane smuts and first report from Argentina 1201 Hirschhorn 1942

USTILAGO MINIMA Arthur Bull. Iowa Agric. Coll. Dep. Bot. Bull. 1884: 172.

Ustilago stipae Cif., Ann. Mycol. 29: 52. 1931.

MISCELLANEOUS

Pathological histology; geographic distribution; comparison with other stem smuts on Stipa and Oryzopsis 790 Fischer 1945

Reasons for considering *Ustilago stipae* Cif. as synonym 1213 Hirschhorn 1947

USTILAGO MINOR Norton Trans. Acad. Sci. St. Louis 7: 238. 1896.

Ustilago hieronymi var. minor Cif., Trans. Brit. Mycol. Soc. 18: 262. 1934.

MISCELLANEOUS

Comparison with other smuts on Bouteloua 472 Ciferri 1934

SPORE GERMINATION AND FACTORS AFFECTING

2159 Norton 1896

USTILAGO MORINAE Padwick and Azmatullah Khan Imp. Mycol. Inst. (New Delhi) Mycol. Papers No. 10: 1. 1944.

MISCELLANEOUS

Technical description 2203 Padwick and Khan 1944

USTILAGO NEGLECTA Niessl Rabenh. Fungi Europ. 1200. 1868.

Uredo decipiens f. graminum Strauss, Ann. Wetterausch. Gesell. Naturk. 2: 111. 1811. p.p.

Erysibe panicorum f. panici glauci Wallr., Fl. Krypt. Germ. 2: 216. 1833. Ustilago panici glauci Wint., in Rabenh. Krypt. Fl. 1: 97. 1881.

CULTURE ON ARTIFICIAL MEDIA

1871 Martin and Kernkamp 1941

CONTROL

277 Borghardt 1932

MISCELLANEOUS

Symptoms and morphology 2655 Schellenberg 1911 Longevity of spores; at least 7 years 779 Fischer 1936

SPORE GERMINATION AND FACTORS AFFECTING

311 Brefeld 1883

2159 Norton 1896

1517 Kolk 1943

USTILAGO NIGRA Tapke Phytopath. 22: 869. 1932 and 33: 208. 1933. Also Jour. Agric. Res. 51: 491-508. 1935.

Ustilago medians Biedenkopf, p.p., Zeitschr. f. Pflanzenkr. 4: 321-322. 1894.

CONTROL

2920 Tapke 1932

2922 Tapke 1935

1664 Leukel 1936

3288 Young and McClelland 1940

CULTURE ON ARTIFICIAL MEDIA

2587 Ruttle 1934

CYTOLOGY

2587 Ruttle 1934

HETEROTHALLISM AND SEX

2587 Ruttle 1934

HYBRIDIZATION AND GENETICS

23 Allison 1935

24 Allison 1937

1300 Hungerford 1938 (with Ustilago hordei)

213 Bever 1942 (buff-colored nonpathogenic segregate from cross with *Ustilago hordei*)

2937 Tapke 1944

215 Bever 1945 (with Ustilago hordei)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

3017 Tisdale and Tapke 1924 (under the name of Ustilago nuda)

3018 Tisdale and Tapke 1925 (mistaken for Ustilago nuda)

1663 Leukel 1932

2587 Ruttle 1934

2922 Tapke 1935

1664 Leukel 1936

1420 Josephson 1942 (influence of temperature and moisture)

Miscellaneous

Comparison with Ustilago nuda 2921 Tapke 1932

Technical description 2921 Tapke 1932

Ustilago medians Biedenkopf probably should have priority 2587
Ruttle 1934

Inoculation method 2927 Tapke 1937

Artificial infection of Elymus canadensis, Hordeum nodosum, Sitanion jubatum 781 Fischer 1939

Earlier confusion with $Ustilago\ nuda$ and the supposition that $U.\ nuda$ was responding to chemical seed treatment 2933 Tapke 1941

Technique for rapid differentiation from *Ustilago nuda* 2934 Tapke 1941

Comparative morphology with *Ustilago avenae* and *U. perennans* with which consolidation is recommended 788 Fischer 1943

Badly contaminated seed unsuited for malting purposes 1897 Mead 1943

Ustilago medians although an earlier name is invalid because based on mixture 2935 Tapke 1943

Incidence in Quebec and Manitoba 517 Conners and Saville 1944 Incidence in Palestine 1959 Minz 1944

Spore load as indication of need of seed treatment 433 Cherewick 1948

Physiologic Specialization

2924 Tapke 1936

1420 Josephson 1942

2936 Tapke 1943

SPORE GERMINATION AND FACTORS AFFECTING

219 Biedenkopf 1894 (under name of Ustilago medians n. sp.)

2587 Ruttle 1934

2922 Tapke 1935

2934 Tapke 1941

2935 Tapke 1943

215 Bever 1945

USTILAGO NUDA (Jens.) Rostr. Tidsskr. f. Landøkon. 8: 745. 1889.

Uredo carbo DC., Fl. France 6: 76. 1815. p.p.

Ustilago segetum Link, Ditmar in Sturm's Deutschland Fl. III, 1: 67. 1817. p.p.

Caeoma segetum Link, in Willd., Sp. Pl. 6: 1. 1825. p.p.

Erysibe vera f. hordei Wallr., Fl. Krypt. Germ. 2: 217. 1833. p.p.

Uredo carbo-hordei Phillipar, Mem. Soc. Roy. Agric. Arts Seine-et-Oise 37: 195. 1837. p.p.

Ustilago hordei Bref., Nachr. Klub. Landw. (Berlin) 1593: 1888. p.p.

Ustilago segetum var. hordei f. nuda Jensen, Om Korns. Brand. 61. 1888. Ustilago segetum var. nuda Jensen, Jour. Roy. Agric. Soc. England 24: 406.

Ustilago hordei var. nuda Jensen, Charb. Cereales 4: 1889.

Ustilago nuda Kell. and Sw., Ann. Rept. Kans. Agric. Expt. Sta. 2: 277. 1890. Ustilagidium hordei Zopf, in Herzberg, Beitr. Phys. Morph. Neiderer Org. **5**: **7**. 1895.

Ustilago nuda var. foliicola Trotter, Ann. Mycol. 11: 415. 1913.

CONTROL

1858, 1859 Märcker 1887

1447 Kellerman and Swingle 1890

3025 Toporkow 1903

851 Freeman and Johnson 1909

2792 Sperling 1910

68, 69 Appel and Riehm 1911

2862 Störmer 1911

71 Appel and Riehm 1912

2864 Störmer 1912

72 Appel and Riehm 1914

1693 Lind 1915

2386 Quanjer and Batjes 1915

1901 Melchers 1916

2307 Pichler and Wober 1922 (use of ultra-violet, X-rays and radium)

115 Ausborn 1923

2040 Müller et al. 1923

3021 Tisdale, Taylor and Griffiths 1923

2526 Rodenhiser and Stakman 1925

512 Conners 1926

1007 Güssow and Conners 1927

1648 Leidner 1927

2619 Sappok 1928

```
972 Gram 1929
 2951 Taylor and Zehner 1930
 2919 Tapke 1931 (through production of seed wheat in low-
    humidity smut-free areas)
  1663 Leukel 1932
  2103 Neill 1932
  3085 Vanderwalle 1932
   922 Gassner and Kirchhoff 1934
  1164 Hewlett and Hewlett 1934
   651 Dieudonne and Vanderwalle 1935
  3086, 3087, 3088 Vanderwalle 1935
  2179 Oort 1936
  2715 Selaries 1937
  2129 Niemever 1938
  3024 Toomre 1938
  3186, 3187 Weck 1938
  434 Chester 1940 (portable hot water seed treater)
  3288 Young and McClelland 1940
  1262 Honecker 1943
   195 Bergal 1944
  1627 Larose et al. 1946
  2583 Russell 1947
  2705 Schuk 1947
CULTURE ON ARTIFICIAL MEDIA
  1158 Herzberg 1895
    68 Appel and Riehm 1911
  2489 Riehm 1914
  1501 Kniep 1926
  2512 Rodenhiser 1926 (chlamydospores produced)
  2513 Rodenhiser 1928
  2587 Ruttle 1934
  2986 Thren 1937
  2690, 2691 Schopfer and Blumer 1938 (auxo-autotrophic)
CYTOLOGY
  2414 Rawitscher 1912
   367 Broili and Schikorra 1913
  2231 Paravicini 1917
  2416 Rawitscher 1922
  2586 Ruttle 1934
  2989 Thren 1941
                    (cytology of the dicaryophase)
HETEROTHALLISM AND SEX
  2231 Paravicini 1917 (copulation between promycelial cells)
  1501 Kniep 1926
  2986 Thren 1937
HYBRIDIZATION AND GENETICS
                   (incomplete hybridization with Ustilago hordei
  1501 Kniep 1926
```

and U. bullata)

2586 Ruttle 1934 (with smut intermediate between Ustilago nigra and U. nuda) 24 Allison 1937 (with *Ustilago hordei*—unsuccessful) 2989 Thren 1941 (copulation with Ustilago tritici, U. hordei, U. medians) LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1361 Jensen 1887 1363 Jensen 1888 1447 Kellerman and Swingle 1890 2560 Rostrup 1890 2330 Plowright 1892 1792 Maddox 1895 1795 Maddox 1897 2571 Rostrup 1902 318 Brefeld 1903 (early demonstration of intraseminal infection) 1120 Hecke 1904 (early demonstration of intraseminal infection) 322 Brefeld and Falk 1905 1121 Hecke 1905 1271 Hori 1907 (early demonstration of intraseminal infection) 851 Freeman and Johnson 1909 2968 Theomin 1909 364 Broili 1910 1763 McAlpine 1910 68 Appel and Riehm 1911 365 Broili 1911 71 Appel and Riehm 1912 321 Brefeld 1912 367 Broili and Schikorra 1913 72 Appel and Riehm 1914 1691 Lind 1915 (influence of chemical fertilizers) 1616 Lang 1917 1886 Hiltner and Land 1922 (effect of ammonium sulfate on) 1488 Kitunen 1922 1618 Lang 1923 2163 Novopokrovsky and Skaskin 1925 (effect of temperature on germination of spores) 3017, 3018 Tisdale and Tapke 1925 (infection of barley through seed inoculation—later shown to be *Ustilago nigra*) 2714 Seiffert 1927 1469 Kirby 1927 (soil temperatures) 3009, 3010 Tisdale and Griffiths 1927 (variations in life history; later shown to be due to mixtures with Ustilago niara) 1791 Macrae 1930

2919 Tapke 1931 1663 Leukel 1932 3085 Vanderwalle 1932 922 Gassner and Kirchhoff 1934

2586, 2587 Ruttle 1934

3087 Vanderwalle 1935

1632 Lasser 1938

3024 Toomre 1938

2180 Oort 1939

2181 Oort 1940

3089 Vanderwalle 1940

2988, 2989 Thren 1941

2738 Shands and Schaller 1946 (inoculation with dry spores in hypodermic needle)

2940 Tapke 1948

MISCELLANEOUS

Differentiation from *Ustilago hordei* and early data 1363 Jensen 1888

Early history 1447 Kellerman and Swingle 1890

Histological detection of mycelium in barley embryos 366 Broili 1918

Effects of ultra-violet and X-rays and radium on spore germination 2307 Pichler and Wober 1922

Expressing symptoms of Ustilago hordei 1618 Lang 1923

Hosts and morphology and comparison with *Ustilago tritici* 1720 Liro 1924

Chlamydospores produced in culture 2512 Rodenhiser 1926

Morphologically indistinct from *Ustilago tritici* 2512 Rodenhiser 1926

Rare in Ireland 2079 Murphy 1927

Morphologically indistinct from *Ustilago tritici* and considered synonym 2513 Rodenhiser 1928

Production of chlamydospores in culture 2513 Rodenhiser 1928 Inoculation by hypodermic injection 3318 Zehner and Humphrey

Early maturing spores less viable than later 1791 Macrae 1930

Germination more profuse when spores are agglutinated than when isolated or scattered 1791 Macrae 1930

Recognition of diseased plants before emergence of spikes 752 Feistritzer 1931

Influence of humidity on floral infections 2919 Tapke 1931

Effect of depth of seedling on per cent smut 2952 Taylor and Zehner 1931

High percentage of infection from seed several years old, but not in original and first year seed 1494 Kling 1932

Seed infection 1663 Leukel 1932

Comparison with Ustilago nigra n. sp. 2921 Tapke 1932

Beetle extensively feeding on and possibility of biological control 3085 Vanderwalle 1932

Trichothecium roseum parasitic 3085 Vanderwalle 1932

A late form intermediate in morphology between *Ustilago nuda* and *U. hordei* 3085 Vanderwalle 1932

Fungus and insect enemies 3085 Vanderwalle 1932

Late form considered natural hybrid with *Ustilago hordei* 3085 Vanderwalle 1932

Late type attacking only lower part of head (possible hybrid between *Ustilago nuda* and *U. hordei*) 3085 Vanderwalle 1932

Leaves infected in greenhouse 3085 Vanderwalle 1932

Inoculation methods 3319 Zeiner 1932

Longevity of spores 3319 Zeiner 1932

Recognition of diseased plants before emergence of spikes 3319 Zeiner 1932

Comparative morphology with field collections of *Ustilago hordei* 2585 Ruttle 1933

Flotation method of separating out infected grains 3312 Zalewsky and Wasjuta 1933

Fresh spores germinate less readily than those kept at room temperature for several days 704 Enomoto 1934

Stimulatory effects of ether 704 Enomoto 1934

Heads infected fall into at least two color groups 1987 Moore and Allison 1935

Differentiation from Ustilago nigra 2922 Tapke 1935

Inoculation method 2923 Tapke 1935

Direct inoculation of embryo 3088 Vanderwalle 1935

Portable evacuation apparatus for field inoculations 1981, 1992 Moore 1936

A physiologic form in Holland germinating like *Ustilago hordei* (probably *U. nigra* but not so stated) 2179 Oort 1936

Method of separating the four promycelial cells 2986 Thren 1937 Need for using diluted inoculum when breeding for resistance is involved 2987 Thren 1937

Case of respiratory allergy 3248 Wittich and Stakman 1937

Effect of light and vernalization on infection 1632 Lasser 1938

Growth factors 2690, 2691 Schopfer and Blumer 1938

Modification of Moore's method of inoculation 2180 Oort 1939

As cause of hay fever and asthma 3246 Wittich 1939

Technique for differentiation from *Ustilago nigra* 2934 Tapke 1941

A distinct species from Ustilago tritici 2989 Thren 1941

Inoculation method 2722 Semeniuk and Ross 1942

Relation of percentage infection to yield reduction 2722 Semeniuk and Ross 1942

Use of male-sterile barley variety for purposes of combined hybridization and inoculation 2884 Suneson and Houston 1942

Morphologically indistinct from and therefore synonymous with Ustilago tritici 788 Fischer 1943

Badly contaminated seed unsuited for malting purposes 1897 Mead 1943 Hypodermic needle inoculation method 2334 Poehlman 1945 Rapid floral inoculation methods 3091 Vanderwalle 1945 Use of dry spores in hypodermic needle for inoculation 2738 Shands and Schaller 1946 Two methods for detecting mycelium in barley embryos **2755** Simmonds 1946 Prolonging viability by refrigeration 2940 Tapke 1948 Albino mutant 1882 Mastenbroek 1949 High pressure jet inoculation method 1989 Moore and Munecke 1949 Physiologic Specialization 2512 Rodenhiser 1926 3009, 3010 Tisdale and Griffiths 1927 2513 Rodenhiser 1928 2087 Nahmmacher 1932 1983 Moore 1936 2988 Thren 1941 SPORE GERMINATION AND FACTORS AFFECTING 3252 Wolff 1874 313 Brefeld 1888 1447 Kellerman and Swingle 1890 2559 Rostrup 1890 1932 Miczynski 1893 3335 Zopf 1893 1158 Herzberg 1895 1763 McAlpine 1910 68 Appel and Riehm 1911 2655 Schellenberg 1911 2414 Rawitscher 1912 1615 Lang 1913 2489 Riehm 1914 1616 Lang 1917 2231 Paravicini 1917 2163 Novopokrovsky and Skaskin 1925 1791 Macrae 1930 VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF 364 Broili 1910 365 Broili 1911 2087 Nahmmacher 1932 3319 Zeiner 1932 2987 Thren 1937 2181 Oort 1940 1934 Middleton and Chapman 1941

1727 Livingston 1942

2950 Taylor and Harlan 1943

2739 Shands 1946 (genetic linkage of resistance to loose smut and stem rust in barley)

2738 Shands and Schaller 1946 (tested 300 varieties)

2335 Poehlman 1947

USTILAGO ORNITHOGALI (Schmidt and Kunze) Magnus Hedwigia 14: 19. 1875.

Uredo ornithogali Schmidt and Kunze, Deut. Schwämme 217. 1816.

Caeoma ornithogali Schlecht., Fl. Berol. 2: 125. 1824.

Ustilago umbrina Schröt., Abh. Schles. Ges. Vat. Kult. 3. 1869.

Ustilago heterospora Niessl, Beitr. Kennt. Pilze. Verh. Natur. Vereins Brünn) 10: 158. 1872.

Ustilago ornithogali Kühn, Rabenh., Fung. Europ., 1996. 1875.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

496 Cocconi 1889

2872 Strohmeyer **1896**

1148 Hennings 1903

2655 Schellenberg 1911

MISCELLANEOUS

Symptoms and morphology 2655 Schellenberg 1911

Hosts and morphology 1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

496 Cocconi 1889

USTILAGO OXALIDIS Ell. and Tr. Jour. Mycol: 6: 77. 1890.

Ustilago oxalidis var. major Dietel and Neger, Hedw. Beibl. 37: 147. 1898.

MISCELLANEOUS

Morphology and symptoms 2655 Schellenberg 1911

First report from France and historical background 3120 Viennot-Bourgin 1932

Induced heterostyly 3066 Ubisch 1935

First report from Estonia. Probably introduced with the host 1652 Lepik 1937

Distribution in Europe 1653 Lepik 1937

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 3066 Ubisch 1935

USTILAGO PANICI-FRUMENTACII Bref. Unters. Gesammt. Myk. 12: 103. 1895.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

MISCELLANEOUS

Morphology 315 Brefeld 1895

Comparison with Ustilago paradoxa 2057 Mundkur 1943

Effect on host 2057 Mundkur 1943

Revised description 2057 Mundkur 1943

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

2900 Sydow and Sydow 1911

USTILAGO PANICI-LEUCOPHAEI Bref. Unters. Gesammt. Myk. 12: 114. 1895.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

Miscellaneous

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO PARADOXA H. and P. Sydow and Butler Ann. Mycol. 9: 144. 1911.

CONTROL

1588 Kulkarni 1922

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1588 Kulkarni 1922

Miscellaneous

Comparison with Ustilago panici-frumentacea 2057 Mundkur 1943

Effect on host 2057 Mundkur 1943

Importance in India 2057 Mundkur 1943

Revised description 2057 Mundkur 1943

SPORE GERMINATION

2900 Sydow and Sydow 1911

1588 Kulkarni 1922

USTILAGO PARAGUAYENSIS Speg. Anal. Soc. Cient. Argentina 17: 88. 1884.

Miscellaneous

Historical background and comparison with other smuts of Cynodon 1830 Magnus 1899

USTILAGO PARLATOREI Fisch. v. Waldh. Hedwigia 15: 177. 1876.

Ustilago stygia Liro, Ann. Acad. Sci. Fenn. Ser. A, 17: 25. 1924.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

809 Fischer v. Waldheim 1877

2655 Schellenberg 1911

MISCELLANEOUS

Symptoms and morphology 2655 Schellenberg 1911

Hosts and morphology 1720 Liro 1924

Ustilago stygia considered synonym 1213 Hirschhorn 1947

SPORE GERMINATION AND FACTORS AFFECTING

809 Fischer v. Waldheim 1877

USTILAGO PARODII Hirschh. Darwinia 3: 404. 1939.

MISCELLANEOUS

Symptoms and morphology 1191 Hirschhorn 1939

SPORE GERMINATION AND FACTORS AFFECTING

1191 Hirschhorn 1939

USTILAGO PERENNANS Rostr. Overs. K. Danske Vid. Selsk. Forh. 1890: 15

Uredo segetum f. decipiens Wallr., Ann. Bot. 139. 1815. p.p.

Uredo segetum Fries, Om Brand och Rost Poa Waster. (Lund) 14. 1821. p.p.

Erysibe vera holci avenacei Wallr., Fl. Crypt. Germ. 4: 217. 1833.

Uredo segetum arrhenatherae Opiz. Seznan Rostlin Kvet. Ceske (Pflanz. Fl. Boehmens) 150. 1852. (nom. nud.)

Ustilago carbo vulgaris f. avenaceae Tul., Ann. Sci. Nat. Bot. III. 7: 80. 119. 1847.

Ustilago carbo Kühn, Krank. d. Kulturgew. 52. 1858. p.p.

Uredo segetum f. avenae Oud., Prodv. Fl. Bot. f. II. 4: 179. 1866. p.p.

Cintractia avenae Ellis and Tracy, Jour. Mycol. 6: 77. 1890.

Ustilago dura Appel and Gassner, Mitt. Kais. Biol. Anst. f. Land. Forstw. 4: 14. 1907.

Ustilago arrhenatheri Ferle, Korrespond. Nat. Ver. Riga 55: 1912. Ustilago arrhenatheri Schellenberg, Ber. Deut. Bot. Ges. 33: 316. 1915. Ustilago decipiens Liro, Ann. Acad. Sci. Fenn. A. 17: 95 and 445. 1924.

CONTROL

973 Gram 1929

CULTURE ON ARTIFICIAL MEDIA

1501 Kniep 1926

286 Boss 1927

CYTOLOGY

2231 Paravicini 1917

286 Boss 1927

1315 Hüttig 1933

HETEROTHALLISM AND SEX

803 Fischer v. Waldheim 1869 (copulation between promycelial cells, called "bow-shaped sporidia")

2231 Paravicini 1917

1501 Kniep 1926

286 Boss 1927

1315 Hüttig 1933

159 Bauch 1934

Hybridization and Genetics

1501 Kniep 1926 (sporidial fusions with other species)

159 Bauch 1934 (sporidial fusions with multipolar species)

797 Fischer and Holton 1941 (inheritance of sorus characters in Ustilago avenae x U. perennans)

1251 Holton and Fischer 1941 (with Ustilago avenae)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

62 Appel and Gassner 1907

1720 Liro 1924

2546 Rosch 1926

286 Boss 1927

Miscellaneous

History and morphology 1720 Liro 1924

Closely similar to but not identical with Ustilago avenue 2546 Rosch 1926

Incidence in seed samples of tall oat grass 677 Dorph-Petersen

First report from Argentina 2236 Parodi 1938

Differs from Ustilago avenae only in being perennial 2236 Parodi 1938

Comparative morphology with Ustilago avenae with which consolidation is recommended 788 Fischer 1943

SPORE GERMINATION AND FACTORS AFFECTING

3056 Tulasne and Tulasne 1847

1556 Kühn 1858

803 Fischer v. Waldheim 1869

2559 Rostrup 1890

1158 Herzberg 1895

684 Duggar 1901

62 Appel and Gassner 1907 (as Ustilago dura)

2655 Schellenberg 1911

2231 Paravicini 1917

1720 Liro 1924

USTILAGO PINGUICULAE Rostr. Ustilagineae Daniae p. 144. 1890

Ustilago antherarum Wint., Hedwigia 17: 98. 1878. Ustilago violacea Wint., Die Pilze, I. p. 98, 1881, p.p.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2655 Schellenberg 1911

1689 Lind 1913

PHYSIOLOGIC SPECIALIZATION

1689 Lind 1913

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

2655 Schellenberg 1911

USTILAGO PUSTULATA (DC.) Wint. Hedwigia 18: 109. 1880. (not Ustilago pustulata Tracy and Earle, 1895 on Panicum spp.)

Uredo bistortarum pustulata DC., Fl. Fr. 6: 76. 1815.

Uredo bistortarum Merat, Nouv. Fl. ed. I. 93. 1821. Caeoma bistortarum Link, Sp. Pl. 2: 10. 1825.

Ustilago utriculosa Karsten, Enum. Fung. 222. 1866.

Tilletia bullata Fuck., Symb. Mycol. 40. 1869.

Ustilago bistortarum Körn., Hedwigia 16: 38. 1877.

Ustilago bistortarum Schröt., in Cohn, Beitr. Biol. Pflanz. 356. 1877. Ustilago bullata var. glabra Rostr., Bot. Tidsskr. 15: 229. 1886. Ustilago bistortarum var. glabra DeToni, Sacc. Syll. Fung. 7: 469. 1888. Ustilago pustulata Bubak in Vestergren, Mic. rar. sel. 336. 1901. Ustilago polygoni Bref., Unters. Gesammt. Myk. 15: 5. 1912.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2872 Strohmeyer 1896

2654 Schellenberg 1907

2655 Schellenberg 1911

1720 Liro 1924

MISCELLANEOUS

Comparison with related forms 1720 Liro 1924 History and morphology 1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

716 Essmon 1893

315 Brefeld 1895

2655 Schellenberg 1911

USTILAGO RABENHORSTIANA Kühn Hedwigia 15: 4. 1876.

Caeoma syntherismae Schwein., Trans. Am. Phil. Soc. II. 4: 290. 1834. Ustilago setariae Rabenh., in litt. et. sched. (non Ustilago setariae Rabenh. in Krypt. Exsicc. 902 and Univ. Itin. Krypt. 1866).

Ustilago destruens var. digitaris Sacc., Nuovo Giorn. Bot. Ital. 8: 167. 1876.

Ustilago cesati Fisch. v. Waldh., Apercu 25. 1877. p.p.

Ustilago syntherismae Auct. pp. Cooke in Grevillea 6: 138. 1878.

Ustilago digitariicola Speg., Anal. Mus. Nac. Buenos Aircs III. 1: 57. 1902.

Miscellaneous

Infected Digitaria sanguinale immune from Piricularia grisea 1034 Halsted 1899

Vegetative vigor much prolonged in infected Digitaria sanguinale as compared with uninfected plants 1034 Halsted 1899

Symptoms and morphology 2655 Schellenberg 1911

Longevity of spores; at least 8 years 779 Fischer 1936

SPORE GERMINATION AND FACTORS AFFECTING

311 Brefeld 1883

2159 Norton 1896

1191 Hirschhorn 1939 (as Ustilago digitariicola)

1517 Kolk 1943

USTILAGO READERI H. and P. Sydow (in letter 1905) McAlpine in Smuts of Australia 159. 1910.

Ustilago agropyri McAlpine, Agric. Gaz. New S. Wales 154. 1896.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1763 McAlpine 1910

MISCELLANEOUS

Symptoms and morphology 1763 McAlpine 1910

SPORE GERMINATION AND FACTORS AFFECTING

1763 McAlpine 1910

564 Cunningham 1924

USTILAGO RECHINGERI Sayul. Ann. Mycol. 35: 50-52. 1937.

MISCELLANEOUS

Morphology and comparison with other species on *Oryzopsis* 2630 Savulescu 1937

USTILAGO SACCHARI CILIARIS Bref. Unters. Gesammt. Myk. 12: 109. 1895.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

MISCELLANEOUS

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO SCABIOSAE (Sow.) Wint. Rabenh. in Krypt. Fl. 1: 99. 1881.

Farinaria scabiosae Sow., Engl. fung. 3: Tab. 396, Fig. 2. 1803.

Uredo flosculorum DC., Fl. France 6: 76. 1815.

Caeoma flosculorum Link, in Willd., Sp. Pl. 6: 21. 1825.

Ustilago flosculorum Fries. Syst. Mycol. 3: 518. 1832. Ustilago scabiosae Schröt., Krypt. Schles. 3: 272. 1889.

CULTURE ON ARTIFICIAL MEDIA

311 Brefeld 1883

1501 Kniep 1926

2690, 2691 Schopfer and Blumer 1938 (found to be auxo-heterotrophic)

CYTOLOGY

1072 Harper 1898

2231 Paravicini 1917

HETEROTHALLISM AND SEX

311 Brefeld 1883

2231 Paravicini 1917

1501 Kniep 1926

HYBRIDIZATION AND GENETICS

1501 Kniep 1926 (sporidial fusions with other species)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

801 Fischer v. Waldheim 1867

803 Fischer v. Waldheim 1869

3239 Winter 1879

2327 Plowright 1881

311 Brefeld 1883

2559 Rostrup 1890

1821 Magnus 1893

2655 Schellenberg 1911

1720 Liro 1924

MISCELLANEOUS

Effects on the host 1974 Molliard 1893

Effect of glucose asparagin concentration on copulation. Ability

to utilize different sources of carbon and nitrogen 237 Blumer and Schopfer 1940

SPORE GERMINATION AND FACTORS AFFECTING

801 Fischer v. Waldheim 1867

803 Fischer v. Waldheim 1869

3237 Winter 1876

2698 Schröter 1877

311 Brefeld 1883

2704 Schröter 1887

2333 Plowright 1889

2231 Paravicini 1917

USTILAGO SCAURA Liro (nom. nud.) Ann. Acad. Sci. Fenn. A. 17: 73. 1924.

Tilletia avenae Ule, Ver. Bot. Prov. Brand. 25: 214. 1884.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1720 Liro 1924

MISCELLANEOUS

History and morphology 1720 Liro 1924

USTILAGO SCITAMINEA H. and P. Sydow Ann. Mycol. 22: 281. 1924.

Ustilago sacchari Auct., pro Max., not Rabenh. nor Fischer v. Waldheim.

CONTROL

2744 Shepherd 1924

841 Francis 1938

1750 Luthra et al. 1940

748 Fawcett 1941

445 Chona 1943

1774 McMartin 1945

1883 Mathur 1945

CULTURE ON ARTIFICIAL MEDIA

749 Fawcett 1944

HOST RANGE

1774 McMartin 1945

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1553 Krüger 1899

15 Ajrekar 1916

589 Dastur 1920

2744 Shepherd 1924

1749 Luthra et al. 1938

445 Chona 1943

1205 Hirschhorn 1943

749 Fawcett 1944

1774 McMartin 1945

1883 Mathur 1945

MISCELLANEOUS

Comparison with other smuts of sugar cane and related grasses 470 Ciferri 1933

Serious on sugar cane in the Philippines 227 Bissinger 1934

Comparison with other smuts of sugar cane and related grasses 257 Boedijin 1935

Comparison with other sugar cane smuts 2054 Mundkur 1939

New variety (Sacchari-barberi) proposed. Second new variety (Sacchari-officinarum) proposed 2054 Mundkur 1939

In five-month old crop in Bihar 2401 Rafay and Padmanabhan 1940

Detection in Argentina 748 Fawcett 1941

First report from Argentina; comparison with other sugar cane smuts 1198 Hirschhorn 1941

Incidence in India 445 Chona 1943

Three species of insects constantly associated with sugar cane smut 1097 Hayward 1943

Geographic distribution in Argentina 1205 Hirschhorn 1943 Six groups by morphology of spores 1205 Hirschhorn 1943

Incidence in Natal, S. Africa 1774 McMartin 1945

Crisis in Argentine sugar industry 560, 561 Cross 1946, 1947 Spore Germination and Factors Affecting

445 Chona 1943

749 Fawcett 1944

Varietal Resistance and Susceptibility, and Inheritance of

2744 Shepherd 1924

1646 Lee and Medalla 1931

556 Cross 1943

1205 Hirschhorn 1943

557, 558 Cross 1944

559 Cross 1945

USTILAGO SCITAMINEA Sydow var. SACCARI-BARBERI Mundkur Bull. Misc. Inf. Kew. 10: 529. 1939.

MISCELLANEOUS

Comparison with other sugar cane smuts and description of the variety 2054 Mundkur 1939

USTILAGO SCITAMINEA Sydow var. SACCHARI-OFFICINORUM Mundkur. Bull. Misc. Inf., Kew 10: 530. 1939.

MISCELLANEOUS

Description of variety and comparison with other sugar cane smuts 2054 Mundkur 1939

USTILAGO SCOLYMI Roumeguere and Trabut Fungi sel, Exsicc. 5129. 1890. Bull. Soc. Mycol. (France) 17: 257. 1901.

SPORE GERMINATION AND FACTORS AFFECTING

3279 Yen 1937

USTILAGO SCORZONERAE (Albert. and Schwein.) Schröt. Krypt. Schles. 3: 274. 1889.

Uredo tragopogi var. scorzonerae Albert and Schwein., Consp. Fung. Lusatiae

Uredo receptaculorum DC., Encycl. Bot. 8: 228. 1803. p.p.

Uredo receptaculi Strauss, Ann. Wetter. Gesell. 2: 111. 1810. p.p. Uredo tragopogonis Rohling, Sturm's Deutschland Fl. 3: 129. 1813. p.p.

Uredo receptaculorum f. scorzonerae humilis DC., Fl. Fr. 6: 79. 1815.

Erysibe receptaculorum f. scorzonerae Wallr., Fl. Crypt. Germ. 2: 214. 1833. Microbotryum receptaculorum Lev., Ann. Sci. Nat. Bot. III. 8: 372, 376.

Ustilago receptaculorum Tul., IV. 2: pl. 12. fig. 34-40. 1854.

CULTURE ON ARTIFICIAL MEDIA

156 Bauch 1932

1528 Koudelka 1934 (from spore to spore in culture)

CYTOLOGY

2231 Paravicini 1917

HETEROTHALLISM AND SEX

2231 Paravicini 1917 (sporidial fusions)

156 Bauch 1932

HOST RANGE

2419 Rayss and Zwirn 1944 (Scorzonera papposa, new host, Palestine)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2704 Schröter 1887

315 Brefeld 1895

1148 Hennings 1903

2655 Schellenberg 1911

1720 Liro 1924

1528 Koudelka 1934

MISCELLANEOUS

Close relationship to Ustilago tragopogi-pratensis 1720 Liro 1924

Hosts and morphology 1720 Liro 1924

Effect of germinating spores on barley and rye. Reduced germination and dwarfed seedlings in barley plus profuse tillering. Caused "white ear" in oats (latent infection). Caused over three times as many tillers in rye, also very stunted 1528 Koudelka 1934

Physiologic Specialization

1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

3057 Tulasne 1854

315 Brefeld 1895

2231 Paravicini 1917

1720 Liro 1924

156 Bauch 1932

USTILAGO SCUTULATA Liro Ann. Acad. Sci. Fenn. Ser. A. 17: 14. 1924.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 1720 Liro 1924

MISCELLANEOUS

Hosts and morphology 1720 Liro 1924

PHYSIOLOGIC SPECIALIZATION

1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING 1720 Liro 1924

USTILAGO SHIRAIANA P. Henn. Bot. Jahrb. (Engler) 28: 260. 1900.

Cintractia bambusae Miyabe and Hori, Bot. Mag. (Tokyo) 19: 199. 1905.

CONTROL

2247 Patterson and Charles 1916

CULTURE ON ARTIFICIAL MEDIA

1270 Hori 1905

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1270 Hori 1905

2247 Patterson and Charles 1916

MISCELLANEOUS

Morphology and symptoms 1270 Hori 1905

Morphology and symptoms 2247 Patterson and Charles 1916

USTILAGO SITANII G. W. Fischer Mycologia 30: 391. 1938.

SPORE GERMINATION AND FACTORS AFFECTING

780a Fischer 1938

USTILAGO SLADENII Pole-Evans Ann. Bolus Herb. 1: 115. 1915. CONTROL

278 Borghardt 1932

USTILAGO SPEGAZZINII Hirschh. Notas Museo La Plata, Bot. 4: 415-419. 1939.

Ustilago hypodytes (Schlecht.) Fr., Syst. Mycol. 3: 518. 1832. p.p. Ustilago stipae Cif., Ann. Mycol. 29: 52. 1931.

and

USTILAGO SPEGAZZINII var. AGRESTIS (Syd.) G. W. Fisch. and Hirschh. Mycologia 37: 242. 1945.

Ustilago hypodytes (Schlecht.) Fr., Syst. Mycol. 3: 518. 1832. p.p. Ustilago agrestis Syd., Ann. Mycol. 22: 278. 1924.

Ustilago bromi-erecti Cif., Ann. Mycol. 29: 52. 1931.

Note: See also under Ustilago hypodytes. As shown by Fischer and Hirschhorn (795) several distinct smut fungi have been studied and observed for decades under the binomial U. hypodytes. In many instances it has been easy to relegate references to their proper specific category, but in the case of U. spegazzinii and the var. agrestis this was often impossible, particularly with regard to the older literature. Hence, the reader is referred also to the

literature classification under U. hypodytes. Many of the references given under that binomial are duplicated below also and many more undoubtedly pertain to U. spegazzini or the variety agrestis rather than to U. hypodytes sensu Fischer and Hirschhorn. A complete bibliographic review of the stem smuts should include the references cited in both places.

CULTURE ON ARTIFICIAL MEDIA

280 Bornhövd 1936

CYTOLOGY

280 Bornhövd 1936

1211 Hirschhorn 1945

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

647 Dietel 1897 (as Ustilago hypodytes on Agropyron repens)

280 Bornhövd 1936 (on Elymus arenarius)

271 Bond 1940 (on Elymus arenarius)

789 Fischer 1945 (mode of infection and incubation period)

MISCELLANEOUS

Simultaneous with *Urocystis agropyri* on *Agropyron repens* 1564 Kühn 1874

Prevalence on giant wild rye in western states (as *Ustilago hypodytes*) 993 Griffiths 1903

Effect on host (Elymus arenarius) 280 Bornhövd 1936

Technical description and Latin diagnosis 1189 Hirschhorn 1939 Effect on host (Elymus arenarius) 271 Bond 1940

Comparison with other stem smuts on Stipa and Oryzopsis; pathological histology; geographic distribution 790 Fischer 1945

Host range and geographic distribution 796 Fischer and Hirschhorn 1945

Position in "Ustilago hypodytes" complex; comparison with other Ustilago spp. causing stem smut 795 Fischer and Hirschhorn 1945

SPORE GERMINATION AND FACTORS AFFECTING

280 Bornhövd 1936

1189 Hirschhorn 1939

1517 Kolk 1943 (as Ustilago minima)

795, 796 Fischer and Hirschhorn 1945

USTILAGO SPHAEROGENA Burrill (Ell. and Ev., N. Ann. Fungi 1892; hyponym 1887); Sacc. Syll. 7: 468. 1888.

Cintractia sphaerogena Hume, Proc. Iowa Acad. Sci. 9: 233. 1902.

CULTURE ON ARTIFICIAL MEDIA

1871 Martin and Kernkamp 1941

Miscellaneous

Comparative morphology with *Ustilago globigena* 1191 Hirschhorn 1939

USTILAGO SPINIFICIS Ludwig Zeitschr. Pflanz. 3: 138. 1893.

Cintractia spinificis McAlp., Smuts of Australia 174. 1910.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

315 Brefeld 1895

1763 McAlpine 1910

2193 Qsborn 1922

Miscellaneous

Morphology 315 Brefeld 1895

Symptoms and morphology 1763 McAlpine 1910

Pathological morphology 2193 Osborn 1922

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

1763 McAlpine 1910

564 Cunningham 1924

USTILAGO STRIIFORMIS (Westend.) Niessl Hedwigia 15: 1. 1876.

Ustilago salveii Berk. and Br., Ann. Nat. Hist. II. 5. 463. 1850.

Urcdo striaeformis Westend., Bull. Acad. Roy. Belg. 18: 406. 1852.

Tilletia de-Baryana Fisch. v. Waldh. in Rabenh., Fungi Europ., 1498. 1866.

Tilletia milii Fuck., Symb. Mycol. 1: 40. 1869.

Tilletia striaeformis Oud., Bot. Ztg. 46: 441. 1878.

Tilletia alopecurivora Ule., Verh. Bot. Ver. Prov. Brand. 25: 214. 1884.

Tilletia brizae Ule, Verh. Bot. Ver. Prov. Brand. 25: 214. 1884.

Ustilago poarum McAlp., Proc. Roy. Soc. Victoria n.s. 7: 220. 1894.

Ustilago washingtoniana Ell. and Ev., Bull. Torrey Bot. Club 22: 57. 1895.

Ustilago festucarum Liro, Ann. Acad. Sci. Fenn. A. 17: 77. 1924.

Ustilago scaura Liro, Ann. Acad. Sci. Fenn. A. 17: 73. 1924.

Ustilago bromina Syd., Ann. Mycol. 22: 277 1924.

Ustilago agrostis-palustris W. H. Davis, Cif. in Ann. Mycol. 29: 54. 1931.

Ustilago phlei-pratensis W. H. Davis, Cif. in Ann. Mycol. 29: 55. 1931.

Ustilago phlaridis Cif., Ann. Mycol. 29: 59. 1931.

Ustilago johnstonii Cif., Nuovo Giorn. Bot. Ital. II. 40: 261. 1933.

Ustilago elymicola Syd., Ann. Mycol. 32: 286. 1934.

Ustilago striaeformis f. hierochloae-odoratae Sav. and Rayss, Ann. Inst. Rech.

Agron. Roumanie 7: 14. 1936.

Ustilago poae S. Ito, Mycol. Fl. Japan 2: 33. 1936.

Ustilago hierochloae-odoratae Cif., Fl. Ital. Crypt. (Ustilaginales) 17: 344.

Ustilago loliicola Cif., Fl. Ital. Crypt. (Ustilaginales) 17: 345. 1938.

Ustilago taenia Cif., Fl. Ital. Crypt. (Ustilaginales) 17: 346. 1938.

CONTROL

2211 Pammel 1890

2195 Osner 1916

2816 Stakman and Lambert 1923 (copper carbonate dust ineffec-

tive for timothy stripe smut)

1007 Güssow and Conners 1927

1544 Kreitlow 1947

CULTURE ON ARTIFICIAL MEDIA

783 Fischer 1940

1538 Kreitlow 1943

1641, 1642, 1643 Leach et al. 1946

2972 Thirumalachar and Dickson 1947

CYTOLOGY

2195 Osner 1916

2732 Seyfert 1927

1642, 1643 Leach and Ryan 1946

HETEROTHALLISM AND SEX

783 Fischer 1940

1642, 1643 Leach and Ryan 1946

792 Fischer 1947

HYBRIDIZATION AND GENETICS

794 Fischer 1948 (with Ustilago bullata)

MISCELLANEOUS

First record, as *Uredo longissima* var. *holci* (exsicatti) 429 Cesati 1850

Severe incidence in timothy in Iowa 2214 Pammel 1892

Severe incidence in timothy in Iowa 2217 Pammel 1893

Severity in timothy in California 993 Griffiths 1903

Symptoms and morphology 2655 Schellenberg 1911

Complete synonymy to date 2195 Osner 1916

Host range 2195 Osner 1916

Intraseminal infection 2195 Osner 1916

Perennial nature of fungus in the host 2221 Pammel 1920

As a composite species 1720 Liro 1924

History and morphology 1720 Liro 1924

Host range 1720 Liro 1924

Clamp connections on the mycelium 2732 Seyfert 1927

Hystrix hystrix (H. patula) new host 1395 Johnston 1931

Host range 783 Fischer 1940

Factors influencing after-ripening of spores 1542 Kreitlow 1944 Prevalence and distribution on *Poa pratensis* in Pennsylvania pastures and methods of sampling pastures to determine 1547

Kreitlow and Meyers 1944

Morphology and comparison with other stripe smuts 796 Fischer and Hirschhorn 1945

Factors influencing after-ripening of spores 1543 Kreitlow 1945 Comparative nomenclatorial validity with *Ustilago linearis* and *U. salvei* and the preference for *U. striiformis* 2847 Stevenson 1946

Nomenclatorial background 2847 Stevenson 1946

Importance on bluegrass 3194 Wellhausen et al. 1946

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

803 Fischer v. Waldheim 1869

2554 Rostrup 1885

2872 Strohmeyer 1896

479 Clinton 1900

1689 Lind 1913

```
2195 Osner 1916
  602 Davis 1923
  603 Davis 1924
  1720 Liro 1924 (as Ustilago salveii)
   604 Davis 1926
  1007 Güssow and Conners 1927
   783 Fischer 1940
  1539, 1541 Kreitlow 1943 (temperature as a factor)
  1641 Leach et al. 1946
  1544 Kreitlow 1947 (seed transmission)
Physiologic Specialization
  1720 Liro 1924 (as Ustilago salveii)
   605 Davis 1928
   607, 608 Davis 1930
   609 Davis 1935
   783 Fischer 1940
SPORE GERMINATION AND FACTORS AFFECTING
   803 Fischer v. Waldheim 1869
  2217 Pammel 1893
   479 Clinton 1900
   684 Duggar 1901
  2224 Pammel et al. 1901
  2195 Osner 1916
   602 Davis 1923
   603 Davis 1924
  1720 Liro 1924
   783 Fischer 1940
  1539, 1541 Kreitlow 1943 (temperature and the after-ripening
    period)
  1544 Kreitlow 1944 (after ripening)
   796 Fischer and Hirschhorn 1945
  1543 Kreitlow 1945 (after ripening)
  1641 Leach et al. 1946
  2972 Thirumalachar and Dickson 1947
```

USTILAGO STYGIA Liro Ann. Acad. Sci. Fenn. A. 17: 25. 1924.

VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF

606 Davis 1929 783 Fischer 1940

Ustilago kühneana Bref., Unters. Gesammt. Myk. 5: 83. 1883. Taf. V. fig. 12-20. p.p.

Ustilago kühneana Fisch. v. Waldh., Nuovo Giorn. Bot. Italy 9: 158. 1877. p.p.

Ustilago kühneana Fisch. v. Waldh., Ann. Sci. Nat. Bot. VI. 4: 225. 1877. p.p.

Ustilago kühneana Fisch. v. Waldh., Bull. Soc. Imp. Nat. Moscow. 52: 328. 1877. p.p.

Ustilago kühneana Bubak, Houby Ceske, 2: 20. 1912; 2: 20. 1916. p.p.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

311 Brefeld 1883

1720 Liro 1924

Miscellaneous

History, hosts and morphology 1720 Liro 1924

Considered to be synonym of Ustilago parlatorei 1213 Hirschhorn 1947

SPORE GERMINATION AND FACTORS AFFECTING

311 Brefeld 1883

USTILAGO SUSSISIAE P. Magnus Hedwigia 14: 17. 1875.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1809 Magnus 1875

1148 Hennings 1903

2655 Schellenberg 1911

SPORE GERMINATION AND FACTORS AFFECTING

1808 Magnus 1875

USTILAGO THLASPEOS (Beck) Lagerh. Bot. Notiser 1899. 172.

Tilletia thlaspeos Beck, Ver. Zool.-Bot. Geo. (Wien) 35: 362. 1886.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

1422 Juel 1894

2655 Schellenberg 1911

MISCELLANEOUS

Symptoms and morphology 2655 Schellenberg 1911

Hosts and morphology 1720 Liro 1924

Spore Germination and Factors Affecting

1422 Juel 1894

315 Brefeld 1895

USTILAGO TOGATA Liro Ann. Acad. Sci. Fenn. A. 17: 183. 1924. Ustilago pustulata Tracy and Earle, Bull. Torrey Bot. Club 22: 175. 1895.

Spore Germination and Factors Affecting 1517 Kolk 1943

USTILAGO TRAGOPOGI-PRATENSIS (Pers.) Roussel. Fl. Calvados ed. II. 47. 1806.

Uredo tragopogi-pratensis Pers., Tenta. Dispos. Method. Fung., 57. 1797.

Uredo tragopogi-pratensis Pers., Synop. Method. Fung. 225. 1801. Uredo tragopogi-pratensis Schumacher in Enum. Plant. Saell. 2: 234. 1803.

Uredo receptaculorum DC., in Lamarck Encyclop. Method. Bot. 8: 228. 1808.

Uredo receptaculi Strauss, Ann. Wetterausch. Ges. Nat. 2: 111. 1810.

Uredo receptaculorum Link, Sp. Pl. 6: 17. 1825. Ustilago receptaculorum (tragopogi) Tul., Ann. Sci. Nat. IV. 2: 2. 1854. Microbotryum receptaculorum Lev., Ann. Sci. Nat. III. 8: 372. 1847.

Ustilago tragopogi-pratensis Wint., Rabenh. Krypt. Fl. 1: 101. 1886.

Ustilago tragopogonis Schröt., Krypt. Schles. 274. 1889.

CULTURE ON ARTIFICIAL MEDIA

311 Brefeld 1883

750, 751 Federley 1904

```
1501 Kniep 1926
```

1528 Koudelka 1934 (from spore to spore in culture)

CYTOLOGY

579 Dangeard 1892

762 Ferry 1895

750, 751 Federley 1904

2414 Rawitscher 1912

2231 Paravicini 1917

HETEROTHALLISM AND SEX

803 Fischer v. Waldheim 1869 (fusion of sporidia)

311 Brefeld 1883 (fusion of sporidia)

579 Dangeard 1892

762 Ferry 1895

750, 751 Federley 1904

2414 Rawitscher 1912

2231 Paravicini 1917 (sporidial fusions)

1501 Kniep 1926

HYBRIDIZATION AND GENETICS

1501 Kniep 1926 (fusions with other species)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

3056 Tulasne and Tulasne 1847

803 Fischer v. Waldheim 1869

311 Brefeld 1883

619 DeBary 1884

579 Dangeard 1892

762 Ferry 1895

2414 Rawitscher 1912

1720 Liro 1924

1528 Koudelka 1934

MISCELLANEOUS

Morphology and symptoms 311 Brefeld 1883

Morphology and symptoms 2655 Schellenberg 1911

Host range and morphology 1720 Liro 1924

Effect of germinating spores on barley seedlings, rye and oats: reduced germination and stunted seedlings in barley, plus profuse tillering; three times normal tillers in rye and often much stunting; "white ear" (latent infection) in oats 1528 Koudelka 1934

SPORE GERMINATION AND FACTORS AFFECTING

3057 Tulasne 1854

616 DeBary 1866

803 Fischer v. Waldheim 1869

311 Brefeld 1883

619 DeBary 1884

2329 Plowright 1889

579 Dangeard 1892

750, 751 Federley 1903

2414 Rawitscher 1912

2231 Paravicini 1917

USTILAGO TRITICI (Pers.) Rostr. Overs, Danske, Vid. Selsk, Forh. 15: Mar. 1890.

Uredo segetum subsp. tritici Pers., Syn. Fung. 1: 224. 1801.

Uredo carbo f. tritici DC., Fl. France 6: 76. 1815.

Ustilago segetum Ditmar, Sturm's Deutschland Fl. 1: 67. 1816.

Caeoma segetum Link, in Willdenow, Sp. Pl 6: 1. 1825. p.p.

Erysibe vera f. tritici Wallr., Fl. Crypt. Germ. 2: 217. 1833.

Uredo carbo-tritici Philippar, Me. Soc. Roy. Agric. Arts Seine-et-Oise 37: 197. 1837.

Ustilago carbo vulgaris triticea Tul., Ann. Sci. Nat. Bot. III, 7: 80. 1847.

Ustilago segetum var. tricici Jensen, Øm Korns. Brand. 61. 1881.

Ustilago segetum var. tritici Jensen, Jour. Roy. Agric. Soc. England II, 24: 407. 1888.

Ustilago hordei Bref., Nach. Klub. Landw. (Berlin) 1593, 1888. p.p.

Ustilago tritici Jensen, in Kell. and Sw., Ann. Rept. Kans. Expt. Sta. 2: 262. June, 1890.

Ustilago tritici foliicola P. Henn., Zeitschr. f. Pflanzenk. 4: 139. 1894.

Ustilagidium tritici Herzberg, in Zopff, Beitr. Phys. Morph. Nied. Org. 139. 1895.

Ustilago vavilovi de Jacz., Ann State Inst. Expt. Sta. III, 2-4: 106-109. 1925.

CONTROL

374 Bryant 1783

95 Arthur 1890

1447 Kellerman and Swingle 1890

489 Cobb 1891

100 Arthur 1901

2541, 2542 Rommetin 1902

2879 Stuart 1902 (resistance of spores to formalin and hot water)

3025 Toporkow 1903

863 Frölich 1908

851 Freeman and Johnson 1909

2173 Oetken 1909

2300 Piardi 1909

67 Appel and Riehm 1910

2650 Schander 1910

68, 69 Appel and Riehm 1911

2862 Störmer 1911

71 Appel and Riehm 1912

2651 Schander 1912

2864 Störmer 1912

72 Appel and Riehm 1914

2386 Quanier and Baties 1915

1901 Melchers 1916

1924 Mercer 1916

2314 Pipal 1921

985 Gregory 1922

1186 Hiltner and Lang 1922

```
114 Ausborn 1923
```

2556 Schitikova 1923

2915 Tapke 1923

1009 Guyot 1924

2096 Neill 1924

2666 Schitikova 1924

2916 Tapke 1924

987 Gregory 1925

1010 Guyot 1925

2097 Neill 1925

2526 Rodenhiser and Stakman 1925

776 Fischer and Belmonte 1926

325 Brentzel 1926

512 Conners 1926

2291 Petri 1926

2540 Rohweder 1926

2913 Tamm and Husfeld 1926 (use of electric hot water seed-steeper)

963 Gorshtosharuk 1927

1007 Güssow and Conners 1927

1648 Leidner 1927

1308 Hurst 1928

973 Gram 1929

1854 Marchionatto 1929 (hot air treatment)

2008 Morris and Kurtz 1929

2918 Tapke 1929

9 Abramoff 1930

11 Adam and Prescott 1931

2276 Petit 1931 (through production of seed wheat in low humidity smut-free areas)

2919 Tapke 1931

916 Gassner 1933

921 Gassner and Kirchoff 1933

2279 Petit 1933

922 Gassner and Kirchoff 1934

1747, 1748 Luthra and Sattar 1934

2029 Mourashkinsky 1934

2178 Oort 1934 (new hot-water method)

1058 Hanna and Popp 1935

3311 Zalessky 1935 (anaerobic treatment)

924 Gassner and Kirchoff 1936

1594 Kuprianoff and Proyda 1936

1965 Mitra and Taslim 1936 (solar energy and sun-heated water)

2179 Oort 1936

2284 Petit 1936

3092 Vanderwalle and Larose 1936

3135 Visser 1936

U. bullata)

```
2285, 2286, 2287 Petit 1937
 3024 Toomre 1938
 3136 Vladimirskaya 1938
 1005 Guillochon 1939
 1408 Jones 1939
 2288 Petit 1939
   434 Chester 1940
                     (portable hot water seed treater)
  273 Bonne 1941 (use of hot water method under anaerobic con-
    ditions)
  1746 Luthra 1941 (use of solar heat)
  1627 Larose 1946
 2997 Timonin 1946 (efficacy of the antibiotic, patulin)
 2705 Schuk 1947
CULTURE ON ARTIFICIAL MEDIA
    68 Appel and Riehm 1911
 2621 Sartoris 1924
  1501 Kniep 1926
  2512 Rodenhiser 1926
  2513 Rodenhiser 1928
  1313 Hüttig 1931
   450 Christensen 1935
  1620 Lange de la Camp 1936
  1690, 1691 Schopfer and Blumer 1938 (auxo-autotrophic)
 2762 Skyortzoff 1938
  1433 Keil 1940
CYTOLOGY
  1447 Kellerman and Swingle 1890
  1751 Lutman 1910
  2231 Paravicini 1917
  2416 Rawitscher 1922
  2587 Ruttle 1934
  1620 Lange de la Camp 1936
  2989 Thren 1941 (cytology of the dicaryophase)
HETEROTHALLISM AND SEX
  1501 Kniep 1926
  1313 Hüttig 1931
   450 Christensen 1935
  1620 Lange-de la Camp 1936
  1622 Lange-de la Camp 1940
  2989 Thren 1941
HOST RANGE
  1295 Humphrey and Tapke 1925 (incidence on rye and artificial
    infection of rve)
  780a Fischer 1938 (natural occurrence on Agropyron sibiricum)
HYBRIDIZATION
  1501 Kniep 1926 (incomplete hybrid with Ustilago hordei and
```

2989 Thren 1941 (copulation with Ustilago nuda) LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 374 Bryant 1783 1022 Hallier 1867 803 Fischer v. Waldheim 1869 1447 Kellerman and Swingle 1890 1158 Herzberg 1895 1792 Maddox 1895 (probably first demonstration of intraseminal infection) 1794 Maddox 1897 (early demonstration of intraseminal infection) 989 Grenfell 1900 318 Brefeld 1903 (early demonstration of intraseminal infection) 1120 Hecke 1904 (early demonstration of intraseminal infection) 322 Brefeld and Falk 1905 1121 Hecke 1905 1122 Hecke 1906 2868 Strampelli 1906 62 Appel and Gassner 1907 319 Brefeld 1907 1271 Hori 1907 (early demonstration of intraseminal infection) 851 Freeman and Johnson 1909 2968 Theomin 1909 1614 Lang 1910 1763 McAlpine 1910 68 Appel and Riehm 1911 71 Appel and Riehm 1912 321 Brefeld 1912 1615 Lang 1913 72 Appel and Riehm 1914 2488 Riehm 1914 1616 Lang 1917 865 Fromme 1920 1720 Liro 1924 1007 Güssow and Conners 1927 1529 Koursanow 1926 (influence on physiology of the host) 2308 Piekenbrock 1927 1530 Koursanow 1928 (influence on physiology of the host) 2948 Taylor 1928 2917, 2918 Tapke 1929 2276 Petit 1931 2919 Tapke 1931 2537 Roemer and Kamlah 1932

2587 Ruttle 1934 2747 Sidorin et al. 1935 3124 Viennot-Bourgin 1935 1620 Lange-de la Camp 1936

1628 Larose and Vanderwalle 1937

3126 Viennot-Bourgin 1937

2180 Oort 1939

1622 Lange-de la Camp 1940

2181 Oort 1940

2182 Oort 1940

3089 Vanderwalle 1940

273 Bonne 1941

2989 Thren 1941

3090 Vanderwalle 1942

214 Bever 1943

3091 Vanderwalle 1945

MISCELLANEOUS

Early history 1447 Kellerman and Swingle 1890

Longevity (barely a year) 318 Brefeld 1903

Symptoms and morphology 1763 McAlpine 1910

Longevity (barely a year) 2231 Paravicini 1917

Combined control with Tilletia caries 2040 Müller et al. 1923

Hosts and history 1720 Liro 1924 Completion of life cycle on artificial media 2621 Sartoris 1924

Spontaneous occurrence of buff type 410 Campagna 1925

Severe occurrence in Indiana 987 Gregory 1925.

Seed grading no means of control 2098 Neill 1925

Varietal differences in expression of smut sori 2994 Tiemann 1925

Incidence in North Dakota 325 Brentzel 1926

Chlamydospores developed in culture 2512 Rodenhiser 1926

Morphologically indistinct from *Ustilago nuda*, therefore synonymous 2512 Rodenhiser 1926

Incidence on leaf sheaths 899 Garbowski 1927

Rare in Ireland 2079 Murphy 1927

Inoculation device 2308 Piekenbrock 1927

Distribution of mycelium in host and anatomical changes caused 1496 Klushnikova 1928

Not a distinct species from *Ustilago nuda* 2513 Rodenhiser 1928 Production of chlamydospores in culture 2513 Rodenhiser 1928

Three to four times as many smutted heads from small seeds as from large 2948 Taylor 1928

Inoculation method 2871 Stringfield 1929

Factors involved in resistance 2917 Tapke 1929

Seed from fields with loose smut can be planted with safety provided hot water treatment is given 1931 Meyer-Bahlburg 1930

Factors for sex segregated independently of cultural characters 1313 Hüttig 1931

Type of germination markedly influenced by temperature 1313 Hüttig 1931 Competition with *Tilletia caries* on same host plant 2073 Munerati 1931

Influence of humidity on floral infections 2919 Tapke 1931

Chemical composition of the spores 412 Campanile 1932

Virulence of the fungus influenced by selective action of the host 2537 Roemer and Kamlah 1932

A simple, easy inoculation method 1944 Milan 1933

Flotation method of separating out infected grains 3312 Zalessky and Wasjuta 1933

Fresh spores germinate less readily than those kept at room temperature for several days 704 Enomoto 1934

Stimulatory effects of ether 704 Enomoto 1934

Known to exist in California since 1832 1139 Hendry and Hausen 1934

Correlation of lodicule size with smut reaction 2947 Tavcar 1934 Influence on development and habit of host 386 Buchheim 1935 Freezing of infected seeds has no effect on development of the pathogen or host 387 Buchheim 1935

Method of obtaining haploid cultures equivalent to monosporidial cultures 450 Christensen 1935

Wheat plants containing mycelium more sensitive to light but less sensitive to gravity 1979 Montemartini 1935

Effect of late sowing on development of smut 2747 Sidorin et al. 1935

Sporulation in leaf tissues 3124 Viennot-Bourgin 1935

Pathological anatomy of leaves and flower parts 3124 Viennot-Bourgin 1935

Relation of water absorption by seed and embryo efficacy of hot water treatment 924 Gassner and Kirchoff 1936

Differential staining of living and dead spores with neutral red 1335 Jablokova 1936

Simultaneous occurrence with Tilletia caries 1946 Milan 1936 Ustilago tritici suppresses development of Tilletia caries when same plant infected by both 1946 Milan 1936

Portable evacuation equipment and method for field inoculations 1981, 1982 Moore 1936

Extent of surface contamination of seed not necessarily indication of actual amount of internal infection 2284 Petit 1936

Method of isolating from infected wheat seeds 382 Bubentzoff 1937

Foliar symptoms 999 Grodsinsky 1937

Detection of loose smut before heading 2592 Sabourova 1937

Detection of hyphae in seed wheat 2761 Skvortzoff 1937

Pathological changes induced in the host 3126 Viennot-Bourgin 1937

Case of respiratory allergy 3248 Wittich and Stakman 1937 Adverse effects of vernalization 3336 Zuhr 1937

Toxicity of spores to mice 620 Debre and Nevot 1938

Competition with Tilletia caries results in marked suppression of the latter 1046 Hanna 1938

Simultaneous occurrence with *Tilletia caries* and ergot in same heads of wheat 1046 Hanna 1938

Growth factors 2690, 2691 Schopfer and Blumer 1938

Cardinal temperatures 2762 Skvortzoff 1938

Relation of smut to tillering 1948 Milan 1939

Inoculation method (a modification of Moore's [1981] method) 2180 Oort 1939

Anatomical and morphological changes induced 2593 Sabourova 1939

As cause of hay fever and asthma 3246 Wittich 1939

Differential response of mycelium to ultra-violet irradiation 3270 Yablokova 1939

Aerial dissemination 2182 Oort 1940

Physiological modifications induced in host 2594 Sabourova 1940 Geographic distribution 273 Bonne 1941

A distinct species from Ustilago nuda 2989 Thren 1941

Morphologically indistinct from and therefore synonymous with Ustilago nuda 788 Fischer 1943

Extreme hypersensitivity of resistant varieties 2183 Oort 1944

Detection of live mycelium by fluorescent microscopy 3271

Yablokova 1944

Rapid floral inoculation method 3091 Vanderwalle 1945
Relation of percentage infection to yield and reduction 509
Compton and Caldwell 1946

Two methods for detecting presence of mycelium in embryos of wheat seed 2755 Simmonds 1946

Fungicidal and fungistatic activity of antibiotic, patulin 2997 Timonin 1946

High pressure jet inoculation method 1989 Moore and Munnecke 1949

PHYSIOLOGIC SPECIALIZATION

2512 Rodenhiser 1926

2308 Piekenbrock 1927

2513 Rodenhiser 1928

2917 Tapke 1929

991 Grevel 1930

1055 Hanna and Popp 1932

2397 Radulescu 1935

1983 Moore 1936

1045 Hanna 1937

405 Caldwell and Compton 1940

2988 Thren 1941

1985 Moore 1942

214 Bever 1943

```
216 Bever 1947
  2184 Oort 1947
  1986 Moore 1948
SPORE GERMINATION AND FACTORS AFFECTING
   803 Fischer v. Waldheim 1869
   313 Brefeld 1888
  1447 Kellerman and Swingle 1890
  2559 Rostrup 1890
   489 Cobb 1891
  3269 Wutrich 1892
  1931 Miczynski 1893
   315 Brefeld 1895
  1158 Herzberg 1895
    55 Appel 1909
  1614 Lang 1910 (promycelium emerges through germ pore)
  1763 McAlpine 1910
  2230 Paravicini 1916
  2231 Paravicini 1917 (promycelium emerges through crack in
    spore wall)
  2291 Petri 1926 (effect of pH and heat on)
  2308 Piekenbrock 1927
  1313 Hüttig 1931 (influence of temperature)
  1433 Keil 1940
VARIETAL RESISTANCE AND SUSCEPTIBILITY, AND INHERITANCE OF
    95 Arthur 1890
   318 Brefeld 1903
    62 Appel and Gassner 1907
   851 Freeman and Johnson 1909
  1141 Henning 1909
   533 Coons and Spragg 1918
   866 Fromme 1921
  2728 Sessous 1925
   867 Fromme 1926
  2994 Tiemann 1926
  2917 Tapke 1929
  2138 Nieves 1930
                   (same varieties resistant also to Tilletia caries
    and T. foetida)
  2277 Petit 1931
    90 Artemoff 1933
  1466 Kilduff 1933
  2075 Munerati 1933
  3000 Tingey and Tolman 1934
  2579 Rudorf and Rosenstiel 1934
   834 Fomin 1935
  2397 Radulescu 1935
```

1628 Larose and Vanderwalle 1937

1949 Milan 1939

405 Caldwell and Compton 1940

2181 Oort 1940

2064 Mundkur and Pal 1941

3226 Wingard 1941

3227 Wingard and Fromme 1941

3090 Vanderwalle 1942

108 Atkins 1943

2183 Oort 1944

2206 Pal and Mundkur 1945

109 Atkins et al. 1947

406 Caldwell and Compton 1947

2184 Oort 1947

3284 Yin 1948

USTILAGO ULEI P. Henn. Hedwigia 34: 88. 1895.

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 315 Brefeld 1895

Miscellaneous

Morphology 315 Brefeld 1895

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

USTILAGO UNDERWOODII Zundel Ustilaginales of the World

Ustilago hypodytes (Schlecht.) Fries, in North Am. Fl. 7: 978. 1939. p.p.

SPORE GERMINATION AND FACTORS AFFECTING

1517 Kolk 1943

USTILAGO UTRICULOSA (Nees) Unger Einfl. Bod. 211. 1836.

Caeoma utriculosum Nees, Syst. Pilze 1: 14. 1817.

Uredo utriculosa Duby, in DC., Bot. Gall. 2: 901. 1830. p.p.

Ustilago utriculosum Fries, Syst. Mycol. 3: 519. 1832.

Erysibe utriculosa Wallr., Fl. Crypt. Germ. 2: 216. 1833. p.p.

Ustilago utriculosum Fries, Summa Veg. Scand. 516. 1846. (Name only.)

Ustilago utriculosa Tul., Ann. Sci. Nat. Bot. III, 7: 102. 1847.

Sporisorum muricatum Cesati, Klotz. Rab. Herb. Viv. Myc. Fungi, 1693. 1852.

Ustilago reticulata Liro, Ann. Acad. Sci. Fenn. A, 17: 20. 1924.

Ustilago muricata Liro, Ann. Acad. Sci. Fenn. A, 17: 238. 1924.

Ustilago cordai Liro, Ann. Acad. Sci. Fenn. A, 17: 12. 1924.

Ustilago controversa Cif., Ann. Mycol. 29: 41. 1931.

Ustilago persicariae Cif., Ann. Mycol. 29: 41. 1931.

CULTURE ON ARTIFICIAL MEDIA

1501 Kniep 1926

HETEROTHALLISM AND SEX

2902 Sydow and Butler 1907 (fusion of sporidia)

1501 Kniep 1926

HYBRIDIZATION AND GENETICS

1501 Kniep 1926 (sporidial fusions with other species)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

3056 Tulasne and Tulasne 1847

1720 Liro 1924 (as Ustilago reticulata and U. cordai)

MISCELLANEOUS

Morphology 315 Brefeld 1895

Morphology and effect on host 2655 Schellenberg 1911

History and morphology 1720 Liro 1924

Reasons for untenability of binomial *Ustilago utriculosa* 1720 Liro 1924

Wheat contaminated with spores and docked as contaminated with *Tilletia caries* or *T. foetida* 5 Aamodt and Malloch 1932

PHYSIOLOGIC SPECIALIZATION

1720 Liro 1924 (as Ustilago reticulata, U. muricata, and U. cordai)

SPORE GERMINATION AND FACTORS AFFECTING

3253 Wolff 1874

2704 Schröter 1887

2329 Plowright 1889

315 Brefeld 1895

2902 Sydow et al. 1907

1763 McAlpine 1910

1720 Liro 1924 (as Ustilago cordai)

796 Fischer and Hirschhorn 1945

USTILAGO VAILLANTII Tul. Ann. Sci. Nat. III, 7: 90. 1847.

Ustilago vaillantii Schröt., Hedwigia 15: 109. 1876. Ustilago scillae Cif., Ann. Mycol. 29: 24. 1931.

CULTURE ON ARTIFICIAL MEDIA

315 Brefeld 1895

CYTOLOGY

1880 Massee 1914

2231 Paravicini 1917

HETEROTHALLISM AND SEX

2231 Paravicini 1917 (copulation between sporidia)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

803 Fischer v. Waldheim 1869

538 Cornu 1878

942 Giard 1889

1801 Magnin 1890

1804 Magnin 1891

1803 Magnin 1891

1805 Magnin 1892

315 Brefeld 1895

2655 Schellenberg 1911

591 Davie and Wilson 1914

1880 Massee 1914

1842 Maire 1917

MISCELLANEOUS

Morphology 315 Brefeld 1895

Host range and history 1720 Liro 1924

SPORE GERMINATION AND FACTORS AFFECTING

2698 Schröter 1877

619 DeBary 1884

2003 Moroni 1886

1877 Massee 1893

315 Brefeld 1895

2655 Schellenberg 1911

2231 Paravicini 1917

USTILAGO VINOSA (Berk.) Tul. Ann. Sci. Nat. Bot. III, 7: 96. 1847.

Uredo vinosa Berk., in litt. Tul. Ann. Sci. Nat. Bot. III, 7: 96. 1847.

CULTURE ON ARTIFICIAL MEDIA

1501 Kniep 1926

HETEROTHALLISM AND SEX

315 Brefeld 1895 (sporidial fusions and formation of infection hyphae)

1501 Kniep 1926

HYBRIDIZATION AND GENETICS

1501 Kniep 1926 (hybridization with other species)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2563 Rostrup 1891

1720 Liro 1924

MISCELLANEOUS

Pathological histology 579 Dangeard 1892

Morphology 315 Brefeld 1895

Morphology and symptoms 2655 Schellenberg 1911

SPORE GERMINATION AND FACTORS AFFECTING

315 Brefeld 1895

1720 Liro 1924

USTILAGO VIOLACEAE (Pers.) Rouss. Fl. Calvados ed. II, 47. 1806.

Uredo violaceae Pers., Teut. Disp. Fung. 57. 1797.

Uredo violaceae Pers., Syn. Meth. Fung. 225. 1801.

Faranaria stellariae Sowerby, Engl. Fungi. tab. 396. fig. 1. 1803.

Uredo antherarum DC., Fl. France 6: 79. 1815. Caeoma violaceum Nees., Syst. Pilze 1: 14. 1817.

Cueoma biblaceam frees., byso. I fize 1. 14. 1011.

Caeoma violacea Martius, Fl. Crypt. Erl. 315. 1817. Caeoma antherarum Schlecht., Fl. Ber. 2: 130. 1824.

Ustilago antherarum Fries, Syst. Mycol. 3: 518. 1832.

Erysibe antherarum Wallr., Fl. Crypt. Germ. 2: 217. 1833.

Microbotryum antherarum Lev., Ann. Sci. Nat. Bot. III. 8: 372. 1847.

Ustilago violacea Fuck., Jahrb. Nassau. Ver. Naturk. 15: 21. 1861.

Ustilago antherarum Liro., Ann. Acad. Sci. Fenn. A, 17: 32. 1924.

Ustilago lychnidis-dioicae Liro, Ann. Acad. Sci. Fenn. A, 17: 33. 1924.

Ustilago dianthorum Liro, Ann. Acad. Sci. Fenn. A, 17: 35. 1924.

Ustilago superba Liro, Ann. Acad. Sci. Fenn. A, 17: 37. 1924.

Ustilago coronariae Liro, Ann. Acad. Sci. Fenn. A, 17: 38. 1924.

Ustilago stellaria Liro, Ann. Acad. Sci. Fenn. A, 17: 39. 1924.

Ustilago silenes-nutantis Liro, Ann. Acad. Sci. Fenn. A, 17: 43. 1924. Ustilago silenes-inflatae Liro, Ann. Acad. Sci. Fenn. A, 17: 44. 1924. CONTROL 3211 White 1936 CULTURE ON ARTIFICIAL MEDIA 311 Brefeld 1883 1498 Kniep 1919 3329 Zillig 1921 148 Bauch 1922 1501 Kniep 1926 961 Goldschmidt 1928 235 Blumer 1937 2688 Schopfer 1937 (optimum strength of aneurin) 2690, 2691 Schopfer and Blumer 1938 (growth factors) CYTOLOGY 579 Dangeard 1892 762 Ferry 1895 1072 Harper 1898 3203 Werth and Ludwigs 1912 2231 Paravicini 1917 3177 Wang 1932 HETEROTHALLISM AND SEX 803 Fischer v. Waldheim 1869 (fusion of sporidia) 311 Brefeld 1883 (fusion of sporidia) 579 Dangeard 1892 762 Ferry 1895 1072 Harper 1898 (fusion of sporidia) 2231 Paravicini 1917 (fusion of sporidia) 1498 Kniep 1919 3329 Zillig 1921 148 Bauch 1922 150 Bauch 1925 1501 Kniep 1926 152 Bauch 1927 Hybridization and Genetics 3329 Zillig 1921 (sporidial fusion between physiologic races) 1501 Kniep 1926 (sporidial fusions with other species) 961 Goldschmidt 1928 (interracial) LIFE HISTORY, PARASITISM AND FACTORS AFFECTING 3056 Tulasne and Tulasne 1847 803 Fischer v. Waldheim 1869 2698 Schröter 1877 2327 Plowright 1881 311 Brefeld 1883 939 Giard 1888 1797, 1798, 1799, 1800 Mangin 1888–1889

940 Giard 1888

```
942 Giard 1889
 1807 Mangin and Giard 1889
 3153 Vuillemin 1891
  579 Dangeard 1892
 1789 MacMillan 1892
 1805 Mangin 1892
 1806 Mangin 1893
 1794 Molliard 1893
  762 Ferry 1895
 2333 Plowright 1899
  842 Franciscis 1901
  943 Giard 1902
   117 Baar 1903
   185 Behrens 1904
   322 Brefeld and Falk 1905
 1124 Hecke 1907 (vegetative infection)
 3198 Werth 1909
 3199 Werth 1910
 3200 Werth 1911
 3201 Werth 1912
 3203 Werth and Ludwigs 1912
 1689 Lind 1913
 1498 Kniep 1919
 3329 Zillig 1921
 1720 Liro 1924
 1128 Hecke 1926
   709 Erlenmeyer and Geiger-Heuber 1935
 3211 White 1936
  235 Blumer 1937
   236 Blumer 1941
  1887 Maurizio 1941
   127 Baker 1947
MISCELLANEOUS
 Causing a "new variety" of Lychnis diurna "with black eyes"
   671 Dod 1889
 Symptoms and morphology 3256 Wolley 1889
 Pathological histology 117 Baar 1903
 Symptoms and morphology 2655 Schellenberg 1911
 Infected hosts sometimes described as "new forms" 1689 Lind
    1913
 Host range and geographic distribution 3328 Zillig 1920
 Hosts and morphology 1720 Liro 1924
  Infection on leaf axil buds 1128 Hecke 1926
 Strain differences and secondary sexual characters 152 Bauch
    1927
 Severe incidence on carnations in London 3211 White 1936
```

Optimum concentration of aneurin for culture on synthetic medium 2688 Schopfer 1937

Growth factors 2690, 2691 Schopfer and Blumer 1938

Reported for first time in Quebec 2338 Pomerleau and Brunel 1939

First record on cultivated Dianthus in Norway 1017 Hagen 1948 Physiologic Specialization

1498 Kniep 1919

3329 Zillig 1921

1720 Liro 1924 (as Ustilago lychnidis-dioicae)

152 Bauch 1927

961 Goldschmidt 1928 (inheritance of specialization)

127 Baker 1947

SPORE GERMINATION AND FACTORS AFFECTING

3056 Tulasne and Tulasne 1847

614 DeBary 1853

803 Fischer v. Waldheim 1869

2698 Schröter 1877

311 Brefeld 1883

2329 Plowright 1889

579 Dangeard 1892

716 Essmon 1893

762 Ferry 1895

1072 Harper 1898

2655 Schellenberg 1911

321 Brefeld 1912

2231 Paravicini 1917

1498 Kniep 1919

3329 Zillig 1921

USTILAGO VUIJCKII Oudemans and Beijerinck. Oud. Versl. Akad. Amsterdam IV, 3: 55. 1895.

Cintractia vuijckii C1f., Ann. Mycol. 29: 72. 1931.

CYTOLOGY

1720 Liro 1924

2732 Seyfert 1927

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

2195 Oudemans 1895

389 Bucholtz and Ekmann 1920

1720 Liro 1924

2732 Seyfert 1927

MISCELLANEOUS

Hosts and morphology 1720 Liro 1924

Phylogenetic affinities to Peronosporaceae 1720 Liro 1924

Physiologic Specialization

1720 Liro 1924

Spore Germination and Factors Affecting

315 Brefeld 1895

2199 Oudemans 1895

1720 Liro 1924

2732 Seyfert 1927

USTILAGO WILLIAMSII (Griff.) Lavrov. Trav. Inst. Sci. Biol. Univ. Tomsk 2: 22. 1936.

Ustilago hypodytes (Schlecht.) Fr. Syst. Mycol. 3: 518. 1829. In part. Sorosporium williamsii Griff., Bull. Torr. Bot. Club 29: 290-301. 1902. Ustilago appendiculata Speg., Ann. Mus. Nac. Buenos Aires III. 12: 288. 1909.

CYTOLOGY

1211 Hirschhorn 1945

MISCELLANEOUS

Morphology (as Ustilago appendiculata) 1191 Hirschhorn 1939 Comparison with other stem smuts of Stipa and Oryzopsis; pathological histology; geographic distribution 790 Fischer 1945

Position in "Ustilago hypodytes" complex; comparison with other Ustilago spp. causing stem smut; geographic distribution 795 Fischer and Hirschhorn 1945

Morphology and symptoms 796 Fischer and Hirschhorn 1945 Spore Germination

1635 Lavrov 1936

1191 Hirschhorn 1939 (as Ustilago appendiculata)

1517 Kolk 1943 (as Ustilago hypodytes)

795 Fischer and Hirschhorn 1945

796 Fischer and Hirschhorn 1945

USTILAGINALES GENERAL

CONTROL

263 Bolley 1897 (introduction of formaldehyde as fungicide for smut control in cereals)

2796-2798 Staes 1898 (warning against use of mill dusts and castings as fertilizer)

3047, 3048 Tubeuf 1901 (cereal smuts)

3049–3051 Tubeuf 1902 (cereal smuts)

1763 McAlpine 1910

3320 Wilcox 1912 (cereal smuts)

3101 Vaughan and Johnson 1916 (grain smuts in general)

1925 Merchan 1919 (use of electric current through salt solution)

1926 Mercier 1919 (by electrification)

1785 Mackie and Briggs 1920

1115 Heald and Zundel 1921 (cereal smuts)

163 Baudys 1922 (wheat and barley smuts)

1784 Mackie 1925 (seed treated with fungicidal dusts avoided by insects and mice)

1788 Mackie and Briggs 1926 (effect of copper carbonate-treated wheat upon mice)

3003, 3004 Tisdale 1926 (cereal smuts)

953 Gitmann 1927 (formalin vapor and cereal smuts) 2346 Potapov 1927 (Siberian smuts)

2749 Siegwardt 1927 (wheat treated with tillantin dust and subsequently washed and dried is safe for consumption by pigs and fowl)

3019 Tisdale and Tapke 1927 (wheat and rye)

1282 Howitt and Stone 1929 (grain smuts)

2678 Schmidt 1932 (detection of mercury in treated cereal seed)

1059 Hanna and Popp 1935 (cereal smuts)

3150 Vong-May and Chan-Tsi 1935 (cereal smuts)

1309 Hurst et al. 1936 (various types of equipment and machines for use with fungicidal dusts)

1601 Kvashnina and Etmisheva 1936 (use of sulphides)

1984 Moore 1938 (seed treating apparatus)

1672, 1673 Leukel and Nelson 1939, 1940 (use of chlorine gas)

339 Brett and Dillon Weston 1941 (loss of vitality of grain during post-treatment storage)

1515 Koehler 1941 (effect of post-treatment storage on control, only half as much new improved ceresan needed when grain is to be stored; relation of moisture)

25 American Phytopathological Society Committee 1944 (evaluation of new fungicides by greenhouse testing procedure)

1015 Hafiz 1948 (control of cereal smuts through cultural practices)

CULTURE ON ARTIFICIAL MEDIA

313 Brefeld 1888

315 Brefeld 1895

320 Brefeld 1908

CYTOLOGY

579 Dangeard 1892

1072 Harper 1898

2231 Paravicini 1917 2416 Rawitscher 1922

1459 Kharbush 1927

3179 Wang 1934

2608 Sampson 1939

454 Christensen and Rodenhiser 1940 (literature survey)

HETEROTHALLISM AND SEX

2230 Paravicini 1916

2231 Paravicini 1917

1501 Kniep 1926

1459 Kharbush 1927

1502 Kniep 1928

153, 154 Bauch 1930 (multipolar sexuality—as exemplified by Ustilago longissima)

HYBRIDIZATION AND GENETICS

1501 Kniep 1926 (incomplete hybridization between *Ustilago* spp.; sporidia of reticulate-spored species do not fuse with those of smooth or echinulate-spored species)

158 Bauch 1932 (genetic bases for hybridization and sterility)

159 Bauch 1934 (crosses—sporidial fusions—between bipolar and multipolar species)

454 Christensen and Rodenhiser 1940 (literature survey)

LIFE HISTORY, PARASITISM AND FACTORS AFFECTING

803 Fischer v. Waldheim 1869

619 DeBary 1884

313 Brefeld 1888 (especially of the cereal smuts)

2329 Plowright 1889

2159 Norton 1896 (Kansas smuts)

3047 Tubeuf 1901 (cereal smut spores retain viability after passage through animal intestine)

1124 Hecke 1907 (shoot or vegetative infection in smut fungi)

1763 McAlpine 1910

321 Brefeld 1912

1360 Jensen 1918 (review of Brefeld's work on blossom infection)

2346 Potapov 1927 (Smuts of Siberia)

2608 Sampson 1939 (general review of life cycles)

2062 Mundkur 1945 (modes of transmission of Indian cereal smuts)

2941 Tapke 1948 (influence of environment on cereal smuts)

MISCELLANEOUS

Historical account of the earlier years 614 DeBary 1853

Historical account of the earlier years 3056 Tulasne and Tulasne 1847

Structure of spores 802 Fischer v. Waldheim 1867

Historical account of the earlier years 803 Fischer v. Waldheim 1869

Spore longevity 1678 von Liebenberg 1879

Morphological analysis of the genera 311 Brefeld 1883

Possible relationship of the yeasts to the sporidial generations of smut fungi 311 Brefeld 1883

Affinities to other groups 619 DeBary 1884

Infection experiments and methods 313 Brefeld 1888

Penetration of infection tubes into unnatural hosts 313 Brefeld 1888

Three species of beetles (Phalacrus politus Say, P. penicilliatus Say, and Brachytarsus variegatus Say) which feed on smut in the field 1447 Kellerman and Swingle 1890

Phylogeny and taxonomic position 1968 Moeller 1895

Spore germination 2159 Norton 1896

Some cereal smut spores germinate after 8½ years in herbarium 2717 Selby 1898

Acute dermatitis caused by a smut 2620 Sarra 1898

Classification and taxonomy 2245 Patoulliard 1900

All of the more important diseases of forage plants observed were caused by various species of smuts 993 Griffiths 1903

Use of centrifuge (this is first record of) to determine extent of spore contamination of grain 493 Cobb 1904

Toxicity to animals 1725 Liskun 1908

Historical account 1763 McAlpine 1910

Phylogeny and relationships 1763 McAlpine 1910

Grain smut losses in United States 2895 Swingle 1917

Relation between purity of strain of host and freedom from cereal smuts 1227 Hohngaard 1921

Systematic relations to other fungi 1355 Janchen 1923

Smut spores in air at high altitudes 2813 Stakman et al. 1923

Conidial stage of *Entyloma* indistinguishable from *Ramularia* unless chlamydospores present 1853 Marchal and Sternon 1924 Seed treated with dusts for smut control avoided by insects and mice 1784 Mackie 1925

Method for isolating single spores or sporidia 632 Dickinson 1926

New tendencies in the study of smut fungi 823 Fleroff 1926

No injurious effects on mice when forced to eat wheat treated with copper carbonate 1788 Mackie and Briggs 1926

Seed treated with dusts for smut control avoided by insects and mice 1788 Mackie and Briggs 1926

Clamp connections on the mycelium of various smut fungi 2732 Seyfert 1927

Wheat treated with copper-arsenic compounds not injurious to chickens 2749 Siegwardt 1927

Method for isolating single spores or sporidia 1038 Hanna 1928
Differences in physiologic forms in culture 2513 Rodenhiser 1928
False smut of corn due to *Ustilaginoidea virens* 1084 Haskell and Diehl 1929

Inoculation by hypodermic injections 3318 Zehner and Humphrey 1929

Double plate culture method for Tilletia 239 Bodine 1931

Biometry as basis of differentiation of smut species 467 Ciferri 1931

Manner of germination influenced by range of temperatures 1313 Hüttig 1931

Antibiosis of certain bacteria to smut fungi 1382 Johnson 1931 Influence of humidity on floral infections 2919 Tapke 1931

Chemical composition of the spores, correlated with chemical composition of the seeds of host 412 Campanile 1932

Species concepts 469 Ciferri 1932

Detection of mercury in treated cereal seed 2678 Schmidt 1932

Cultural and inoculation methods with *Tilletia* spp. 3095 Vanterpool 1932

Detection of mercury in treated cereal seed 2680 Schmidt and Tornow 1933

Recognition of infection by deformation and twisting of seedlings 42 Angell 1934

Correlation of precipitin ring test with relationship between physiologic forms, species and genera 171 Beck 1934

Method of detecting mycelium and for study of latent infection of smuts 2837 Stelzner 1935

Longevity of spores in herbarium specimens 779 Fischer 1936

Pathological deformations induced by certain species 3126 Viennot-Bourgin 1937

Effect of light and vernalization on infection of wheat, oats and barley by *Tilletia* and *Ustilago* 1632 Lasser 1938

Significance of conidial generation in *Entyloma* spp. 1724 Liro 1938

Seed treatment apparatus 1984 Moore 1938

As cause of hay fever and asthma 3245 Wittich 1938

Grain smut spores as cause of allergic rhinitis and asthma 1073, 1074 Harris 1939

Nature of grain dust antigen 1074 Harris 1939

Morphological versus physiological definition of species in smut fungi 2608 Sampson 1939

As cause of hay fever and asthma 3246 Wittich 1939

Validity of generic names *Urocystis*, *Tuburcinia* and *Ginanniella* 3069 Ulbrich 1940

As allergens 3247 Wittich 1940

Generic name Urocystis preferred to Tuburcinia 3352 Zundel et al. 1940

Numerical formulas to characterize smut species 14 Ainsworth 1941

Relation of climatic factors to the development of smut diseases 1910 Melchers 1941

Approximately 700 known "good" species of smut fungi 226 Bisby and Ainsworth 1943

Unequal sensitivity of spores of different species to disinfectants 1485 Kispatic 1943

MONOGRAPHS AND OTHER TAXONOMIC TREATMENTS

2785 Spegazzini 1880 (Argentine smuts)

2786 Spegazzini 1880 (Argentine smuts)

2559 Rostrup 1890 (Ustilagineae daniae)

1878 Massee 1899 (revision of genus Tilletia)

2787 Spegazzini 1899 (Argentine smuts)

482 Clinton 1902 (North America)

```
2788 Spegazzini 1902
                      (Argentine smuts)
 483 Clinton 1904
                   (North America)
 484 Clinton 1905
                   (of Connecticut)
 485 Clinton 1906
                   (North America)
2789 Spegazzini 1909 (Argentine smuts)
1763 McAlpine 1910
                     (of Australia)
2655 Schellenberg 1911 (Switzerland)
2259 Petch 1912
                (of Ceylon)
2790 Spegazzini 1912
                      (Argentine smuts)
1337 Jackson 1917 (of Indiana)
1339 Jackson 1920
                  (of Indiana)
 905 Garrett 1921
                   (of Utah)
3338 Zundel 1921
                   (of Washington State)
1340 Jackson 1922
                  (of Indiana)
 463, 464 Ciferri 1924
                      (of Italy)
 564 Cunningham 1924 (of New Zealand)
 962 Gonzales 1924 (Spanish flora)
1720 Liro 1924 (Finland Ustilaginaceae)
 465 Ciferri 1925
                  (of Spain and Switzerland)
2791 Spegazzini 1925 (Argentine smuts)
 566, 567 Cunningham 1926 (of New Zealand)
                     (South Africa)
3116 Verwoerd 1926
3210 Whetzel and Kern 1926 (Porto Rico and Virgin Islands)
3341 Zundel 1926
                   (of Washington)
 466 Ciferri 1928
                  (new species of Tilletia, Entyloma, Doassansia,
  Cintractia, Sorosporium)
 466 Ciferri 1928
                   (physiologic specialization as basis for tax-
  onomy in smuts)
3342 Zundel 1930
                   (76 \text{ spp. on } Andropogon)
 467 Ciferri 1931
                   (biometry as basis for taxonomy in smuts)
 468 Ciferri 1931
                   (Dominican Republic)
3343 Zundel 1931
                   (new species from South Africa)
 469 Ciferri 1932
                   (species concept)
                  (general in Sorauer's Handbuch)
3331 Zillig 1932
 470 Ciferri 1933
                   (new species from the tropics; differences be-
  tween Farysia and Liroa)
 474 Ciferri and Herter 1933 (Uruguay smuts)
                   (new species from North and South America)
3344 Zundel 1933
3345 Zundel 1933
                   (of Pennsylvania)
1509 Kochman 1934
                      (Polish)
3275 Yen 1934
                (China)
 411 Campagna and Lachance 1935 (233 Ustilaginales collected
  in Quebec)
1723 Liro 1935 (Europe)
3276, 3277 Yen 1935
                      (China)
```

1510 Kochman 1936

(Polish)

```
1635 Lavrov 1936 (new or unusual species and genera of north
   central Asia)
 2629 Savulescu 1936 (Romania)
  773 Fischer 1937
                    (Java)
 1155 Herbert 1937
                   (Queensland)
 1636 Lavroff 1937
                   (U.S.S.R.)
 1724 Liro 1938
                 (Finland)
  473 Ciferri 1938
                   (Ustilaginales of Italy)
  486 Clinton and Zundel 1938 (from India)
 3347 Zundel 1938 (South Africa)
  138 Barnhart 1939 (revised host index)
  906 Garrett 1939
 1192 Hirschhorn 1939
                        (Cintractia spp. in Argentina)
 1190 Hirschhorn 1939 (reclassification of Sphacelotheca as Usti-
   lago)
 1191 Hirschhorn 1939 (Ustilago spp. in Argentina)
 1511 Kochman 1939 (Poland)
 2053 Mundkur 1939
                      (Indian smuts, 7 new species)
 3348 Zundel 1939 (additions and corrections to Clinton's Ustila-
   ginales of North America)
 1193 Hirschhorn 1940
                        (Cintractia spp. in Argentina)
 2609 Sampson 1940 (list of British Ustilaginales)
 3069 Ulbrich 1940
                     (validity of generic name Urocustis)
    13 Ainsworth 1941
                       (of Uganda)
 1008 Gutner 1941 (smut fungi of U.S.S.R.)
 1199 Hirschhorn 1941
                        (Sorosporium spp. of Argentina)
 3072 Unamuno 1941
                       (Spain)
                      (Italian East Africa)
  426 Castellani 1942
 1203 Hirschhorn 1942
                        (additions and corrections to the Ustila-
    ginales of Argentina)
 1204 Hirschhorn 1942
                        (revision of genus Tilletia in Argentina)
 1417 Jorstad 1942
                     ((genus Tuburcinia in Norway)
 1206 Hirschhorn 1943 (Uruguay)
 2059 Mundkur 1944 (northwestern Himalayas)
 2061 Mundkur 1944
                       (India)
 2203 Padwick and Khan 1944 (India)
 3118 Viegas 1944 (of Brazil)
  571 Cunningham 1945 (additions to New Zealand)
  573 Cunningham 1945 (keys to genera and species)
   572 Cunningham 1945 (revision of New Zealand Farysia spp.)
   796 Fischer and Hirschhorn 1945 (state of Washington)
  2201 Padwick 1946 (India)
Nomenclature
 3352 Zundel et al. 1940 (Urocystis versus Tuburcinia)
  2849 Stevenson and Johnson 1944 (nomenclature of the cereal
    smut fungi)
```

2062 Mundkur 1945 (Indian cereal smuts)

Physiologic Specialization

2422 Reed 1918 (general review)

1498 Kniep 1919 (first demonstration of physiologic specialization in smut fungi—based on cultural characters)


3329 Zillig 1921 (first demonstration of physiologic specialization in smut fungi on basis of pathogenicity)

466 Ciferri 1928 (as a criterion in the taxonomy of the smuts)

2513 Rodenhiser 1928

1 Aamodt 1931 (relation to breeding for disease resistance) 2608 Sampson 1939

454 Christensen and Rodenhiser 1940 (literature survey)



BIBLIOGRAPHY

- Aamodt, O. S. Varietal trials, physiologic specialization and breeding spring wheats for resistance to Tilletia tritici and T. levis. Can. Jour. Res. 5: 501-528. 1931.
- 2. Aamodt, O. S. The relation between physiologic forms of phytopathogenic fungi and the problem of breeding for resistance to disease. Proc. Fifth Pacific Science Congress. 2615–2626. 1933.
- 3. Aamodt, O. S. Breeding cereal varieties for northern regions. Proc. Fifth Pacific Science Congress. 1729–1739. 1934.
- Aamodt, O. S., and Johnston, W. H. Reaction of barley varieties to infection with covered smut (Ustilago hordei [Pers.] K. & S.). Can. Jour. Res. 12: 590-613. 1935.
- Aamodt, O. S. and Malloch, J. G. 'Smutty' wheat caused by Ustilago utriculosa on dock leaved persicary. Can. Jour. Res. 7: 578-582. 1932.
- Aamodt, O. S., and Platt, A. W. Varietal testing for the reaction of oats to diseases, especially covered smut. Can. Jour. Res. 14: 425– 437. 1936.
- Aamodt, O. S., Torrie, J. H., and Takahashi, K. The effect of several collections of Tilletia tritici and T. Levis on the morphology of spring wheats. Phytopath, 26: 344-359. 1936.
- 8. Abbott, F. Smut in wheat. Proc. Royal Soc. of Tasmania 1889: 95.
- Abramoff, I. N. Investigations of cereal smuts under Littoral District conditions in 1929. (Far-Western Plant Prot. Stat.). Khabarovsk Bull. 3. 26 pp. 1930.
- Abramoff, I. N. Disinfection of seeds with sawdust impregnated with formalin. Plant Protection, Leningrad 8: 155-159. 1931.
- 11. Adam, D. B., and Prescott, R. T. M. The control of loose smut in wheat. Jour. Dept. Agric. Victoria 29: 141-145. 1931.
- Adams, J. F. Report of the Plant Pathologist for 1929. Quart. Bull. State Board Agric. Del. 18: 2-29. 1928.
- Ainsworth, G. C. Contributions toward the fungus flora of Uganda. 9.
 The Ustilaginales of Uganda. Proc. Linn. Soc. Lond. 153'd Ses. 92-97. 1941.
- Ainsworth, G. C. A method for characterizing smut fungi exemplified by some British species. Trans. Brit. Mycol. Soc. 25: 141-147. 1941.
- Ajrekar, S. L. On the mode of infection and prevention of the smut disease of sugar cane. Agric. Jour. India 11: 288-295. 1916.
- Ajrekar, S. L., and Likhite, V. N. Observations on Tolyposporium penicillariae Bref. (the bajri smut fungus). Cur. Sci. 1: 215. 1933.
- Ajroldi, P. Nuove ricerche intorno all biologia delle 'Tilletia' del Frumento. Riv. Pat. Veg. 27: 297-319. 1937.
- Ajroldi, P. Nuovo contributo all studio biologico delle "Tilletia". Riv. Pat. Veg. 30: 149–157. 1940.

- Albert, F. Zur Bekämpfung des Steinbrandes im Weizen. Deutsche Landw. Press. 1898: 920.
- Albrecht. Mitteilungen über kleine Versuche an trächtigen Haustieren.
 Jahresb. tierärztlich. Hochschule in München. 1896: 67–84.
- Alcock, N. L., McIntosh, A. E. S., and Wallace, G. B. The control of onion smut. Scottish Jour. Agric. 9: 65-70. 1926.
- 22. Alexeyeff, A. M. Effect of super-maximum temperatures on the spores of millet smut. Proc. Pan-Soviet Congress Botanists Leningrad, January, 1928: 169.
- 23. Allison, C. C. Hybridization between Ustilago hordei and U. medians. Phytopath. 25: 5. 1935.
- Allison, C. C. Studies on the genetics of smuts of barley and oats in relation to pathogenicity. Tech. Bull. Minn. Agric. Expt. Sta. 119: 1-34. 1937.
- American Phytopathological Society (Committee on Standardization of Fungicidal Tests). Greenhouse method for testing dust seed treatments to control certain cereal smuts. Phytopath. 34: 401–404. 1944.
- Anderson, A. P. A new Tilletia parasitic on Oryza sativa L. Bot. Gaz. 28: 6. 1899.
- Anderson, A. P. Rice blast and a new smut on the rice plant. S. Carol. Agric. Expt. Sta. Bull. 41. 1899.
- 28. Anderson, A. P. Tilletia horrida Tak. on rice plant in South Carolina. Contrib. Dept. Bot. Columbia Univ. 1902.
- 29. Anderson, F. W. Brief notes on a few common fungi of Montana. Jour. Mycol. 5: 30-32. 1889.
- 30. Anderson, F. W. Supplementary notes. Jour. Mycol. 5: 82-84. 1889. 31. Anderson, F. W. Notes on certain Uredineae and Ustilagineae. Jour.
- 31. Anderson, F. W. Notes on certain Uredineae and Ustilagineae. Jour. Mycol. 6: 121-127. 1891.
- 32. Anderson, P. J. Development and pathogenesis of the onion smut fungus. Mass. Agric. Expt. Sta. Tech. Bull. 4. 1921.
- 33. Anderson, P. J. The relation of soil moisture to formaldehyde injury of onion seedlings. Phytopath. 13: 392-403. 1923.
- 34. Anderson, P. J. Susceptibility of species of Allium to onion smut. Phytopath. 14: 26. 1924.
- 35. Anderson, P. J. Controlling onion smut with kalimat. Phytopath. 14: 569-574. 1924.
- Anderson, P. J. Comparative susceptibility of onion varieties and of species of Allium to Urocystis cepulae. Jour. Agric. Res. 31: 275– 286. 1925.
- 37. Anderson, P. J., and Osmun, A. V. An improved formaldehyde tank for the onion drill. Phytopath. 13: 161-168. 1923.
- 38. Anderson, P. J., and Osmun, A. V. The smut disease of onions. Mass. Agric. Expt. Sta. Bull. 221. 1924.
- Andres, A. G., and Trussov, N. P. Studien zur Erforschung der Einwirkung der Brandpilze, besonders der Tilletia secalis, auf den tierischen Organismus. Zeitschr. f. Hyg. u. Epidem. 1924.
- Andreyeff, N. I. Results of tests of some fungicides for the control of wheat bunt. Bull. North Caucasian Plant. Prot. Sta. Rostoff on Don 3: 93-112. 1927. (Russian; trans. title).

- 41. Andreyeff, N. I. Results of the investigation of smuts in the North Caucasian Plant Prot. Sta. 4: 3-16. 1928. (Russian; trans. title.)
- Angell, H. R. A preliminary note on the recognition of flag smut or bunt infection based on the deformation of seedlings. Jour. Austr. Counc. Sci. and Indus. Res. 7: 110-112. 1934.
- 43. Angell, H. R. Flag smut of wheat, early symptoms. Jour. Austr. Counc. Sci. and Indus. Res. 7: 153-156. 1934.
- 44. Angell, H. R., Allan, F. E., and Hely, F. W. The effect of Urocystis tritici Koern. on the extent of development of the roots and aerial parts of the wheat plant. II. Jour. Austr. Counc. Sci. and Indus. Res. 11: 256-257. 1938.
- 45. Angell, H. R., Hely, F. W., and Allan, F. E. The effect of Urocystis tritici Koern. on the extent of development of the roots and aerial parts of the wheat plant. I. Jour. Austr. Counc. Sci. and Indus. Res. 10: 136-142. 1937.
- 46. Antonoff, S. M. Susceptibility of spring wheat to bunt in relation to the date of sowing. Reprinted from Scient. Trans. Siber. Agric. Acad. 5, 15 pp. 1926. (Russian; trans. title.)
- 47. Apostolides, C. A. Comparative study of the resistance of wheat varieties to Tilletia levis Kühn in Greece. Act. Inst. Bot. Univ. Athens 1: 197-199. 1940.
- 48. Appel, O. Der Steinbrand des Weizens und seine Bekämpfung. Biol. Abt. Land- und Forstw. Flugbl. 26. 1904.
- Appel, O. Der Steinbrand des Weizens und seine Bekämpfung. Westpreuss. Landw. Mitteil. 9: 234–235. 1904.
- Appel, O. Zur Beuteilung der Sortenreinheit von Squarehead-Weizenfeldern. Deutsche Landw. Presse 1906: 465–466.
- Appel, O. Studien über den Brand der Getreidearten. Mitteil. Biol. Anst. f. Land- und Forstw. 2: 7. 1906.
- Appel, O. Veränderung der Ähren von Squareheadweizen durch Steinbrand. Mitteil. Biol. Anst. für Land- und Forstw. 4: 12. 1907.
- Appel, O. Ergebnisse eines Versuchs zur Bekämpfung des Gerstenflugbrandes. Illus. Landw. Ztg. 29: 521. 1909.
- Appel, O. Anleitung zur Bekämpfung des Getreidebrandes. Mitteil. d. Deutchen Landw. Ges. 1909: 256–258.
- Appel, O. Theorie und Praxis der Bekämpfung von Ustilago tritici und Ustilago nuda. Ber. d. Deutschen Bot. Ges. 27: 606-610. 1909.
- Appel, O. Die Bekämpfung des Gersten- und Weizenflugbrandes. Illus. Landw. Ztg. 30: 126. 1910.
- 57. Appel, O. Die Krankheiten der Futterpflanzen unter besonderer Berücksichtigung der Gräser und Kleearten. Beitr. zur Pflanzenz. 1912: 31-64.
- Appel, O. Appearance and treatment of stinking smut. Mitteil. d. Deutschen Landw. Ges. 28, No. 16: 1-3. 1913.
- Appel, O. The control of cereal and grass smut and the Helminthosporium disease in Holland and Germany. Phytopath. 5: 230-232. 1915.
- Appel, O. Der Maisbrand und seine Bekämpfung. Deutsche Landw. Presse 54: 596. 1927.
- 61. Appel, O., and Gassner, G. Der Brand des Hafers und seine Bekämpfung. Biol. Anst. f. Land- und Forstw. Leaflet No. 38. 1906.

- 62. Appel, O., and Gassner, G. Untersuchungen über den Brand, insbesondere den Flugbrand des Getreides. Mitteil. Biol. Anst. f. Land- und Forstw. 4: 9-12. 1907.
- 63. Appel, O., and Gassner, G. Der derzeitige Stand unserer Kenntnisse von den Flugbrandarten des Getreides und ein neuer Apparat zur einfachen Durchführung der Heisswasserbehandlung des Saatgutes. Mitteil. Biol. Anst. f. Land- und Forstw. 5: 498-503. Also 1-20. 1907.
- 64. Appel, O., and Gassner, G. Der Brand des Raygrases. Mitteil. Biol. Anst. f. Land- und Forstw. 4: 12-14. 1907.
- Appel, O., and Riehm, E. Untersuchungen über die Brandkrankheiten des Getreides. Mitteil. Biol. Anst. f. Land- und Forstw. 6: 8-10. 1908.
- Appel, O., and Riehm, E. Untersuchungen über den Flugbrand des Getreides. Mitteil. Biol. Anst. f. Land- und Forstw. 8: 9-13. 1909.
- Appel, O., and Riehm, E. Untersuchungen über die Brandkrankheiten des Getreides. Mitteil. Biol. Anst. f. Land- und Forstw. 10: 7-11. 1910.
- Appel O., and Riehm, E. Die Bekämpfung des Flugbrandes von Weizen und Gerste. Mitteil. Biol. Anst. f. Land- und Forstw. 8: 343–426. 1911.
- Appel, O., and Richm, E. Untersuchungen über die Brandkrankheiten des Getreides. Mitteil. Biol. Anst. f. Land- und Forstw. 11: 9-12. 1911.
- Appel, O., and Riehm, E. Versuche über die Keimfähigkeit verfütterter Steinbrandsporen. Mitteil. Biol. Anst. f. Land- und Forstw. 11: 12. 1911.
- Appel, O., and Riehm, E. Untersuchungen über die Brandkrankheiten des Getreides. Mitteil. Biol. Anst. Land- und Forstw. 12: 9-14. 1912.
- Appel, O., and Riehm, E. Versuche über die Bekämpfung des Flugbrandes von Weizen und Gerste. Mitteil. Biol. Anst. Land- und Forstw. Heft 15: 5-6. 1914.
- Appl, J. Saatzeit und Steinbrandbefall des Weizens. Zeitschr. f. Landw. Versuchsw. Österreich 18: 45-54. 1915.
- Archangelskij, M. The control of loose smut. Chosjain, St. Petersburg, 1903. 1654-1657.
- Arieti, G. I trattamenti preventivi dei cereali control la carie e il charbone. Le Stationi sperimentali agrarie italiane. Modena 33: 405-429. 1900.
- Arland, A. Der Hafer-Flugbrand, Ustilago avenae (Pers.) Jens. Biologische Untersuchungen mit besonderer Berücksichtigung der Infektions- und Anfälligkeitsfrage. Botan. Arch. 7: 70-111. 1924.
- Arland, A. Masseninfektionen und Massenbefall mit Haferflugbrand. Nachr. über Schädlingsbekämpf. 7: 1-5. 1932.
- 78. Armstrong, L. H. Smut and rust fungus. Florida Dispatch, Farmer and Fruitgrower 3: 429. 1891.
- Arnaud, G. Entyloma ranunculi, Ustilaginée nuisible à Helleborus niger en France. Bull. Soc. Pathol. Veget. France 6: 10-12. 1919.
- Arnaud, G. Essais de traitment de la carie du Ble. Compt. Rend. Acad. Agric. France 15: 844-852. 1929.

- 81. Arnaud, G. La carie du Ble. Questions d'hier at d'aujourd'hui. Ann. Epiphyt. N. S. 10: Fasc. unique, 1-9. 1944.
- 82. Arnaud, G., and Arnaud, M. Un Entyloma parasite des Dahlias. Rev. Path. Veg. Ent. Agric. 12: 263–264. 1925.
- 83. Arnaud, G., and Gaudineau, M. Le traitement de la carie du Ble. Ann. Sci. Agron. 46: 742-762. 1929. 47: 1-56. 1930.
- 84. Arnaud; G., and Gaudineau, M. Le traitement de la carie du Ble (1929-1930). Compt. Rend. Acad. Agric. France 16: 1029-1035. 1930.
- 85. Arnaud, G., and Gaudineau, M. La carie du Ble. Rev. Path. Veg. Ent. Agric. 18: 37-40. 1931.
- 86. Arnaud, Ğ., and Gaudineau, M. Le traitement de la carie du Ble. 3. (Action comparée des produits cupreques et du formol.) Ann. Agron., N. S. 2: 229-246. 1932.
- 87. Arnaud, G., and Gaudineau, M. Le traitement de la carie du Ble. Compt. Rend. Acad. Agric. France 18: 208-214. 1932.
- 88. Arnaud, G., and Gaudineau, M. Le traitement de la carie du Ble 1930-32. Rev. Path. Veg. Ent. Agric. 20: 188-196. 1933.
- 89. Arnaud, G., and Gaudineau, M. Sur le traitement de la carie du Ble. Compt. Rend. Acad. Agric. France 19: 465-569. 1933.
- Artemoff, P. K. On the question of varietal susceptibility of cereals to fungal diseases. Bull. Appl. Bot. Genetics, and Plant Breeding, Leningrad, Ser. A. (Plant Industry in U.S.S.R.) 7: 75-90. 1933. (Russian; trans. title.)
- 91. Arthur, J. C. Memorandum of Iowa Ustilagineae. Iowa Agric. Coll. Bull. 1884: 172–174.
- 92. Arthur, J. C. Uredineae and Ustilagineae of the State of Iowa. Bot. Gaz. 10: 249. 1885.
- 93. Arthur, J. C. Smuts of wheat and oats. Ind. Agric. Expt. Sta. Bull. 28, 1889.
- 94. Arthur, J. C. Smut of wheat and oats. Bull. Nebr. Agric. Expt. Sta. 1: 273-293. 1889.
- 95. Arthur, J. C. Treatment for smut in wheat. Ind. Agric. Expt. Sta. Bull. 32: 1-9. 1890.
- 96. Arthur, J. C. Loose smut of oats. Ind. Agric. Expt. Sta. Bull. 35. 1891.
- 97. Arthur, J. C. Grain smut and the use of hot water to prevent it. Agric. Sci. 6: 393. 1892.
- 98. Arthur, J. C. The common Ustilago of maize. Bot. Gaz. 33: 181. 1897.
- 99. Arthur, J. C. Formalin for grain and potatoes. Ind. Agric. Expt. Sta. Bull. 77: 38-44. 1899.
- 100. Arthur, J. C. Formalin and hot water as preventives of loose smut of wheat. Ind. Agric. Expt. Sta. Ann. Rept. 13: 17-24. 1901.
- 101. Arthur, J. C. Rapid method for removing smut from seed oats. Ind. Agric. Expt. Sta. Bull. 103. 1905.
- 102. Arthur, J. C., and Johnson, A. G. The loose smut of oats and stinking smut of wheat and their prevention. Ind. Agric. Expt. Sta. Circ. 22: 1-15. 1910.
- 103. Arthur, J. C., and Stuart, Wm. Report of the Botanical Department. Ind. Agric. Expt. Sta. Ann. Rept. 1895: 21-28. 1896.

- 104. Arthur J. C., and Stuart, W. Corn smut. Ind. Agric. Expt. Sta. Ann. Rept. 12: 84-135. 1900.
- 105. Asthana, R. P. Cheap and simple control of grain smut of sorghum. Mag. Agric. Coll. Nagpur 22: 6-9. 1947.
- Atanasoff, D. Cereal smuts in Bulgaria. First communication. Annuaire Univ. de Sofia. Fac. Agron. 7: 180-202. 1929.
- 107. Atanasoff, D., and Johnson, A. G. Treatment of cereal seeds by dry heat. Jour. Agric. Res. 18: 379-390. 1920.
- 108. Atkins, I. M. Reaction of some varieties and strains of winter wheat to artificial inoculation of loose smut. Jour. Amer. Soc. Agron. 35: 197-204. 1943.
- 109. Atkins, I. M., Hansing, E. D., and Bever, W. M. Reaction of varieties and strains of winter wheat to loose smut. Jour. Amer. Soc. Agron. 39: 363-377. 1947.
- Atkinson, G. F. A new Entyloma from Central Ohio. Jour. Mycol. 12: 236–237. 1906.
- 111. Atwood, W. M. Physiological studies of the effects of formaldehyde on wheat. Bot. Gaz. 74: 233-263. 1922.
- 112. Augustin, M. Der Steinbrand des Weizens und seine erfolgreiche Bekämpfung. Braunschweig. Landw. Ztg. 73: 157. 1905.
- Aumüller, F. Steinbrand und Streifenkrankheit als Sorten- und Linienkrankheit. Deutsche Landw. Presse 47: 383–384. 1920.
- 114. Ausborn. Ein Heisswasserbeizversuch gegen den Flugbrand. Deutsche Landw. Presse 50, 14: 125–126. 1923.
- 115. Ausborn. Das Beizen der Wintergerste. Deutsche Landw. Presse 50, 34: 304. 1923.
- 116. Ausemus, E. R. Correlated inheritance of reaction to diseases and of certain botanical characters in triangular wheat crosses. Jour. Agric. Res. 48: 31-57. 1934.
- 117. Baar, R. Beitrag zur Kenntnis der Lebensweise des Myceliums von Ustilago violacea Pers. Sitzungsber. d. Deutsch. Naturw.-Medizin. Ver. für Böhmen. "Lotos" 23: 276–282. 1903.
- 118. Babel, A. Kontimix ein neuer Kurzmassbeizapparat. Ratschläge für Haus, Garten, Feld 8: 43–47. 1933.
- Babowitz, K. Ratgeber zur Sortenwahl. Sortenversuchsergebnisse mit Wintergerste, Winterroggen und Winterweizen. Versuchsjahr 1921– 22. Arb. Deutsch. Landw. Gesellsch., 325. 54 pp. 1923.
- 120. Babowitz, K. Beizt das Saatgetreide! Mitt. Deutsch. Landw. Gesellsch. 40: 303-304. 1925.
- 121. Bailey, D. L. Report of the Dominion Field Laboratory of Plant Pathology, Winnipeg, Man. Rept. Dom. Botanist for the year 1924, Div. of Botany, Can. Dept. of Agric. 39-50. 1925.
- 122. Bailey, D. L. Report of the Dominion Rust Research Laboratory, Winnepeg, Man. Rept. Dom. Botanist for the year 1926. Div. of Botany, Can. Dept. of Agric. 103-119. 1927.
- 123. Bailly, P. Faculté germinative et sulfate de cuivre. Journ. d'Agric. Prat. 89: 55-57. 1925.
- 124. Baker, E. Two diseases of wheat. I. Flag smut or Tulp brand. Jour. Dept. Agric. Union S. Africa 6: 313-314. 1923.
- 125. Baker, E. The effect of formalin on the vitality of seed wheat. Jour. Dept. Agric. Union S. Africa 9: 454-457. 1924.

- 126. Baker, G. A., and Briggs, F. N. Wheat bunt field trials. Jour. Amer. Soc. Agron. 37: 127-133. 1945.
- 127. Baker, H. G. Infection of species of Melandrium by Ustilago violacea (Pers.) Fuckel and the transmission of the resultant disease. Ann. Bot., N. S. 11: 333-348. 1947.
- 128. Bakke, L. A., and Plagge, H. H. Studies upon the absorption and germination of wheat treated with formaldehyde. Proc. Iowa Acad. Sci. 26: 365-375. 1919.
- 129. Balakhonoff, P. I. Cereal smuts in the Salsk district of the North Caucasus region in 1927. Bull. North Caucasian Plant Prot. Stat. 4: 17-24. 1928. (Russian; trans. title.)
- Baldrati, I. Urocystis occulta (Wallr.) Rabenh. parasita del frumento in Italia. Il Coltivatore (II) 74: 79-81. 1928.
- 131. Bamberg, R. H. A bacterium antibiotic to Ustilago zeae. Phytopath. 20: 140. 1930.
- 132. Bamberg, R. H. Bacteria antibiotic to Ustilago zeae. Phytopath. 21: 881-890. 1931.
- 133. Bamberg, R. H. Fall-sown spring wheat susceptible to dwarf bunt. Phytopath. 31: 951-952. 1941.
- 134. Bamberg, R. H., Holton, C. S., Rodenhiser, H. A., and Woodward, R. W. Wheat dwarf bunt depressed by common bunt. Phytopath. 37: 556-560. 1947.
- 135. Barbeck, Wm. Microscopical fungi infesting our cereals. Amer. Naturalist 13: 612. 1879.
- 136. Barbee, O. E. Markton and other varieties of oats. Bull. Wash. Agric. Expt. Sta. 314. 1935.
- 137. Barjaktarovic, S. S., and Bogdanovic, S. B. Untersuchungen über die Wirkung des Maisbrandes (Ustilago maidis). Arch. Exper. Path. u. Pharmakol. 173: 381–387. 1933.
- 138. Barnhart, J. H. Revised host-index to the Ustilaginales. N. Amer. Flora 7: 1031-1045. 1939.
- 139. Barrus, M. F. Observations on the pathological morphology of stinking smut of wheat. Phytopath. 6: 21-28. 1916.
- 140. Barrus, M. F. A Thecaphora smut on potatoes. Phytopath. 34: 712–714. 1944.
- 141. Barrus, M. F., and Muller, A. S. An Andean disease of potato tubers. Phytopath. 33: 1086-1089. 1943.
- 142. Barss, H. P. Onion smut control. Ore. Agric. Expt. Sta. Crop Pest and Hort. Rept. 3: 187-191. 1921.
- 143. Barss, H. P. Copper carbonate for wheat smut control. Ore. Agric. Expt. Sta. Circ. 30. 1922.
- 144. Barss, H. P. Results of experiments in 1924 with various chemical dusts for smut control in wheat. Phytopath. 15: 127. 1925.
- 145. Bartholomew, L. K., and Jones, E. S. Relation of certain soil factors to the infection of oats by loose smut. Jour. Agric. Res. 24: 569– 575. 1923.
- 146. Bartlett, H. Wheat crop competitions, 1922. Agric. Gaz. New S. Wales 34: 15-23. 1923.
- 147. Bates, E. N., Bodnar, G. P., and Baldwin, R. L. Removing smut from Pacific Northwest wheat by washing. U.S. Dept. Agric. Circ. 81. 1929.

- 148. Bauch, R. Kopulationsbedingungen und sekundäre Geschlechtsmerkmale bei Ustilago violaceae. Biol. Centralbl. 42: 9-38. 1922.
- 149. Bauch, R. Über Ustilago longissima und ihre Varietät Macrospora. Zeitschr. f. Bot. 15: 241-279. 1923.
- 150. Bauch, R. Untersuchungen über die Entwicklungsgeschichte und Sexualphysiologie der Ustilago bromivora und Ustilago grandis. Zeitschr. f. Bot. 17: 129-177. 1925.
- 151. Bauch, R. Mecklenburgische Brandpilze. Arch. d. Vereins d. Freunde d. Naturgeschichte in Mecklenburg. N. F. 2: 196-203. 1926.
- 152. Bauch, R. Rassenunterschiede und sekundäre Geschlechtsmerkmale beim Antherenbrand. Biol. Centralbl. 47: 370-383. 1927.
- 153. Bauch, R. Multipolare Sexualität bei Brandpilzen. Zeitschr. f. Induk. Abstammungs- und Vererbungslehre. 54: 258-259. 1930.
- 154. Bauch, R. Über multipolare Sexualität bei Ustilago longissima. Arch. f. Protistenk. 70: 417-466. 1930.
- 155. Bauch, R. Geographische Verteilung und funktionelle Differenzierung der Faktoren bei der multipolaren Sexualität von Ustilago longissima. Arch. f. Protistenk. 75: 101-132. 1931.
- 156. Bauch, R. Die Sexualität von Ustilago scorzonereae und Ustilago zeae. Phytopath. Zeitschr. 5: 315-321. 1932.
- 157. Bauch, R. Sphacelotheca schweinfurthiana ein multipolar sexueller Brandpilz. Ber. Deutschen Bot. Ges. 40: 1724. 1932.
- 158. Bauch, R. Über die genetischen Grundlagen von Zwittrigkeit und neutralem Verhalten bei Brandpilzen. Planta 17: 612-640. 1932.
- 159. Bauch, R. Über Kreuzungen zwischen bipolar und multipolar sexuellen Brandpilzarten. Zeitschr. f. Indukt. Abstammungs- und Vererbungslehre, 67: 242-245. 1934.
- 160. Baudys, E. The non-toxicity of grain smut. Zemedelsky Archiv. 6: 370-375. 1915. (Czech.; trans. title.)
- 161. Baudys, E. Ein Beitrag zur Kenntnis der Mikromyceten in Böhmen. Lotos, Prag. 64: 19-22. 1916.
- 162. Baudys, E. Die Sporen der Getreidebrandpilze sind nicht giftig. Zeitschr. f. Pflanzenkr. 31: 24-27. 1921.
- 163. Baudys, E. Ksnetivosti psenic a jecmenu. Moravsky Hospodare 1922: 31-33.
- 164. Baudys, E., and Pichauer, R. Addenda ad floram Moraviae mycologicam, pars 6. Sporniku klubu prirodoved. v Brene za rok. 1922.
- 165. Baudys, E., and Pichauer, R. Addenda ad floram Moraviae et Silesiae mycologicam pars 7. 1924.
- 166. Baunacke. Zur Trockenbeize. Die Kranke Pflanze. 2: 226–227. 1925. 167. Bayles, B. B., and Coffman, F. A. Effects of dehulling seed and of date of seeding on germination and smut infection in oats. Jour. Amer. Soc. Agron. 21: 41-51. 1929.
- 168. Bayles, B. B., and Taylor, J. W. Wheat improvement in the eastern United States. Cereal Chem. 16: 208-223. 1939.
- 169. Beattie, R. K. The formalin treatment for wheat and oat smut. Wash, Agric, Expt. Sta. Bull. 54. 1902.
- 170. Beaumont, A., and Hodson, W. E. H. Fifth Annual Report of the Seale-Hayne Agricultural College, Newton Abbot, Devon, for the year ending September 30th, 1928. 1929.

- 171. Beck, E. C. The precipitin ring test applied to some Ustilaginaceae. Can. Jour. Res. 10: 234–238. 1934.
- 172. Beck, E. C. The application of serological methods to the differentiation of closely related smut fungi. Can. Jour. Res. Sect. C. 16: 391-404. 1938.
- 173. Beck, G. Über die Entwickelung von Ustilago zeae Ung. Sitzungsber, Verh. Zool.-Bot. Ges. Wien 35: 28. 1885.
- 174. Beck, G. Schedae ad "Kryptogamas exsiccatas" editae a Museo Palatino Vindobonensi. Cent. I. Annalen des k. k. naturhistorischen Hofmuseums 9: 119-142. Vienna. 1894.
- 175. Beck, O. Über eine Methode der Saatgutuntersuchung auf Brand und über das Versagen der Kupfervitriolbeize. Naturwiss. Zeitschr. Forst- u. Landw. 18: 83-99. 1920.
- 176. Beck, O. Infektionsversuche mit dem gedeckten Gerstenbrand (Ustilago hordei [Pers.] Kell. and Sw.) Fortschr. der Landw. 1: 540–543. 1926.
- 177. Becker, K. E. Die amtlich empfohlenen Beizmittel nach dem Stande vom Herbst 1932. Deutsche Landw. Presse 59: 491. 1932.
- 178. Becker, K. E. Sparmassnahmen bei der Getreidebeizung. Deutsche Landw. Presse 59: 538. 1932.
- 179. Becker, K. E. Die amtlich empfohlenen Beizmittel nach dem Stande vom 4, August 1934. Das Wichtigste zur Herbstbeizung. Deutsche Landw. Presse 61: 421–422. 1934.
- 180. Becker, K. E. Zur Herbstbeizung. Deutsche Landw. Presse 63: 438. 1936
- 181. Becker, T. Untersuchungen über Sexualität bei Tilletia tritici (Bjerk.) Wint. im Rahmen der Immunitätszüchtung. Phytopath. Zeitschr. 9: 187-228. 1936.
- 182. Bedford, S. A. Preventives of smut in wheat. Can. Expt. Farm Repts. 1892: 196–197. 1893.
- 183. Beer, R. On new species of Melanotaenium, with a general account of the genus. Trans. Brit. Mycol. Soc. 6: 331-343. 1920.
- 184. Behrens, J. Bekämpfung des Getreidebrandes. Wochenbl. Landw. Ver. Baden 1903: 509-511.
- 185. Behrens, J. Beobachtungen über Brandkrankheiten. Ber. d. Grossherzogl. Badischen Landw. Versuchsanstalt Augustenberg über ihre Tätigkeit 1903: 40–41. 1904.
- 186. Bein, S. Das Verhalten quecksilberhältiger Saatgutbeizen. Chem. Zeitschr. 49: 537. 1925.
- Bendandi, N. Contro il carbone dei cereali. I. Trattamenti cogli anticrittogamici sono inefficaci. L'Italia agric. Piacenza 47: 490–492. 1910.
- 188. Benedict, D. M. Ustilago echinata Schroet. Mycologia 21: 84–85. 1929.
- 189. Benigni, E. Note sull' Ustilago maydis (DC) Corda nella Valle Padana. Riv. Pat. Veg. 17: 57-72. 1927.
- 190. Benlloch, M. La desinfeccion en seco de la simiente para prevenir la 'caries' o 'tizon' del Trigo. Boll. Pat. Veg. Ent. Agric. 2: 36-42. 1927.
- 191. Benlloch, M. Contribucion al establecimiento de un metodo para ensayar los desinfectantes contra el 'tizon' del Trigo (Tilletia tritici

- [Bjerk.] Wint. and T. laevis Kühn.) Boll. Pat. Veg. Ent. Agric. 14: 157-168. 1946.
- 192. Bensaude, M. Notes on wheat diseases in Portugal. Bol. Soc. Broteriana, 6 (Ser. 2). 1929.
- 193. Bentancur, M. O. Diferentes metodes de cura contra carbon (Ustilago bromivora Tul.) de la cebadilla Australiana (Bromus unioloides [Willd.] H.B.K.) Archiv. Fitotec. Uruguay 3: 170-173. 1939.
- 194. Benvenuti, J. Von den Ursachen des Brandes im Getreide und den Mitteln dagegen. Hamburg. Magazin 26: 553-569. 1763.
- 195. Bergal, P. Traitement industriel des Orges à deux rangs (Hordeum distichum L.) contre le charbon nu (Ustilago nuda). Compt. Rend. Acad. Sci. Paris, 218: 423-424. 1944.
- 196. Berkeley, M. J. Observations on the propagation of bunt (Uredo caries, D.C.) made with an especial reference to the potato disease. Jour. Hort. Soc. London 2: 107-114. 1847.
- 197. Berkeley, M. J. Smut in maize. Gard. Chron. 1851: 675.
- 198. Berkeley, M. J. Tuburcinia. Gard. Chron. 1856: 708.

- 199. Berkeley, M. J. Ustilago. Gard. Chron. 1856: 725.
 200. Berkeley, M. J. Tilletia. Gard. Chron. 1856: 757.
 201. Berkeley, M. J. Introduction to the cryptogamic Botany. London. 1857.
- 202. Berkeley, M. J., and Broome, C. E. Notices of British Fungi. Ann. and Mag. Nat. Hist. Ser. 2., 5: 455-466. 1850.
- 203. Bessey, C. E. Smut of Indian corn. Iowa Agric. Coll. Bull. 1884: 127.
- 204. Bessey, C. E. The wheat smuts. Iowa Agric. Coll. Bull. 1884: 118-126.
- Bessey, C. E. The smut of Indian corn. Bull. Nebr. Agric. Expt. Sta.
 1: 295–305. 1889.
- 206. Bessey, C. E. Grain smut (Ustilago segetum [Bull.] Dit.). Nebr. Farmer 14: 151. 1890.
- 207. Bessey, C. E. Corn smut (U. maydis [DC.] Cord.) Nebr. Farmer 14: 165. 1890.
- 208. Bessey, C. E. Sorghum smut (U. Sorghi [Link] Pass.). Nebr. Farmer 14: 189. 1890.
- 209. Bessey, C. E. Stinking smut, Tilletia foetans. Nebr. Farmer 14: 151. 1890.
- 210. Bessey, C. E. The smut of Indian corn. Ohio Agric. Expt. Sta. Bull. 10. (Ser. 2): 264-272. 1890.
- 211. Bessey, E. A., and Makemson, W. K. Notes on the control of rye smut. Mich. State Bd. Agric. Rept. 1917: 305-307. 1918.
- 212. Bever, W. M. Reinoculation of resistant varieties of wheat with purified physiologic races of Tilletia tritici and T. levis. Phytopath. 29: 863-871. 1939.
- 213. Bever, W. M. A nonpathogenic buff-colored barley smut. Phytopath. 32: 637-639. 1942.
- 214. Bever, W. M. Physiologic specialization in Ustilago tritici and the effect of vernalization on the incidence of loose smut in artificially inoculated winter wheat. Eighth Report East. Wheat Conf. Cincinnati, Ohio. 1-4. 1943.
- 215. Bever, W. M. Hybridization and genetics in Ustilago hordei and U. nigra. Jour. Agric. Res. 71: 41-59. 1945.

- 216. Bever, W. M. Physiologic races of Ustilago tritici in eastern soft wheat region of the U.S. Phytopath. 37: 889-895. 1947.
- 217. Bevin, R. H. Cereal smuts and their control. Tasm. Jour. Agric. N. S. 7: 25-32. 1936.
- 218. Bhatt, R. S. Studies in the Ustilaginales. 1. The mode of infection of the bajra plant (Pennisetum typhoides Stapf) by the smut Tolyposporium penicillariae Bref. Jour. Indian Bot. Soc. 25: 163-186. 1946.
- Biedenkopf, H. Ustilago medians, ein neuer Brand auf Gerste. Zeitschr. f. Pflanzenkrank. 4: 321-322. 1894.
- 220. Biffen, R. H. Plant diseases in England. Jour. Roy. Agric. Soc. Eng. 74: 374–376. 1913.
- Biffen, R. H. Plant diseases in England. Jour. Roy. Agric. Soc. Eng. 81: 244-245. 1920.
- 222. Biffen, R. H. and Engledow, F. L. Wheat-breeding investigations at the Plant Breeding Institute, Cambridge. Min. of Agric. Res. Monograph, 4. 1926.
- 223. Binz, A., and Bausch, H. Versuch einer Chemotherapie des Gerstenbrandes. Zeitschr. Angew. Chemie 35: 241-243. 1922.
- 224. Biraghi, A. Sul presunto parassitismo dell' 'Urocystis occulta' (Wallr.) Rabenh. sul Frumento in Italia. Boll. R. Staz. Pat. Veg. N. S. 13: 174-179. 1933. (English summary).
- 225. Biraghi, A. Ricerche citologiche sulla germinazione della clamisdospore di "Urocystis tritici" Koern. Atti d. R. Accad. Naz. Lincei 20: 343– 346. 1934.
- 226. Bisby, G. R., and Ainsworth, G. C. The numbers of fungi. Brit. Mycol. Soc. Trans. 26: 16-19. 1943.
- 227. Bissinger, G. H. Some of the problems now facing the Research Bureau of the Philippine Sugar Assoc. Sugar News 15: 19-24. 1934.
- 228. Bittera, N. V. Über die stimulierende Wirkung einiger Beizmittel. Fortschr. der Landw. 1: 669-671. 1926.
- 229. Blair, I. D. Survey of certain crop diseases in Canterbury and North Otago. N. Zeal. Jour. Agric. 55: 104-111. 1937.
- 230. Blaringhem, L. Notes sur la biologie des rouilles et des charbons. 3. Infection partielle par les Ustilaginéss. Rev. Path. Veg. Ent. Agric. 10: 246-252. 1923.
- 231. Blattny, C. Mazlava snet' Zitna. Ochrana Rostlin 11: 139. 1931.
- 232. Blizzard, A. W. The nuclear phenomena and life history of Urocystis cepulae. Bull. Torr. Bot. Club 53: 77-117. 1926.
- 233. Blizzard, A. W. Nuclear phenomena and life history of Urocystis cepulae. Phytopath. 16: 69. 1926.
- 234. Blodgett, E. C. The dwarf bunt disease of wheat in Idaho in 1943. Plant Dis. Reptr. 28: 785-789. 1944.
- 235. Blumer, S. Untersuchungen über die Biologie von Ustilago violacea (Pers.) Fuck. 1. Mitteilung: Ernährungs- und Kulturbedingungen. Wirkungen des Saponins. Arch. Mikrobiol. 8: 458–478. 1937.
- 236. Blumer, S. Über Teilinfektionen beim Antherenbrand (Ustilago lychnidisdioicae [DC] Liro) auf Melandrium. Phytopath. Zeitschr. 13: 375-400. 1941.
- 237. Blumer, S., and Schopfer, W. H. Beiträge zur Biologie und Wirkstoff-

- physiologie von Ustilago scabiosae (Sowerby) Winter. Ber. Schweiz. Bot. Ges. 1: 248–272. 1940.
- 238. Blytt, A. Bidrag til kundskaben om Norges soparter 4. Forhandl. Videnskabs-Selskabet Christiania 1896: 1–75. 1896.
- 239. Bodine, E. W. Double plate method used for culturing Tilletia levis. Science, N. S. 74: 341. 1931.
- 240. Bodine, E. W., and Durrell, L. W. Inoculation of wheat with Tilletia levis (Kühn). Phytopath. 20: 663-668. 1930.
- 241. Bodnar, J. A Höchst-fele 'Kusperit' porcsavazoszer laboratoriumi vizsgalata. Növenyvedelem, 1: 6. 1925.
- 242. Bodnar, J. Uspulun csavazasi kiserletek. Növenyvedelem 2: 2. 1926.
- 243. Bodnar, J. Warum ist das Kupfervitriol ein schädliches Beizmittel und von unsicherer Wirkung? Mezogazdag es Kerteszet, 8, August, 1926. Nachr. über Schädlingsbekämpf. 1: 168–172. 1926.
- 244. Bodnar, J. 'Germisan' esavazasi kiserletek buzakouszog es zabportuszop. Növenyvedelem 2: 3. 1926.
- Bodnar, J. A Höchst-fele Kusperit porcsavazoszer szabadföldi kiprobalasa. Növenyvedelem 2: 8. 1926.
- 246. Bodnar, J. A csavazo rezgalicrol Növenyvedelem 2: 9. 1926.
- 247. Bodnar, J. Neue Bekämpfungsmethode gegen Flugbrand. Növenyvedelem 3: 8. 1927.
- 248. Bodnar, J., and Roth, L. E. Die Wirkung der Quecksilbersalze auf die Samenkeimung. Biochem. Zeitschr. 243: 375–382. 1931.
- 249. Bodnar, J., and Terenyi, A. Beiträge zur Biochemie der Wirkung von Kupferverbindungen auf die Steinbrandsporen des Weizens. Chem. Zeitschr. 49: 902. 1925.
- 250. Bodnar, J., and Terenyi, A. Beizversuche mit Tillantin B und Tillantin C gegen Weizensteinbrand. Pflanzenbau 3: 73-75. 1926.
- 251. Bodnar, J., and Terenyi, A. Beiträge zur Biochemie der Wirkung von Quecksilberverbindungen auf die Steinbrandsporen des Weizens. (Vorläufige Mitteilung.)
 252. Bodnar, J., and Terenyi, A. Biochemie der Brandkrankheiten der Ge-
- 252. Bodnar, J., and Terenyi, A. Biochemie der Brandkrankheiten der Getreidearten. II. Mitteilung. Biophysikalische und biochemische Untersuchungen über die Kupferadsorption der Weizensteinbrandsporen (Tilletia tritici [Bjerk.] Winter). Hoppe-Seyler's Zeitschr. f. Physiol. Chem. 186: 157–182. 1930.
- 253. Bodnar, J., and Terenyi, A. Biochemie der Brandkrankheiten der Getreidearten. IV. Mitteilung. Wirkungsmechanismus der Quecksilbersalze auf die Weizensteinbrandsporen, (Tilletia tritici [Bjerk.] Winter). Hoppe-Seyler's Zeitschr. für Physiol. Chem. 207: 78–92. 1932.
- 254. Bodnar, J., and Terenyi, A. Zur Biochemie der Brandkrankheiten der Getreidearten. IV. Der Wirkungsmechanismus der Hg-Salze auf die Sporen des Weizensteinbrandes. Kiserletugyi Kozlemenyek 35: 75– 86. 1933.
- 255. Bodnar, J., Terenyi, A., and Paskuj, J. Wirkungsmechanismus von Arsenverbindungen auf die Weizensteinbrandsporen. Biochem. Zeitschr. 279: 448-452. 1935.
- 256. Bodnar, J., Villanyi, I., and Terenyi, A. Biochemie der Brandkrankheiten der Getreidearten. I. Mitteilung. Die Kupferadsorption der Weizensteinbrandsporen. (Tilletia tritici Bjerk.) aus Kupferverbin-

- dungen. Hoppe-Seyler's Zeitschr. für Physiol. Chem. 163: 73–93. 1927.
- Boedijn, K. B. On some species of Ustilago occurring on Erianthus and Saccharum. Bull. Jard. Bot. Buitenzorg, Ser. 3, 13: 384–386. 1935.
- 258. Boedijn, K. B. A smut causing galls on the leaves of Hypolytrum. Bull. Jard. Bot. Buitenzorg, Ser. 3, 14: 368-372. 1935.
- 259. Bogoyavlensky, A. A. Tests of dust fungicides for the control of cereal smuts. Plant Prot., Leningrad 7: 371-375. 1931. (Russian; trans. title.)
- 260. Bois, D. Presentation d'échantillons de maïs attaques par le charbon du maïs et à inflorescences androgynes. Bull. Soc. Pathol. Veg. 1921.
- 261. Bolley, H. L. Grain smuts. N. Dak. Agric. Expt. Sta. Bull. 1. 1891.
- 262. Bolley, H. L. Stinking smut in wheat. N. Dak. Agric. Expt. Sta. Bull. 19: 125–130. 1895.
- 263. Bolley, H. L. New studies upon the smut of wheat, oats, and barley, with a résumé of treatment experiments for the last three years. N. Dak. Agric. Expt. Sta. Bull. 27: 109-164. 1897.
- 264. Bolley, H. L. Prevention of the smuts of cereal grains and prevention of potato scab. N. Dak. Agric. Expt. Sta. Bull. 37: 363-379. 1899.
- 265. Bolley, H. L. The course of the hyphal filaments of Tilletia in the body of the wheat plant. A correction of an error. Proc. 21st Ann. Meeting Soc. Prom. Agric. Sci. 1900: 147-148. 1900.
- 266. Bolley, H. L. Investigations on the stinking smut of wheat. N. Dak. Agric. Expt. Sta. Rept. 1900: 20-25. 1900.
- 267. Bolley, H. L. Wheat. Causes of soil sick wheat lands. N. Dak. Agric. Expt. Sta. Bull. 107. 1913.
- 268. Bolley, H. L. Control of smuts on cereal crops. N. Dak. Agric. Expt. Sta. Circ. 28. 1926.
- Bolley, H. L. Plant disease investigations. N. Dak. Agric. Expt. Sta. Bull. 194: 40-50. 1926.
- Bolley, H. L., and Brentzel, W. E. Control of smuts on cereal crops.
 N. Dak, Agric, Expt. Sta. Exten. Circ. 75. 1927.
- 271. Bond, T. E. T. Observations on the disease of Sea Lyme-Grass (Elymus arenarius L.) caused by Ustilago hypodytes (Schlecht.) Fries. Ann. Appl. Biol. 27: 330-337. 1940.
- 272. Bonne, C. Untersuchungen über den Steinbrand des Weizens. Angew. Bot. 13: 169-239. 1931.
- 273. Bonne, C. Beitrag zur Flugbrandbekämpfung des Weizens. Untersuchungen zur Heisswasser-Kurzbeize. Angew. Bot. 23: 304–341. 1941.
- 274. Borbas, V. Ketlaki meesvirag kettosivaru viraggal (Hermaphrodite Blüthen bei Melandrium album). Termeszettud-omanyi Kozlony 17: 75. 1885.
- 275. Borghardt, A. I. Studies of the resistance of spring wheat varieties to the fungus, Tilletia tritici Wint. Contributions Phytopathological Div. Agric. Res. Sta. Jekaterinoslaw. 1927. (Russian; with German summary.)
- 276. Borghardt, A. I. Mineral malachite as an antismut fungicide. Protection of Plants in Ukraine 1927–1928: 56–72. 1928. (Russian; trans. title.)

- 277. Borghardt, A. I. The present state of our knowledge of the diseases of Maize. Scient. Res. Inst. for Maize and Sorghum Cultiv. Kniepropetrovsk. Publ. 28: 1-53. 1932. (Russian; trans. title.)
- 278. Borghardt, A. I. Basic principles underlying the measures proposed for the total elimination of smuts from cereal crops in USSR. Bull. Plant Prot., Leningrad, Ser. 2 (Phytopath.), 1932, No. 2. 1932. (Russian; trans. title.)
- 279. Borlaug, N. E., Harrar, J. G., and Stakman, E. C. Flag smut of wheat in Mexico. Phytopath. 36: 479. 1946.
- 280. Bornhövd, L. Beiträge zur Biologie von Ustilago hypodites (Schldl.) Fr. auf Elymus arenarius L. Phytopath. Zeitschr. 9: 69-97. 1936.
- 281. Borzini, G. Il 'carbone' del granturco nell'annata 1934 nella regione dell'Agro Romano. Boll. Staz. Pat. Veg. Roma, N. S. 15: 96-115.
- 282. Borzini, G. Ricerche sul 'carbone del Granturco' (Ústilago zeae [Beck] Unger). Boll. Staz. Pat. Veg. Roma, N. S. 15: 389-423. 1935.
- 283. Borzini, G., Marini, and Bettolo, G. B. Composti furanici e mercurifuranici come anticrittogamici nazionali. Ric. sci. Progr. tec. Econ. naz., Ser. 2, 10: 474. 1939.
- 284. Bosc, L. Der Brand im Weizen und dass Mutterkorn. Magazin der neuesten Erfahrungen der gesamt. Naturk., Berlin, 1811: 12.
- 285. Bose, R. D., and Mundkur, B. B. Studies in Indian Cereal Smuts. IV. Varietal resistance of Indian and other oats to smuts. Indian Jour. Sci. 11: 695-702. 1941.
- 286. Boss, G. Beiträge zur Zytologie der Ustilagineen. Planta 3: 597-622. 1927.
- 287. Boudier, E. Considerations générales et pratiques sur l'étude microscopique des Champignons. Bull. Soc. Myc. France 2: 134–192. 1886.
- 288. Boudier, E. Champignons nouveaux rares ou peu connus de France. Bull. Soc. Myc. France 3: 145-153. 1887.
- 289. Bouillard, R. Emploi du lysol contre la carie. Jour. Agric. Prat. 86: 203. 1922.
- 290. Bourque, A. Wheat smut. Jour. Soc. Agric. Brabant-Hainaut. 1899: 272-273.
- 291. Bowman, D. H. Cytological studies of sporidial fusion in Ustilago zeae. Phytopath. 30: 3. 1940.
- 292. Bowman, D. H. Sporidial fusion in Ustilago maydis. Jour. Agric. Res. 72: 233-243. 1946.
- 293. Boyd, D. A. The Ustilagineae of North Ayrshire. Trans. Nat. Hist. Soc. Glasgow. 4 (N.S.): 24-27. 1897.
- 294. Boyd, D. A. Additional notes on the Peronosporeae and Ustilagineae of North Ayrshire. Trans. Nat. Hist. Soc. Glasgow 5: 161-162. 1898.
- 295. Bracken, A. F. Effect of various smut treatments on yield of winter wheat. Jour. Amer. Soc. Agron. 26: 748-751. 1934.
- 296. Brandwein, P. F. Experiments on latent infection of resistant varieties by the loose and covered smut of oats. Bull. Torr. Bot. Club 64: 433-444. 1937.
- 297. Brandwein, P. F. The emergence of smut-inoculated oat seedlings through sand and loam soil. Bull. Torr. Bot. Club 65: 477-483. 1938.

- 298. Brandwein, P. F. Infection studies on the covered smut of oats. Bull. Torr. Bot. Club 67: 673-691. 1940.
- 299. Brandwein, P. F. Seedling invasion of the covered smut of oats. Phytopath. 34: 481-484. 1944.
- 300. Braun, A. Über einige neue und weniger bekannte Krankheiten der Pflanzen, welche durch Pilze erzeugt werden. Berlin. 31 pp. 1854.
- Braun, A. Neueste Kenntnis der Entwicklung der Brand- und Rostpilze. Sitzungsber. Ges. Naturf. Freunde Berlin. Feb. 1865.
- 302. Braun, A. Über den Brandpilz des Schilfrohrs, Ustilago, Verbreitung und Synonymie. Sitzungsber. Ges. Naturf. Freunde Berlin. Oct. 1868.
- 303. Braun, H. Presoak method of seed treatment; a means of preventing seed injury due to chemical disinfectants and of increasing germicidal efficiency. Jour. Agric. Res. 19: 363-392. 1920.
- 304. Braun, H. Effect of delayed planting on germination of seed wheat treated with formalin. Phytopath. 12: 173-180. 1922.
- 305. Braunstein. Influence de l'Ustilago maydis et des stigmates du maïs sur les contractions de l'uterus. Arch. Russ. de Pathol., de Méd. et de Bactér. 1897: 339.
- 306. Bredemann, G. Die quantitative mikroskopische Bestimmung der Brandsporen (Tilletia-Sporen) in Mehl, Kleie und Getreide. Landw. Vers.-Stat. 75: 135-157. 1911.
- 307. Bredemann, G. Zur Bestimmung des Brandsporengehaltes in Mehl, Kleie und Getreide. Landw. Vers.-Stat. 87: 241-250. 1915.
- 308. Bredemann, G. Über die quantitative Bestimmung der Brandsporen in Kleien. Arch. f. Chemie u. Mikroskopie 8: No. 4. 1915.
- Bredemann, G. Die Bestimmung des Brandsporengehaltes von Weizenproben. Zeitschr. f. Untersuch. der Nährungs- und Genussmittel 45: 208–209. 1923.
- 310. Brefeld, O. Über die morphologische Deutung der fructitativen Sporenkeimungen bei den Ustilagineen und Aecidiomyceten. Sitzungsber. Ges. Naturf. Freunde Berlin 1877: 61.
- 311. Brefeld, O. Botanische Untersuchungen über Hefenpilze. Untersuchungen aus dem Gesammtgebiet der Mykologie V. Die Brandpilze I. vi + 220 pp. Leipzig. 1883.
- 312. Brefeld, O. Untersuchungen über Hefenpilze. I. Die Brandpilze und die Brandkrankheiten. Nachr. Klub Landw. Berlin, No. 154. 1884.
- Brefeld, O. Neue Untersuchungen über die Brandpilze und die Brandkrankheiten. Nachr. Klub Landw. Berlin 1888: 1577–1584, 1588–1594, 1597–1601. Engl. trans. in Jour. Mycol. 6: 1–8, 59–71, 153–164. 1890–1891.
- 314. Brefeld, O. Untersuchungen aus dem Gesammtgebiet der Mykologie. XI. Die Brandpilze II. Die Brandkrankheiten des Getreides. vi + 98 pp. Münster. 1895.
- 315. Brefeld, O. Untersuchungen aus dem Gesammtgebiete der Mykologie. 12: Hemibasidii. Die Brandpilze III. iv. + 137 pp. Münster. 1895.
- 316. Brefeld, O. Der Reisbrand und der Setariabrand, die Entwickelungsglieder neuer Mutterkorn Pilze. Bot. Centralbl. 65: 97. 1896.
- 317. Brefeld, O. Über Brandpilze und Brandkrankheiten. I. 77. Jahresb. Schles. Ges. Vaterländ. Kultur. 2te Abt. 1889: 17–35. 1900.
- 318. Brefeld, O. Neue Untersuchungen und Ergebnisse über die natürliche

- Infektion und Verbreitung der Brandkrankheiten des Getreides. Nachr. Klub Landw. Berlin No. 466: 4224–34. 1903.
- 319. Brefeld, O. Über die Brandkrankheiten des Getreides, ihre natürliche Verbreitung und ihre Verhütung. Jahrb. d. Deutsch. Landw. Gesell. 22: 75-90. 1907.
- 320. Brefeld, O. Untersuchungen aus dem Gesammtgebiete der Mykologie, 14. Die Kultur der Pilze und die Anwendung der Kulturmethoden für die verschiedenen Formen der Pilze nebst Beiträgen zur vergleichenden Morphologie der Pilze und der natürlichen Wertschätzung ihrer zugehöigen Fruchtformen. 256 pp. Münster. 1908.
- 321. Brefeld, O. Untersuchungen aus dem Gesammtgebiete der Mykologie, 15. Die Brandpilze und die Brandkrankheiten. V. Münster. 1912.
- 322. Brefeld, O., and Falk, R. Die Blüteninfektion bei den Brandpilzen und die natürliche Verbreitung der Brandkrankheiten. Untersuchungen aus dem Gesammtgebiete der Mykologie 13. Brandpilze (Hemibasidii) IV. Münster. 1905.
- 323. Bremer, H. Zur Bekämpfung des Zwiebelbrandes. Phytopath. Zeitschr. 9: 53-68. 1936.
- 324. Bremer, H. Bunt of wheat in Turkey. Zir. Derg., 4: 44-45, 124-130, 1943. (Turkish; with English summary.)
- 325. Brentzel, W. E. Loose smut of wheat. N. Dak. Agric. Expt. Sta. Circ. 29. 1926.
- 326. Brentzel, W. E. Plant pathology. N. Dak. Agric. Expt. Sta. Bull. 233: 97-105. 1930.
- 327. Brentzel, W. E. Physiologic specialization of Tilletia tritici on emmer. Phytopath. 23: 483-485. 1933.
- 328. Brentzel, W. E. Seed treatment. N. Dak. Agric. Expt. Sta. Circ. 56. 1935.
- 329. Brentzel, W. E., and Smith, R. W. Varietal resistance of spring wheats to bunt. N. Dak. Agric. Expt. Sta. Bull. 231: 1-12. 1929.
- 330. Bressman, E. N. Physiologic forms of bunt of wheat and varietal resistance. Phytopath. 21: 108. 1931.
- 331. Bressman, E. N. Rye infected with bunt of wheat. Phytopath. 21: 437-440. 1931.
- 332. Bressman, E. N. Varietal resistance, physiologic specialization, and inheritance studies in bunt of wheat. Ore. Agric. Expt. Sta. Bull. 281. 1931.
- 333. Bressman, E. N. The present status of breeding varieties of wheat resistant to bunt. Centralbl. f. Bakt. Part 2, 53: 23-26, 396-397. 1931.
- 334. Bressman, E. N. Lolium infected with bunt of wheat. Phytopath. 22: 865-866. 1932.
- 335. Bressman, E. N. Susceptibility and resistance of wheat varieties to bunt. Jour. Amer. Soc. Agron. 24: 249-255. 1932.
- 336. Bressman, E. N. Effect of bunt on height of wheat plants. Phytopath. 22: 259-262. 1932.
- 337. Bressman, E. N., and Barss, H. P. Experiments with head smut of corn in western Oregon. Phytopath. 23: 396-403. 1933.
- 338. Bressman, E. N., and Harris, L. E. Inheritance in Albit wheat of resistance to bunt, Tilletia tritici. Jour. Agric. Res. 46: 361-365. 1933.

- 339. Brett, C. C., and Dillon Weston, W. A. R. Seed disinfection 4. Loss of vitality during storage of grain treated with organomercury seed disinfectants. Jour. Agric. Sci. 31: 500-517. 1941.
- 340. Briard, M. Champignons nouveaux ou rares de l'Aube. Fasc. 2. Rev. Myc. 8: 23-25. Toulouse. 1886.
- 341. Briggs, F. N. The toxicity of copper sulphate to the spores of Tilletia tritici (Bjerk.) Wint. Univ. Calif. Publ. Agric. Sci. 4: 407-412. 1923.
- 342. Briggs, F. N. Seed treatments for the control of bunt qf wheat. Phytopath. 16: 829–842. 1926.
- 343. Briggs, F. N. Inheritance of the second factor for resistance to bunt, Tilletia tritici (Bjerk.) Wint., in wheat. Jour. Agric. Res. 32: 973– 990. 1926.
- 344. Briggs, F. N. Dehulling barley seed with sulphuric acid to induce infection with covered smut. Jour. Agric. Res. 35: 907-914. 1927.
- 345. Briggs, F. N. Factors which modify the resistance of wheat to bunt, Tilletia tritici. Hilgardia 4: 175-184. 1929.
- 346. Briggs, F. N. Breeding wheats resistant to bunt by the back-cross method. Jour. Amer. Soc. Agron. 22: 239-244. 1930.
- 347. Briggs, F. N. Inheritance of the second factor for resistance to bunt, Tilletia tritici, in Hussar wheat. Jour. Agric. Res. 40: 225-232. 1930.
- 348. Briggs, F. N. Inheritance of resistance to bunt, Tilletia tritici, in White Odessa wheat. Jour. Agric. Res. 40: 353-359. 1930.
- 349. Briggs, F. N. Inheritance of resistance to bunt, Tilletia tritici, in hybrids of White Federation and Banner Berkeley wheats. Jour. Agric. Res. 42: 307-313. 1931.
- 350. Briggs, F. N. Inheritance of resistance to bunt, Tilletia tritici, in crosses of White Federation with Turkey wheats. Jour. Agric. Res. 44: 121-126. 1932.
- 351. Briggs, F. N. Inheritance of resistance to bunt, Tilletia tritici, in hybrids of White Federation and Odessa wheat. Jour. Agric. Res. 45: 501–505. 1932.
- 352. Briggs, F. N. A third genetic factor for resistance to bunt, Tilletia tritici, in wheat hybrids. Jour. Genetics 27: 435-441. 1933.
- 353. Briggs, F. N. Inheritance of resistance to bunt, Tilletia tritici, in Sherman and Oro wheat hybrids. Genetics 19: 73-82. 1934.
- 354. Briggs, F. N. Inheritance of resistance to bunt, Tilletia tritici, in hybrids of Turkey wheats C. I. 1558 B and C. I. 2578. Hilgardia 10: 19-25. 1935.
- 355. Briggs, F. N. Linkage between the Martin and Turkey factors for resistance to bunt, Tilletia tritici, in wheat. Jour. Amer. Soc. Agron. 32: 539-541. 1940.
- 356. Brittlebank, C. C. Effect of time on the germination of wheat after treatment with CuSO₄ and formaldehyde. Jour. Dept. Agric. Victoria 1913: 473-476.
- 357. Brittlebank, C. C. Flag smut. Jour. Dept. Agric. Victoria 18: 240–243. 1920.
- 358. Brittlebank, C. C. Seed-borne diseases, "take-all and flag smut." Jour. Dept. Agric. Victoria 19: 447. 1921.

- 359. Britton-Jones, H. R. The rusts and smuts of wheat, barley and oats.

 Min. Agric. Egypt Tech. Sci. Ser. Bull. 15. 1920.
- 360. Britton-Jones, H. R. The smuts of millet (Andropogon sorghum Brot.). Min. Agric. Egypt Tech. Sci. (Bot. Sec.) Bull 18. 1922.
- 361. Brizi, U. Micromiceti nuovi per la flora romana. Bull. Soc. Bot. Ital. 1895: 93-101.
- 362. Brocq-Rousseau, and Gain, E. Tilletia striiformis West. Les ennemis de l'avoine, p. 18–19. 1910.
- 363. Brodsky, J. Der Einfluss der kohlensauren Kupferbeizen für Getreide auf den Tierorganismus. Arch. f. Gewerbepath. und Gewerbehyg. 5: 91-107. 1933.
- 364. Broili, J. Versuche mit Brand-Infektion zur Erzielung brandfreier Gerstenstämme. Naturw. Zeitschr. f. Forst- u. Landw. 1910: 335-344.
- 365. Broili, J. Versuche mit Brandinfektion zur Erzielung brandfreier Gerstenstämme. Naturw. Zeitschr. f. Forst- u. Landw. 9: 53-55. 1911.
- 366. Broili, J. Zur Festellung der Ustilago nuda im Embryo der Gerste. Fühling's Landw. Ztg. 67: 336-337. 1918.
- 367. Broili, J., and Schrikorra, W. Beiträge zur Biologie des Gerstenflugbrandes (Ustilago hordei nuda Jen.). Ber. d. Deutsch. Bot. Ges. 31: 336-339. 1913.
- 368. Brown, J. G. Bunt of wheat. Ariz. Agric. Expt. Sta. Timely Hints for Farmers 143. 1923.
- 369. Broz. O. Der Getreidebrand und seine Bekämpfung. Monatsb. Landw. 4: 289-293. 1911.
- 370. Brückner, G. Brandiger Weizen als Wertminderer des Mahlgutes. Zeitschr. Ges. Getreidew. 22: 218-222. 1935.
- 371. Brunehant. Le poudrage des semences. Compt. Rend. Acad. Agric. France 13: 1089-1094. 1927.
- 372. Bruntz, L. Apropos de la présence des spores de Tilletia tritici dans les selles. Bull. Sci. Pharm. 26: 257-265. 1919.
- 373. Bryan, W. E. Breeding for smut resistance in Arizona-grown wheat.

 Ariz, Agric, Expt. Sta. Tech. Bull. 66. 1937.
- 374. Bryant, Rev. H. A particular enquiry into the causes of that disease in the wheat commonly called brand, etc. Norwich. 58 pp., 1783.
- 375. Bryzgalova, V. A. Evaluation of the relative resistance of spring wheat varieties to bunt and brown rust in the Lake Baikal region of East Siberia. Bul. Pl. Prot. E. Siberia 2: 175-203. 1935.
- 376. Bubak, F. Ein Beitrag zur Kenntnis der böhmischen Peronosporeen, Ustilagineen und Uredineen. Verhandl. Zool.-Bot. Ges. Wien 47: 225–233. 1897.
- 377. Bubak, F. Über die richtige Benennung von Tilletia belgradensis Magnus. Annal. Mycol. 6: 570. 1908.
- 378. Bubak, F. Eine neue Tilletia-Art. Zeitschr. f. d. Landw. Versuchsw. Österr. 1909: 545–549.
- 379. Bubak, F. Eine neue Ustilaginee der Mohrenhirse. Zeitschr. f. d. Landw. Versuchs. Oesterr. 1910: 53-56.
- 380. Bubak, F. Une nouvelle espèce du genre Urocystis. Bol. R. Soc. Espan. Hist. Nat. 22: 205–207. 1922.

- 381. Bubak, F. Urocystis bolivari n. sp., Ustilaginée parasite du raygrass anglais en Espagne. Bol. R. Soc. Espan. Hist. Nat. 1922.
- 382. Bubentzoff, S. A method for the isolation of the smut fungus Ustilago tritici (Pers.) Rostr. from infected wheat grains. Pl. Prot. Leningrad 12: 89-94. 1937. (Russian; trans. title.)
- 383. Buchanan, J. Treatment of grain for smut. Ontario Agric. Col. and Expt. Farm Ann. Rept. 1906: 176-178. 1907.
- 384. Buchheim, A. N. Phytopathologische Forschung und Schädlingsbekämpfung in der Sowietunion Russland. Angew. Bot. 8: 1-7. 1926.
- 385. Buchheim, A. N. Einfluss von Ustilago panici-miliacei auf Entwicklung und Wachstum der Wirtspflanze. Zeitschr. f. Bot. 23: 245-250. 1930.
- 386. Buchheim, A. N. Einfluss von Brandbefall auf Wachstum und Habitusbild der Wirtspflanze. Phytopath. Zeitschr. 8: 615–621. 1935.
- 387. Buchheim, A. N. Effect of freezing on the germinability of wheat seeds infected with loose smut, and on the development of the plants raised from them. Pl. Prot. Leningrad 6: 134-137. 1935. (Russian; trans. title.)
- 388. Buchheim, A. N., and Schmanev, M. N. On the question of the effect of smut on the development of millet. Morbi Plantarum, Leningrad 15: 42-46. 1926. (Russian, with German summary; trans. title.)
- 389. Buchholtz, Fr., and Ekmann, O. Über die Verbeitung der Brandpilze (Ustilagineae) im Ostbalticum. Sitzungsber. der. Naturforscher-Gesellschaft der Universität Dorpat 24: 47–70. Dorpat. 1920.
- 390. Buchholtz, W. F. A comparison of dosages of copper carbonate and ethyl mercuric phosphate with chloranil and sulphur as sorghum seed treatments. Proc. S. Dak. Acad. Sci. 23: 56-64. 1943.
- 391. Buddin, W. Experiments in the control of bunt (Tilletia tritici) in wheat, carried out at the University Farm in 1924, 1925, and 1926. Univ. of Reading, Guide to the Univ. Farm and Expt. Sta. 1927: 42-44.
- 392. Buller, A. H. R. Researches on fungi. xi + 287 pp. Longmans, Green and Co. London. 1909.
- 393. Buller, A. H. R. Researches on fungi. Vol. 5. xiii + 416 pp. Longmans, Green and Co. London. 1933.
- 394. Buller, A. H. R., and Vanterpool, T. C. Violent spore discharge in Tilletia tritici. Nature 116: 934-935. 1925.
- 395. Burchard, O. Untersuchungen über die Anwendbarkeit des Brühverfahrens zur Tötung des Flugbrandes an Saatgetreide. Deutsche Landw. Presse 1894: 5.
- 396. Burk, E. F., Cross, C. B., and Hixson, E. Variety tests of sweet corn and its resistance to corn earworm and smut injury. Proc. Amer. Soc. Hort. Sci. 33: 502-504. 1936.
- 397. Burk, H. Zur Steinbrandbekämpfung des Weizens. Zeitschr. f. Pflanzenkrank. 33: 193–240. 1923.
- 398. Burnham, C. R., and Cartledge, J. L. Linkage relations between smut resistance and semisterility in maize. Jour. Amer. Soc. Agron. 31: 924-933. 1939.
- 399. Burrill, T. J. The Ustilagineae or, smuts; with a list of Illinois species. Proc. Amer. Soc. Microscop. 10: 45-57. 1888.

- 400. Burström, H. Undersökningar över oorganiska ämmens giftverkningar vid betning av Tilletia tritici sporer. Centralanst. f. Försöksväsendet pa Jordbruks. Medd, 356: 1–19. 1929.
- 401. Busse, W. Untersuchungen über die Krankheiten der Sorghum-Hirse. Arb. Biol. Abt. (Anst.-Reichsanst.), Berl. 4: 319-426. 1904.
- 402. Butler, E. J. Diseases of rice. Bull. Agric. Res. Inst. Pusa 34: 1–37. 1913.
- 403. Butler, E. J. Fungi and disease in plants. 547 pp. Calcutta and Simla. 1918.
- 404. Buttress, F. A., and Dennis, R. W. G. The early history of cereal seed treatment in England. Agric. Hist. 21: 93-103. 1947.
- 405. Caldwell, R. M., and Compton, L. E. Cross inoculations with loose smut of wheat. Phytopath. 30: 3. 1940.
- 406. Caldwell, R. M. and Compton, L. E. Inheritance of resistance to loose smut, Ustilago tritici, in the varietal cross Trumbull X Wabash. Phytopath. 37: 4. 1947.
- Calkoen, H. J. De Uredineae en Ustilagineae van Nederland. Inaugural Dissertation. Amsterdam. 1883.
- 408. Calniceanu, C. Beiträge zur Resistenzzüchtung gegen Puccinia triticina Erikss. Kühn-Archiv 37: 57-90. 1934.
- 409. Camerarius, R. J. Disputatio de Ustilagine frumenti. Resp. Joh. Andr. Planer. Tübingae. 16 pp. 1709.
- 410. Campagna, E. Quelques notes brèves sur un specimen de "charbon blanc" du blé, trouvé a Ste-Anne de la Pocatière. Ann. Rpt. Soc. Prot. Pl. 18: 77–78. 1925.
- 411. Campagna, E., and Lachance, R. O. Annotated list of the Ustilagines observed in Quebec. Rept. Quebec Soc. Prot. Pl. 27: 50-52. 1935.
- 412. Campanile, S. Composizione chimica delle spore di parassiti vegetali di cereali. Nuovi Ann. Agric. 12: 640-648. 1932.
- 413. Campenhausen, E. Staubbrandpilz. Deutsche Landw. Presse 16: 420. 1889.
- 414. Campenhausen, E. Untersuchungen über den Staubbrand. Balt. Wochenschr. f. Landw. 27: 241–245. 1889.
- 415. Capron, H. Diseases of the onion. U. S. Com. Agric. Rept. 8: 224. 1870.
- 416. Cardiff, I. D., Waller, O. L., Carpenter, H. V., Olson, G. A., Schafer, E. G., and Sherman, A. L. Report on fires occurring in threshing separators in eastern Washington during the summer of 1914. Wash. Agric. Expt. Sta. Bull. 117. 1914.
- 417. Carne, W. M. The pre-soak method of treating seed wheat for bunt. Agric. Gaz. New S. Wales 32: 626. 1921.
- 418. Carne, W. M. Flag smut of wheat (Urocystis tritici). Jour. Dept. Agric. W. Australia Ser. 2, 1: 142-147. 1924.
- Carne, W. M. Cereal smuts. Jour. Dept. Agric. W. Australia, Ser. 2, 2: 10-19. 1925.
- 420. Carne, W. M. Dusting for fungous diseases. Jour. Dept. Agric. W. Australia, Ser. 2, 1: 14-16. 1927.
- 421. Carne, W. M. Smut on broom millet and other sorghums. Jour. Dept. Agric. W. Australia, Ser. 2, 4: 348. 1927.
- 422. Carne, W. M., and Limbourn, E. J. Flag smut of wheat. Varietal

- resistance test. Jour. Dept. Agric. W. Australia, Ser. 2, 4: 4-7. 1927.
- 423. Caron-Eldingen, Von. Steinbrand und physiologische Spaltungen. Deutsche Landw. Presse 47: 514, 598-599, 1920.
- 424. Caspar, R. Über den Einfluss äusserer Faktoren auf den Steinbrandbefall des Weizens. Kühn-Arch. 12. 1926.
- 425. Castellani, E. Problemi fitopatologici dell'Impero. Osservazioni ed orientamenti. Agricoltura Colon. 34: 5-15. 1940.
- 426. Castellani, E. Micromiceti dell' Africa orientale Italiana., Nuovo Giorn. Bot. Ital. N.S. 49: 1-31. 1942.
- 427. Castellani, E., and Ciccaroni, A. I cereali dell' Africa Italiana II. Il "Teff" (Eragrostis Teff) Cereale da panificazione dell' Africa Orientale Italiana montana, Firenze Reg. Ist. Agron, per l'Africa Ital, vii + 106 pp. 1939.
- 428. Cercos, A. P., and Favret, E. A. 'Ustilago maydis', una nueva fuenta de radiacion mitogenetica. Rev. Argent. Agron. 13: 128-137. 1946.
- 429. Cesati, V. de Uredo longissima ver. holci. Klotzsch-Rabenh. Herb. Viv. Mycol., No. 1498. 1850.
- 430. Chambry, J. Le Charbon et la Carie des Céréales. Rev. Sci. Limousin, 13, 155: 170. 1905.
- 431. Cherewick, W. J. An improved method of determining the smut spore load on cereal seed. Can. Jour. Res. Sec. C. 22: 120-126. 1944.
- 432. Cherewick, W. J. Determination of smut spore load on cereal seed grain. Canadian Phytopath. Soc. Proc. 1947: 14.
- 433. Cherewick, W. J. Relation between spore load on the seed and amount of smut infection in cereal grains. Phytopath. 38: 4-5. 1948.
- 434. Chester, K. S. A machine for controlling loose smut in wheat and barley. Okla. Agric. Expt. Sta. Circ. 86. 1940.
- 435. Chevalier, A. Sur une Ustilaginée parasite du Riz en Afrique Occidentale. Rev. de Bot. Appliquée et d'Agric. Trop. 11 (116): 275. 1931.
- 436. Chevalier, A. Une maladie du Penicillaire au Sénégal. Rev. de Bot. Appliqués et d'Agric. Trop. 11: 49-50. 1931.
- 437. Chevallier, F. F. Flore générale environs de Paris, selon la méthode naturelle. xxiv + 676 pp. Paris. 1826.
- 438. Chevallier, F. F. Flore générale, Seconde edition. xvi + 682 pp. Paris. 1836.
- 439. Chifflot, J. Sur la présence de l'Ustilago maydis (D.C.) Corda sur les racines adventives du Zea mays L. et de sa varieté quadricolor, et sur les biomorphoses qu'elles présentent. Compt. Rend. Acad. Sci. Paris 144: 764-766. 1907.
- 440. Chifflot, J. Sur la castration thelygène chez Zea mays L. var. tunica, produite par l'Ustilago maydis (DC.) Corda. Compt. Rend. Acad. Sci. Paris 148: 426-429. 1909.
- 441. Chilton, St. John P. The occurrence of lysis in certain crosses of Ustilago zeae. Phytopath. 28: 5. 1938.
- 442. Chilton, St. John P. Delayed reduction of the diploid nucleus in promycelia of Ustilago zeae. Phytopath. 30: 622-623. 1940. 443. Chilton, St. John P. A heritable abnormality in the germination of
- chlamydospores of Ustilago zeae. Phytopath. 33: 749-765. 1943.

- 444. Chladek, C. The present status of our knowledge of the distribution of the grain smut fungi. Zeitschr. der Lehrer der Landw. Anstalten in Böhmen, Tabor 9: 8-12. 1909. (Bohemian; trans. title.)
- 445. Chona, B. L. Sugar-cane smut and its control. Indian Emb. 4: 401-404. 1943.
- 446. Chowdhury, S. Mode of transmission of the bunt of rice. Cur. Sci. 15: 111. 1946.
- 447. Chowdhury, S. Some studies on the smut, Ustilago coicis Bref., of Job's Tears millet. Jour. Indian Bot. Soc. 25: 123-130. 1946.
- 448. Chrestian, J. Le charbon des tiges de blé de la vallée du Cheliff. Rev. Agric. Afrique du Nord. 1923.
- 449. Chrestian, J. Traitment des semences des Céréales. Rev. Agric. Afrique du Nord. 1923.
- 450. Christensen, C. Haploide Linien von Ustilago tritici. Der Züchter 7: 37-39. 1935.
- 451. Christensen, J. J. The relation of soil temperature and soil moisture to the development of head smut of sorghum. Phytopath. 16: 353-357. 1926.
- 452. Christensen, J. J. Studies on the genetics of Ustilago zeae. Phytopath. Zeitschr. 4: 129-188. 1931.
- 453. Christensen, J. J., and Johnson, I. J. Field reaction of varieties and selfed lines of corn to different collections of Ustilago zeae. Jour. Agric. Res. 51: 47-57. 1935.
- 454. Christensen, J. J., and Rodenhiser, H. A. Physiologic specialization and genetics of the smut fungi. Bot. Rev. 11: 389-425. 1940.
- 455. Christensen, J. J., and Stakman, E. C. Physiologic specialization and mutation in Ustilago zeae. Phytopath. 16: 979-999. 1926.
- 456. Christoff, A. Bunt of wheat in the Shumla region. Publ. Min. Agric. and Crown Lands, Sofia 62: 1-21. 1936.
- 457. Churchward, J. G. Studies in the inheritance of resistance to bunt in a cross between Florence × Hard Federation wheats. Jour. and Proc. Roy. Soc. New S. Wales 64: 298-319. 1931.
- 458. Churchward, J. G. Inheritance of resistance to bunt, Tilletia tritici (Bjerk.) Winter, and other characters in certain crosses of 'Florence' wheat. Proc. Linn. Soc. New S. Wales 57: 133-147. 1932.
- 459. Churchward, J. G. The geographic distribution of Tilletia tritici and T. levis on wheat in Australia in 1931. Proc. Linn. Soc. New S. Wales 58: 403–408. 1933.
- Churchward, J. G. A note on the occurrence of seedling lesions caused by cereal smuts. Proc. Linn. Soc. New S. Wales 59: 197-199. 1934.
- 461. Churchward, J. G. Studies on physiologic specialization of the organisms causing bunt in wheat, and the genetics of resistance to this and certain other wheat diseases. Part 2. Genetical studies. Jour. Roy. Soc. New S. Wales 71: 547-590. 1938.
- 462. Churchward, J. G. The initiation of infection by bunt of wheat (Tilletia caries). Ann. Appl. Biol. 27: 58-64. 1940.
- 463. Ciferri, R. Prima contribuzione allo studio degli Ustilaginales. Bull. Soc. Bot. Ital. 2: 46-57. 1924.
- 464. Ciferri, R. Seconda contribuzione allo studio degli Ustilaginales. Atti Ist. Bot. Univ. di Pavia, 3rd Ser. 1: 77-97. 1924.
- 465. Ciferri, R. Terza contribuzione allo studio degli Ustilaginales. Alcuni

- micromiceti della flora Spagnola e Svizzera. Atti Ist. Bot. Univ. di Pavia, 3rd Ser. 2: 7-14. 1925.
- 466. Ciferri, R. Quarta contribuzione allo studio degli Ustilaginales. Ann. Mycol. 26: 1-68. 1928.
- 467. Ciferri, R. Quinta contribuzione allo studio degli Ustilaginales. Ann. Mycol. 29: 1-74. 1931.
- 468. Ciferri, R. Smuts collected in the Dominican Republic by E. L. Ekman. I. Arkiv. f. Bot. 23A: 1-29. 1931.
- 469. Ciferi, R. The criteria for definition of species in mycology. Ann. Mycol. 30: 122-136. 1932.
- 470. Ciferi, R. Ustilaginales esotici nuovi o rari. I. Nuovo Giorn. Bot. Ital., N. S. 40: 252–268. 1933.
- 471. Ciferi, R. La distribuzione e la nomenclatura dei carboni della canna da zucchero e della species affine. Bol. Studi e Inform. R. Giorn. Colon. di Palermo 13: 13-18. 1934.
- 472. Ciferi, R. A few interesting North American smuts. Trans. Brit. Mycol. Soc. 18: 257-264. 1934.
- 473. Ciferi, R. Ustilaginales. Flora Italica Cryptogama, pars 1, Fungi, fasc. 17, 263. 1938.
- 474. Ciferi, R., and Herter, W. G. Ustilaginales Uruguayenses. Bot. Arch. 34: 527-540. 1932.
- 475. Clark, J. A., and Ausemus, E. R. Immunity of Hope wheat from black stem rust inherited as a dominant character. Jour. Amer. Soc. Agron. 20: 152-159. 1928.
- 476. Clark, J. A., Quisenberry, K. S., and Powers, L. Inheritance of bunt reaction and other characters in Hope wheat crosses. Jour. Agric. Res. 46: 413-425. 1933.
- 477. Clayton, E. S. A common source of infection with flag smut. Agric. Gaz. New S. Wales 36: 860. 1925.
- 478. Clinton, G. P. Broom-corn smut. Ill. Agric. Expt. Sta. Bull. 47: 289-360. 1897.
- 479. Clinton, G. P. The smuts of Illinois' agricultural plants. Ill. Agric. Expt. Sta. Bull. 57. 1900.
- 480. Clinton, G. P. Leaf smut of timothy, redtop, and bluegrass. Ill. Agric. Expt. Sta. Bull. 57: 348-349. 1900.
- 481. Clinton, G. P. Two new smuts on Eriocaulon septangulare. Rhodora 3: 79. 1901.
- 482. Clinton, G. P. North American Ustilagineae. Jour. Mycol. 8: 128-156. 1902.
- 483. Clinton G. P. North American Ustilagineae. Proc. Boston Soc. Nat. Hist. 31: 329-529. 1904.
- 484. Clinton, G. P. The Ustilagineae or smuts of Connecticut. Conn. Geol. and Nat. Hist. Survey Bull. 5. 1905.
- 485. Clinton, G. P. Ustilaginales. North American Flora 7: 1-82. 1906.
- 486. Clinton, G. P. and Zundel, G. L. Notes on some Ustilaginales from India. Mycologia 30: 280–281. 1938.
- 487. Close, C. P. Results with oat smut in 1897. N. Y. State Agric. Expt. Sta. Bull. 131: 1-16. 1897.
- 488. Cobb, N. A. Diseased maize plants. Agric. Gaz. New S. Wales 2: 285. 1891.
- 489. Cobb, N. A. Smut. Agric. Gaz. New S. Wales 2: 672-677. 1891.

- 490. Cobb, N. A. Hot air treatment for stinking smut. Agric. Gaz. New S. Wales 7: 82-83. 1896.
- 491. Cobb, N. A. Comparative observations of the brush of about fifty varieties of wheat. Agric. Gaz. New S. Wales 13: 647. 1902.
- 492. Cobb, N. A. The effect of engine boiler steam on the vitality of seeds and spores. Agric. Gaz. New S. Wales 14: 26. 1903.
- 493. Cobb, N. A. Quantitative estimation of disease spores. Agric. Gaz. New S. Wales 15: 670-680. 1904.
- 494. Cobb, N. A. Smut of the prairie grass. Agric. Gaz. New S. Wales 15: 14. 1904.
- 495. Cobb, N. A. Quantitative estimation of bunt in seed wheat. Agric. Gaz. New S. Wales 16: 1113-1117. 1905.
- 496. Cocconi, G. Contribuzione alla biologia dell' Ustilago ornithogali (Schmidt et Kunze Winter). Mem. R. Accad. Sc. Ist. Bologna, Ser. 4, 10: 103-112. 1889.
- 497. Cocconi, G. Sullo sviluppo della Thecaphora aterrima Tul., e dell' Urocystis primulicola Magnus. Richerche Sperimentali. Mem. R. Accad. Sc. Ist. Bologna Ser. 4, 10: 317–328. 1890.
- 498. Cocconi, G. Contributo alla biologia del genere Ustilago Pers. Mem. R. Accad. Sc. Ist. Bologna Ser. 5, 3: 527–537. 1893.
- Cocconi, G. Osservazioni e ricerche sopra una nuova forma di Schroeteria Wint. Rendic. Sess. R. Accad. Sc. 1st. Bologna N. S. 210-221. 1897.
- Cocconi, G. Contribuzione alla biologia dell' Ustilago ornithogali Wint.
 Mem. R. Accad. Sc. Ist. Bologna Ser. 4, 10. 1889.
- 501. Cocconi, G. Osservazioni sullo sviluppo dell' Ustilago bromivora (Tul.) Wint. Mem. R. Accad. Sc. Ist. Bologna Ser. 5, 9: 247–252. 1903.
- 502 Cocconi, G. Osservazione sullo sviluppo dell' Ustilago bromivora (Tul.) Wint. Mem. R. Accad. Sci. Ist. Bologna Ser. 5, 10: 81–86. 1904.
- 503. Coffman, F. A., Murphy, H. C., Stanton, T. R., Burnett, L. C., and Humphrey, H. B. New smut and rust resistant oats from Markton crosses. Jour. Amer. Soc. Agron. 30: 797–815. 1938.
- 504. Coffman, F. A., Stanton, T. R., Bayles, B. B., Wiebe, G. A., Smith, R. W., and Tapke, V. F. Inheritance of resistance in oats to Ustilago levis. Jour. Agric. Res. 43: 1085-1099. 1931.
- Coffman, F. A., Tisdale, W. H., and Brandon, J. F. Observations on corn smut at Akron, Colorado. Jour. Amer. Soc. Agron. 18: 403– 410. 1926.
- 506. Cohen, C. A note on the biology of Ustilago cynodontis (P. Henn.) and Ustilago bromivora (Tul.), F. von Waldh. S. Afr. Jour. Sci. 42: 135-136. 1946.
- 507. Cohn, F. Über die in Schlesien im Getreide beobachteten Brandpilze.

 Jahresb. d. Schles. Ges. Vaterl. Kultur 54: 135. 1876.
- 508. Comes, O. Tilletia striiformis, Magn. Crittogamia Agraria 1891: 539-540.
- 509. Compton, L. E., and Caldwell, R. M. Yield reductions by loose smut of wheat. Phytopath. 36: 1040–1042. 1946.
- 510. Conners, I. L. Report of the Dominion Field Laboratory of Plant Pathology, Brandon, Man. Rept. Dominion Botanist, Can. Dept. Agric. 1924: 51-64. 1925.

- 511. Conners, I. L. Smut investigations. Rept. Dominion Botanist, Can. Dept. Agric. 1925: 85–93. 1926.
- 512. Conners, I. L. Organic mercury compounds for the control of loose smuts of wheat and barley and barley stripe. Phytopath. 16: 63-64. 1926.
- 513. Conners, I. L. Smut investigations. Rept. Dominion Botanist, Can. Dept. Agric. 1926: 115. 1927.
- 514. Conners, I. L. Seed treatment for cereal smuts. Can. Dept. of Agric. Circ. 56, N. S. 1927.
- 515. Conners, İ. L. Smut experiments. Rept. Dominion Botanist, Can. Dept. Agric. 1927: 91-97. 1928.
- 516. Conners, I. L. Smut investigations. Rept. Dominion Botanist, Can. Dept. Agric. 1928: 86-90. 1929.
- 517. Conners, I. L., and Savile, D. B. O. Twenty-third annual report of the Canadian Plant Disease Survey. xviii + 122 pp. 1944.
- 518. Cook, M. T., and Helyar, J. P. Diseases of grain and forage crops. N. J. Agric. Expt. Sta. Circ. 102. 1918.
- 519. Cooke, M. C. Bunt spores. Jour. Quekett Microsc. Club 1: 167. 1869.
- 520. Cooke, M. C. Rust, smut, mildew, and mould. An introduction to the study of microscopic fungi. London. 244 pp. 1872.
- 521. Cooke, M. C. Onion smut. Gardeners' Chron. N. S. 7: 634-635. 1877.
- 522. Cooke, M. C. Onion smut. Gardeners' Chron. N. S. 7: 441. 1877.
- 523. Cooke, M. C. Spore formation in Urocystis. Grevillea 5: 158. 1877
- 524. Cooke, M. C. Onion smut (Urocystis cepulae). Grevillea 8: 39. 1879.
- 525. Coons, G. H. Experiments in the control of stinking smut of wheat.
 Phytopath, 10: 54. 1920.
- 526. Coons, G. H. Copper dust treatment for stinking smut. Mich. Agric. Expt. Sta. Quart. Bull. 5: 8-11. 1922.
- 527. Coons, G. H. Copper dust successful against stinking smut. Mich. Agric. Expt. Sta. Quart. Bull. 6: 3-8. 1923.
- 528. Coons, G. H. Control of stinking smut of wheat (Tilletia levis) with dust treatments. Phytopath. 13: 37. 1923.
- 529. Coons, G. H. Varietal resistance of winter wheats to Tilletia levis. Phytopath. 14: 38-39. 1924.
- 530. Coons, G. H. Control of stinking smut or bunt of wheat. Mich. Agric. Col. Quart. Bull. 7: 21-24. 1924.
- 531. Coons, G. H. Report of the Section of Plant Pathology. Thirty-fourth Ann. Rept. Mich. Agric. Expt. Sta. 1923: 213-216. 1924.
- 532. Coons, G. H., and McKinnery, H. H. Formaldehyde injury to wheat. Mich. Acad. Sci. Ann. Rept. 21: 321-324. 1919.
- 533. Coons, G. H., and Spragg, F. A. Resistance and susceptibility of certain wheat varieties to loose smut. Phytopath. 8: 69-70. 1918.
- 534. Corda, A. C. J. Beitrag zur Kenntnis der Brandarten der Cerealien und des Mutterkorns. Oekonomische Neuigkeiten und Verhandlungen 1846: 481-487; 545-548; 649-652; 661-664. Prag. 1846.
- 535. Corda, A. C. J. Der Kornbrand. Oekonomische Neuigkeiten und Verhandlungen 1848: 9-12. 1848.
- 536. Corneli, E. Riproduzione in laboratorio di infezioni da 'Urocystis tritici' Koern. su Frumenti. Riv. Pat. Veg. 24: 407-411. 1934.

- 537. Cornu, M. Sur le Melandrium dioicum attaque par un Ustilago. Bull. Soc. Bot. France 16: 213-214. 1869.
- 538. Cornu, M. Note sur deux Ustilaginées. Bull. Soc. Bot. France 25: 283–284. 1878.
- 539. Cornu, M. Le charbon de l'Oignon ordinaire (Allium Cepa) maladie nouvelle, originaire d'Amerique, causée par une Ustilaginée (Urocystis cepulae, Farlow). Compt. Rend. 89: 51-53. 1879.
- 540. Cornu, M. Maladies nouvelles pour l'Europe, à propos d'une Ustilaginée (Urocystis cepulae Farlow) parasite sur l'Oignon ordinaire (Allium cepa). Bull. Soc. Bot. France 26: 263–267. 1879.
- 541. Cornu, M. Observations sur la maladie des oignons (Urocystis cepulae Farlow). Bull. Soc. Bot. France 27: 39-42. 1880.
- 542. Cornu, M. Sur quelques ustilaginées nouvelles ou peu connues. Ann. Sc. Nat. Bot., Ser. 6, 15: 269–296. 1883.
- 543. Cornu, M. Contributions a l'étude des Ustilaginées. Bull. Soc. Bot. France 30: 130–134. 1883.
- 544. Correns, C. Schinzia scirpicola n. sp. Hedwigia 36: 38. 1897.
- 545. Cotton, A. D. Onion smut: a disease new to Britain. Jour. Bd. Agric. Great Britain 26: 168-174. 1919.
- 546. Coulson, J. G., and Lods, E. A. Oat smut infection in relation to size of grain. Phytopath. 15: 302-303. 1925.
- 547. Craig, J. Observations on corn and corn smut. Bull. Iowa Agric. Col. Dept. Bot. 1886: 16.
- 548. Cralley, E. M. Rice smut. Ark. Agric. Expt. Sta. Ann. Rept. 46: 52. 1934.
- 549. Cramer, C. Die Brandkrankheiten der Getreidearten, nach dem neuesten Stand der Frage. Landwirtschaft. Jahrb. d. Schweiz 4: 9-16. 1890.
- 550. Crepin, C., Bustarret, J., and Chevalier, R. Le problème de la création des Blés résistants à la carie. Ann. Epiphyt., N. S. 3: 323-439. 1937.
- 551. Crepin, C., Bustarret, J., and Chevalier, R. La résistance des variéties d'Avoine au charbon nu. Ann. Epiphyt., N. S. 4: 391-412. 1938.
- 552. Crepin, C., Bustarret, J., and Chevalier, R. Nouvelle recherches sur la résistance des Blés aux caries. Ann. Epiphyt., N. S. 4: 413-447. 1938.
- 553. Creseke, A. Untersuchungen über das Verhalten von Winterweizen bei künstlicher Infektion mit Steinbrand (T. tritici). Zeitschr. f. Pflanzenzucht 14: 311-363. 1929.
- 554. Crosier, W. Abnormal germination in dusted wheat. Phytopath. 24: 544-547. 1934,
- 555. Cross, W. E. Como obtener maximos rendimientos con las Canas atacadas por el 'carbon'. Bol. Estac. Exp. Agric. Tucuman 42. 1943.
- 556. Cross, W. E. Declaracion referente al "carbon" de la Cana de Azucar. Circ. Estac. Exp. Agric. Tucuman 120. 1943.
- 557. Cross, W. E. Nuevos datos sobre el 'carbon' en las distintas variedades de Cana de Azucar. Bol. Estac. Exp. Agric. Tucuman 50. 1944.
- 558. Cross, W. E. Variedades de Cana resistentes al "carbon." Bol. Estac. Exp. Agric. Tucuman 45. 1944.
- 559. Cross, W. E. El efecto del "carbon" en las Canas de distintas variedades

- durante el ano agricola 1944-45. Bol. Estac. Exp. Agric. Tucuman 55. 1945.
- 560. Cross, W. E. La actuacion de la Estacion Experimental frente a la crisis producida por el "carbone" de la Cana de Azucar. Circ. Estac. Exp. Agric. Tucuman 136. 1946.
- 561. Cross, W. E. The sugar cane smut crisis in Tucuman. Sugar 42: 30-31, 1947.
- 562. Cugini, G. Il carbone del grano turco. Bol. R. Statz. Agric. Modena, N. S. 19: 71-87. 1891.
- 563. Cunningham, D. D. On a new genus of the family Ustilagineae. Sci. Mem. Medical Officers Army of India 3: 27-32. Calcutta. 1888.
- 564. Cunningham, G. H. The Ustilagineae or 'smuts' of New Zealand. Trans. N. Zeal. Inst. 55: 397-433. 1924.
- 565. Cunningham, G. H. Cereal smuts. An illustrated key to the New Zealand species. N. Zeal. Jour. Agric. 30: 375–378. 1925.
- 566. Cunningham, G. H. Third supplement to the Uredinaceae and Ustilaginaceae of New Zealand. Trans. N. Zeal. Inst. 56: 74-80. 1926.
- 567. Cunningham, G. H. Fourth supplement to the Uredinales and Ustilaginales of New Zealand. Trans. N. Zeal. Inst. 57: 186. 1926.
- 568. Cunningham, G. H. New Zealand: activities in field of plant pathology in 1927. Internat. Bull. Plant Protect. 1: 157-158. 1927.
- Cunningham, G. H. Sixth supplement to the Uredinales and Ustilaginales of New Zealand. Trans. N. Zeal. Inst. 59: 491-505. 1928.
- 570. Cunningham, G. H. Seventh supplement to the Uredinales and Ustilaginales of New Zealand. Trans. N. Zeal. Inst. 61: 402-418. 1930.
- 571. Cunningham, G. H. Additions to the smut fungi of New Zealand, I. Trans. Roy. Soc. N. Zeal. 75: 334-339. 1945.
- 572. Cunningham, G. H. A revision of the New Zealand species of Farysia. Trans. Roy. Soc. N. Zeal. 75: 328-333. 1945.
- 573. Cunningham, G. H. Keys to genera and species of New Zealand smut fungi. Trans. Roy. Soc. N. Zeal. 75: 340-346. 1945.
- 574. Cushing, R. L., Kiesselbach, T. A., and Webster, O. J. Sorghum production in Nebraska. Bull. Nebr. Agric. Expt. Sta. 329. 1940.
- 575. Dade, H. A. A corn disease. Jour. Gold Coast Agric. and Comm. Soc., 8: 84-85. 1924.
- 576. Dammann, C. Die Gesundheitspflege der landwirtschaftlichen Haussäugetiere. Berlin. 1892.
- 577. Dana, B. F., and Zundel, G. L. A new corn smut in Washington. Phytopath. 10: 328. 1920.
- 578. Dangeard, P. A. Sur une Ustilaginée parasite de Glaucium. Bull. Soc. Bot. France, Ser. 2, 13: 71-72. 1891.
- 579. Dangeard, P. A. Recherches sur la reproduction sexuelle des champignons. Le Botaniste, Ser. 3, 3: 221-281. 1892.
- 580. Dangeard, P. A. La reproduction sexuelle des Ustilaginées. Compt. Rend. Acad. Sci. Paris 117: 496–497. 1893.
- 581. Dangeard, P. A. La reproduction sexuelle de l'Entyloma Glaucii Dang. Le Botaniste 4: 12-17. 1894.
- 582. Darnell-Smith, G. P. Observations upon the disease of wheat known as bunt. Rept. Gov. Bur. Microbiol. New S. Wales 1909: 64-69. 1909.

- 583. Darnell-Smith, G. P. Some observations on bunt and fungicides. Agric. Gaz. New S. Wales 21: 751-756. 1910.
- 584. Darnell-Smith, G. P. The action of chemical fungicides on germinating power of wheat grains. Rept. of Gov. Bur. of Microbiol., New S. Wales. 1909: 66. 1910.
- 585. Darnell-Smith, G. P. Flag smut of wheat. Agric. Gaz. New S. Wales 25: 285-287. 1914.
- 586. Darnell-Smith, G. P. Fungicidal dusts for the control of smut. Agric. Gaz. New S. Wales 32: 796-798. 1921.
- 587. Darnell-Smith, G. P. CuCO₃ and the removal of bunt balls from seed wheat. Agric, Gaz. New S. Wales 35: 11-12. 1924.
- 588. Darnell-Smith, G. P., and Ross, W. A dry method of treating seed wheat for bunt. Agric. Gaz. New S. Wales 30: 685-692. 1919.
- 589. Dastur, J. F. The mode of infection by smut in sugar cane. Ann. Bot. 34: 391-397. 1920.
- 590. Dastur, J. F. Cytology of Tilletia tritici (Bjerk.) Wint. Ann. Bot. 35: 399-407. 1921.
- 591. Davie, R. C., and Wilson, M. Ustilago vaillantii, Tul., on Chionodoxa luciliae, Boiss. Notes, Roy. Bot. Gard., Edin. 38: 227–228. 1914.
- 592. Davis, G. N. Relation of axillary-bud development to nodal smut infection in the corn plant. Phytopath. 22: 7-8. 1932.
- 593. Davis, G. N. Some new aspects of maize smut. Iowa St. Col. Jour. Sci. 9: 505-507. 1935.
- 594. Davis, G. N. Some of the factors influencing the infection and pathogenicity of Ustilago zeae (Beckm.) Unger on Zea mays L. Iowa Agric. Expt. Sta. Res. Bull. 199. 1936.
- 595. Davis, G. N. Smut in latent buds of sorghum. Phytopath 28: 6. 1938.
- 596. Davis, J. J. A new smut. Bot. Gaz. 22: 413-414. 1896.
- 597. Davis, J. J. A graminicolous Doassansia. Bot. Gaz. 26: 353. 1898.
- 598. Davis, J. J. Third supplementary list of parasitic fungi of Wisconsin. Trans. Wisc. Acad. Sci., Arts, Let. 14: 83-106. 1903.
- 599. Davis, J. J. Tilletia on wheat in North Dakota. Phytopath. 8: 247. 1918.
- 600. Davis, S. Ustilago maydis. Selsk. Choz. i. Lycsow 197: 553-566. 1900. (Russian; trans. title.)
- 601. Davis, W. H. Urocystis agropyri on redtop. Mycologia 14: 279–281. 1922.
- 602. Davis, W. H. Germination of the spores of timothy smut (Ustilago striaeformis [Westd.] Niessl). Phytopath. 13: 38-39. 1923.
- 603. Davis, W. H. Spore germination of Ustilago striaeformis. Phytopath. 14: 251-267. 1924.
- 604. Davis, W. H. Life history of Ustilago striaeformis (Westd.) Niessl which causes a leaf smut in timothy. Jour. Agric. Res. 32: 69-76. 1926.
- 605. Davis, W. H. Two physiological forms of Ustilago striaeformis (Westd.) Niessl. Phytopath. 18: 149. 1928.
- 606. Davis, W. H. Reaction in agronomic strains of timothy to Ustilago striaeformis (Westd.) Niessl. Phytopath, 19: 105. 1929.
- 607. Davis, W. H. Two physiologic forms of Ustilago striaeformis (Westd.) Niessl. Phytopath. 20: 65-74. 1930.

- 608. Davis, W. H. A physiologic form of Ustilago striaeformis parasitizing orchard grass. Phytopath. 20: 144. 1930.
- 609. Davis, W. H. Summary of investigations with Ustilago striaeformis parasitizing some common grasses. Phytopath. 25: 810-817. 1935.
- parasitizing some common grasses. Phytopath. 25: 810–817. 1935. 610. Davydoff, P. N. Cereal smuts and their control. Pamphlet Omsk (Siberia) Plant Prot. Sta. 14. 1925.
- 611. Davydoff, P. N. A new method of seed disinfection. Plant Prot. Lenin. 8: 415–420. 1931.
- 612. Dawitt, St. Zur Frage über die Wirkung des Formaldehyds auf Getreidesamen und Brandsporen. Sitzungsber. d. Naturforscher-Ges. Univers. Jurjeff 12: 202. 1899.
- 613. Dawson, G. T. Seed-borne flag smut infection. Effectively controlled by copper carb. treatment. Agric. Gaz. New S. Wales 45: 431–432. 1934.
- 614. DeBary, A. H. Untersuchungen über die Brandpilze. 144 pp. Berlin. 1853.
- 615. DeBary, A. H. Recherches sur le developpement de quelques champignons parasites. Ann. Sci. Nat. 4: 5-148. 1863.
- 516. DeBary, A. H. Morphologie und Physiologie der Pilze, Flechten und Myxomyceten. W. Hofmeister: Handbuch der Physiologischen Botanik 2. xii + 316 pp. 1866.
- 617. DeBary, A. H. Protomyces microsporus und seine Verwandten. Bot. Ztg. 32: 81-92, 97-108. 1874.
- 618. DeBary, A. H. Über die von Freiherr v. Waldheim aufgeworfene Frage nach der Stellung der Ustilagineen im System. Act. Congrés intern. de Botan. à Amsterdam 1877. Leiden. 1879.
- 619. DeBary, A. H. Vergleichende Morphologie und Biologie der Pilze, Mycetozoen und Bacterien. Leipzig. 1884. Also the authorized English translation by Garnsey, Henry, E. F., and Balfour, Isaac Bayley. 525 pp. Clarendon Press. Oxford. 1887.
- 620. Debre, R. and Nevot, A. Toxicité expérimentale des spores de charbon du Ble (Ustilago nuda f. tritici) chez la Souris. Compt. Rend. Soc. Biol. Paris, 127: 977-979. 1938.
- 621. de Candolle, A. P. (de Lamarck, J. B., and de Candolle, A. P.) Flore française 6. Paris. 1815.
- 622. Deckenbach, K. N. A new parasite of smut fungi. La Défense des Plantes, Lenin. 2: 162–165. 1925.
- 623. Defago, G. Pour une meilleure connaissance et un contrôle plus efficace de la carie du Ble en Suisse romande. Bull. Murith. 55: 78-116. 1938.
- 624. Defago, G. Influence de l'aneurine et de l'hetero-auxine sur la croissance de trois parasites de Ble. Ber. Schweiz. Bot. Ges. 49: 413-414. 1939.
- 625. Dellazoppa, J. G. Estudios sobre Tilletia y problemas afines. Arch. Fitotechn. Uruguay 1: 32–63. English summary. 1935.
- 626. Denaiffe, Colle, and Flandrin. Traitements anticryptogamiques et germination. Jour. Agric. Prat. Paris, N. S. 100: 381-382. 1936.
- 627. Detken, W. Bekämpfung der Brandkrankheiten. Illus. Landw. Ztg. 29: 783-784. 1909.
- 628. DeToni, J. B. Revision of the genus Doassansia, Cornu. Jour. Myc. 4: 13-19. 1888.

- 629. DeToni, J. B. Sylloge Ustilaginearum et Uredinearum etc. P. A. Saccardo. Sylloge Fungorum 7. 1888.
- 630. Devoto, F. E. Smut of wheat. Min. Agric. Nac. (Buenos Aires), Dir. Cren. Ensenanza e Invest. Agric. 53: 7-12. 1916.
- 631. Diaz, C. J., Lahoz, C., and Recatero, L. La sensibilizacion a la caries del Trigo (Niebla o tizon) como causa de asmas estacionales. Rev. Clin. Esp., Madr. 2: 135–138. 1941.
- 632. Dickinson, S. A method of isolating and handling individual spores and bacteria. Proc. Roy. Soc. Med. 19: 1-4. 1926.
- 633. Dickinson, S. Experiments on the physiology and genetics of the smut fungi—Hyphal fusion. Proc. Roy. Soc. London, Ser. B. 101: 126– 136. 1927.
- 634. Dickinson, S. Experiments on the physiology and genetics of the smut fungi. Seedling infection. Proc. Roy. Soc. London, Ser. B. 102: 174– 176. 1927.
- 635. Dickinson, S. Experiments on the physiology and genetics of the smut fungi. Cultural characters. Part 1. Their permanence and segregation. Proc. Roy. Soc. London, Ser. B. 103: 547-555. 1928.
- 636. Dickinson, S. Experiments on the physiology and genetics of the smut fungi. Fifth Internat. Bot. Congress, Absts. of Communic. 1930: 237.
- 637. Dickinson, S. Experiments on the physiology and genetics of the smut fungi. Cultural characters. Part 2. The effect of certain external conditions on their segregation. Proc. Roy. Soc. London, Ser. B, 108: 395-423. 1931.
- 638. Dickinson, S. The genetics of the smut fungi. Phytopath. 22: 8. 1932.
- 639. Dickson, B. T. Oat smut control tests at Macdonald College during 1924. Phytopath. 15: 301. 1925.
- 640. Dickson, B. T. Two epimycetous fungi. Trans. Roy. Soc. Can. Sect. 5, Ser. 3, 20: 113-115. 1926.
- 641. Dickson, B. T., Summerby, R., and Coulson, J. G. Experiments in the control of oat smut. Fifteenth Ann. Rept. Quebec Soc. Prot. Plants 1922–1923: 102–105. 1923.
- 642. Dickson, B. T., Summerby, R., and Coulson, J. G. Smut control experiments in hull-less oats during 1923. Phytopath. 14: 350. 1924.
- 643. Dickson, J. G., and Bowman, D. H. Inoculation experiments and reaction of inbred lines of corn to Ustilago zeae. Phytopath. 30: 5. 1940.
- 644. Diehl, O. Experimentelle Untersuchungen über die Lebensweise und Bekämpfung des Haferflugbrandes. Bot. Arch. 11: 146–199. 1925.
- 645. Dietel, P. Descriptions of new species of Uredineae and Ustilagineae with remarks on some other species. I. Bot. Gaz. 18: 253-256. 1893.
- 646. Dietel, P. Descriptions of new species of Uredineae and Ustilagineae, with remarks on some other species. II. Bot. Gaz. 19: 303-306. 1894.
- 647. Dietel, P. Untersuchungen über einige Brandpilze. Flora 83: 77–87. 1897.
- 648. Dietel, P. Einige Brandpilze aus Südamerika. Hedwigia 37: 147. 1898.

- 649. Dietel, P. Hemibasidii (Ustilagineae und Tilletiineae). Engler and Prantl: Die Natürl. Pflanzenfam. 1: 2-24. 1898.
- 650. Dietel, P. Referat über deutsche Urcdineen u. Ustilagineen. Ber. Deutschen Bot. Ges. 18: 122. 1900.
- 651. Dieudonne, P., and Vanderwalle, R. Recherches sur la disinfection des semences d'Orge dans la lutte contre Ustilago nuda (Jensen) Rostrup. Bull., Inst. Agron. Gembloux, 4: 366-377. (Flemish, German, and English summaries.) 1935.
- 652. Dillon Weston, W. A. R. The incidence and intensity of Puccinia glumarum Eriks. and Henn., on wheat infected and non-infected with Tilletia tritici Winter, showing an apparent relationship between the susceptibility of wheat plants to yellow rust and to bunt. Ann. Appl. Biol. 14: 105-112. 1927.
- 653. Dillon Weston, W. A. R. The control of "bunt" in wheat. Ann. Appl. Biol. 16: 86-92. 1929.
- 654. Dillon Weston, W. A. R. Resistance of wheat varieties to bunt (Tilletia tritici, Tilletia caries). Nature (London) 123: 243. 1929.
- 655. Dillon Weston, W. A. R. The effect of Tilletia caries (DC.) Tul. (T. tritici [Bjerk.] Wint.) on the development of the wheat ear. Phytopath. 19: 681-685. 1929.
- 656. Dillon Weston, W. A. R. Observations during 1927-28 on the incidence of "rusts" on various selected wheat varieties, with special reference to the intensity of yellow rust. Puccinia glumarum, Eriks. and Henn. Ann. Appl. Biol., 16: 533-541. 1929.
- 657. Dillon Weston, W. A. R. Ineffective nature of iodine dust, as a fungicide against Tilletia caries. Phytopath. 20: 753-755. 1930.
- 658. Dillon Weston, W. A. R. Virulency of Tilletia caries on wheat varieties. Nature (London) 127: 483-484. 1931.
- 659. Dillon Weston, W. A. R. The relative resistance of some wheat varieties to Tilletia caries (DC.) Tul. (= T. tritici [Bjerk.] Wint.). Ann. Appl. Biol. 19: 35-54. 1932.
- Dillon Weston, W. A. R. Bunt of wheat. Jour. Minist. Agric. 51: 264– 265. 1944.
- 661. Dillon Weston, W. A. R., and Booer, J. R. Seed disinfection I. An outline of an investigation on disinfectant dusts containing mercury.

 Jour. Agric. Sci. 25: 628-649. 1935.
- 662. Dillon Weston, W. A. R., and Halnan, E. T. The fungicidal action of ultra-violet radiation. Phytopath. 20: 959-965. 1930.
- 663. Ditzell, F., and Downing, R. G. Some experiments with fungicides used for the prevention of "stinking smut" (bunt), Cowra, 1910.

 Agric. Gaz. New S. Wales 22: 341-357. 1911.
- 664. Dix, W. Über die Wirkung der Kupfervitriolbeize auf die Keimfähigkeit der vorjährigen Getreideernte. Ill. Landw. Zeit. 1905: 244. 1905.
- 665. Djelaloff, R. Experiments on bunt (1929-30 and 1930-31 seasons).

 Pamphlet issued by Azerbaijan Agr. Inst., Baku, 52 pp. 1932.
- 666. Djelaloff, R. Cereal smuts in Azerbaijan. Pamphlet issued by Azerbaijan Sci. Res. Inst., Baku, 33 pp. 1932.
- 667. Dobeneck, Von. Umfrage im Königreich Bayern über Vorkommen und Bekämpfung des Weizenbrandes im Jahre 1898. Vrtljschr. Bayer. Landw.-Rat. 4: 255-282. 1899.

- 668. Dobeneck, Von. Regeln zur Bekämpfung des Weizenbrandes. Ill. Landw. Zeit. 19: 676-677. 1899.
- 669. Dobromysloff, P. N. Degree of infection with bunt of spring wheat grown up in ridged as against flat rows. Diseases of Cereal Crops, issued by Siberian Sci. Res. Inst. for Cer. Ind., Omsk. 1932: 72-79. (Russian; trans. title.)
- 670. Dobson, N. The toxicity of the spores of Tilletia tritici to animals. Trans. Brit. Mycol. Soc. 11: 82-91. 1926.
- 671. Dod, C. W. Ustilago antherarum. Gardeners' Chron., Ser. 3, 5: 662. 1889.
- 672. Dohn, F. Über die in Schlesien im Getreide beobachteten Brandpilze. 54. Jahrb. d. Schles. Ges. f. Vaterl. Cult. 1876: 135.
- 673. Dominik, T. Beiträge zur Kenntnis der mikroskopischen Pilzflora Westpolens. Jahresb. Physiogr. Komiss. Polnischen Akad. Wiss. 70.
- 674. Donald, C. M. Strain variation in Bromus unioloides H. B. et K. J. Coun. Sci. Industr. Res. Austr. 12: 212-226. 1939.
- 675. Donkin, J. E. Bunt-resistant wheat. Jour. Dept. of Agric. S. Afr. 3: 561-563. 1921.
- 676. Doran, W. L., and Sproston, T. Control of onion smut by fungicides applied to the soil. Phytopath. 37: 654. 1945.
- 677. Dorph-Petersen, K. Beretning fra Statsfrokontrollen for det 60. Arbejdsaar fra 1 Juli 1930 til 30 Juni 1931. Tidsskr. for Planteavl 37: 799-871. 1931.
- 678. Dounine, M. S., and Simsky, A. M. Haftfähigkeit der Trockenbeizmittel. Angew. Bot. 14: 33-78. 1932.
- 679. Dragisic, B., and Varicak, B. Vergleichende Untersuchungen über die toxische Wirkung des wässerigen Extrakts aus Ustilago maydis und der Mutterkornpreparate. Arch. Exp. Path. Pharmak, 179: 319-326. 1935.
- 680. Dreger, C. Praktische Erfahrungen eines Züchters mit der Bekämpfung von Pflanzenkrankheiten. Wiener Landw. Ztg. 73: 102-104. 1923.
- 681. Druce, E. The difference between bunt and smut. Queensland Agric. Jour. 10: 86-87. 1902.
- 682. Duby, J. E. Botanicon gallicum, 2. Paris. 1830. 683. Ducomet, V. La carie du Seigle. Rev. Path. Veg. et. Ent. Agric. 14: 193-194. 1927.
- 684. Duggar, B. M. Physiological studies with reference to the germination of certain fungous spores. Bot. Gaz. 31: 38-66. 1901.
- 685. Duggar, B. M. Fungous diseases of plants. xii + 508 pp. New York. 1909.
- 686. Durrell, L. W. Report of the Botanist. Thirty-eighth Ann. Rept. Colo. Agric. Expt. Sta. 1925: 20-22. 1925.
- 687. Durrell, L. W. Report of the Botanist. Thirty-ninth Ann. Rept. Colo. Agric. Expt. Sta. 1926: 18-26. 1926.
- 688. Durrell, L. W. Smuts of Colorado grains. Colo. Agric. Expt. Sta. Bull. 334. 1928.
- 689. Eastham, A., and Breet, C. C. The official seed testing station for England and Wales. Twenty-second Annual Report covering the

- period 1st August, 1939-31st July, 1940. Jour. Nat. Inst. Agric. Bot. 5: 105-113. 1944.
- 690. Eastham, J. W. Report of Provincial Plant Pathologist. 28th Ann. Rept. Dept. of Agric. British Columbia for the year 1933. Y 32-Y 38. 1934.
- Eckhoff, G. Beizversuch zu Winterweizen. Ratschläge für Haus, Garten, Feld, 8: 139–141. 1933.
- 692. Eddins, A. H. Pathogenicity of multisporidial and monosporidial cultures of Ustilago zeae (Beckm.) Ung. Phytopath. 19: 91. 1929.
- 693. Eddins, A. H. Pathogenicity and cultural behaviour of Ustilago zeae (Beckm.) Ung. from different localities. Phytopath. 19: 885-916. 1929.
- 694. Edler, W. Einwirkung des Frostes auf den Squareheadweizen. Illus. Landw. Ztg. No. 60. 1903.
- 695. Ehrenberg, P. Treatment of winter wheat for stinking smut. Fühling's Landw. Ztg. 67: 425-432. 1918.
- 696. El-Helaly, A. F. Studies on the control of kernel smut of sorghum. Bull. Minist. Agric. Egypt 233. 1939.
- 697. El-Helaly, A. F. The influence of cultural conditions on the flag smut of wheat. Phytopath. 38: 688-697. 1948.
- 698. Eliasson, A. G. Svampar fran Gotland och Oland. Svensk. Bot. Tidsk. 27: 141-160. 1933.
- 699. El-Kishen, A. A., and Briggs, F. N. Inheritance of resistance to bunt (Tilletia caries) in hybrids with Turkey wheat selections C. I. 10015 and 10016. Jour. Agric. Res. 71: 403-413. 1945.
- 700. Elliott, J. A. A smut on Iresine. Mycologia 11: 87-88. 1919.
- 701. Ellis, J. B., and Everhart, B. M. New species of Ustilagineae and Uredineae. Bull. Torr. Bot. Club 22: 57-61. 1895.
- 702. Ellis, W. G. P. A method of obtaining material for illustrating smut in barley. Ann. Bot. 12: 566. 1898.
- 703. Englisch, A. Getreidebeizversuche im Benetzungsverfahren. Deutsche Landw. Presse 54: 532. 1927.
- 704. Enomoto, S. On the rest period and its shortening in smut spores (preliminary report). Trans. Sapporo Nat. Hist. Soc. 13: 167-172. 1934.
- 705. Eriksson, J. Giftiges Süssgras, Glyceria spectabilis, von Ustilago longissima befallen. Zeitschr. f. Pflanzenkr. 10: 15-16. 1900.
- Eriksson, J. Om sot i hvede (Tilletia tritici et laevis, Ustilago tritici).
 K. Landbruks-akad. Handl. och Tidsskr. 47: 274-279. 1908.
- Eriksson, J. Om Sot I Korn Och I Hafre. K. Landbruks-Akad. Handl. och Tidsskr. 47: 280–285. 1908.
- 708. Eriksson, J. Betningsförsök med uspulun och supersolfo sasom kampmedel emot stinksot a vete. K. Landsbruks-Akad. Handl. och Tidsskr. 61: 607-610. 1922.
- 709. Erlenmeyer, H., and Geiger-Huber, M. Notiz über die durch einen Brandpilz verursachte Geschlechtsumstimmung bei Melandrium album. Helvet. Chim. Acta. 18: 921-923. 1935.
- 710. Esdorn, I. Die chemotherapeutische Prüfung der Beizmittel Kalimat und Fungolit. Angew. Bot. 6: 105-112. 1924.
- Esdorn, I. Ueber die Prüfung von Beizmitteln. Pflanzenbau 3: 276.
 1927.

- 712. Esdorn, I. Die Feststellung der Wirkung von Trockenbeizmitteln im Laboratoriumsversuch. Angew. Bot. 10: 178–186. 1928.
- 713. Esmarch, F. Pflanzenschutzmittel und -geräte. Beizmaschinen. Die Kranke Pflanze 1: 142. 1924.
- 714. Esmarch, F. Trockenbeizversuche zur Bekämpfung des Weizensteinbrandes. Die Kranke Pflanze 2: 190–193. 1925.
- 715. Esmarch, F. Sollen wir trocken beizen oder nicht? Die Kranke Pflanze 4: 22–29, 37–41. 1927.
- 716. Essmon, W. Zur Ustilagineenflora des Slonimschen Kreises des Gouvernements Grodno. Scripta Bot. 4: 17-24. 1893. (Russian; with German summary.)
- 717. Estifeyeff, P. G. Diseases of cultivated and wild plants in the Djetyssouy region in the period 1922-1924. (Russian; trans. title.) Pamphlet of the Djetyssouy Plant Prot. St., Alma-Ata (Verni), 14 pp. 1925.
- 718. Evans, I. B. P. Smut in wheat, barley and oats and how to prevent it. Transvaal Agric. Jour. 4: 389-396. 1906.
- 719. Evans, I. B. P. Maize smut or "brand" Sorosporium reilianum (Kühn) McAlp. Agric. Jour. Union S. Africa 1: 697. 1911.
- 720. Evans, Î. B. P. Smut (Sphacelotheca sorghi [Lk.] Clinton) in kaffir corn. Agric. Jour. Union S. Africa 7: 811-814. 1914.
- Evans, I. B. P. A new smut on Sorghum halepense Nees. S. Africa Jour. Sci. 12: 543-544. 1916.
- 722. Evans, R. I. Cytological studies on the parasitic relationship of Urocystis cepulae to the onion. Amer. Jour. Bot. 20: 255-268. 1933.
- 723. Failyer, G. H., and Willard, J. T. Experiments with sorghum. Kans. Agric. Expt. Sta. Bull. 16: 135-149. 1890.
- 724. Falck, R. Die Flugbrandarten des Getreides, ihre Verbreitung und Bekämpfung. Jour. f. Landw. 56: 173–182. 1908.
- 725. Falke, F. Versuche zur Gewinnung brandfreien Saatgutes. Deutsche Landw. Presse 29: 518. 1902.
- 726. Falke, F. Einfluss der Saatgutbeize auf die Keimfähigkeit des Getreides in trockenen Jahren (1904). Illus. Landw. Ztg. 25: 479–480. 1905.
- 727. Faminzin, A. Zur Erforschung der Wirkung von Tilletia tritici und Ustilago maydis auf den Menschen und Haustieren. Holl. Jahresb. 15: 149. 1912.
- 728. Faris, J. A. Factors influencing infection of Hordeum sativum by Ustilago hordei. Amer. Jour. Bot. 11: 189-213. 1924.
- 729. Faris, J. A. Factors influencing the infection of wheat by Tilletia tritici and Tilletia laevis. Mycologia 16: 259-282. 1924.
- 730. Faris, J. A. Physiological specialization of Ustilago hordei. Phytopath. 14: 537-557. 1924.
- 731. Faris, J. A. Influence of soil moisture and soil temperature on infection of wheat by Urocystis tritici. Phytopath. 23: 10-11. 1933.
- 732. Faris, J. A., and Reed, G. M. Modes of infection of sorghums by loose kernel smut. Mycologia 17: 50-67. 1925.
- 733. Faris, J. A., Tapke, V. F., and Rodenhiser, H. A. Wheat smuts and their control. U.S. Dept. Agric. Farm. Bull. 1711. 1933.
- 734. Farlow, W. G. Notes on some common diseases caused by fungi. Bull. Bussey Inst. 2: 114, 238. 1877.

- 735. Farlow, W. G. Spore formation in Urocystis. Grevillea 5: 158. 1877.
- 736. Farlow, W. G. The onion smut. In 24th Ann. Rept. Sec. Mass. St. Bd. Agric. Append. 164-176. 1877.
- 737. Farlow, W. G. Notes on some Ustilagineae of the United States. Bot. Gaz. 8: 271-278. 1883.
- 738. Farlow, W. G. Notes on some Ustilagineae of the United States. Bot. Gaz. 8: 315, 318. 1883.
- 739. Farrer, W. Experiments with black-rust (Urocystis occulta). Agric. Gaz. New S. Wales 12: 1060. 1901.
- 740. Farrer, W. Results of the Lambrigg bunt experiments of 1900. Agric. Gaz. New S. Wales 12: 419-430. 1901.
- 741. Farrer, W. Note on bunt in self-sown wheat. Agric. Gaz. New S. Wales 12: 1182. 1901.
- 742. Farrer, W. The effect on the milling quality and nutrition value of the resulting crop of wheat when bunt infected seed is sown. Agric. Gaz. New S. Wales 13: 1094-1097. 1902.
- 743. Farrer, W. Wheat smut experiments in 1901. Agric. Gaz. New S. Wales 14: 206–216. 1903.
- 744. Farrer, W. Report of wheat experimentalist. Agric. Gaz. New S. Wales 15: 1047-1050. 1904.
- 745. Farrer, W. Some notes for wheat growers. Agric. Gaz. New S. Wales 16: 462-472. 1905.
- 746. Fautrey, F. Une nouvelle maladie du Solanum tuberosum, Entorrhiza solani. Rev. Mycol. 18: 11. 1896.
- 747. Fawcett, G. L. Notas sobre nuevas plagas del arroz en Tucuman. Circ. Estac. Expt. Agric. Tucuman 45. 1935.
- 748. Fawcett, G. L. El "carbon" o "tizon" de la Cana de Azucar. Circ. Estac. Expt. Agric. Tucuman 100. 1941.
- 749. Fawcett, G. L. El "carbon" de la Cana de Azucar (Ustilago scitaminea Syd.). Bol. Estac. Expt. Agric. Tucuman 47. 1944.
- 750. Federley, H. Die Copulation der Conidien bei Ustilago Tragopogi pratensis Pers. Comptes Rendus Congrès des Naturalistes et Médicins du Nord tenu a Helsingfors July, 1902. 1903.
- 751. Federley, H. Die Copulation der Conidien bei Ustilago Tragopogi pratensis Pers. Ofv. Finska Vet. Soc. Fordhandlingar 46: 1-23. 1904.
- 752. Feistritzer, W. Merkmale zum Erkennen flugbrandkranker Pflanzenbei Winter- und Sommergerste vor dem Ährenschieben. Pflanzenbau 8: 16-17. 1931.
- 753. Feldman, A. W. Physiological effect of Ustilago zeae on corn. Phytopath. 38: 8-9. 1948.
- 754. Feldman, A. W. Investigations on the physiology and pathogenicity of Ustilago zeae. Phytopath. 38: 8. 1948.
- 755. Felix, E. L. Root infection of Allium species by Urocystis cepulae. Phytopath. 28: 7. 1938.
- 756. Felix, E. L. Early planting, an aid in the control of onion smut. Phytopath. 29: 6. 1939.
- 757. Felix, E. L. Smut resistance in vegetable species of Allium. Phytopath. 31: 9. 1941.
- 758. Felix, E. L. Use of hardwood oils and other chemicals in the control of onion smut. Phytopath. 31: 9. 1941.

- 759. Ferdinandsen, C. Kemische Afsvampningsmidler. Ugeskr. for Landmaend 69: 109-112, 125-127. 1924.
- 760. Ferdinandsen, C., and Winge, O. Studies in the genus Entorrhiza C. Weber. Dansk. Bot. Arkiv. 2: 1-14. 1914.
- 761. Ferle, Fr. Beizversuche, ausgeführt an Weizen. Fühling's Landw. Ztg. 54, 18: 601-604. 1905.
- 762. Ferry, R. Recherches de M. P. A. Dangeard sur la reproduction sexuelle des Ustilaginées. Rev. Myc. 17: 1-14. 1895.
- 763. Feucht, W. Morphologische Abweichungen an Bromus erectus, verursacht durch Ustilago hypodytes. Angew. Bot. 12: 1–16. 1930.
- 764. Feucht, W. Die Wirkung des Steinbrandes Tilletia tritici (Bjerkander) Winter und Tilletia foetens (Berkeley et Curtis) Tulasne auf verschiedene Winterweizensorten bei künstlicher Infektion in ihrer Abhängigkeit von äusseren Faktoren. Phytopath. Zeitschr. 4: 247-290. 1932.
- 765. Ficke, C. H., and Johnston, C. O. Cultural characters of physiological forms of Sphacelotheca sorghi. Phytopath. 20: 241-249. 1930.
 766. Ficke, C. H., and Melchers, L. E. The effect of the digestive processes
- 766. Ficke, C. H., and Melchers, L. E. The effect of the digestive processes of animals on the viability of corn and sorghum smut spores. Jour. Agric. Res. 38: 633-645. 1929.
- 767. Filter, P. Über das Vorkommen von Tilletia horrida Takahashi in Reisfuttermehlen. Centralbl. f. Bakt. II 29: 342. 1911.
- 768. Finnell, H. H. Relations of grazing to wheat smut and tillering. Jour. Amer. Soc. Agron. 21: 367-374. 1929.
- 769. Firth, L. B. Jamaica dogwood, Ustilago maidis. Therap. Gaz. N. S. 4: 101. 1883.
- 770. Fisch, C. Entwickelungsgeschichte von Doassansia Sagittariae. Ber. Deutsch. Bot. Ges. 2: 405–416. 1884.
- 771. Fisch, C. Ueber das Verhalten der Zellkerne in fusionierenden Pilzzellen. Bot. Centralbl. 24: 221–222. 1885.
- 772. Fischer, E. Zur Kenntnis von Graphiola und Farysia. Ann. Myc. 18: 188–197. 1920.
- 773. Fischer, E. Ueber einige von E. Gäumann in Java und Celebes gesammelte Ustilagineen und Uredineen. Ber. Schweiz. Bot. Ges. 47: 419-424. 1937.
- 774. Fischer, E., and Gäumann, E. Biologie der pflanzenbewohnenden parasitischen Pilze. xii + 428 pp. Jena. 1929.
- 775. Fischer, G. J. Steinbrandbekämpfung in Uruguay. Angew. Bot. 6: 125-140. 1924.
- 776. Fischer, G. J., and Belmonte, J. La lucha contra los carbones de los cereales. Carbon volante (Ustilago tritici). Rev. Asoc. Rural del Uruguay 1926: 1-15.
- 777. Fischer, G. J., Santoro, R., and Aznarez, M. Ensayos de germinacion de Trigos sometidos a tratamientos anticriptogamicos. Arch. Fitotec. Uruguay 3: 69-85. 1938. (English and German summary.)
- 778. Fischer, G. W. The susceptibility of certain wild grasses to Tilletia tritici and Tilletia levis. Phytopath. 26: 876-886. 1936.
- 779. Fischer, G. W. The longevity of smut spores in herbarium specimens. Phytopath. 26: 1118-1127. 1936.
- 780. Fischer, G. W. Observations on the comparative morphology and tax-

- onomic relationships of certain grass smuts in western North America. Mycologia 29: 408–425. 1937.
- 780a. Fischer, G. W. Some new grass smut records from the Pacific Northwest. Mycologia 30: 385-395. 1938.
- 781. Fischer, G. W. Studies of the susceptibility of forage grasses to cereal smut fungi. II. A preliminary report on Ustilago hordei and U. nigra. Phytopath. 29: 490-494. 1939.
- 782. Fischer, G. W. Studies on the susceptibility of forage grasses to cereal smut fungi. III. Further data concerning Tilletia levis and T. tritici. Phytopath. 29: 575-591. 1939.
- 783. Fischer, G. W. Fundamental studies of the stripe smut of grasses (Ustilago striaeformis) in the Pacific Northwest. Phytopath. 30: 93-118. 1940.
- 784. Fischer, G. W. Two cases of haplo-lethal deficiency in Ustilago bullata operative against saprophytism. Mycologia 32: 275–289. 1940.
- 785. Fischer, G. W. Host specialization in the head smut of grasses, Ustilago bullata. Phytopath. 30: 991–1017. 1940.
- 786. Fischer, G. W. Infection of forage grasses with flag smuts of wheat, rye, and grasses (Urocystis tritici, U. occulta, and U. agropyri, respectively). Phytopath. 32: 4. 1942.
- 787. Fischer, G. W. Comparative value of certain popular fungicidal dusts in control of head smut (Ustilago bullata) and in improvement of stands in forage grasses. Phytopath. 32: 5. 1942.
- 788. Fischer, G. W. Some evident synonymous relationships in certain graminicolous smut fungi. Mycologia 35: 610-619. 1943.
- 789. Fischer, G. W. The mode of infection and the incubation period in the stem smut of grasses, Ustilago hypodytes. Phytopath. 34: 934. 1944.
- 790. Fischer, G. W. The stem smuts of Stipa and Oryzopsis in North America. Butler Univ. Bot. Stud. 7: 25-39. 1945.
- 791. Fischer, G. W. The mode of infection and the incubation period in the stem smut of grasses, Ustilago spegazzinii (U. hypodytes). Phytopath. 35: 525-532. 1945.
- 792. Fischer, G. W. Multiple sex factors in Ustilago striiformis f. hordei. Phytopath. 37: 843. 1947.
- 793. Fischer, G. W. Hybridization between Ustilago hordei and U. bullata. Phytopath. 38: 9. 1948.
- 794. Fischer, G. W. Hybridization between Ustilago striiformis and U. bullata. Phytopath. 38: 9. 1948.
- 795. Fischer, G. W., and Hirschhorn, E. A critical study of some species of Ustilago causing stem smut on various grasses. Mycologia 37: 236– 266. 1945.
- 796. Fischer, G. W., and Hirschhorn, E. The Ustilaginales or "smuts" of Washington. Wash. Agric. Expt. Sta. Bull. 459. 1945.
- 797. Fischer, G. W., and Holton, C. S. Inheritance of sorus characters in hybrids between Ustilago avenae and U. perennans. Mycologia 33: 555-567. 1941.
- 798. Fischer, G. W., and Holton, C. S. Studies of the susceptibility of forage grasses to cereal smut fungi. IV. Cross-inoculation experiments with Urocystis tritici, U. occulta, and U. agropyri. Phytopath. 33: 910–921. 1943.

- 799. Fischer, J. F. Heilung der Frost-, Brand- und Krebsschäden durch Theer. Pomolog. Monatshefte 6: 80. 1880.
- Fischer v. Waldheim, A. Tilletia de Baryana F. de W. Rabenh. Fungi Eur., no. 1097. 1866.
- 801. Fischer v. Waldheim, A. Beiträge zur Kenntnis der Ustilagineen. Bot. Ztg. 25: 393-395. 1867.
- 802. Fischer v. Waldheim, A. Sur la structure des spores des Ustilaginées. Bull. Soc. Imp. Nat. de Moscou 40: 242-265. 1867.
- 803. Fischer v. Waldheim, A. Beiträge zur Biologie und Entwickelungsgeschichte der Ustilagineen. Jahrb. Wiss. Bot. (Pringsheim) 7: 61–144. 1869–70. (Translated in N.Y. State Agric. Soc. Trans. 30: 280–354. 1872.)
- 804. Fischer v. Waldheim, A. Ustilago parlatorei F. de W. n. sp. Hedwigia 15: 177-178. 1876.
- 805. Fischer v. Waldheim, A. Zur Kenntnis der Entyloma-Arten. Bull. Soc. Imp. Nat. Moscou 52: 306–311. 1877.
- 806. Fischer v. Waldheim, A. Revue des plantes nourricières des Ustilaginées. Bull. Soc. Imp. Nat. Moscou 52: 312-331. 1877.
- 807. Fischer v. Waldheim, A. Les Ustilaginées et leurs plantes nourricières. Ann. Sci. Nat. Bot. Ser. 6, 4: 190-276. 1877.
- 808. Fischer v. Waldheim, A. Aperçu systematique des Ustilaginées leurs plantes nourricières et la localisation de leurs spores. 51 pp. Paris. 1877.
- 809. Fischer v. Waldheim, A. Notice sur une nouvelle Ustilaginée. Nuovo Giorn. Bot. Ital. 1887: 156–161. 1877.
- 810. Fischer v. Waldheim, A. Der Brand des Seeampfers. Bot. Ztg. 35: 10-14. 1877.
- 811. Fischer v. Waldheim, A. Les Ustilaginées. 131 pp. Varsovie. 1877.
- 812. Fischer v. Waldheim, A. Monographischer Umriss der Ustilageen. II. Warsaw. 1877–1878.
- 813. Fischer v. Waldheim, A. Ustilago Thumenii, ein neuer südamerikanischer Brandpilz. Hedwigia 17: 40–41. 1878.
- 814. Fischer v. Waldheim, A. Ustilago aschersoniana n. sp. Hedwigia 18: 12. 1879.
- 815. Fisher, R. Eine wenig beachtete Dahlienkrankheit. Neuheiten auf dem Geb. des Pflanzensch. 1931: 130–132.
- 816. Fittschen, H. H. Weitere Beiträge zur Züchtung steinbrandresistenter Weizensorten. Phytopath. Zeitschr. 12: 169–218. 1939.
- 817. Flachs. Brandfleckendrankheit an Dahlien. Blumen- und Pflanzenbau 42: 64–65. 1927.
- 818. Flagg, C. O. Loose smut of oats. Rhode Island Agric. Expt. Sta. Bull. 15: 3-10. 1892.
- 819. Fleischmann, R. Einige Erfahrungen über Maisbrand in Ungarn. Pflanzenbau 14: 199–206. 1937.
- 820. Fleroff, B. K. Sur la formation des chlamydospores et la nutrition azotée d'Ustilago hordei Kel. and Sw. Jour. Soc. Bot. Russ. 4: 41-51. 1919.
- 821. Fleroff, B. K. Contribution to the cytology of Ustilago avenae Pers. based on cultures in vitro. Trans. Mycol. and Phytopath. Sec. Russian Bot. Soc., 1, Trans. Moscow Branch 1923: 23-36.

- 822. Fleroff, B. K. On the cytology of Doassansia Alismatis Cornu. Jour. Soc. Bot. Russ. 9: 21-26. 1924. (Russian; trans. title.)
- 823. Fleroff, B. K. Some new tendencies in the study of smut fungi. Morbi Plantarum, Leningrad 15: 87-92. 1926.
- 824. Flor, H. H. The fungicidal activity of furfural. Iowa St. Col. Jour. Sci. 1: 199-223. 1927.
- 825. Flor, H. H. Indications of heterothallism in Tilletia tritici. Phyto-path. 21: 107. 1931.
- 826. Flor, H. H. Heterothallism and hybridization in Tilletia tritici and T. levis. Jour. Agric. Res. 44: 49-58. 1932.
- 827. Flor, H. H. The effect of delayed planting on the control of bunt by copper carbonate dust. Phytopath. 22: 651-655. 1932.
- 828. Flor, H. H. The production of bunt chlamydospores in the vegetative tissue of the wheat plant. Phytopath. 22: 661-664. 1932.
- 829. Flor, H. H. Studies on physiologic specialization in Tilletia tritici and T. levis in the Pacific Northwest. Jour. Agric. Res. 47: 193-213. 1933.
- 830. Flor, H. H., Gaines, E. F., and Smith, W. K. The effect of bunt on yield of wheat. Jour. Amer. Soc. Agron. 24: 778-784. 1932.
- 831. Florimond-Desprez. A propos des batteuses à grand travail et le traitement à sec des Blés contre la carie. Compt. Rend. Acad. Agric. France 14: 980–982. 1928.
- 832. Florimond-Desprez. Carie et poudrage des semences. Jour. d'Agric. Prat. 92: 16-17. 1928.
- 833. Foex, E. Au sujet d'un épi de blé partiallement charbone. Bull. Soc. Path. Veg. 1919.
- 834. Fomin, E. Utilization of the varietal characters of plants in disease control. Ukrain. Sci. Rec. Inst. Grain Cult. Phytopath. Lab. Kharkoff, Bull. 1: 88-133. 1935.
- 835. Forster, H. C., and Vascy, A. J. The relation between flag smut infection and manurial treatment. Jour. Dept. Agric. Victoria 27: 321-330. 1929.
- 836. Foster, L. Smuts of wheat, oats and barley. Mont. Agric. Expt. Sta. Bull. 2: 19-32. 1894.
- 837. Foster, L. On the prevention of smuts. Mont. Agric. Expt. Sta. Bull. 10: 40–46. 1896.
- 838. Foster, W. R. Cereal smuts. Brit. Columbia Dept. Agric. Field Crop. Circ. 10. 1931.
- 839. Fourcroy, A. F. de. Ueber die chemische Beschaffenheit des brandigen Weizens. Archiv. Hermbstädt 4: 296. 1810.
- 840. Fox, C. P. Methods of preventing smut of wheat and oats. Ida. Bull. 4: 3-6. 1893.
- 841. Francis, C. B. Sugarcane smut. Madras Agric. Jour. 26: 468-474. 1938.
- 842. Franciscis, F. de. Sulla Presenza dell' Ustilago violacea Pers. nei Fiori di Melandrium pratense Roehl. Bull. Soc. Bot. Ital. 1901: 261–266.
- 843. Frank, A. B. Notiz über den Zwiebelbrand. Bot. Centralbl. 1: 186. 1880.
- 844. Frank, A. B. Die Krankheiten der Pflanzen. 1: xii + 344 pp. Breslau. 1895.

- 845. Frank, A. B. Die Krankheiten der Pflanzen. Pilzparas. Krankh. 2: xi + 574 pp. Breslau. 1896.
- 846. Fraser, W. P., and Scott, G. A. Smut of western rye grass. Phytopath. 16: 473-477. 1926.
- 847. Fraser, W. P., and Simmonds, P. M. Cooperative experiments with copper carbonate dust and other substances for smut control. Sci. Agric. 3: 297-302. 1923.
- 848. Fraser, W. P., and Simmonds, P. M. Cooperative experiments with copper carbonate dust and other substances for smut control in 1923. Sci. Agric. 4: 257-263. 1924.
- 849. Freeman, E. M. Minnesota plant diseases. xxiii + 432 pp. St. Paul. 1905.
- 850. Freeman, E. M. The use of the seed plot in the prevention of diseases in wheat. Proc. Amer. Breeders' Assoc. 2: 49-53. 1906. 851. Freeman, E. M., and Johnson, E. C. The loose smuts of barley and
- wheat. U.S. Dept. Agric. Bur. Pl. Indus. Bull. 152. 1909.
- 852. Freeman, E. M., and Stakman, E. C. The smuts of grain crops. Minn. Agric. Expt. Sta. Bull. 122. 1911. Revised 1914. 853. Freeman, E. M., and Umberger, H. J. C. The smuts of sorghums.
- U. S. Dept. Agric. Circ. 8. 1908. Revised 1910.
- 854. Friedrichs, G. Beitrag zur biologischen Prüfung von Saatbeizmitteln. Angew. Bot. 7: 1-9. 1925.
- 855. Friedrichs, G. Die Trockenbeizung des Getreides mittels Dauerbeizmaschinen, II. Fortschr. der Landw. 3: 58-66. 1928.
- 856. Friedrichs, G. Der Trockenbeizer für Dauerbetrieb "Gross-Tillator-Hoechst." Deutsche Landw. Presse. 56: 743. 1929.
- 857. Friedrichs, G. Die Kurznassbeizung in Beizapparaten für unterbrochenen Betrieb. Fortschr. der Landw. 6: 113-117. 1931.
- 858. Friedrichs, G. Ein Jahr Überwachung der Lohnsaatbeizstellen in Westfalen. Nachrichtenbl. Deutsch. Pflanzenschutzdienst. 12: 53-54. 1932.
- 859. Friedrichs, G. Die Bestimmung des Bestäubungsgrades trockengebeizten Saatgetreides bei der Lohnbeizkontrolle. Nachrichtenbl. Deutsch. Pflanzenschutzdienst 13: 25-27. 1933.
- 860. Friedrichs, G., and Kotthoff, P. Die biologische Kontrolle der Saatbeizmittel. Deutsche Landw. Presse 51: 184. 1924.
- 861. Friederichs, K. Über Phalacrus corruscus als Feind der Brandpilze des Getreides und seine Entwicklung in brandigen Aehren. Arb. Biol. Anst. f. Land- u. Forstw. 7: 38. 1908.
- 862. Fries, E. P. Om brand och rost på växter, jemte fullständig underrättelse om deras kännetecken, orsaker, skada samt medel till dess förekommande. Läsning för allmogen i Kronobergs lan. Lund. No. 3, 1–51. 1823.
- 863. Frölich, G. Die Bekämpfung des Flugbrandes. Illus. Landw. Ztg. 28: **627–**628. 1908.
- 864. Frohner, E. Lehrbuch der Toxikologie fur Tierärzte. II. Stuttgart. 1901.
- 865. Fromme, F. D. The development of loose smut of wheat as modified by soil fertility. Phytopath. 10:53. 1920.
- 866. Fromme, F. D. Incidence of loose smut in wheat varieties. Phytopath. 11: 507-510. 1921.

- 867. Fromme, F. D. Susceptibility of wheat varieties and selections to loose smut. Phytopath. 16: 86–87. 1926.
- 868. Fromme, F. D. The control of cereal smuts by seed treatment. Va. Agric. Expt. Sta. Bull. 262. 1928.
- 869. Fromme, F. D. The effect of washing the seed on infection of wheat by stinking smut. Phytopath. 18: 711-713. 1928.
- 870. Fron, G. Nouveau essais de lutte contre la maladie du piétin du Blé. Compt. Rend. Acad. Agric. France 20: 644-650. 1934.
- 871. Fruhwirth, C. Beizen gegen Flugbrand der Gerste. Wiener Landw. Ztg. 60: 133. 1910.
- 872. Fuckel, L. Tilletia Milii. Symbolae mycologicae 1:40. 1869.
- 873. Gabel, W. Beitrag zur Zusammensetzung von Saatgutbeizen. Zeitschr. f. Angew. Chemie. 36: 590. 1923.
- 874. Gage, G. R. Studies of the life history of Ustilago avenae (Pers.) Jensen and of Ustilago levis (Kell. and Swing.) Magn. Cornell Agric. Expt. Sta. Mem. 109, 33 pp. 1927.
- 875. Gaines, E. F. Comparative smut resistance of Washington wheats. Jour. Amer. Soc. Agron. 10: 218-222. 1918.
- 876. Gaines, E. F. Two important varieties of winter wheat. Wash. Agric. Expt. Sta. Pop. Bull. 116. 1919.
- 877. Gaines, E. F. The inheritance of resistance to bunt or stinking smut of wheat. Jour. Amer. Soc. Agron. 12: 124-132. 1920.
- 878. Gaines, E. F. Genetics of bunt resistance in wheat. Jour. Agric. Res. 23: 445-479. 1923.
- 879. Gaines, E. F. The inheritance of disease resistance in wheat and oats. Phytopath. 15: 341-349. 1925.
- 880. Gaines, E. F. Resistance to covered smut in varieties and hybrids of oats. Jour. Amer. Soc. Agron. 17: 775-789. 1925.
- 881. Gaines, E. F. Resistant varieties of wheat as a means of reducing losses due to stinking smut. Ext. Path. (U. S. Dept. Agric.) 4: 17-22. 1927.
- 882. Gaines, E. F. Why smut has been increasing. Ext. Path. (U. S. Dept. Agric.) 6: 14-15. 1928.
- 883. Gaines, E. F. New physiological forms of Tilletia levis and T. tritici. Phytopath. 18: 579-588. 1928.
- 884. Gaines, E. F. New physiologic forms of Tilletia tritici in wheat. Phytopath. 18: 139. 1928.
- 885. Gaines, E. F., and Singleton, H. P. Genetics of Marquis × Turkey wheat in respect to bunt resistance, winter habit and awnlessness.

 Jour. Agric. Res. 32: 165-181. 1926.
- 886. Gaines, E. F., and Smith, W. K. Reaction of varieties and hybrids of wheat to physiologic forms of bunt. Jour. Amer. Soc. Agron. 25: 273-284. 1933.
- 887. Gaines, E. F., and Stevenson, F. J. Rye-wheat and wheat-rye hybrids. Jour. Heredity 13: 81-90. 1922.
- 888. Gaines, E. F., and Stevenson, F. J. Occurrence of bunt in rye. Phytopath. 13: 210-215. 1923.
- 889. Galkoff, V. P. Bichromate of sodium as fungicide and insecticide. La Défense des Plantes, Lenin. 3: 271-272. 1926.
- 890. Galloway, B. T. Notes. Prevention of smut. Jour. Mycol. 5: 164. 1889.

- 891. Galloway, B. T. A new method of treating grain by the Jensen process for the prevention of smut. Jour. Mycol. 7: 372. 1894.
- 892. Garber, R. J., Giddings, N. J., and Hoover, M. M. Breeding for disease resistance with particular reference to the smut of oats. Sci. Agric. 9: 103-115. 1928.
- 893. Garber, R. J., Giddings, N. J., and Hoover. M. M. Transgressive segregation for susceptibility to smut in an oat cross. Jour. Agric. Res. 39: 953-962. 1929.
- 894. Garber, R. J., and Hoover, M. M. The relation of smut infection to yield in maize. Jour. Amer. Soc. Agron. 20: 735-746. 1928.
- 895. Garber, R. J., and Hoover, M. M. Dehulled seed, glume, color, and reaction to smut in a certain oat cross. Jour. Amer. Soc. Agron. 26: 673-680. 1934.
- 896. Garber, R. J., and Hoover, M. M. Influence of corn smut and hail damage on the yield of certain first-generation hybrids between synthetic varieties. Jour. Amer. Soc. Agron. 27: 38-45. 1935.
- 897. Garber, R. J., and Quisenberry, K. S. Breeding corn for resistance to smut (Ustilago zeae). Jour. Amer. Soc. Agron. 17: 132-140. 1925.
- 898. Garbowski, L. Les micromycetes de la Crimée et des districts limitrophes de la Russie méridionale en consideration speciale des parasites des arbres et des arbrisseaux fruitièrs. Bull. Soc. Myc. France 34: 227-260. 1924.
- 899. Garbowski, L. Ustilago tritici (Pers.) Jensen sur les gaines foliares du Blé. Rev. Path. Veg. Ent. Agric. 14: 100-102. 1927.
- 900. Garbowski, L., and Leszczenko, P. Doswiadczenia z zaprawianiem Pszenicy przeciw sniecy cuchnacez (Tilletia tritici). Reprinted from Nowing Rolniczy (Agric. News) 1. 5 pp. 1924.
- 901. Garbowski, L., and Leszczenko, P. Wyniki trzyletnich prob z zaprawianiem Pszenicy przeciw snieci cuchnacej, Tilletia tritici Wint. Prace Wydz. Chorob Roslin w Bydgoszczy Panstw. Inst. Nauk. Gosp. Wiejsk. (Trans. Phytopath. Sect. State. Inst. of Agric. Sci. in Bydgoszcz) 1928: 1–18.
- Gardner, M. W. Indiana plant diseases 1920. Proc. Ind. Acad. Sci. 1920: 187–208. 1921.
- 903. Garke. Das Beizen der diesjährigen Herbstsaat. Die Kranke Pflanze 2: 224–226. 1925.
- 904. Garman, H., and Hathaway, C. L. Treatment of seed wheat with formalin. Kentucky Agric. Expt. Sta. Circ. 22: 23–27. 1918.
- 905. Garrett, A. O. Smuts and rusts of Utah. IV. Mycologia 13: 101–110. 1921.
- 906. Garrett, A. O. The Ustilaginales or smuts of Utah. Bull. Utah. Univ. Biol., Ser. 4: 1-23. 1939.
- 907. Gassner, G. Biologische Grundlagen der Prüfung von Beizmitteln zur Steinbrandbekämpfung. Arb. Biol. Reichsanst. f. Land- und Forstw. 11: 339–372. 1923.
- 908. Gassner, G. Ueber die Dosierung von Beizmitteln. Mitt. Deutsch. Landw. Gesellsch. 34: 385–388. 1924.
- 909. Gassner, G. Die Verwendung quecksilberhaltiger Beizmittel zur Bekämpfung des Haferflugbrandes. Angew. Bot. 6: 463–477. 1924.
- 910. Gassner, G. Ueber die Abhängigkeit des Steinbrandauftretens von der Bodenbeschaffenheit. Angew. Bot. 7: 80-87. 1925.

- 911. Gassner, G. Die Verwendung von Quecksilberbeizmitteln in der widerholten Tauchbeize (Kettenbeize). Zeitschr. f. Pflanzenkrank. 35: 1-15. 1925.
- 912. Gassner, G. Die Feststellung der Schädigung des Saatgutes durch Beizmittel. Zeitschr. f. Pflanzenkrank. 36: 25-41. 1926.
- 913. Gassner, G. Benetzungsbeize mit geringen Flüssigkeitsmengen. Angew. Bot. 9: 1-12. 1927.
- 914. Gassner, G. Verbesserungsmöglichkeiten der Benetzungsbeize. Deutsche Landw. Presse 54: 159–160. 1927.
- 915. Gassner, G. Ueber primäre und sekundäre Beizwirkung. Angew. Bot. 9: 66-76. 1927.
- 916. Gassner, G. Neue Wege zur Bekämpfung des Weizenflugbrandes durch Beizung. Phytopath. Zeitschr. 5: 407–433. 1933.
- 917. Gassner, G. Ueber Auftreten und Verbreitung von Tilletia tritiei und Tilletia foetens in der Turkei. Phytopath. Zeitschr. 11: 469-488. 1938.
- 918. Gassner, G. Ueber Partialinfektionen von Weizenkörnern durch Tilletia und die Entstehung der Steinbrandbutten. Phytopath. Zeitschr. 11: 451–467. 1938.
- 919. Gassner, G. Untersuchungen über Keimgeschwindigkeit und Infektionsvermögen verschiedener Stämme von Tilletia foetens und Tilletia tritici. Phytopath. Zeitschr. 11: 489–516. 1938.
- 920. Gassner, G., and Esdorn, I. Beiträge zur Frage dere chemotherapeutischen Bewertung von Quecksilberverbindungen als Beizmittel gegen Weizenstinkbrand. Arb. Biol. Reichsanst. f. Land- und Forstw. 11: 373-385. 1923.
- 921. Gassner, G., and Kirchhoff, H. Versuche zur Bekämpfung des Weizenflugbrandes mittels Benetzungsbeize. Phytopath. Zeitschr. 6: 453–468. 1933.
- 922. Gassner, G., and Kirchhoff, H. Versuche zur Bekämpfung des Gerstenflugbrandes. Phytopath. Zeitschr. 7: 303-314. 1934.
- 923. Gassner, G., and Kirchhoff, H. Zur Frage der Beeinflussung des Flugbrandbefalls durch Umweltfaktoren and chemische Beizmittel. Phytopath. Zeitschr. 7: 487–503. 1935.
- 924. Gassner, G., and Kirchhoff, H. Die Bedeutung der Wasseraufnahme des Weizenkorns, insbesondere des Weizenembryos, für Wirkung und Wirkungsweise der Warmwasser-Tauch- und Benetzungsbeize. Phytopath. Zeitschr. 9: 229–258. 1936.
- 925. Gassner, G., and Kirchhoff, H. Einige abschliessende Versuche über die Wirkung der Warmbenetzungsbeize. Phytopath. Zeitschr 11: 115-120. 1938.
- 926. Gassner, G., and Rabien, H. Untersuchungen über die Bedeutung von Beiztemperatur und Beizdauer für die Wirkung verschiedener Beizmittel. Arb. Biol. Reichsanst. f. Land- und Forstw. 14: 367– 410. 1926.
- 927. Gattani, M. L. Differences in diploid lines of Ustilago zeae. Phytopath. 36: 398. 1946.
- 928. Gaudineau, M. Sur quelques facteurs de l'infection du Blé par la carie, Tilletia tritici (Bjerk.) Wint. Ann. des Epiphyties 18: 340–355. 1932.

- 929. Gaudineau, M. La carie du Blé en 1932-1933. Rev. Path. Veg. Ent. Agric. 21: 56-66. 1934.
- 930. Gäumann, E. Vergleichende Morphologie der Pilze. x + 626 pp. Jena. 1926.
- 931. Gäumann, E. Über eine neue Ustilaginee. Ber. d. Schweiz. Bot. Gesells. 41: 179. 1932.
- 932. Geach, W. L. Foot and root rots of wheat in Australia. The influence of the combined action of Fusarium culmorum (W. G. Sm.) Sacc. and Urocystis tritici Koern, on the occurrence of seedling blight. Jour. Austral. Council Sci. and Indus. Res. 6: 269-278. 1933.
- 933. Gentner, G. Eine Methode zum Nachweis der Sporen des Steinbrandes und anderer Pilzarten am Saatgut. Fortschr. der Landw. 4: 353-356, 1929,
- 934. George, C. Ustilago maidis, Viburnum prunifolium, normal liquid Cannabis Indica. Therapeut. Gaz. N. S. 5: 353. 1884.
- 935. Geschele, E. Contribution to the biology of Ustilago reiliana Kühn. Morbi Plant, Lenin. 16: 150-155. 1927. (Russian; trans. title.)
- 936. Geschele, E. Biological peculiarities of Ustilago reiliana. Ann. State Inst. of Exper. Agron., Lenin. 5: 202. 1927. (Russian; trans. title.)
- 937. Geutner, G. Eine Methode zum Nachweis der Sporen des Steinbrand und anderer Pilzarten am Saatgut. Fortschr. der Landw. 4: 353-356.
- 938. Giard, A. De l'influence de certains parasites rhizocephales sur les caractères sexuels exterieurs de leur hôte. Compt. Rend. Acad. Sci. Paris 103: 84-86. 1886.
- 939. Giard, A. Sur la castration parasitaire du Lychnis dioica L., par l'Ustilago antherarum Fr. Compt. Rend. Acad. Sci. Paris 107: 757-759. 1888.
- 940. Giard, A. La castration parasitaire, nouvelles recherches. Bull. Scient. France et Belg. 19: 12-45. 1888.
- 941. Giard, A. Ustilago antherarum Tul. Rev. Scient. 16: 650. 1888. 942. Giard, A. Sur la castration parasitaire du Lychnis dioica L. par l'Ustilago antherarum Fr. Bull. Scient. France et Belg., Ser. 3, 2: 153–158. 1889.
- 943. Giard, A. Sur le passage de l'hermaphroditisme à la separation des sexes par castration parasitaire unilatérale. Compt. Rend. Acad. Sci. Paris 134: 146. 1902.
- 944. Gibbs, J. G. Onion-smut, Urocystis cepulae Frost. N. Zeal. Jour. Sci. Tech., A, 20: 65-68. 1938.
- 945. Gibbs, J. G., Baylis, G. T. S., and Blackmore, L. Experiments in control of onion-smut (Urocystis cepulae Frost). N. Zeal. Jour. Sci. Tech. A, 22: 162-166. 1940.
- 946. Gibs, W. Untersuchungen über die Brandanfälligkeit beim Weizen. Dissertation, Göttingen. 1924.
- 947. Gibs, W. Veränderungen der Brandanfälligkeit durch äussere Bedingungen. Jour. f. Landw. 62: 111-124. 1924. 948. Gibs, W. Untersuchungen über das Verhalten von Winterweizen bei
- künstlicher Infektion mit Steinbrand (Tilletia tritici). Zeitschrift f. Pflanzenzucht 14: 311. 1929.
- 949. Giersberg, F. Brandiger Hafer als Saatgut. Deutsche Landw. Presse 33: 198. 1906.

- 950. Gieseke, A. Untersuchungen über das Verhalten von Winterweizen bei künstlicher Infektion mit Steinbrand (Tilletia tritici). Zeitschr. f. Pflanzenzucht 14: 311-363. 1929.
- 951. Giljarovskij, N., and Zak, G. Die physiologischen Uraschen der Widerstandsfähigkeit des Sommerweizens gegen Steinbrand (Tilletia tritici Wint.). Naucno-Agron. Z. 7: 378. 1930. (Russian) (Abs. in Fortschr. der Landw. 6: 106-107. 1931.)
- 952. Gisevius, P., and Bohmer. Ein Beitrag zur Bekämpfung des Gerstenflugbrandes. Illus. Landw. Ztg. 1910: (No. 77) 725.
 953. Gitmann, L. S. Experiments on the use of formalin vapour for the con-
- 953. Gitmann, L. S. Experiments on the use of formalin vapour for the control of smut. Abs. in Ann. State Inst. of Exper. Agron. Lenin. 5: 200-201. 1927.
- 954. Godfrin, J. Sur l'Urocystis primulicola ustilaginée nouvelle pour la France. Bull. Soc. Bot. France 38: 68-69. 1891.
- 955. Godfrin, J. Sur l'Urocystis primulicola Magn., Ustilaginée nouvelle pour la flore de France. Bull. Soc. Sci. Nancy, Ser. 2, 11: 58-59. 1891.
- 956. Goff, E. S. The hot-water treatment for the prevention of smut on oats, wheat and barley. Wisc. Agric. Expt. Bull. 50. 1896.
- 957. Goff, E. S. A trial of "ceres pulver" for the prevention of smut in oats. Wisc. Agric. Expt. Sta. Ann. Rept. 1897: 307-309.
- 958. Goff, E. S. The prevention of oat smut. Wisc. Agric. Expt. Sta. Spec. Bull. 1901.
- 959. Goidanich, G., and Scardovi, V. Behaviour of Sphacelotheca sorghi, causal agent of covered smut of sorghum, on sweet sorghum cultivated in Italy. Int. Bull. Pl. Prot. 20: 102M-104M. 1946.
- 960. Goidanich, G., and Scardovi, V. Esperienze sulla suscetibilita al 'charbone della cariosside'—prodotto da Sphacelotheca sorghi (Link) Clinton—di alcuni Sorghi zuccherini coltivati in Italia. Agric. Ital. 46: 243-260. 1946.
- 961. Goldschmidt, V. Vererbungsversuche mit den biologischen Arten des Antherenbrandes (Ustilago violacea Pers.). Ein Beitrag zur Frage der parasitären Spezialisierung. Zeitschr. f. Bot. 21: 1-90. 1928.
- 962. Gonzalez Fragoso, R. Ustilagales de la flora espanola existentes en el herbario del Museo Nacional de Ciencias Naturales de Madrid. Bol. R. Soc. Esp. Hist. Nat. 24: 116-127. 1924.
- 963. Gorshtsharuk, M. Hot water treatment of wheat seed against loose smut on large estates. Le Défense des Plantes, Lenin. 4: 349-354. 1927. (Russian; trans. title.)
- 964. Goss, J. J. M. Ustilago maydis. Therap. Gaz. 2: 51. 1881.
- 965. Goulden, C. H., and Neatby, K. W. A study of disease resistance and other varietal characters of wheat—application of the analysis of variance and correlation. Sci. Agric. 9: 575-586. 1929.
- Graham, J. D. Corn smut. Bull. Kans. Agric. Expt. Sta. 62: 169. 1896.
- 967. Gram, E. Torafsvampning af Vintersaeden. Ugeskr. f. Landmaend 69: 531. 1924.
- 968. Gram, E. Torafsvampning mod Stinkbrand. Ugeskr. f. Landmaend 70: 587. 1925.
- 969. Gram, E. Afsvampningsforsog udforte af landboforeninger i Danmark i aaret 1925. 4 pp. Nielsen and Lydiche, Copenhagen. 1926.

- 970. Gram. E. Vintersaedens Afsvampning. Ugeskr. f. Landmaend 72: 549-551. 1927.
- 971. Gram, E. Vintersaedens Afsvampning. Ugeskr. f. Landmaend 73: 569. 1928.
- 569. 1928. 972. Gram, E. Nogen Bygbrand. Ugeskr. f. Landmaend 74: 152–153. 1929.
- 973. Gram, E. Afsvampningsundersogelser. III. Korn og Graesfr. Tidsskr. f. Planteavl 35: 141–268. 1929.
- 974. Gram, E. Afsvampningsundersogelser. IV. Udbytteforsog med Kornarterne. Tidsskr. f. Planteavl 37: 659-674. 1931.
- 975. Gram, E., and Rostrup, S. Oversigt over Sygdomme hos Landbrugets og Havebrugets Kulturplanter i, 1921. Tidsskr. f. Planteavl 28: 185–246. 1922. (English summary.)
- 976. Gram, E., and Rostrup, S. Oversigt over Sygdomme hos Landbrugets og Havebrugets Kulturplanter i, 1922. Tidsskr. f. Planteavl 24: 236–307. 1923. (English summary.)
- 977. Grandeau, L. Le charbon des céréales. Nouvelles recherches et experiences sur ce parasite et les moyens de le combattre. Jour. d'Agric. Prat. 1901: 459-460.
- 978. Grandeau, L. La destruction du charbon des céréales. Procédé de traitement à l'eau chaude. Son application pratique à la ferme de Tarzout (Algerie). Jour. d'Agric. Prat. 1901: 619-620.
- 979. Grasso, V. First contribution to the study of wheat bunt in Italy. Int. Bull. Pl. Prot. 20: 66M-68M. 1946.
- 980. Grasso, V. Le specie di Tilletia del Frumento esistenti in Italia. R. C. Acad. Lincei, Ser. 8, 1: 1362–1364. 1946.
- 981. Grasso, V. Le specie di Tilletia del Frumento esistenti in Italia e loro distribuzione geographica. Ann. Sper. Agric., N. S. 2, 23 pp. 1948.
- 982. Graves, L. Catalogue des plantes observées dans l'etendue du departement de l'Oise. Beauvais 1857.
- 983. Greaney, F. J., and Wallace, H. A. H. New and standard seed treatments in the control of certain seed-borne diseases of wheat, oats, and barley. Phytopath. 33: 1064–1070. 1943.
- 984. Green, D. E. Smut disease of dahlias caused by Entyloma dahliae (Sydow). Jour. Roy. Hort. Soc. 57 (part 2): 332–339. 1932.
- 985. Gregory, C. T. The present status of the hot water treatment in Indiana. Ind. Acad. Sci. Proc. 38: 315-318. 1922.
- 986. Gregory, C. T. The relation of rain to the formaldehyde treatment of onion smut. Phytopath. 12: 155-156. 1922.
 987. Gregory, C. T. The loose and stinking smuts in Indiana. Ind. Acad.
- 987. Gregory, C. T. The loose and stinking smuts in Indiana. Ind. Acad. Sci. Proc. 34: 285–288. 1925.
- 988. Greig, J. R. Note on the association of Tilletia tritici with epileptiform convulsions in the dog. Trans. Brit. Mycol. Soc. 10: 121-122. 1924.
- 989. Grenfell, C. N. Experiments with three kinds of smuts. Agric. Gaz. New S. Wales 11: 742-747. 1900.
- 990. Grenfell, C. N. Some experiments with wheat, made at Mount Templeton, S. A. Agric. Gaz. New S. Wales 12: 1053-1062. 1901.
 991. Grevel, F. K. Untersuchungen über das Vorhandensein biologischer
- 991. Grevel, F. K. Untersuchungen über das Vorhandensein biologischer Rassen des Flugbrandes des Weizens (Ustilago tritici). Phytopath. Zeitschr. 2: 209–234. 1930.

- 992. Griffiths, D. Concerning some west American fungi. Bull. Torr. Bot. Club 29: 290-301. 1902.
- 993. Griffiths, D. Forage conditions and problems in eastern Washington, eastern Oregon, northeastern California and northwestern Nevada. U. S. Dept. Agric., Bur. Pl. Indus. Bull. No. 38. 1903.
- 994. Griffiths, D. Concerning some west American smuts. Bull. Torr. Bot. Club 31: 83-88. 1904.
- 995. Griffiths, M. A. Experiments with flag smut of wheat and the causal fungus, Urocystis tritici Kcke. Jour. Agric. Res. 27: 425-449, 1924.
- 996. Griffiths, M. A. Physiological studies on flag smut of wheat. Phytopath. 14: 39. 1924.
- 997. Griffiths, M. A. Smut resistance in corn. Phytopath. 17: 42. 1927.
- 998. Griffiths, M. A. Smut susceptibility of naturally resistant corn when artificially inoculated. Jour. Agric. Res. 36: 77-84. 1928.
- 999. Grodsinsky, L. Manifestacion foliar del Ustilago tritici. Rev. Argent. Agron. 4: 71-72. 1937.
- 1000. Groh, J. Ueber die Bestimmung des Brandsporengehaltes in Kleien. Arch. Chem. u. Mikros. 5: 177-187. 1912.
- 1001. Groh, J. Bemerkungen zu meiner quantitativen Brandsporenbestimmungsmethode. Arch. Chem. u. Mikros. 6: 130. 1913.
- 1002. Grotenfelt, G. Tre metoder att fordrifva brandsvamp fran korn. Landtbruksstyrelsens Meddelanden 20: 133-140. Helsingfors. 1897.
- 1003. Grüss, J. Biologische Erscheinungen bei der Cultivierung von Ustilago maydis. Ber. Deutschen Bot. Ges. 20: 212–220. 1902.
- 1004. Guest, E. Bunt disease of wheat (and how to control it). Dept. Agric., Iraq., Agric. Leaf. 19. 1929.
- 1005. Guillochon. La lutte contre le charbon nu du Blé en Tunisie. Compt. Rend. Acad. Agric. France 25: 448–452. 1939.
- 1006. Güssow, H. T. Injurious fodder and poisonous plants. Jour. Roy. Agric. Soc. England 68: 32-63. 1907.
- 1007. Güssow, H. T., and Conners, I. L. Studies in cereal diseases. 1. Smut diseases of cultivated plants and their control. Can. Dept. Agric. Bull. 81, N. S. 79 pp. 1927.
- 1008. Gutner, L. S. The smut fungi of the U.S.S.R. 381 pp. Lenin., State Pub. Dept., Sect. of Agric. 1941. (Russian; trans. title.)
- 1009. Guyot, L. Les maladies charbonneuses des céréales. Jour. d'Agric. Prat. 88: 433-434, 461-462. 1924.
- 1010. Guyot, L. Sur le charbon du Blé. Jour. d'Agric. Prat. 89: 177–178. 1925.
- 1011. Guyot, L. De l'action de quelques desinfectants de la semence contre la carie du Blé (Tilletia caries). Rev. Path. Veg. Ent. Agric. 15: 249-255. 1928.
- 1012. Guyot, M. Quelques observations sur diverses maladies des céréales. Rev. Path. Veg. Ent. Agric. 11: 268–287. 1924.
- 1013. Haarring, F. Beizmittelprüfung an Haferflugbrand im Laboratorium mit der "Leipziger Methode." Pflanzenbau 6: 1–4, Sept. 1930.
- 1014. Haarring, F. Eine Infectionsmethode für Haferflugbrand (Ustilago avenae Jens.) und ihre Anwendung zu Beiz- und Immunitätsversuchen in Laboratorium und Feld. Bot. Arch. 29: 444-473. 1930.
- 1015. Hafiz, A. Smut diseases and their control by cultural methods. Sci. Jour. Roy. Col. Sci. Serv. 27: 77-80. 1948.

- 1016. Hagemann, G. A. Afsvampning of Saasaed. Ugeskr. for Landmaend 68: 694-695. 1923.
- 1017. Hagen, A. Nelliksot funnet i Norge. Gartneryrket 1948: 45 (1 p.).
- 1018. Hahn, J. H. Ustilago maydis. Amer. Jour. Pharm. 53: 496. 1881.
- 1019. Hahne, J. Untersuchungen über die Keimungsbedingungen von Tilletiasporen. Kühn-Arch. Arb. Landw. Inst. Univ. Halle 9: 157– 263. 1925.
- 1020. Hajos, E. A rozs-szarüszög (Urocystis occulta Rabh.). Mezogazdasagi Szemle, Magyar-Ovar 1: 171. 1883.
- 1021. Hall, C. C. Stinking smut of wheat. Mod. Miller (Kansas City, Mo.) 14: 255. 1890.
- 1022. Hallier, E. Mykologische Untersuchungen. V. Entwickelungsgeschichte des Staubbrandes, Ustilago Carbo Tul. Nobbe's Landw. Versuchsstat. 9: 260. 1867.
- 1023. Hallier, E. Mykologische Untersuchungen. VI. Entwickelungsgeschichte des Steinbrandes (Tilletia caries Tul.). Nobbe's Landw. Versuchsstat. 9: 355. 1867.
- 1024. Hallier, E. Der Brandpilz der Küchenzwiebel, Urocystis cepae. Wiener Illus. Garten-Zeit. 5: 519. 1880.
- 1025. Halsted, B. D. Onion smut. Amer. Agriculturist. (New York) 1880: 104.
- 1026. Halsted, B. D. The corn smut. Amer. Agriculturist. (New York) 1880: 475.
- 1027. Halsted, B. D. Wheat, oat, and barley smut. Amer. Agriculturist.
 (New York) 1881: 404.
 1028. Halsted, B. D. Notes upon the Ustilagineae. Bull. Iowa Agric. Col.
- 1028. Halsted, B. D. Notes upon the Ustilagineae. Bull. Iowa Agric. Col Dept. Bot. Nov. 1886: 54.
- 1029. Halsted, B. D. Notes upon Ustilagineae. Bull. Iowa Agric. Col. Dept. Bot. Feb. 1888: 92.
- 1030. Halsted, B. D. A new white smut. Bull. Torr. Bot. Club 17: 95–97. 1890.
- 1031. Halsted, B. D. Fungous disease of various crops. New Jersey Agric. Expt. Sta. Rept. 11: 345–366. 1891.
- 1032. Halsted, B. D. Experiments with onions. New Jersey Agric. Expt. Sta. Rept. 18: 300-302. 1898.
- 1033. Halsted, B. D. Artificial introduction of onion smut. Bull. Torr. Bot. Club 26: 74. 1899.
- 1034. Halsted, B. D. Mycological notes. IV. Bull. Torr. Bot. Club 26: 12–20. 1899.
- 1035. Hamblin, C. O. Flag smut and its control. Agric. Gaz. New S. Wales 32: 23. 1921.
- 1036. Hammarlund, C. Kleinere mykologische Notizen. I. Ustilago violacea (Pers.) Fuck. auf Dianthus arenarius L. Bot. Notiser, Lund. 1931: 137-138.
- 1037. Hanke, K. Wie schützen wir unsere Saaten vor Krankheiten? Illus. Landw. Ztg. 48: 472–473. 1928.
- 1038. Hanna, W. F. A simple apparatus for isolating single spores. Phytopath. 18: 1017-1021. 1928.
- 1039. Hanna, W. F. Studies in the physiology and cytology of Ustilago zeae and Sorosporium reilianum. Phytopath. 19: 91. 1929.

- 1040. Hanna, W. F. Studies in the physiology and cytology of Ustilago zeae and Sorosporium reilianum. Phytopath. 19: 415-441. 1929.
- 1041. Hanna, W. F. The association of bunt of wheat with loose smut and ergot. Phytopath. 22: 10-11. 1932.
- 1042. Hanna, W. F. The odor of bunt spores. Phytopath. 22: 978-979. 1932.
- 1043. Hanna, W. F. The physiology of the fungi causing bunt of wheat. Proc. Fifth Pacif. Sci. Congr. 1934: 3195-3204.
- 1044. Hanna, W. F. Effect of vernalization on the incidence of loose smut in wheat. Sci. Agric. 16: 404-407. 1936.
- 1045. Hanna, W. F. Physiologic forms of loose smut of wheat. Can. Jour. Res. Sect. C, 15: 141-153. 1937.
- 1046. Hanna, W. F. The association of bunt with loose smut and ergot. Phytopath. 28: 142-146. 1938.
- 1047. Hanna, W. F. The discharge of conidia in species of Entyloma. Mycologia 30: 526-536. 1938.
- 1048. Hanna, W. F., and Hurst, E. M. Sex in Ustilago lorentziana. Phytopath. 39: 9. 1949.
- 1049. Hanna, W. F., and Popp, W. Bunt of wheat in western Canada. Sci. Agric. 11: 200-207. 1930.
- 1050. Hanna, W. F., and Popp, W. Relationship of the oat smuts. Nature 126: 843-844. 1930.
- 1051. Hanna, W. F., and Popp, W. Researches on smut diseases. Rept. Can. Expt. Farms 1930: 68-75. 1931.
- 1052. Hanna, W. F., and Popp, W. The control of bunt of wheat by seed treatment. Div. Bot. Can. Dept. Agric. Ann. Rept. 1930: 68-69. 1931.
- 1053. Hanna, W. F., and Popp, W. Reaction of barley varieties to covered smut. Div. Bot. Can. Dept. Agric. Ann. Rept. 1930: 72. 1931.
- 1054. Hanna, W. F., and Popp, W. Relationship of the oat smuts. Phytopath. 21: 109. 1931.
- 1055. Hanna, W. F., and Popp, W. Physiologic forms of loose smut of wheat. Phytopath. 22: 11. 1932.
- 1056. Hanna, W. F., and Popp, W. The overwintering of bunt spores in western Canada. Sci. Agric. 13: 636-637. 1933. (French summary.)
- 1057. Hanna, W. F., and Popp, W. Bunt infection of spring wheat by soilborne spores. Sci. Agric. 14: 257-258. 1934. (French summary.)
- 1058. Hanna, W. F., and Popp, W. Experiments on the control of loose smut of wheat by seed treatment. Proc. World's Grain Exhib. Conf. Regina 2: 243-248. 1935.
- 1059. Hanna, W. F., and Popp, W. Experiments on the control of cereal smuts by seed treatment. Sci. Agric. 15: 745-753. 1935.
- 1060. Hanna, W. F., Vickery, H. B., and Pucher, G. W. The isolation of Trimethylamine from spores of Tilletia levis, the stinking smut of wheat. Jour. Biol. Chem. 97: 351-358. 1932.
- 1061. Hanow. Die Fortschritte der Trockenbeizung. Nachr. über Schädlingsbekämpf. 6: 65-74. 1931.
- 1062. Hansing, E. D., Heyne, E. G., and Melchers, L. E. Studies on smutresistant oats for Kansas. Jour. Amer. Soc. Agron. 37: 499-508. 1945.

- 1063. Hansing, E. D., Heyne, E. G., and Stanton, T. R. A new race of Ustilago avenae. Phytopath. 26: 400. 1936.
- 1064. Hansing, E. D., Heyne, E. G., and Stanton, T. R. Reactions of oat varieties and selections to four races of loose smut. Phytopath. 36: 433-445. 1946.
- 1065. Hansing, E. D., and Lefebvre, C. L. Smut sori from ovarial and staminal tissues of certain grasses. Phytopath. 31: 1043-1046. 1941.
- 1066. Hansing, E. D., and Melchers, L. E. Standard and new fungicides for the control of covered smut of sorghum and their effect on stand. Phytopath. 34: 1034-1036. 1944.
- 1067. Hansing, E. D., and Melchers, L. E. Further studies on the occurrence and distribution of physiologic races of Tilletia foetida in Kansas. Trans. Kans. Acad. Sci. 48: 71-77. 1945.
- 1068. Hanson, E. W. Effect of fusarial head blight on the development of bunt on wheat. Phytopath. 36: 400. 1946.
- 1069. Hanson, E. W. Effect of bunt on the development of seedling blight and foot rot of wheat. Phytopath. 36: 400. 1946.
- 1070. Hanson, E. W., and Atkinson, R. E. Preliminary studies in the cytology of Urocystis waldsteiniae. Phytopath. 28: 8. 1938.
- 1071. Hanson, E. W., and Tervet, I. W. Effect of fertilizers on the development of bunt of wheat. Phytopath. 30: 8. 1940.
- 1072. Harper, R. A. Nuclear phenomena in certain stages in the development of the smuts. Trans. Wisc. Acad. Sci. Arts, and Letters 5: 475–498. 1898.
- 1073. Harris, L. H. Allergy to grain dusts and smuts. Jour. Allergy 10: 327-336. 1939.
- 1074. Harris, L. H. The nature of the grain dust antigen. Crossed reactions to grain dusts and smuts. Jour. Allergy 10: 433-442. 1939.
- 1075. Hartig, R. Lehrbuch der Pflanzenkrankheiten. Berlin. 1900.
- 1076. Harwood, P. M. Smut in oats and wheat; Jensen or hot water treatment. Mich. Agric. Expt. Sta. Bull. 87. 1892.
- 1077. Haskell, R. J. Distribution of the two species of Tilletia. Plant Dis. Bull. Suppl. 4: 119-128. 1919.
- 1078. Haskell, R. J. Diseases of cereal and forage crops in the U. S. in 1923. Plant Dis. Reptr. Suppl. 35: 244-317. 1924.
- 1079. Haskell, R. J. Diseases of cereal and forage crops in the U. S. in 1925. Plant Dis. Reptr. Suppl. 48: 301-381. 1926.
- 1080. Haskell, R. J. Stinking smut in 1926. Ext. Path. (U. S. Dept. Agric.) 4: 3-6. 1927.
- 1081. Haskell, R. J. Diseases of cereal and forage crops in the U. S. in 1927. Plant Dis. Reptr. Suppl. 62: 302-353. 1928.
- 1082. Haskell, R. J., and Boerner, E. G. How much stinking smut in the field makes grain smutty? Office Record U. S. Dept. Agric. 10: 202. 1931.
- 1083. Haskell, R. J., and Boerner, E. G. Relation of stinking smut of wheat in the field to smuttiness of threshed grain. Plant Dist. Reptr. Suppl. 79: 1-5. 1931.
- 1084. Haskell, R. J., and Diehl, W. W. False smut of maize, Ustilaginoidea. Phytopath, 19: 589-592. 1929.

- 1085. Haskell, R. J., Leukel, R. W., and Boerner, E. G. Stinking smut (bunt) in wheat and how to prevent it. U. S. Dept. Agric. Circ. 182. 1931.
- 1086. Haskell, R. J., Rose, R. C., Brentzel, W. E., Walker, E. A., and Kidder, W. Why so much smut in spring wheat? The results of the 1930 survey to collect information on the prevalence of stinking smut or bunt and methods of seed treatment followed in selected spring wheat counties. Plant Dis. Reptr. Suppl. 77: 96-139. 1930.
- 1087. Haskell, R. J., Rose, R. C., Brentzel, W. E., Walker, E. A., and Kidder, W. A survey for stinking smut of wheat. Phytopath. 21: 126. 1931.
- 1088. Haskell, R. J., and Wood, J. I. Diseases of cereal and forage crops in the U. S. in 1922. Plant Dis. Bull. Suppl. 27: 164-265. 1923.
- 1089. Hasper, E., and Stumpff, II. Versuche mit verschiedenen, Nass- und Trockenbeizen. Deutsche Landw. Presse 54: 192. 1927.
- 1090. Hayes, H. K., Ausemus, E. R., Stakman, E. C., and Bamberg, R. H. Correlated inheritance of reaction to stem rust, leaf rust, bunt, and black chaff in spring-wheat crosses. Jour. Agric. Res. 48: 59-66. 1934.
- 1091. Hayes, H. K., Rinke, E. H., and Tsiang, Y. S. Experimental study of convergent improvement and backcrossing in corn. Minn. Agric. Expt. Sta. Tech. Bull. 172. 1946.
- 1092. Hayes, H. K., Stakman, E. C., Griffee, F., and Christensen, J. J. Reactions of selfed lines of maize to Ustilago zeae. Phytopath. 14: 268–280. 1924.
- 1093. Häyren, E. Ustilago grandis i Snappertun. Meddel. Soc. Fauna et Flora Fennica 35: 80. 1910.
- 1094. Häyren, E. Ny fyndort for Ustilago grandis Fr. Mem. Soc. Fauna et Flora Fennica 7: 235. 1932.
- 1095. Hays, W. M. Smut in wheat. Minn. Agric. Expt. Sta. Bull. 40: 289-292. 1894
- 1096. Hays, W. M. Smut in wheat. Minn. Agric. Expt. Sta. Bull. 46: 362–368. 1895.
- 1097. Hayward, K. J. El carbon de la Cana y los insectos. Circ. Estac. Agric. Tucuman 123. 1943.
- 1098. Hazslinszky, Fr. Beiträge zur Kenntnis der Karpathenflora. Verh. Zool.-Bot. Ges. Wien 14: 169–192. 1864.
- 1099. Heald, F. D. Bunt or stinking smut of wheat. Bull. Nebr. Insect, Pest and Plant Disease Bur. 2: 1–8. 1909. Also, Press Bull. Nebr. Agric. Expt. Sta. 28: 1–8. 1908.
- 1100. Heald, F. D. Some new facts concerning wheat smut. Proc. Wash. State Grain Growers, Millers and Shippers Assoc. 10: 38-45. 1916.
- 1101. Heald, F. D. The most effective method of controlling smut. Proc. Wash. State Grain Growers, Shippers and Millers Assoc. 12: 26-34. 1918.
- 1102. Heald, F. D. The stinking smut of wheat. Wash. Popular Bull. 115. 1918.
- 1103. Heald, F. D. Oat smuts of Washington. Proc. Wash. State Grain Growers, Shippers and Millers Assoc. 13: 28-34. 1919.
- 1104. Heald, F. D. Relation of spore load to the per cent of stinking smut (Tilletia tritici). Phytopath. 11: 103-104. 1921.

- 1105. Heald, F. D. The relation of spore load to the per cent of stinking smut appearing in the crop. Phytopath. 11: 269-278. 1921.
- 1106. Heald, F. D. Division of Plant Pathology. Thirty-third Ann. Rept. Wash. Agric. Expt. Sta. 1923: 40–49.
- 1107. Heald, F. D. Division of Plant Pathology. Thirty-fourth Ann. Rept. Wash. Agric. Expt. Sta. (Bull. 187) 1924: 66-74.
- 1108. Heald, F. D. Division of Plant Pathology. Thirty-seventh Ann. Rept. Wash. Agric. Expt. Sta. (Bull. 222) 1927: 38:43.
- 1109. Heald, F. D., and Boyle, L. W. Further notes on the relation of the spore load to the percentage of stinking smut appearing in the crop. Phytopath. 13: 334-337. 1923.
- 1110. Heald, F. D., Gaines, E. F. The control of bunt or stinking smut of wheat. Wash. Agric. Expt. Sta. Bull. 241. 1930.
- 1111. Heald, F. D., and George, D. C. The wind dissemination of the spores of bunt or stinking smut of wheat. Wash. Agric. Expt. Sta. Bull. 151. 1918.
- 1112. Heald, F. D., and Holton, C. S. Flag smut of wheat found in Washington. Plant Dis. Reptr. 24: 382. 1940.
- 1113. Heald, F. D., and Smith, L. J. The dusting of wheat for bunt or stinking smut. Wash. Agric. Expt. Sta. Bull. 171. 1922.
- 1114. Heald, F. D., and Woolman, H. M. Bunt or stinking smut of wheat. Wash. Agric. Expt. Sta. Bull 126. 1915.
- 1115. Heald, F. D., and Zundel, G. L. The control of cereal smuts in Washington. Wash. St. Ext. Serv. Bull. 72. 1921.
- 1116. Heald, F. D., Zundel, G. L., and Boyle, L. W. The dusting of wheat and oats for smut. Phytopath. 13: 169-183. 1923.
- 1117. Hecke, L. Beizversuche gegen Hirsebrand. Zeitschr. Landw. Versuchsw. in Österr. 5: 933-961. 1902.
- 1118. Hecke, L. Vorversuche zur Bekämpfung des Brandes der Kolbenhirse. Zeitschr. Landw. Versuchsw. in Oesterr. 5: 1–21. 1902.
- 1119. Hecke, L. Beizversuche gegen Hirsebrand. Zeitschr. Landw. Versuchsw. in Österr. 6: 765–777. 1903.
- 1120. Hecke, L. Ein innerer Krankheitskeim des Flugbrandes im Getreidekorn. Zeitschr. Landw. Versuchsw. in Österr. 1904: 59-67.
- 1121. Hecke, L. Zur Theorie der Blüteninfektion des Getreides durch Flugbrand. Ber. Deutschen. Bot. Ges. 23: 248-250. 1905.
- 1122. Hecke, L. Die Blüteninfektion des Getreides durch Flugbrand. Jahresber. Ver. Vertr. Angew. Bot. 3: 63-65. 1906.
- 1123. Hecke, L. Die Brandkrankheiten des Getreides und ihre Bekämpfung. Wiener Landw. Ztg. 1906: 318.
- 1124. Hecke, L. Die Triebinfektion bei Brandpilzen. Zeitschr. Landw. Versuchsw. in Österr. 10: 572-574. 1907.
- 1125. Hecke, L. Bemerkung zu der Abhandlung von Dr. R. Falck: Die Flugbrandarten des Getreides, ihre Verbreitung und Bekämpfung. Nebst Antwort auf die vorstehenden Bemerkungen von R. Falck. Jour. f. Landw. 56: 395–398. 1908.
- 1126. Hecke, L. Der Einfluss von Sorte und Temperatur auf den Steinbrandbefall. Zeitschr. Landw. Versuchsw. in Österr. 12: 49-66. 1909.
- 1127. Hecke, L. Boden und Steinbrand. Blätter für Pflanzenbau und Pflanzenzüchtung 2: 2–4. 1924.

- 1128. Hecke, L. Die Ansteckung von Blattachselknospen durch Ustilago violaceae (Pers.) Fuck. Fortschr. der Landw. (Vienna) 1: 150-151. 1926
- 1129. Hedlund, T. Om sjukdomar och skador a landtbruksvaxter i Malmohus lan. Malmohus lans Hushallnings-sallskaps kvartalsskrift 1907: 752-774. Lund. 1908.
- 1130. Hegi, G. Eine neue Alge und Utislago Luzulae Sacc. Mitteil Bayer. Bot. Ges. 2: 181–183. 1909.
- 1131. Hegyi, D. Untersuchungen über die Ustilagineen: I. Der Steinbrand des Getreides. Bericht an die Internationale Anstalt für Landw. in Rome. 1911.
- 1132. Heinrich, M. Die Abhängigkeit der Keimtriebkraft von Keimmelium und ihre Beeinflussung durch verschiedene Beizmittel. Landw. Versuchssta. 98: 65-115. 1921.
- 1133. Heinricher, E. Notiz über das Vorkommen eines Brandpilzes aus der Gattung Entyloma auf Tozzia alpina L. Ber. Deutschen Bot. Ges. 19: 362–366. 1901.
- 1134. Heller, H. Ubbelohde's Chemie und Technologie der Öle und Fette. II. 1: 383-389, 533-535. S. Hirzel, Leipzig. 1932.
- 1135. Heller, V. G., Caskey, C., and Penquite, R. The possible toxicity of grain-sorghum smuts. Jour. Agric. Res. 40: 347-351. 1930.
 1136. Hely, F. W., Allan, F. E., and Angell, H. R. Bunt infection and root
- 1136. Hely, F. W., Allan, F. E., and Angell, H. R. Bunt infection and root development in wheat. Jour. Coun. Sci. Industr. Res. Austr. 11: 254-255. 1938.
- 1137. Henderson, L. F. Smuts and rusts of grains in Idaho, and the most approved methods of dealing with them. Idaho Agric. Expt. Sta. Bull. 11. 1898.
- 1138. Henderson, L. F. Experiments with wheat and oats for smut. Idaho Agric. Expt. Sta. Bull. 53: 1-15. 1906.
- 1139. Hendry, G. W., and Hansen, H. N. The antiquity of Puccinia graminis and Ustilago tritici in California. Phytopath. 24: 1313-1314. 1934.
- 1140. Henning, E. On smut on corn and preventives against it. Landtmannen Linköpig, Manadsbilaga 1901: 97-101. (In Swedish).
- 1141. Henning, E. Vara viktigaste landtbruksvaxter disposition for och immunitet gent emot parasitsvampar. I. Landtbruks-Akad. Handlingar 1900: 171-211. Stockholm. 1909.
- 1142. Henning, E. Om möjligheterna att genom skarp sortering av bekämpa skjukdomar hos sädesslagen Landtbruks-Akad. Handlingar 1916: 282–300.
- 1143. Henning, E. Om betning mot stinkbrand (Tilletia tritici) strabrand (Urocystis occulta) och hardbrand (Ustilago hordei). I. Kort historik och orienterande forforsok. Meddelanden No. 195 fran Centralanstalten for forsoksvasendet på jordbruksområdet. Stockholm. 1919.
- 1144. Henning, E. Om betnig mot stinkbrand (Tilletia tritici) strabrand (Urocystis occulta) och hardbrand (Ustilago hordei). II. Bidrag till formalin betningens teknik. Meddelanden No. 231 fran Centralanstalten for forsoksvasendet på jordbruksområdet. Stockholm. 1922.
- 1145. Henning, E. Avdelning for landtbruks botanik. Arsberattelse over verk-

- samheten vid Centralanstalten for forsøksvasendet på jordbruksomradet under ar 1921. Kungl. Landtbruks-Akad. Handl. och Tidsk. 1922: 26–32.
- 1146. Hennings, P. Ustilago tritici (Pers.) Jens. form. folicola P. Henn. Zeitschr. f. Pflanzenkrank. 4: 139. 1894.
- 1147. Hennings, P. Myxomycetes, Phycomycetes, Ustilagineae und Uredineae. Hedwigia 35: 207-262. 1896.
- 1148. Hennings, P. Einige Beobachtungen über das Gesunden pilzkranker Pflanzen bei veränderten Kulturverhältnissen. Zeitschr. f. Pflanzenkrank. 13: 41-45. 1903.
- 1149. Henry, A. W., and Campbell, J. A. Inactivation of seed-borne plant pathogens in the soil. Can. Jour. Res. C. 16: 331-338. 1938.
- 1150. Henry, A. W., and Foster, W. R. Treatment of seed grain. Alberta Univ. Dept. of Field Crops. Circ. No. 5. 1929.
- 1151. Henry, W. A. Feeding corn smut. Univ. Wisc. Bd. Regents Ann. Rept. 1881: 50-54. 1881.
- 1152. Henry, W. A. Corn smut (Ustilago maydis). Wisc. Agric. Expt. Sta. Ann. Rept. 883: 25. 1884.
- 1153. Henry, W. W., Clay, S. B., and Fryer, J. R. Organic mercury fungicides and disease resistance in the control of slender wheat grass smut. Can. Jour. Res. C. 16: 195-202. 1938.
- 1154. Henslow, J. S. Smut in corn. Gard. Chron. 1841: 51.
- 1155. Herbert, D. A. Records of Queensland fungi. II. Queensland Nat. 10: 59-60. 1937.
- 1156. Hermann, S., and Neiger, R. Untersuchungen über die fungizide Wirkung von Salizylsäure und Salizylsäureverbindungen auf Tilletia tritici. Centralbl. f. Bakt. II, 90: 258–267. 1934.
- 1157. Hermann, S., and Neiger, R. Beeinflussung der Keimfähigkeit von Weizen durch Beizung mit Salizylsäure und Salizylsäureverbindungen. Beih. Bot. Centralbl. 52: 577–583. 1934.
- 1158. Herzberg, P. P. Vergleichende Untersuchungen über landwirthschaftlichwichtige Flugbranddarten. Beitr. Physiol. Morph. 5: 1-36. 1895.
- 1159. Hesse, C. Originalsaatgut, seine Aufarbeitung und Beizung. Nachr. über Schädlingsbekämpf. 6. 75–78. 1931.
- 1160. Heubner, W. Uber das Verhalten von Pflanzen nach Quecksilberbeizung der Samen. Zeitschr. Physik. Chemie A, 139: 198–210. 1928.
- 1161. Heufler, L. J. von. Ueber den schwarzen Brand der Reben. Verh. Zool.-Bot. Ges. Wien. 8: 37. 1858.
- 1162. Heufler, L. J. von Zur Entdeckungsgeschichte von Doassansia Alismatis Fr. Ber. Deutschen Bot. Ges. 2: 458. 1884.
- 1163. Heuser, W. Versuche über den Einflus äusserer Bedingungen auf die Stärke des Steinbrandbefalls des Weizens. Fühlings Landw. Ztg. 71: 81-99. 1922.
- 1164. Hewlett, C. H., and Hewlett, J. H. Hot-water treatment of seed of barley and wheat. New Zeal. Jour. Agric. 49: 37-41. 1934.
- 1165. Hickman, J. F. Experiments in wheat seeding and treatment of seed for smut. Ohio Agric. Expt. Sta. Bull. 4: 77-89. 1891.
- 1166. Hickman, J. F. Seeding on different soils to exterminate smut. Bull. Ohio Agric. Expt. Sta. 101: 179-181. 1899.
- 1167. Hiesch, P. Erfahrungen über gemeinschaltliche Steinbrandbekämpfung

- des Weizens bei den Siebenburger Sachsen. Nachr. über Schädlingsbekämpf. Leverkusen 13: 12–19. 1938.
- 1168. Hilgendorff, G. Ueber die Verwendung einiger Quecksilberbeizmittel in der wiederholten Tauchbeize. Zeitschr. Angew. Chemie. 39: 377– 379. 1926.
- 1169. Hilgendorff, G. Über die Bestimmung der Haftfähigkeit von Trockenbeizmitteln. Fortschr. der Landw. 3: 725–729. 1928.
- 1170. Hilgendorff, G. Über die Bestimmung des Beizbelages an trockengebeiztem Getreide (II). Nachrichtenbl. Deutsch. Pflanzenschutzdienst. 10: 99-100. 1930.
- 1171. Hilgendorff, G. Über die Bestimmung des Beizbelages an trockengebeiztem Getreide Nachrichtenbl. Deutsch. Pflanzenschutzdienst 10: 33. 1930.
- 1172. Hils, Ernst. Ursachen der Myzelbildung bei Ustilago Jensenii (Rostr.). Inaugural dissertation, Berlin. Emil Ebering. 1912.
- 1173. Hiltner, E. Feldversuche über die Wirkung verschiedener Beizmittel auf Steinbrandbefall und Ertrag des Weizens. Fortschr. der Landw. 5: 447–450. 1930.
- 1174. Hiltner, E., and Tornow, E. Über die Beizwirkung von Trockenbeizmitteln während der Lagerung gebeizten Getreides (Lagerbeizwirkung).

 Angew. Bot. 12: 352–361. 1930.
- 1175. Hiltner, L. Bericht über die Tätigkeit der Königlichen agrikultur-botanischen Anstalt in München im Jahre 1906. Vierteljahresschrift des Bayerischen Landwirtschaftsrates 12: 295–490. 1907
- 1176. Hiltner, L. Ueber die Abhängigkeit der Brandanfälligkeit des Getreides von dessen Keimungsenergie und Entwicklungsgeschwindigkeit. Prakt. Bl. Pflanzenbau u. Planzenschutz 11: 67–69. 1908.
- 1177. Hiltner, L. Über den Brandbefall der Gerste. Prakt. Bl. Pflanzenbau u. Pflanzenschutz. 8: 80–81. 1910.
- 1178. Hiltner, L. Anweisung zur Beizung des Weizens gegen Steinbrand mit Formalinlösung. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 13: 110– 111. 1910.
- 1179. Hiltner, L. Über die Beizung des Wintergetreides mit Sublimatlösung. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 13: 114. 1910.
- 1180. Hiltner, L. Über die Beizung des Saatgutes von Wintergetreide. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 15: 97–98. 1912.
- 1181. Hiltner, L. Über die Wirkung der Sublimatbeizung des Winterroggens und des Winterweizens im Jahr 1912–13. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 16: 101–104. 1913.
- 1182. Hiltner, L. Über die Beizung des Saatgutes von Wintergetreide mit sublimathaltigen Mitteln. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 17: 85-89. 1914.
- 1183. Hiltner, L. Über die Erfolge der im Herbst 1914 in Bayern durchgeführten Beizung des Saatgutes von Winterroggen und Winterweizen mit sublimathaltigen Mitteln. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 18: 65-90. 1915.
- 1184. Hiltner, L. Über die Beizung des Winterweizens gegen Fusarium, Penicillium und Steinbrand. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 18: 97-109, 113-124. 1915.
- 1185. Hiltner, L. Über die Ursachen des vermehrten Auftretens des Stein-

- brandes des Weizens und die gegen ihn zu treffenden Massnahmen. Landw. Jahrb. f. Bayern 10: 39-65. 1920.
- 1186. Hiltner, L., and Lang, F. Ueber den Einfluss der Düngung, insbesondere mit Kalkstickstoff, auf die Stärke des Brandbefalls des Getreides. Mitt. Deutsch. Landw. Gesell. 37: 253-257. 1922.
- 1187. Hiltner, L., and Tornow, E. Über die Beizwirkung von Trockenbeizmitteln während der Lagerung gebeitzten Getreides (Lagerbeizwirkung). Angew. Bot. 12: 352-361. 1930.
- 1188. Hintikka, T. J. Tuburcinia festucae-elatioris n. sp. Ann. Soc. Zool.-Bot. Fennicae Vanamo 3: 105-114. 1926.
- 1189. Hirschhorn, E. Una nueva especie de Ustilago de la Flora Argentina. Not. Mus. La Plata 4: 415–420. 1939.
- 1190. Hirschhorn, E. Refundicion del genero "Sphacelotheca" en "Ustilago." Physis, B. Aires 15: 103-111. 1939.
- 1191. Hirschhorn, E. Las especies del genero "Ustilago" en la Argentina. Darwiniana, B. Aires 3: 347-418. 1939.
- 1192. Hirschhorn, E. Las especies de "Cintractia" de la flora Argentina. Rev. Argent. Agron. 6: 179–202. 1939.
- 1193. Hirschhorn, E. Suplemento a las Especies de Cintractia de la Flora Argentina. Rev. Argent. Agron. 7: 128-132. 1940.
- 1194. Hirschhorn, E. Una Ustilaginacea nueva para la Flora Agentina. Not. Mus. La Plata, Botanica No. 30, V. 1940.
- 1195. Hirschhorn, E. Algunos caracteres de las "Tilletia" spp. que producen las "caries" del Trigo en la chacra experimental "La Prevision." Bol. Chacra Exp. 'La Prevision' 3: 105-109. 1941.
- 1196. Hirschhorn, E. Nota sobre "Ustilago bullata." Rev. Argent. Agron. 8: 160–164. 1941.
- 1197. Hirschhorn, E. Nota sinonimica: Tolyposporium senegalense es sinonimo do T. bullatum. Rev. Argent. Agron. 8: 384-386. 1941.
- 1198. Hirschhorn, E. Una especie de "Ustilago" nueva para la Argentina, "Ustilago scitaminea." Rev. Argent. Agron. 8: 326-330. 1941.
- 1199. Hirschhorn, E. Las especies de Sorosporium de la flora Argentina. Rev. Mus. La Plata, N. S. Secc. Bot. 3: 335-354. 1941.
- 1200. Hirschhorn, E. Una nueva Especie de Melanopsichium. Not. Mus. La Plata 6: 147–151. 1941.
- 1201. Hirschhorn, E. Una especie de Ustilago nueva para la flora Uruguaya (Ustilago microthelis) Sydow. Not. Mus. La Plata 7: 21-26. 1942.
- 1202. Hirschhorn, E. Nota critica sobre las Especies de Urocystis de la Argentina. Not. Mus. La Plata 7: 81-92. 1942.
- 1203. Hirschhorn, E. Adiciones y correciones a los especies del genero "Ustilago" en la Argentina. An. Soc. Cient. Argent. 133: 217-218. 1942.
- 1204. Hirschhorn, E. Revision de les Especies de Tilletia de la Argentina. Rev. Mus. La Plata, N. S. Bot. Sect. 5: 1–20. 1942.
- 1205. Hirschhorn, E. Algunos caracteres del "carbon" de la Cana de Azucar en la Argentina (Ustilago scitaminea Sydow.). Not. Mus. La Plata 8: 23-39. 1943.
- 1206. Hirschhorn, E. Ustilaginales nuevos para La Flora Uruguaya. Comunicaciones Bot. del Mus. de Hist. Nat. de Montevideo 1 (6): 1-5. 1943.
- 1207. Hirschhorn, E. Una especie nueva del genero "Tilletia" ("T. zundelii," n. sp.) Rev. Argent. Agron. 10: 186-189. 1943.

- 1208. Hirschhorn, E. Una Tilletiacea nueva de la Flora Peruana. Republica del Peru, Bol. Agric. 16: 243-246. 1943.
- 1209. Hirschhorn, E. Dos nuevas Ustilaginaceas de la Flora Argentina. Not. Mus. La Plata 8: 167-177. 1943.
- 1210. Hirschhorn, E. Some ontogenic characteristics of Ustilago linearis forma hordei. Phytopath. 34: 1004. 1944.
- 1211. Hirschhorn, E. A cytologic study of several smut fungi. Mycologia 37: 217-235. 1945.
- 1212. Hirschhorn, E. Two new species of the Tilletiaceae from Argentina. Mycologia 37: 278–283. 1945.
- 1213. Hirschhorn, E. Critical observations on the Ustilaginaceae. Farlowia 3: 73-93. 1947.
- 1214. Hirschhorn, E., and Hirschhorn, J. Los carbones del Maiz en la Argentina. Caracteres sistematicos geneticos y parasitarios. Rec. Fac. Agron. La Plata 20: 108-139. 1935.
- 1215. Hirschhorn, E., and Hirschhorn, J. Accion del pH sobre los caracteres culturales del carbon del Maiz "Ustilago zeae" (Beck) Ung. Physis, B. Aires 15: 223-251. 1939.
- 1216. Hirschhorn, E., and Hirschhorn, J. Formas fisiologicas en "Ustilago zeae" de diversas localidades de la Argentina. Su caracterizacion geografica. Physis, B. Aires 18: 181-222. 1939.
- 1217. Hitchcock, A. S. Note on corn smut. Bot. Gaz. 5: 429-430. 1900.
- 1218. Hitchcock, A. S., and Norton, J. B. S. Corn smut. Head smut of sorghum and corn. Kans. Agric. Expt. Sta. Bull. 62. 1896.
- 1219. Hodson, E. R. A new species of Neovossia. Bot. Gaz. 30: 273-274.
- 1220. Hoffman, D. M. Das Entbranden des Saatgetreides. Trierisch. Landbote 28: 314-315. 1902.
- 1221. Hoffman, F. K. Ueber den Brand im Weizen. Mittheil. d. k.k. Mährisch-Schles. Ges. z. Beförd. des Ackerbaues d. Natur- u. Landesk. in Brünn 1868: 305-308, 314-316.
- 1222. Hoffmann, G. Nassbeize im Trockenbeizapparat. Pflanzenbau 3: 318–319. 1927.
- 1223. Hoffmann, G. Das Germisan-Kurz-Beizverfahren. Die Kranke Pflanze 4: 143–144. 1927.
- 1224. Hoffmann, G. Die Bedeutung des Germisankurzbeizverfahrens für den kleinbauerlichen Besitz. Tech. Landw. 10: 42. 1929.
- 1225. Hoffmann, H. Untersuchungen über die Keimung der Pilzsporen. Jahrb. Wiss. Bot. (Pringsheim) 2: 267–337. 1860.
- 1226. Hoffmann, H. Über den Flugbrand Ustilago carbo Tul., Uredo segetum (Pers.) Karsten. Bot. Untersuch. Bot. Lab. Landw. Lehranst. Berlin 1: 192–206. 1866.
- 1227. Hohngaard, J. Undersogelser vedrorende saasaeds sortsaegthed og frihed for brand og stribeyge. 1917–20. Beretning fra Statsfrokontrollen. Tidsskr. f. Planteavl 27: 553–599. 1921. (English summary).
- 1228. Hollrung, M. Die Verhütung des Brandes inbesondere bei Gerste und Hafer durch die Saatkornbeize. Landw. Jahrbücher 28: 145. 1897.
- 1229. Hollrung, N. Das Kupfer als Beizmittel gegen den Steinbrand. Kühn-Arch. Landw. Inst. Univ. Halle 9. 1925.

- 1230. Holmberg, O. R. Om hybridiseringen hos Carices canescentes narstaende grupper. Bot. Notiser 1929: 1-9. 1929.
- 1231. Holmes, M. Ustilago marina Dur. Jour. Bot. 24: 14. 1886.
- 1232. Holton, C. S. Susceptibility of durum wheats and emmer to Tilletia tritici. Phytopath. 20: 119. 1930.
- 1233. Holton, C. S. A probable explanation of recent epidemics of bunt in durum wheats. Phytopath. 20. 353-357. 1930.
- 1234. Holton, C. S. The relation of physiologic specialization in Tilletia to recent epiphytotics of bunt in durum and Marquis wheats. Phytopath. 21: 687-694. 1931.
- 1235. Holton, C. S. Hybridization and segregation in the oat smuts. Phytopath. 21: 835-842. 1931.
- 1236. Holton, C. S. Studies in the genetics and the cytology of Ustilago avenae and Ustilago levis. Minn. Agric. Expt. Sta. Tech. Bull. 87: 1-34. 1932.
- 1237. Holton, C. S. Differences in size and shape of smut balls of two physiologic forms of Tilletia tritici. Phytopath. 23: 16. 1933.
- 1238. Holton, C. S. Inheritance of chlamydospore characteristics in oat smut fungi. Phytopath. 23: 16. 1933.
- 1239. Holton, C. S. Studies on seven differentiating characteristics of two physiologic forms of Tilletia tritici. Phytopath. 25: 1091-1098. 1935.
- 1240. Holton, C. S. Inheritance of chlamydospore characteristics in oat smut fungi. Jour. Agric. Res. 52: 535-540. 1936.
- 1241. Holton, C. S. Origin and production of morphologic and pathogenic strains of the oat smut fungi by mutation and hybridization. Jour. Agric. Res. 52: 311-317. 1936.
- 1242. Holton, C. S. A simple method of inoculating wheat seedlings with paired monosporidial lines of Tilletia tritici and T. levis. Phytopath. 28: 518-520. 1938.
- 1243. Holton, C. S. A new pathogenically distinct race derived from a cross between Tilletia tritici and T. levis. Phytopath. 28: 371–372. 1938.
- 1244. Holton, C. S. Further studies on the oat smuts, with special reference to hybridization, cytology, and sexuality. Jour. Agric. Res. 62: 229-240. 1941.
- 1245. Holton, C. S. Preliminary investigations on dwarf bunt of wheat. Phytopath. 31: 74-82. 1941.
- 1246. Holton, C. S. Transgressive inheritance of pathogenicity factors in hybrids between two races of Tilletia tritici. Phytopath. 32: 9. 1942.
- 1247. Holton, C. S. Extent of pathogenicity of hybrids of Tilletia tritici and T. levis. Jour. Agric. Res. 65: 555-563. 1942.
- 1248. Holton, C. S. Chlamydospore germination in the fungus causing dwarf bunt of wheat. Phytopath, 33:732-735. 1943.
- 1249. Holton, C. S. Inheritance of chlamydospore and sorus characters in species and race hybrids of Tilletia caries and T. foetida. Phytopath. 34: 586-592. 1944.
- 1250. Holton, C. S. Host selectivity as a factor in the establishment of physiologic races of Tilletia caries and T. foetida produced by hybridization. Phytopath. 37: 817-821. 1947.

- 1251. Holton, C. S., and Fischer, G. W. Hybridization between Ustilago avenae and U. perennans. Jour. Agric. Res. 62: 121-128. 1941.
 1252. Holton, C. S., and Heald, F. D. Studies on the control and other
- 1252. Holton, C. S., and Heald, F. D. Studies on the control and other aspects of bunt of wheat. Wash. Agric. Expt. Sta. Bull. 339. 1936.
- 1253. Holton, C. S., and Heald, F. D. Bunt or stinking smut of wheat (a world problem). ii + 211 pp. Minneapolis, Minnesota. 1941.
- 1254. Holton, C. S., and Johnson, A. G. Physiologic races in Urocystis tritici. Phytopath. 33: 169-171. 1943.
- 1255. Holton, C. S., and Rodenhiser, H. A. New physiologic races of Tilletia tritici and T. levis. Phytopath. 32: 117-129. 1942.
- 1256. Holton, C. S., and Rodenhiser, H. A. Physiologic specialization in the oat smut fungi and its relation to breeding oats for smut resistance. U. S. Dept. Agric. Tech. Bull. 952. 1948.
- 1257. Holton, C. S., and Suneson, C. A. Varietal reaction to bunt in the western wheat region of the United States. Jour. Amer. Soc. Agron. 34: 63-71. 1942.
- 1258. Holton, C. S., and Suneson, C. A. Wheat varietal reaction to dwarf bunt in the western wheat region of the United States. Jour. Amer. Soc. Agron. 35: 579-583. 1943.
- 1259. Holton, E. C. Insecticides and fungicides. Indus. and Engin. Chemistry 18: 931-933. 1926.
- 1260. Honcamp, F. Untersuchungen über die Wirkung der Brandsporen im Futter und im Dünger. Landw. Versuchsstat. 74: 364-376. Berlin. 1911
- 1261. Honcamp, F., Zimmerman, H., and Schneider, G. Untersuchungen über das Verhalten von Brandsporen im Tierkörper und im Stalldünger. Centralbl. f. Bakt. II, 28: 590–607. 1910.
- 1262. Honecker, L. Erfahrungen und Beobachtungen über das Auftreten des Gerstenflugbrandes und über die Wirkung verschiedener Verfahren zu seiner Bekämpfung. Prakt. Bl. Pflbau. 19: 186–201. 1943.
- 1263. Hoover, M. M. Inheritance studies of the reaction of selfed lines of maize to smut (Ustilago zeae). West Virginia Agric. Expt. Sta. Bull. 253. 1932.
- 1264. Hopkins, E. F. Grain smuts investigations and control. Missouri Agric. Expt. Sta. Bull. 189. 1921.
- 1265. Hori, S. Japanese names of cereal diseases caused by Ustilagineae. Bot. Mag. Tokyo 10: 62-63. 1896.
- 1266. Hori, S. On the smut of Japanese cereals. Bot. Mag. Tokyo 10: 76, 115, 213. 1896.
- 1267. Hori, S. Experiments for the prevention of culm smut of wheat.

 Tech. Rept. Hokuku Agric. Expt. Sta. No. 18. 1901. (In Japanese.)
- 1268. Hori, S. Experiments on the control of bunt of wheat. Hokuku Agric. Expt. Sta. Tech. Rept. No. 18: 1-5. 1901. (In Japanese.)
- 1269. Hori, S. Experiments on the control of smut of millet. Hokuku Agric. Expt. Sta. Tech. Rept. 18: 10-13. 1901.
- 1270. Hori, S. Smut of cultivated large bamboo. Bull. Imp. Cent. Agric. Expt. Sta., Japan 1: 73. 1907.
- 1271. Hori, S. Seed infection by smut fungi of cereals. Bull. Imp. Cent. Agric. Expt. Sta. Japan 1: 163-176. 1907.

- 1272. Hori, S. On Ustilago esculenta, P. Henn. Ann. Myc. 5: 150-154.
- 1273. Horsfall, J. G. Dusting seed for oat smuts. Phytopath. 19: 173-175. 1929.
- 1274. Hotson, H. H. The morphological distinction between Urocystis gladioli and Papulaspora gladioli. Mycologia 34: 52-58. 1942.
- 1275. Houdayer, C. Contribution à l'étude du traitement de la carie des Bles. Progr. Agric. Vitic. 109: 112-116. 1938.
- 1276. Howard, A., and Howard, G. Note on immune wheats. Jour. Agric. Sci. 2: 278-280. 1907.
- 1277. Howe, M. F. Changes in hydrogen-ion concentration induced by carbon dioxide in relation to the germination of spores of Ustilago levis. Phytopath. 16: 69. 1926.
- 1278. Howitt, J. E. Results of four years' cooperative experiments with (dry) formaldehyde for the prevention of oat smut. Ann. Rept. Agric. and Expt. Union, Ontario Dept. of Agric. 1921: 27-30. 1922.
- 1279. Howitt, J. E., and Stone, R. E. Experiments with Haskell's method or the so-called dry formaldehyde treatment for the prevention of oat smut. Phytopath. 12: 35–36. 1922.
- 1280. Howitt, J. E., and Stone, R. E. Abstract of five years' cooperative experiments in the prevention of oat smut. Phytopath. 13: 292. 1923.
- 1281. Howitt, J. E., and Stone, R. E. Experiments in the oat smut control in 1923. Phytopath. 14: 346. 1924.
- 1282. Howitt, J. E., and Stone, R. E. Grain smuts. Ontario Dept. of Agric. Bull. 349. 1929.
- 1283. Hubbard, V. C., and Stanton, T. R. Influence of smut infection on plant vigor and other characters in smut-resistant oat varieties. Jour. Agric. Res. 49: 903–908. 1934.
- 1284. Hudezeck, H. Etwas über den Haferflugbrand. Wochenbl. Landw. Vereins Bayern, München 1 (C): 201–202. 1909.
- 1285. Huergo, J. M. Enfermedad de la cebadilla, Bromus Schraderi, causada por el Ustilago bromivora. Bol. Minist. Agric. Buenos Aires 2: 184–186. 1905.
- 1286. Hulea, A. The species of Tilletia causing wheat bunt. Thesis, Univ. Bucharest. 178 pp. 1947. (Roumanian, with French summary; trans. title.)
- 1287. Hülsenberg, H. Verbindungen des Kupfers als Beizmittel. Deutsche Landw. Presse 53: 304. 1926.
- 1288. Hume, A. N., and Evans, A. T. Some experiments with spring wheat in South Dakota. S. Dak. Agric. Expt. Sta. Bull. 201: 518-559. 1923.
- 1289. Hume, H. H. Ustilagineae of Iowa. Proc. Iowa Acad. Sci. 9: 226-240. 1902.
- 1290. Humphrey, H. B. The prevention of the stinking smut of wheat. Wash, Agric. Expt. Sta. Pop. Bull. 48. 1912.
- 1291. Humphrey, H. B. The development of disease-resistant plants. Int. Congr. Comp. Path. Third Rept. 1: 267-274. 1936.
- 1292. Humphrey, H. B., and Coffman, F. A. A study of the reaction of F₁ oat hybrids and their respective parental lines to inoculation with rusts and smuts. Phytopath. 27: 183-189. 1937.

- 1293. Humphrey, H. B., and Johnson, A. G. Take-all and flag smut, two wheat diseases new to the U. S. U. S. Dept. Agric. Farm. Bull. 1063. 1919.
- 1294. Humphrey, H. B., and Potter, A. A. Cereal smuts and the disinfection seed grain. U.S. Dept. Agric. Farm. Bull. 939. 1918.
- 1295. Humphrey, H. B., and Tapke, V. F. The loose smut of rye (Ustilago tritici). Phytopath. 15: 598–606. 1925.
- 1296. Hungerford, C. W. The relation of soil moisture and soil temperature to bunt infection in wheat. Phytopath. 12: 337-352. 1922.
- 1297. Hungerford, C. W. Plant Pathology. Work and progress of the Idaho Agricultural Experiment Station for the year ended December 31, 1923. In Idaho Agric. Expt. Sta. Bull. 133. 1924.
- 1298. Hungerford, C. W. Conclusions from four years' tests of various methods of seed treatment for bunt control in Idaho. Phytopath. 15: 127. 1925.
- 1299. Hungerford, C. W. Plant Pathology. Work and progress of the Idaho Agricultural Experiment Station for the year ended December 31, 1926. In Idaho Agric. Expt. Sta. Bull. 149. 1927.
- 1300. Hungerford, C. W. Plant Pathology. Ann. Rept. Idaho Agric. Expt. Sta. 1937: 55-59. 1938.
- 1301. Hungerford, C. W., and Wade, A. E. Relation between soil moisture and bunt infection in wheat. Phytopath. 10: 53. 1920.
- 1302. Hunt, W. H., and Thompson, M. R. A pharmacological study of Ustilago. Jour. Amer. Pharm. Assn. 27: 740-752. 1938.
- 1303. Hurd, A. M. Hydrogen-ion concentration and varietal resistance of wheat to stem rust and other diseases. Jour. Agric. Res. 23: 373– 386. 1923.
- 1304. Hurd-Karrer, A. M. Acidity and varietal resistance of wheat to Tilletia tritici. Amer. Jour. Bot. 12: 359-371. 1925.
- 1305. Hurd-Karrer, A. M. Effect of smut on sap concentration in infected corn stalks. Amer. Jour. Bot. 13: 286-290. 1926.
- 1306. Hurd-Karrer, A. M., and Hasselbring, H. Effect of smut (Ustilago zeae) on the sugar content of cornstalks. Jour. Agric. Res. 34: 191-195. 1927.
- 1307. Hurst, R. J. Bunt and germination experiments. Agric. Gaz. New S. Wales, 22: 749-752. 1911.
- 1308. Hurst, R. R. Control of wheat smut (Usulago tritici [Pers.] Jens.) in the Huron variety, at Charlottetown, P.E.I. Rept. Dom. Botanist for the year 1927, Div. of Bot. Can. Dept. of Agric. 116-117. 1928.
- 1309. Hurst, W. M., Fulton, F. D., and Humphries, W. R. Equipment for applying dust fungicides to seed grain. U. S. Dept. Agric. Circ. 415. 1936.
- 1310. Hurst, W. M., Humphries, W. R., Leukel, R. W., and Boerner, E. G. Removing smut balls from seed wheat. U. S. Dept. Agric. Circ. 361. 1935.
- 1311. Huss, H. Brandsvamphaltigt vetemjol. Svensk Farmac. Tidskrift 1915: 201–204. 1915.
- 1312. Hutchins, H. L., and Lutman, B. F. Spine development on the spores of Ustilago zeae. Phytopath. 28: 859-860. 1938.
- 1313. Hüttig, W. Über den Einfluss der Temperatur auf die Keimung und

- Geschlechtsverteilung bei Brandpilzen. Zeitschr. f. Bot. 24: 529-557. 1931.
- 1314. Hüttig, W. Die Grundlagen zur Immunitätszüchtung gegen Brandpilze (Ustilagineen). Der Züchter 4: 209–219. 1932.
- 1315. Hüttig, W. Über physikalische und chemische Beeinflussungen des Zeitpunktes der Chromosomenreduktion bei Brandpilzen. Zeitschr. f. Bot. 26: 1-26. 1933.
- 1316. Iltis, H. Über eine durch Maisbrand verursachte intracarpellare Prolification bei Zea Mays L. Sitzungsb. Akad. Wiss., Wien 119: 331-344. 1910.
- 1317. Imhoff, F. J. Zea maydis morbus ad ustilaginem vulgo recedens; specimen inaugurale. 35 pp. Argentorati. 1784.
- 1318. Imle, E. P. Onion smut. Laboratory Text. Dept. Plant Pathology, Cornell Univ., Ithaca, N. Y. 20 pp. Mimeographed. 1939.
- 1319. Immer, F. R. The inheritance of reaction to Ustilago zeae in maize. Minn. Agric. Expt. Sta. Tech. Bull. 51. 1927.
- 1320. Immer, F. R., and Christensen, J. J. The reaction of selfed lines and crosses of maize to Ustilago zeae. Phytopath. 15: 699-707. 1925.
 1321. Immer, F. R., and Christensen, J. J. Determination of losses due to
- 1321. Immer, F. R., and Christensen, J. J. Determination of losses due to smut infection in selfed lines of corn. Phytopath. 18: 599-602. 1928.
- 1322. Immer, F. R., and Christensen, J. J. Influence of environmental factors on the seasonal prevalence of corn smut. Phytopath. 18: 589–598. 1928.
- 1323. Immer, F. R., and Christensen, J. J. Further studies on reaction of corn to smut and effect of smut on yield. Phytopath. 21: 661-674. 1931.
- 1324. Isenbeck, K. Untersuchungen über die Physiologie von Sphacelotheca sorghi, dem gedeckten Körnerbrand von Sorghum. Phytopath. Zeitschr. 8: 165-182. 1935.
- 1325. Issatschenko, B. The use of smut spores in the determination of impurity grades. Bull. Bur. Appl. Bot. 1: 273-276. 1909. (Russian, with German summary; trans. title.)
- 1326. Istvanffi, G. von. The smut diseases of cereals. Termeszettud. Közlöny 39: 156–171. 1896. (Hungarian; trans. title.)
- 1327. Istvanffi, G. von. Neuere Untersuchungen über die Brandkrankheiten an den Getreidearten verursachenden Schimmelpilze. Bot. Centralbl. 69: 271. 1897.
- 1328. Ito, S. Notae mycologicae Asia orientalis. II. Trans. Sapporo Nat. Hist. Soc. 14: 87-96. 1935.
- 1329. Itzerott, D. Die Wirkung wuchsstoffhaltiger Substanzen junger Maispflanzen auf das Wachstum von Ustilago zeae. Arch. Mikrobiol. 9: 368–374. 1938.
- 1330. Itzerott, D. Über Keimung und Wachstum von Ustilago zeae (Beckm.) Ung. mit besonderer Berücksichtigung der Infektion. Phytopath. Zeitschr. 11: 155–180. 1938.
- 1331. Itzerott, D. Ein Fütterungsversuch an Meerschweinchen mit Maisbrandsporen. Zeitschr. f. Pflanzenkr. 49: 40-41. 1939.
- 1332. Ivanoff, B. Cryptogamic parasites of cultivated plants recorded in the course of the last five years (1921-1925). Agric. Inform. Period. Bull. Sofia 7: 14-17. 1926. (Bulgarian; with German summary.)

- 1333. Ivanoff, K. S. Phytopathologisches aus Transkaukasien. Zeitschr. f. Pflanzenkrank. 13: 221–222. 1903.
- 1334. Iyengar, M. O. P., and Narasimhan, M. J. A new species of Schizonella. Phytopath. 12: 435-438. 1922.
- 1335. Jablokova (Yablokova), Mme. V. A. Determination of the viability of the spores and mycelium of Ustilago tritici in vitro by the vital staining method. Pl. Prot. Leningr. 11: 68–71. 1936.
- 1336. Jackson, H. S. Sorosporium Ellisii Winter, a composite species. Bull. Torr. Bot. Club 35: 147-149. 1908.
- 1337. Jackson, H. S. The Ustilaginales of Indiana. Proc. Ind. Acad. Sci. 1917: 119-132. 1917.
- 1338. Jackson, H. S. New or noteworthy North American Ustilaginales. Mycologia 12: 149–156. 1920.
- 1339. Jackson, H. S. The Ustilaginales of Indiana. II. Proc. Ind. Acad. Sci. 1920: 157-164. 1920.
- 1340. Jackson, H. S. The Ustilaginales of Indiana. III. Proc. Ind. Acad. Sci. 1922: 291–292. 1922.
- 1341. Jaczewski, A. de. Parasitic fungi of cultivated plants. V. Cereal smuts. St. Petersburg, Ackerbau Minist. u. Departm. 1901. (Russian).
- 1342. Jaczewski, A. de. The smut fungi of oats and barley. Listok boriby bolesn rasten. St. Petersburg 1902: 28-32. (Russian; trans. title.)
- 1343. Jaczewski, A. de. The smut disease of wheat and rye. Listok boriby bolesn. rasten. St. Petersburg 1902: 49-52. (Russian; trans. title.)
- 1344. Jaczewski, A. de. Toxicity of the spores of smut and rust fungi to domestic animals. Listok boriby bolesn. rasten. St. Petersburg 3: 97-106.
 1904. (Russian; trans. title.)
- 1345. Jaczewski, A. de. Stinking smut and its control. Westnik selsk. chosjaist. Moskau 7: 11-12. 1907. (Russian; trans. title.)
- 1346. Jaczewski, A. de. Sur le developpement menacant du Tilletia secalis Kühn en Russie pendant les dernières années. Rept. Intern. Conf. Phytopath. and Econ. Entom. Holland 1923: 267–272.
- 1347. Jaczewski, A. de. A new smut fungus on rye. Ann. St. Inst. of Expt. Agron. 3: 106-109. 1925.
- 1348. Jaczewski, A. de. Note sur le moyen d'obtenir la germination des spores du Tilletia tritici W. Zashchita Rast. La Défense Pl. I: 235-237. 1925.
- 1349. Jaczewski, A. de. Ein neuer Brandpilz auf Phleum. Tilletia paradoxa sp. n. Scient. Pap. Appl. Sect. Tiflis Bot. Garden 5: 169. 1926.
- 1350. Jagger, J. C. Diseases of vegetables. N. Y. St. Dept. Agric. Bull. 110: 118-138. 1918.
- 1351. Jagger, J. C., and Dye, H. W. Onion smut. Laboratory Text, Dept. Plant Pathology, Cornell Univ., Ithaca, N. Y. 7 pp. Mimeographed. 1919.
- 1352. Jaguenaud. Experiences de traitement à sec de la carie sur les Blés de printemps. Prog. Agric. et Vitic. 92: 62-63. 1929.
- 1353. Jamalainen, E. A. The effect of wood smoke on stinking smut of wheat. Valt. Maatalousk. Julk. 117. 1942. (Finnish; with German summary.)
- 1354. James, J. F. Wheat rust and smut. Science n.s. 20: 93-94. 1892.
- 1355. Janchen, E. Die Stellung der Uredineen und Ustilagineen im System der Pilze. Oesterr. Bot. Zeitschr. 72: 164–180. 1923.

- 1356. Janczewski, E. von. Ueber Getreide-Ustilagineen in Samogitien. Zeitschr. f. Pflanzenkr. 7: 1-4. 1897.
- 1357. Japp, O. Beiträge zur Pilzflora der Schweiz. Ann. Myc. 5: 255. 1907.
- 1358. Jarrett, P. H. Investigations of flag smut of wheat. Jour. Austr. Counc. Sci. and Indus. Res. 5: 165-169. 1932.
- 1359. Jefferis, A. T. Seed pickling. Jour. Dept. Agric. S. Austr. 30: 1128–1132. 1927.
- 1360. Jensen, C. N. Blossom infection by smuts. Utah Acad. Sci. Proc. 1: 106-113. 1918.
- 1361. Jensen, J. L. Om Brand i Vaarsaeden. Ugeskr. f. Landm. 1887: 199–201. 1887.
- 1362. Jensen, J. L. Smut (Ustilago segetum) in oats and barley. Gard. Chron., 3d ser. 3: 658. 1888.
- 1363. Jensen, J. L. The propagation and prevention of smut in oats and barley. Jour. Roy. Agric. Soc. England 24: 397-415. 1888.
- 1364. Jensen, J. L. Om Kornsorternes Brand (Anden Meddelesle). 72 pp. Copenhagen. 1888.
- 1365. Jensen, J. L. Nye Undersogelser og Forsog over Kornsorternes Brand, Meddelelser til Deltagerne i faellsindkjobet of undersogt Markfrö i Foraaret 1887. Markfrökontorets Aarsb. 15: 20. 1888.
- 1366. Jensen, J. L. Neue Untersuchungen über den Brand des Getreides. Biedermann's Ratgeber in Feld, Stall und Haus 1889: 8.
- 1367. Jensen, J. L. Le charbon des céréales. 8 pp. Copenhagen. 1889.
- 1368. Jensen, J. L. Nye Forsög over Brand i Vaarsaeden. Landmands-Blade 1889: 584–589.
- 1369. Jensen, J. L. Om Brand i Kornsortene og dens Bekaempelse. Markfrökontorets Aarsb. 1889. 13–20. 1890.
- 1370. Jensen, J. L. Om Bortskaffelse af Bygbrand. Markfrökontorets 17. 7 pp. 1890.
- 1371. Jensen, J. L. Varmvandsmethod til Forehyggelse of Kornbrand. Ugeskr. f. Landmaend 1: 176; 2: 240. 1890.
- 1372. Jensen, J. L. Udbytteforögelsen ved Varmvandsmethoden. Landmands-Blade 1890: 249.
- 1373. Jensen, J. L. Et par Meddelelser om Bartskaffelsen af Vaarsaedens Brand. Markfrökontorets Aarsb. 1890: 22–24. 1891.
- 1374. Jensen, J. L. Forsog med Brand i Agerhejre og Draphavre. Om Landbrugets Kulturplanter og dertil horende Froavl 10: 169–170. 1893.
- 1375. Jensen, J. L. Forebyggelse af Brand i Agerhejre of Blod Hejre. Markfrökontorets Aarsb. 22: 20-21. 1895.
- 1376. Jensen, J. L. Om Brand i nogle Graesarter. Markfrökontorets Aarsb. 24: 21–22. 1895.
- 1377. Jensen, J. L. Tilbageblik paa de senere Aars Forsog und Varmvandsmethoden. Meddelser til Deltagerne i Faellesindkjobet of undersögt Markfrö i Foraaret 1894: 17. Kopenhagen. 1895.
- 1378. Johnsohn, T. The corn smuts and their propogation. Sci. Progr. 1: 1. 1906.
- 1379. Johnsohn, T. Cereal smuts and their propagation. Sci. Progr. Twentieth Cent. 1: 137-149. 1906.
- 1380. Johnsohn, T. Corn smuts and their propagation. Rept. Brit. Assn. York, 1906: 743. 1907.

- 1381. Johnson, A. G. Experiments on the control of certain barley diseases. Phytopath. 4: 46. 1914.
- 1382. Johnson, D. E. The antibiosis of certain bacteria to smuts and some other fungi. Phytopath. 21: 843–863. 1931.
- 1383. Johnson, E. C. The smuts of wheat, oats, barley, and corn. U. S. Dept. Agric. Farm. Bull. 507. 1912.
- 1384. Johnson, H. W., Rodenhiser, H. A., and Lefebvre, C. L. Two types of fall panicum smut. Jour. Agric. Res. 61: 865-875. 1940.
- 1385. Johnson, H. W., Rodenhiser, H. A., and Lefebvre, C. L. A buff smut of fall panicum. Phytopath. 30: 12. 1940.
- 1386. Johnson, I. J., and Christensen, J. J. Relation between number, size, and location of smut infections to reduction in yield of corn. Phytopath. 25: 223-233. 1935.
- 1387. Johnson, J. H. Notes on use of checken, Ustilago maidis and Berberris aquifolium. Therap. Gaz. n.s. 3: 168. 1882.
- 1388. Johnson, J. H. Ustilago maidis, cascara sagra, Jamaica dogwood, etc. Therap. Gaz. n.s. 5: 16. 1884.
- 1389. Johnson, L. P. V. Studies on the inheritance of covered smut reaction, lemma color, awn development, and rachilla pubescence in oats. Can. Jour. Res. 9: 519-541. 1933.
- 1390. Johnson, T. Experiments in the prevention of smut Ustilago avenae Jensen in oats. Econ. Proc. Roy. Soc. Dublin 1: 119-131. 1902.
- 1391. Johnson, T. Experiments in the prevention of smut in oats. Jour. Dept. Agric. Tech. Indus. Ireland 2: 426-436. 1902.
- 1392. Johnston, C. O. Wheat smut in investigations in Kansas. Report of Progress. 1920–21. Phytopath. 13: 36. 1923.
- 1393. Johnston, C. O. Wheat bunt investigations in Kansas. Phytopath. 14: 37-39. 1924.
- 1394. Johnston, C. O. Effects of soil moisture and temperature and of dehulling on the infection of oats by loose and covered smuts. Phytopath. 17: 31-36. 1927.
- 1395. Johnston, C. O. Another host for Ustilago striaeformis (West.) Niessl. Phytopath. 21: 241. 1931.
- 1396. Johnston, C. O., and Lefebvre, C. L. A chlorotic mottling of wheat leaves caused by infections of bunt, Tilletia laevis. Phytopath. 29: 456-458. 1939.
- 1397. Johnston, C. O., Lefebvre, C. L., and Hansing, E. D. Observations on the loose kernel smut of Johnson grass. Phytopath. 28: 151-152. 1938.
- 1398. Johnston, C. O., and Melchers, L. E. Fungicidal treatments for the control of sorghum kernel smut. Phytopath. 14: 44. 1924.
- 1399. Johnston, C. O., and Melchers, L. E. The control of sorghum kernel smut and the effect of the seed treatments on vitality of sorghum seed. Kans. Agric. Expt. Sta. Tech. Bull. 22. 1928.
- 1400. Johnston, T. Maize-smut. Agric. Gaz. New S. Wales 21: 43-44. 1910.
- 1401. Johnston, W. H. Studies on the dehulling of barley kernels with sulphuric acid and on the inheritance of reaction to covered smut (Ustilago hordei [Pers.] K. and S.) infection in crosses between Glabron and Trebi barleys. Can. Jour. Res. 11: 458-473. 1934.

- 1402. Jones, D. F. Segregation of susceptibility to parasitism in maize. Amer. Jour. Bot. 5: 295–300. 1918.
- 1403. Jones, D. F. Selection in self-fertilized lines as the basis for corn improvement. Jour. Amer. Soc. Agron. 12: 77-100. 1920.
- 1404. Jones, E. S. Relation of temperature, soil moisture, and oxygen to the germination of the spore of Ustilago avenae. Phytopath. 12:45. 1922.
- 1405. Jones, E. S. Influence of temperature, moisture, and oxygen on spore germination of Ustilago avenae. Jour. Agric. Res. 24: 577-591. 1923.
- 1406. Jones, E. S. Influence of temperature on the spore germination of Ustilago zeae. Jour. Agric. Res. 24: 593-597. 1923.
- 1407. Jones, G. H. Control of barley diseases. I. Closed smut. Min. Agric. Egypt Bull. 142. 1934.
- 1408. Jones, G. H. Systematic and automatic warm water steeping to control loose smut of wheat. Min. Agric. Egypt Bull. 220. 1939.
- 1409. Jones, G. H., and El Nasr, A. El G. S. Control of four smut diseases by regulation of planting method under irrigation. Nature 142: 917-918. 1938.
- 1410. Jones, G. H., and El Nasr, A. El G. S. Control of smut diseases in Egypt with special reference to sowing depth and soll moisture. Min. Agric. Egypt Bull. 224. 1940.
- 1411. Jones, G. H., and El Nasr. A. El G. S. The influence of sowing depth and moisture on smut diseases and the prospects of a new method of control. Ann. Appl. Biol. 27: 25-57. 1940.
- 1412. Jones, L. R. Onion smut. Vermont Agric. Expt. Sta. Rept. 4: 141. 1891.
- 1413. Jones, L. R. Some observations regarding oat smut. Vermont Agric. Expt. Sta. Ann. Rept. 1895: 106-112. 1896.
- 1414. Jordi, E. Versuch zur Bekämpfung des Steinbrandes des Weizens. Jahresber. Landw. Schule Rutti 1906/07: 103-105. 1907.
- 1415. Jorgenson, L. R. Effect of smut infection on the yield of selfed lines and F₁ crosses in maize. Jour. Amer. Soc. Agron. 21: 1109-1112. 1929.
- 1416. Jorstad, I. Beretning om plantesydommer i land og havebruket 1922– 23. IV. Landbruksvekster og gronnsaker. Christiania Grucahl e Sus Boktrykkeri: 1–39. 1924.
- 1417. Jorstad, I. The Ustilagineous genus Turburcinia in Norway. Nyt. Mag. Naturv. 1942, 83: 231-246. 1942.
- 1418. Jorstad, I., and Christie, W. Experiments in the years 1924 and 1925 in the hot water treatment of spring wheat against bunt. Meld. Norges Landbrukshoiskole 1926.
- 1419. Jorstad, I., and Traaen, A. E. Kornavsopningsforsok med kjemikalier i arene 1925–1929 og varmtvannsavsopning av Bygg. Meld. Norges Landbrukshoiskole 1930.
- 1420. Josephson, L. M. The influence of temperature and moisture on the development of the intermediate loose smut of barley. Phytopath. 32: 11. 1942.
- 1421. Josephson, L. M. Physiologic races in the fungus causing the intermediate loose smut of barley. Phytopath. 32: 11. 1942.

- 1422. Juel, O. Mykologische Beiträge II. Ofversigt Vetensk. Akad. Forh. 1894: 491–502.
- 1423. Kable, G. W. The O.A.C. diagonal axle dusting machine for treating wheat for smut. Oregon Agric. Col. Ext. Bull. 381. 1925.
- 1424. Kaiser, W. Zur Biologie und Entwicklungsgeschichte einiger Entyloma-Arten. Angew. Bot. 18: 81–131. 1936.
- 1425. Kajanus, B. The spike structure of smutted wheat plants.. Landw. Jahrb. 58: 303-311. 1923.
- 1426. Kamat, M. N. Effect of Germisan on the control of grain smut (Sphacelotheca sorghi) of Jowar (Andropogon sorghum). Poona Agric. Col. Mag. 19: 10-11. 1927.
- 1427. Kamat, M. N. Observations on Tolyposporium filiferum, cause of 'long smut' of sorghum. Phytopath. 23: 985-992. 1933.
- 1428. Kammerling, H. Über Geschlechterverteilung und Bastardierung von Ustilago longissima und ihrer Varietät Macrospora. Zeitschr. f. Bot. 22: 113-142. 1929.
- 1429. Karns, G. M. Effectiveness of iodine in the control of smut on oats. Indus. and Engin. Chem. 22: 864. 1930.
- 1430. Kaspre, K. A. Nisu lendava nogipaa (Ustilago tritici [Pers.] Jens.) vastu voitlemise katsed. Agronoomia 5: 403–406. 1925.
- 1431. Kaul, H. Abtöten der Brandsporen auf der Getreidedarre. Deutsche Landw. Presse 34: 64. 1907.
- 1432. Kawagoe, S. The market fungi of Japan. British Myc. Soc. Trans. 10: 201-206. 1925.
- 1433. Keil, J. Ein neuer Nährboden zu Keimversuchen mit Getreidepilzsporen. (Ustilago avenae, U. tritici, U. hordei, Tilletia tritici und Helminthosporium gramineum.) Arch. Mikrobiol. 11: 85–88. 1940.
- 1434. Kellerman, W. A. Prevention of smut. Industrialist (Manhattan, Kans.) 15: 101. 1890.
- 1435. Kellerman, W. A. Prevention of smut in cereals. Agric. Sci. 4: 99. 1890.
- 1436. Kellerman, W. A. Experiments with corn smut Kans. Agric. Expt. Sta. Bull. 23. 1891.
- 1437. Kellerman, W. A. Prevention of stinking smut in wheat. Industrialist (Manhattan, Kans.) 16: 9. 1891.
- 1438. Kellerman, W. A. Second report on fungicides for stinking smut of wheat. Kans. Agric. Expt. Sta. Bull. 21: 47. 1891.
- 1439. Kellerman, W. A. I. Smut of oats in 1891. II. Test of fungicides to prevent loose smut of wheat. III. Spraying to prevent wheat rust. Kans. Agric. Col. Bull. 22. 1891.
- 1440. Kellerman, W. A. I. Smuts of sorghum. II. Corn smut. Kans. Agric. Expt. Sta. Bull. 23: 95-105. 1891.
- 1441. Kellerman, W. A. Tests of fungicides to prevent loose smut of wheat. Kans. Agric. Expt. Sta. Bull. 21: 81. 1891.
- 1442. Kellerman, W. A. A folicolous form of sorghum smut and notes on infection experiments. Ohio Nat. 5: 9-10. 1900.
- 1443. Kellerman, W. A. Experiments with the sorghum smuts. Ohio State Acad. Sci. Ann. Rept. 8: 18-19. 1900.
- 1444. Kellerman, W. A., and Jennings, O. E. Smut infection experiments. Ohio Nat. 2: 258-261. 1902.

- 1445. Kellerman, W. A., and Swingle, W. T. New species of Kansas fungi. Jour. Mycol. 5: 11-14. 1889.
- 1446. Kellerman, W. A., and Swingle, W. T. Preliminary report on smut in oats. Kans. Agric. Expt. Sta. Bull. 8: 91. 1889.
- 1447. Kellerman, W. A., and Swingle, W. T. Report on the loose smut of cereals. Kans. Agric. Expt. Sta. Ann. Rept. 1889: 213-288. 1890.
- 1448. Kellerman, W. A., and Swingle, W. T. Preliminary experiments with fungicides for stinking smut of wheat. Kans. Agric. Expt. Sta. Bull. 12. 1890.
- 1449. Kellerman, W. A., and Swingle, W. T. Additional experiments and observations on oat smut made in 1890. Kans. Agric. Expt. Sta. Bull. 15: 91-135. 1890.
- 1450. Kellerman, W. A., and Swingle, W. T. Notes on sorghum smuts. Kans. Acad. Sci. Trans. 12: 158. 1891.
- 1451. Kern, H. Erfahrungen mit der Staub- oder Trockenbeize 1922–24 in Ungarn. Wiener Landw. Ztg. 74: 287–289. 1924.
- 1452. Kernkamp, M. F. The relative effect of genetic and environmental factors on growth types of Ustilago zeae. Phytopath. 28: 12. 1938.
- 1453. Kernkamp, M. F. Genetic and environmental factors affecting growth types of Ustilago zeae. Phytopath. 29: 473-484. 1939.
- 1454. Kernkamp, M. F. The relative effect of environment and genetic factors on growth types of Ustilago zeae. Phytopath. 32: 554-567. 1942.
- 1455. Kernkamp, M. F., and Martin, W. J. The pathogenicity of paired haploid lines of Ustilago zeae versus the pathogenicity of numerous mixed haploids. Phytopath. 31: 1051-1053. 1941.
- 1456. Kernkamp, M. F., and Petty, M. A. Variation in the germination of chlamydospores of Ustilago zeae. Phytopath 30: 13. 1940.
- 1457. Kernkamp, M. F., and Petty, M. A. Variation in the germination of chlamydospores of Ustilago zeae. Phytopath. 31: 333-340. 1941.
- 1458. Khanna, K. L., and Ramnathan, K. R. A note on the occurrence of smut in Saccharum munja, Munj grass. Curr. Sci. 15: 253-254. 1946.
- 1459. Kharbush, S. S. Contribution a l'études des phénomènes sexuels chez les Ustilaginées. Ann. Sci. Nat. Bot., Ser. 10, 9: 285-297. 1927.
- 1460. Kharbush, S. S. Recherches histologiques sur les Ustilaginées. Rev. Path. Veg. et Ent. Agric. 15: 48-56. 1928.
- 1461. Kienholz, J. R., and Heald, F. D. Cultures and strains of the stinking smut of wheat. Phytopath. 20: 495-512. 1930.
 1462. Kiesselbach, T. A. Winter wheat investigations. Nebr. Agric. Expt.
- 1462. Kiesselbach, T. A. Winter wheat investigations. Nebr. Agric. Expt. Sta. Res. Bull. 31. 1925.
- 1463. Kiesselbach, T. A. Field experiments with seed corn treatments and crop stimulants. Nebr. Agric. Expt. Sta. Bull. 218. 1927.
- 1464. Kiesselbach, T. A., and Anderson, A. Breeding winter wheat for resistance to stinking smut. Nebr. Agric. Expt. Sta. Res. Bull. 51. 1930.
- 1465. Kiessling, L. Ueber schädliche Nebenwirkungen der Formalinbeizung des Saatgutes auf die Keimung. Jour. Landw. 66: 7-51. 1918.
- 1466. Kilduff, T. Inheritance of bunt and loose smut reaction and of certain other characters in Kota × Red Bobs and Garnet crosses. Can. Jour. Res. 8: 147-172. 1933.

- 1467. Killer, J. Über die Bekämpfung des Weizensteinbrandes mittels Formaldehyd. Landw. Zeitschr. Strassburg 38: 781. 1910.
- 1468. Kingsley, E. L. The relation of certain morphological characters of the host and fungus to the identification of the loose and covered smuts of oats. Trans. Kans. Acad. Sci. 26: 98-104. 1933.
- 1469. Kirby, R. S. Diseases of small grains. N. Y. Agric. Col. (Cornell Univ.) Ext. Bull. 157. 1927.
- 1470. Kirby, R. S. Relation of the removal of smut balls to the control of stinking smut in winter wheat. Phytopath 19: 79. 1929.
- 1471. Kirby, Rev. W. Observations upon certain fungi which are parasites of the wheat. Trans. Linn. Soc. 5: 112-125. 1799.
- 1472. Kirchner, O. von. Ueber die Behandlung des Saatgetreides mit warmem Wasser als Mittel gegen den Flug- und Steinbrand. Zeitschr. f. Pflanzenkrank. 3: 2-15. 1893.
- 1473. Kirchner, O. von. Der Steinbrand und seine Bekämpfung. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 1: 116–120. 1903.
- 1474. Kirchner, O. von. Die Bekämpfung des Steinbrandes. Würtemb. Wochenbl. f. Landw. 1903: 489–490.
- 1475. Kirchner, O. von. Versuche zur Bekämpfung der Getreide-Brandkrankheiten. Naturw. Zeitschr. Land- u. Forstw. 1: 465-470. 1903.
- 1476. Kirchner, O. von. Ueber die Empfänglichkeit verschiedener Weizensorten für die Steinbrandkrankheit. Fühling's Landw. Ztg. 55: 781–794. 1906.
- 1477. Kirchner, O. von. Neue Beobachtungen über die Empfänglichkeit verschiedener Weizensorten für die Steinbrandkrankheit. Fühling's Landw. Ztg. 57: 161-170. 1908.
- 1478. Kirchner, O. von. Brand und Rost des Getreides und ihre Bekämpfung. Illus. Landw. Ztg. 29: 305-306. 1909.
- 1479. Kirchner, O. von. Über die verschiedene Empfänglichkeit der Weizensorten für die Steinbrandkrankheit. Zeitschr. f. Pflanzenkrank. 26: 17-25. 1916.
- 1480. Kirchner, O. von. Untersuchungen über die Empfänglichkeit unserer Getreide für Brand- und Rostkrankheiten. Fühling's Landw. Ztg. 65: 1-27, 41-72, 92-137. 1916.
- 1481. Kirchner, O. von. Über die Bekämpfung von Pflanzenkrankheiten, im besonderen von Getreiderost und Getreidebrand, durch züchterische Massnahmen. Nachr. Deutschen Pflanzenschutzdienst 1: 55. 1921.
- 1482. Kirchner, O. von. Der Antherenbrand von Salvia, Ustilago betonicae Beck. Zeitschr. f. Pflanzenkrank. 33: 97-104. 1923.
- 1483. Kirchoff, H. Über den Einfluss der Keimungstemperatur und anderer Keimbettfaktoren auf das Verhalten gebeizten Getreides. Angew. Bot. 14: 349-389. 1932.
- 1484. Kirste, A. Erfahrungen mit Heisswasserbeize in der landwirtschaftlichen Praxis. Pflanzenbau 2: 272–273. 1926.
- 1485. Kispatic, J. Über ungleiche Beizemfindlichkeit der Sporen verschiedener Brandpilze. Phytopath. Zeitschr. 14: 522-523. 1944.
- 1486. Kispatic, J. Sorosporium reilianum McAlp. A new smut of maize in our country. Ann. Trav. Agric. Sci. Belgrade 3: 90-101. 1948. (Yugoslavian, with English summary.)
- 1487. Kittlauss, K. Mittel gegen Gerstenbrand und Schutz des Getreides

- gegen Stein- und Flugbrand. Deutsche Landw. Presse 27: 1200. 1900.
- 1488. Kitunen, E. Tutkimuksia kauran nokisienista ja eri kauralaatujen alttiudesta nokitartunnale. Suomen Maanviljelys-taloudellinen Koelaitos: Tieteellisia Julkaisuja 15: 1–126. 1922.
- 1489. Kitunen, E. Untersuchungen über die Lebenweise des Haferbrandes Ustilago avenae (Persoon) Jensen. Suom. Maataloust, Seur. Julk. 35: 89-114. 1937.
- 1490. Klages, A. Hauptversammlung des Vereins Deutscher Chemiker in Nürnberg vom 1 bis 5 September 1925. Chem. Ztg. 49: 766-771. 1925.
- 1491. Klages, A. Ueber die Bekämpfung von Getreidekrankheiten durch chemische Mittel. Zeitschr. Angew. Chemie 39: 3-10. 1926.
- 1492. Klebahn, H. Einige Versuche betreffend den Einfluss der Behandlung des Saatgutes gegen Brandpilze auf die Keimfähigkeit und den Ertrag des Getreides. Zeitschr. f. Pflanzenkrank. 3: 65. 1893.
- 1493. Klemm, M. Schadengebiete des Weizensteinbrandes (Tilletia tritici [Bjerk.] Winter) in Deutschland. Forschungsdienst 9: 183–191. 1940.
- 1494. Kling. Starkes Auftreten von Staubbrand in der Wintergerste. Deutsche Landw. Presse 59: 316. 1932.
- 1495. Klippart, J. H. Essay on the origin, growth, diseases, varieties, etc. of the wheat plant. Rept. Ohio Agric. 1857: 562. 1857.
- 1496. Klushnikova, E. S. Distribution of the mycelium of Ustilago tritici in the tissues of the host plant and anatomical changes caused by it in the structure of the host tissues. Morbi Plantarum, Lenin. 17: 1-25. 1928. (Russian; with French summary.)
- 1497. Kneuttinger. Ueber die Verbreitung und Verhütung des Brandes der Getreidepflanzen. Wilda Landw. Centralbl. 9: 350. 1861.
- 1498. Kniep, H. Untersuchungen über den Antherenbrand (Ustilago violacea Pers.). Ein Beitrag zum Sexualitätsproblem. Zeitschr. f. Bot. 11: 275-284. 1919.
- 1499. Kniep, H. Über morphologische und physiologische Geschlechtsdifferenzierung. Verhandl. Physik. Med. Gesellschaft zu Würzburg, N. F. 46: 1-18. 1921.
- 1500. Kniep, H. Urocystis anemones (Pers.) Winter. Zeitschr. f. Bot. 13: 289-311. 1921.
- 1501. Kniep, H. Über Artkreuzungen bei Brandpilzen. Zeitschr. f. Pilzkunde (N.S.) 10: 217-247. 1926.
- 1502. Kniep, H. Die Sexualität der niederen Pflanzen. vi. + 544 pp. Jena. 1928.
- 1503. Kniep, H. Vererbungserscheinungen bei Pilzen. Bibl. Genet. 5: 371-478. 1929.
- 1504. Knorr, C. Untersuchungen über das Verhalten von Sommerweizen-Sorten und -Bastardierungen bei künstlicher Infektion mit Steinbrand (Tilletia tritici). Zeitschr. f. Pflanzenzucht 14: 261-310. 1929.
- 1505. Knott, J. E. Growing onion on the mulch soils of New York. New York Agric. Expt. Sta. Bull. 510. (Ithaca, N. Y.) 1930.
- 1506. Knowles, E. L. A study of the abnormal structures induced by Ustilago zeae mays. Jour. Mycol. 5: 14-18. 1889.

- 1507. Knupling. Das Trockenbeizen von Saatgut. Nachr. über Schädlingsbekämpf. 1: 174–177. 1926.
- 1508. Koch, A. Zur Bekämpfung des Haferbrandes. Deutsche Landw. Presse 21: 225. 1904.
- 1509. Kochman, J. Contribution to the knowledge of the smuts of Poland.

 Acta Soc. Bot. Polon. 11 (Suppl.): 285-303. 1934. (In Polish; trans. title.)
- 1510. Kochman, J. Grzyby glowniowe polski. Planta Polon. 4: 1–161. 1936.
- 1511. Kochman, J. Contribution to the knowledge of the smuts of Poland. II. Acta Soc. Bot. Polon. 16: 53-67. 1939. (In Polish; trans. title.)
- 1512. Köck, G. Zur Bekämpfung des Haferbrandes. Deutsche Landw. Presse 31: No. 26. 1904.
- 1513. Köck, G. Praktische Erfahrungen mit Formaldehyd als Getreidebekämpfungsmittel im Heurigen. Wiener Landw. Ztg. 56: No. 64. 1906.
- 1514. Köck, G. Essig als Saatgutbeizmittel? Fortschr. d. Landw. 7: 226–227. 1932.
- 1515. Koehler, B. Effect of storage on yields of farm seed treated for disease control. Ill. Agric. Expt. Sta. Bull. 476: 259–276. 1941.
- 1516. Kolk, L. A. Relation of host and pathogen in the oat smut, Ustilago avenae. Bull. Torr. Bot. Club 57: 443-507. 1930.
- 1517. Kolk, L. A. Germination of grass smuts. Amer. Jour. Bot. 30: 317-330. 1943.
- 1518. Korff, G. Brandkrankheiten an gärtnerischen Kulturpflanzen. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 5: 79–82. 1907.
- 1519. Kornfeld, A. Bekämpfung des Maisbeulenbrandes auf biologischer Grundlage. Zeitschr. f. Pflanzenkr. 47: 277–297. 1937.
- 1520. Körnicke, F. Über Brand und Rost beim Weizen. Landw. Jour. aus Ostpreussen 1862: 545.
- 1521. Körnicke, F. Brand und Rost in Weizen. Wilda, Landw. Centralbl. 11: 393. 1863.
- 1522. Körnicke, F. Über einen neuen Brandpilz auf der Italienischen Hirse: Ustilago Crameri Kcke. Sitzungsber. Niederrheinisch. Gesell., Bonn 29: 192-193. 1872.
- 1523. Körnicke, F. Mykologische Beiträge. Hedwigia 16: 33-40. 1877.
- 1524. Körnicke, F. Neovossia Körnicke. Oesterr. Bot. Zeitschr. 29: 217–218. 1879.
- 1525. Körnicke, F. Ueber den Steinbrand des Weizens. Verhandl. Naturhist. Ver. Preuss. Rheinlande 47: 92-93. 1890.
- 1526. Kosterz, W. Düngung als Brandbekämpfungsmittel. Eine praktische Beobachtung. Wiener Landw. Ztg. 79: 103. 1929.
- 1527. Kotte, W. Pflanzenschutz im Maisbau. Kranke Pflanze 13: 193–196. 1936.
- 1528. Koudelka. Neue Probleme in der Brandpilzfrage. Nachr. über Schädlingsbekämpf. 9: 100-104. 1934.
- 1529. Koursanow, A. L. On the effect of Ustilago tritici on the respiration and transpiration of wheat. Morbi Plantarum, Lenin. 15: 57-71. 1926.
- 1530. Koursanow, A. L. De l'influence de l'Ustilago tritici sur les fonctions

- physiologiques du Froment. Rev. Gen. de Bot. 40: 277-302, 343-371. 1928.
- 1531. Kovachevsky (Kovacevski), I. C. Copper carbonate and its use in agriculture. A contribution to the problem of wheat bunt control. 41 pp., pamphlet issued by the Bulgarian Plant Protection Service. (English summary.) 1937.
- 1532. Krause, A. Über Weizenbrand und Weizensorten. Wiener Landw. Ztg. 82: 258-259. 1932.
- 1533. Krauss, J. Nachdosierung von quecksilberhältigen Beizmitteln für Getreide. Zeitschr. Angew. Chem. 38: 1088–1091. 1925.
- 1534. Krauss, J. Beitrag zur Frage der Trockenbeize. Nachricht. Deutscher Pflanzenschutzdienst 5: 87–88. 1925.
- 1535. Krauss, J. Beitrag zur Methodik der Beizmittelprüfung im Laboratorium. Nachricht. Deutscher Pflanzenschutzdienst 8: 71-72. 1928.
- 1536. Krauss, J. Der Einfluss der Wasserstoffionenkonzentration auf Adsorption und Beizwirkung von Sublimat bei der Steinbrandspore. (Tilletia tritici). Fortschr. der Landw. 5: 637-640. 1930.
- 1537. Krauss, J. Zur Prüfung der Leistung von Trockenbeizgeräten. Nachricht. Deutscher Pflanzenschutzdienst 11: 34–35. 1931.
- 1538. Kreitlow, K. W. Ustilago striaeformis. I. Germination of chlamy-dospores and culture of forma agrostidis on artificial media. Phytopath. 33: 707-712. 1943.
- 1539. Kreitlow, K. W. Ustilago striaeformis. II. Temperature as a factor influencing development of smutted plants of Poa pratensis L. and germination of fresh chlamydospores. Phytopath. 33: 1055-1063. 1943.
- 1540. Kreitlow, K. W. Growth of Ustilago striaeformis forma agrostidis in artificial culture. Phytopath. 33: 7. 1943.
- 1541. Kreitlow, K. W. Temperature as a factor influencing germination of chlamydospores of Ustilago striaeformis forma Poae-pratensis. Phytopath. 33: 7. 1943.
- 1542. Kreitlow, K. W. Some factors that influence after-ripening of smut chlamydospores. Phytopath. 34: 1006. 1944.
- 1543. Kreitlow, K. W. Ustilago striaeformis. III. A further study of factors that influence after-ripening of chlamydospores from Poa pratensis. Phytopath. 35: 152-158. 1945.
- 1544. Kreitlow, K. W. Seed transmission and suggested control measures for stripe smut of timothy. Phytopath. 37: 13. 1947.
- 1545. Kreitlow, K. W. Urocystis agropyri on Phleum pratense. Phytopath. 38: 158-159. 1948.
- 1546. Kreitlow, K. W., and Cassell, R. C. Phleum pratense L., a new host for Urocystis agropyri. Plant Dis. Reptr. 29: 365. 1945.
- 1547. Kreitlow, K. W., and Myers, W. M. Prevalence and distribution of stripe smut of Poa pratensis in some pastures of Pennsylvania. Phytopath. 34: 411-415. 1944.
- 1548. Kreizinger, E. J., Fischer, G. W., and Law, A. G. Reaction of mountain brome and Canada wild-rye strains to head smut (Ustilago bullata). Jour. Agric. Res. 75: 105-111. 1947.
- 1549. Krenz. Beurteilung des Vorkommens von Tilletia-Sporen in Futtermitteln. Landw. Versuchs-Stat. 68: 121-129. 1908.
- 1550. Kristev, K. K. Bunt of wheat in Bulgaria and breeding of bunt-

- resistant varieties. Annu. Univ. Sofia 24: 405-475. 1946. (Bulgarian, with English summary; trans. title.)
- 1551. Krüger, Fr., and Rorig, G. Krankheiten und Beschädigungen der Nutz- und Zierpflanzen des Gartenbaues. Stuttgart. viii + 212 pp. 1908.
- 1552. Krüger, W. Zilkten van het Suikerriet. Verdere medeleelingen over Suikerriet ziehten (Ustilago). Bull. Prolfstation voor Suikerriet in West Java 3: 13-17. 1886; 4: 11-15. 1887.
- 1553. Krüger, W. Das Zuckerrohr und seine Kultur. 1899.
- 1554. Kuhl, R. Beiträge zur Frage des Keimverhaltens der Steinbrandsporen nach Anwendung verschiedener Mengen von Trockenbeizmitteln. Angew. Bot. 12: 162–169. 1930.
- 1555. Kühle, L. Ein erfolgreicher Versuch zur Bekämpfung des Gerstenflugbrandes. Deutsche Landw. Presse 33: 719. 1918. Also in Illus. Landw. Ztg. 28: 578-579. 1908.
- 1556. Kühn, J. Zur Entwickelungsgeschichte des Maisbrandes Ustilago maydis Tul. Hedwigia 2: 5. 1858.
- dis Tul. Hedwigia 2: 5. 1858. 1557. Kühn, J. Die Krankheiten der Kulturgewächse, ihre Ursachen und ihre Verhütung. xxiii + 312 pp. Berlin. 1859.
- 1558. Kühn, J. Ustilago maydis. Zeitschr. Landw. Centralvereins d. Pr. Sachsen 1866: 108.
- 1559. Kühn, J. Die Brandformen der Sorghum-Arten, Tilletia sorghi Tulasne und Ustilago cruenta J. Kühn. Hamb. Garten- und Blumenztg. 28: 177-178. 1872.
- 1560. Kühn, J. Tilletia laevis. In Rabenhorst, Fungi Europaei. Hedwigia 12: 152-153, 1873.
- 1561. Kühn, J. Die Anwendung des Kupfervitrioles als Schutzmittel gegen den Steinbrand des Weizens. Bot. Ztg. 31: 502-505. 1873.
- 1562. Kühn, J. Ueber die Entwickelungsformen des Getreidebrandes und die Art des Eindringens der Keimfäden in die Nährpflanzen. Bot. Ztg. 32: 121–124. 1874.
- 1563. Kühn, J. Tilletia controversa. In Rabenhorst, Fungi Europaei. Hedwigia 13: 188–189. 1874.
- 1564. Kühn, J. Urocystis Preussii. In Rabenhorst, Fungi Europaei. Hedwigia 13: 188. 1874.
- 1565. Kühn, J. Thecaphora Lathyri. In Rabenhorst, Fungi Europaei. Hedwigia 13: 58. 1874.
- 1566. Kühn, J. Der Weizensteinbrand, seine Formen und seine spezifische Verschiedenheit von den Steinbrandarten wildwachsender Gräser. Hedwigia 14: 93-96, 106-109. 1875.
- 1567. Kühn, J. Der Weizensteinbrand. Seine Formen und seine specifische Verschiedenheit von den Steinbrandformen wildwachsender Gräser. Deutsche Landwirts. Presse 1: 1. 1874. Also in Landw. Ztg. f. Westfalen und Lippe 1875: Nos. 1 and 2.
- 1568. Kühn, J. Mycologische Notiz. Bot. Ztg. 33: 583. 1875.
- 1569. Kühn, J. Tilletia Secalis, eine Kornbrandform des Roggens. Bot. Ztg. 34: 470-472. 1876.
- 1570. Kühn, J. Der Stengel- und Kornbrand des Roggens. Zeitschr. Landw. Centralvereins d. Pr. Sachsen 33: 229-231. 1876.
- 1571. Kühn, J. Roggenkugelbrand oder Kornbrand. Fühling's Landw. Ztg. 1876: 649-651. 1876.

- 1572. Kühn, J. Russthau oder Rauchbrand des Roggens Fühling's Landw. Ztg. 1876: 734. 1876.
- 1573. Kühn, J. Pflanzenkrankheiten. Fühling's Landw. Ztg. 1876: 820-824. 1876.
- 1574. Kühn, J. Die Brandformen der Sorghumarten. Ein Beitrag zur Geographie der Pflanzenkrankheiten. Mitteil. des Ver. f. Erdkunde, Halle. 1877: 81-87.
- 1575. Kühn, J. Ustilago grandis Fries. In Rabenhorst, Fungi Europaei exsiccati. Hedwigia 16: 125. 1877.
- 1576. Kühn, J. Die Brandformen der Sorghumarten. Hedwigia 17: 6-14. 1878.
- 1577. Kühn, J. Über die an dem Grünmais und Futtersorghum vorkommenden Brandformen. Fühling's Landw. Ztg. 1879: 81.
- 1578. Kühn, J. Beobachtungen über den Steinbrand des Weizens. Oesterr. Landw. Wochenbl. 6, 1880: No. 1 and 2.
- 1579. Kühn, J. Staubbrand in Gerste und Hafer. Fühling's Landw. Ztg. 1880: 571.
- 1580. Kühn, J. Staubbrand in Hafer und Gerste. Der Landwirth. 1880: 34.
- 1581. Kühn, J. Paipalopsis Irmischiae, ein neuer Pilzparasit unseres Florengebietes. Irmischia 2: 39. 1882. Also, Hedwigia 22: 28-31. 1882.
- 1582. Kühn, J. Der Roggenstengelbrand. Zeitschr. Landw. Centralvereins d. Pr. Sachsen 39: 183-185. 1882.
- 1583. Kühn, J. Zur Bekämpfung des Staubbrandes. Thüringer Landw. Ztg. 1882; No. 13.
- 1584. Kühn, J. Zur Bekämpfung des Flugbrandes. Deutsche Landw. Presse 26: 199-201. 1889.
- 1585. Kühn, J. Über die Entwickelungsgeschichte des Primelbrandes. Bericht über die Sitzungen der Naturforsch. Gesellschaft zu Halle 1892: 109-115. 1892.
- 1586. Kulkarni, G. S. Smuts of Jowar (sorghum) in the Bombay Presidency. Agric. Res. Inst. Pusa Bull. 78. 1918.
- 1587. Kulkarni, G. S. The susceptibility of dwarf mile sorghum to smut. Phytopath. 11: 252. 1921.
- 1588. Kulkarni, G. S. Smut (Ustilago paradoxa Syd. and Butl.) on Sawn (Panicum frumentaceum Roxb.). Ind. Jour. Bot. 3: 10-11. 1922.
- 1589. Kulkarni, G. S. The smut of Nachani or Ragi (Eleusine coracana Gaertn.). Ann. Appl. Biol. 9: 184–186. 1922.
- 1590. Kulkarni, G. S. Conditions influencing the distribution of grain smut (Sphacelotheca sorghi) of Jowar (sorghum) in India. Agric. Jour. India 27: 159-162. 1922.
- 1591. Kulkarni, G. S. Resistance of sorghum to loose and covered smuts. Phytopath. 14: 288. 1924.
- 1592. Kulkarni, G. S. Baluchistan sulphur for Jowar smut. Curr. Sci. 13: 48. 1944.
- 1593. Kulkarni, L. G. Correlated inheritance with special reference to disease resistance in spring wheat. Jour. Amer. Soc. Agron. 26: 885–893. 1934.
- 1594. Kuprianoff, V. A., and Proyda, P. A. Tests of the hot-water disinfection of wheat seed-grain in the control of loose smut under northern conditions. Summ. Sci. Res. Wk. Inst. Pl. Prot. Lenin. 1935: 153-154. 1936.

- 1595. Kuribayashi, K., and Ichikawa, H. Results of experiments concerning stinking smut of barley. Bull. Agric. Expt. Sta. Nag. Pref. 28: 4-9. 1945. (In Japanese.)
- 1596. Kuribayashi, K., and Ichikawa, H. Results of experiment concerning prevention of stinking smut of wheat and barley. Bull. Agric. Expt. Sta. Nag. Pref. 29: 1-11. 1946. (In Japanese.)
- 1597. Kuschke, J. E., and Obermeister, N. P. Experiments in wheat seed-grain disinfection with various fungicides for the control of bunt under the conditions prevalent in the Kuban. Bull. North Caucasian Plant Prot. Sta. Rostoff-on-Don 3: 204-208. 1927. (Russian, with German summary; trans. title.)
- 1598. Kutin, A. On Ustilago panici-miliacei Winter and an effective means of control. Ochrana rostlin 1: 4-6. 1921. (Polish; trans. title.)
- 1599. Kutzevol, E. A. Artificial infection of barley with covered smut (Ustilago hordei Kellerm. & Sw.) for barley-breeding purposes. Pl. Prot., Lenin. 1938: 86-88. 1938.
- 1600. Kuzma. Beobachtungen über den Weizensteinbrand. Österr. Landw. Wochenblatt 1878: 511.
- 1601. Kvashnina, E. S., and Etmisheva, Z. S. Studies on the fungicidal properties of sulphides (hydrogen sulphide, sulphurous slag) and elaboration of methods for their use in seed disinfection. Summ. Sci. Res. Wk. Inst. Pl. Prot. Lenin. 1935: 416-419. 1936.
- 1602. Kyle, C. H. Relation of husk covering to smut of corn ears. U. S. Dept. Agric. Tech. Bull. 120. 1929.
- 1603. Kyle, C. H. Relation between the vigor of the corn plant and its susceptibility to smut (Ustilago zeae). Jour. Agric. Res. 41: 221-231. 1930.
- 1604. Lafosse, G. The rusts and smuts of cereals. Rev. Sci. Paris Ser. 4, 11: 493-498. 1899.
- 1605. Lagerheim, G. Eine neue Entorrhiza. Hedwigia 27: 261-264. 1888.
- 1606. Lagerheim, G. Mykologiska Bidrag VI. Ueber eine neue auf Juncus-Arten wachsende Species der Gattung Urocystis. Botan. Notiser 1888: 201-203.
- 1607. Lagerheim, G. Verzeichnis von parasitischen Pilzen aus Sodermanland und Bohuslan, gesammelt während der Exkursionen der Svenska botaniska foreningen im Sommer 1908. Nebst Bemerkungen über Uredineen und Ustilagineen. Svensk Bot. Tidskrift 3: 18–40. 1909.
- 1608. Lambert, E. B., and Bailey, D. L. Results of treating seed of spring wheat and oats with copper carbonate dust to prevent smut. Phytopath. 12: 36. 1922.
- 1609. Lambert, E. B., Rodenhiser, H. A., and Flor, H. H. The effectiveness of various fungicides in controlling the covered smuts of small grains. Results of the cooperative cereal seed treatment project of the Crop Protection Institute. Phytopath. 16: 393-411. 1926.
- 1610. Lambertie. Decouverte d'Urocystis violae (Champignon tribu Ustilaginées) dans le departement de la Gironde. Acte de la Soc. Linn. de Bordeaux 65: 55. 1911.
- 1611. Landen, E. W. The spectral sensitivity of spores and sporidia of Ustilago zeac to monochromatic ultra-violet light. Jour. Cell. Comp. Physiol. 14: 217-226. 1939.

- 1612. Lang, H. Pilztötung mit dem Getreidetrockenapparat. Illus. Landw. Ztg. 28: 603-604. 1908.
- 1613. Lang, H., and Lang, W. Das Beizen von Getreide-Elitekörnern. Deutsche Landw. Presse 34: 162–163. 1907.
- 1614. Lang, W. Die Blüteninfektion beim Weizenflugbrand. Centralb. f. Bakt. II, 25: 86-100. 1910.
- 1615. Lang, W. Zum Parasitismus der Brandpilze. Jahresb. der Vereinigung f. Angew. Bot. 10: 172–180. 1913.
- 1616. Lang, W. Zur Ansteckung der Gerste durch Ustilago nuda. Ber. d. Deutschen Bot. Ges. 35: 4-20. 1917.
- 1617. Lang, W. Über die Beeinflussung der Wirtpflanze durch Tilletia tritici. Zeitschr. f. Pflanzenkrank. 27: 80-99. 1917.
- 1618. Lang, W. Gerstenhartbrand. Nachricht. Deutscher Pflanzenschutzdienst 3: 67-68. 1923.
- 1619. Lang, W. Die Bedeutung der Temperatur beim Beizen. Nachricht. Deutscher Pflanzenschutzdienst 5: 29–30. 1925.
- 1620. Lange-de la Camp, M. Gewinnung und Kultur der Haplonten von Ustilago tritici. Phytopath. Zeitschr. 9: 455–477. 1936.
- 1621. Lange-de la Camp, M. Ernährungsversuche mit Haplonten von Tilletia tritici. Kühn-Arch. 48: 179–190. 1939.
- 1622. Lange-de la Camp, M. Blüteninfektionen mit Myzel von Ustilago tritici. Zeitschr. f. Pflanzenkr. 1: 142–180. 1940.
- 1623. Lang-Hohenheim, W. Zur Kenntnis der Saatbeizmittel. Angew. Bot. 6: 335–336. 1924.
- 1624. Langenbeck, E. Gemeinschaftliche Bekämpfung des Getreidebrandes. Prakt. Bl. f. Pflanzenbau u. Pflanzenschutz 1: 105-107. 1903.
- 1625. Langenbeck, E. Die Saatgutbeize zur Bekämpfung der Brandkrankheiten des Getreides. Illustr. Landw. Ztg. 26: 651. 1906.
- 1626. Lansade, M. Essais de lutte contre la carie du Ble (Tilletia tritici [Bjerk.] Wint.) en 1943 et 1944. Ann. Epiphyt. N.S. 11: 177–189. 1945.
- 1627. Larose, E., Jacques, A., and Lounsky, J. La lutte contre le charbon nu des céréales (Ustilago nuda Jensen et Ustilago nuda tritici Schaf.) par le desinfection des semences à l'eau chaude. Application industrielle du traitement. Bull. Inst. Agron. Gembloux 25: 3-18. 1946.
- 1628. Larose, E., and Vanderwalle, R. Quelques resultats d'infection artificielle d'Ustilago nuda tritici Schaff. sur le Froment. Bull. Inst. Agron. Gembloux 6: 82–87. 1937.
- 1629. Larose, E., and Vanderwalle, R. Nouvelles recherches sur le charbon du Froment. Bull. Inst. Agron. Gembloux 8: 205-214. 1939.
- 1630. Laskaris, T. The occurrence of lysis in certain crosses of Sphacelotheca sorghi. Phytopath. 29: 14. 1939.
- 1631. Laskaris, T. A heritable lysis in germinating chlamydospores of Sphacelotheca sorghi. Phytopath. 31: 254–263. 1941.
- 1632. Lasser, E. Der Einfluss von Licht und Jarowisation auf den Befall von Weizen, Hafer und Gerste durch Tilletia, Ustilago und Helminthosporium. Kühn-Arch. 44: 161–210. 1938.
- 1633. Laupert, B. Einige Worte über Steinbrandbekämpfung. Deutsche Landw. Presse 47: 435–436. 1920.
- 1634. Laurent, E. Influence de la lumière sur les spores du charbon des céréales. Bull. Soc. Bot. Belg. 28: 162–164. 1889.

- 1635. Lavrov, N. N. New and less common smut fungi of the Ustilaginaceae in northern and central Asia. Trav. Inst. Sci. Biol. Univ. Tomsk. 2: 1-35. 1936. (Russian, with Latin summary; trans. title.)
- 1636. Lavrov, N. N. Tilletiaceae novae vel rarae Unionis Sovieticae. Animad. Syst. Herb. Univ. Tomsk. 11: 1–4. 1937.
- 1637. Lawrence, W. H. Some important plant diseases of Washington. Wash. Agric. Expt. Sta. Bull. 83. 1907.
- 1638. Lawson, J. On the structure of smut balls in wheat. Jour. Agric. 9: 269-272. 1839.
- 1639. Leach, J. G. Insect transmission of plant diseases. McGraw-Hill Bk. Co., Inc., New York, xviii + 615 pp. 1940.
- 1640. Leach, J. G., and Lowther, C. V. Inoculation methods for testing bluegrass for stripe-smut resistance. Phytopath. 34: 1007. 1944.
- 1641. Leach, J. G., Lowther, C. V., and Ryan, M. A. Stripe smut (Ustilago striaeformis) in relation to bluegrass improvement. Phytopath. 36: 57-72. 1946.
- 1642. Leach, J. G., and Ryan, M. A. The cytology of Ustilago striiformis from Poa pratensis. Phytopath. 36: 404. 1946.
- 1643. Leach, J. G., and Ryan, M. A. The cytology of Ustilago striiformis forma poae-pratensis in artificial culture. Phytopath. 36: 876–886. 1946.
- 1644. Leather, J. W. The smut of onions. Jour. Roy. Soc. London, Ser. 3, 2: 647-650. 1891.
- 1645. Lee, A. A. Ball smut in wheat. Methods of control. Jour. Dept. Agric. Victoria 32: 57-59. 1934.
- 1646. Lee, A. A., and Medalla, M. P.O. J. 2878 is susceptible to cane smut. Sugar News 12: 220–221. 1931.
- 1647. Lefebvre, C. L., and Johnston, C. O. Kansas mycological notes, 1935. Trans. Kans. Acad. Sci. 1936: 95-101. 1937.
- 1648. Leidner, R. Die Anwendung der Heisswasserbeize zur Bekämpfung des Weizen- und Gerstenflugbrandes. Illus. Landw. Ztg. 47: 548– 549. 1927.
- 1649. Leitzke, B. Infektionsversuche mit Haferflugbrand-Sporen-Gemischen. Phytopath. Zeitschr. 10: 504-553. 1937.
- 1650. Lenz, L. W. A new smut from Louisiana. Mycologia 33: 155-157.
- 1651. Lepik, E. Rukki seemne puhtimisest. Mitteil. Phytopath. Versuchsstat. Univ. Tartu 15: 5. 1933.
- 1652. Lepik, E. Über das Vorkommen von Ustilago Oxalidis Ell. et Tracy in Estland. Ann. Mycol. 35: 59-61. 1937.
- 1653. Lepik, E. Zur Verbreitung von Ustilago Oxalidis Ell. et Tracy in Europa. Phytopath. Expt. Sta. Univ. Tartu in Estonia Bull. 45. 1937.
- 1654. Leszczenko, P. On the influence of reaction of the medium on the germination of the spores of Verticillium albo-atrum R. et B. and Ustilago maydis Tul. Mem. Inst. Nat. Polonais d'Econ. Rur. à Putawy 7 (A): 402-435. 1926. (Polish, with English summary; trans. title.)
- 1655. Leszczenko, P. Studies on the action of solutions of salts, alkalis, and acids on the spores of some pathogenic fungi. Trans. Phytopath.

- Sect. in Bydgoszcz State Inst. Agric. Sci. 6. 37 pp. 1928. (Polish, with English summary; trans. title.)
- 1656. Leszczenko, P. Tests of new material for the disinfection of cereal seed-grain against smut fungi. Trans. Phytopath. Sec. in Bydgoszcz State Inst. Agric. Sci. 11: 77-86. 1932. (Polish, with French summary; trans. title.)
- 1657. Leszczenko, P. A summarized report of the results of efficacy tests of fungicides, which were carried out in Poland in the period 1918–1933. Roczn. Ochr. Rosl., Cz. A. (Choroby roslin), 2 for the period 1931–1933 incl. Bydgoszcz: 236–394. 1935. (Polish; trans. title.)
- 1658. Leszczenko, P. Tests of new cereal seed disinfectants against smut fungi. Roczn. Ochr. Rosl. 5: 103-108. 1938. (Polish; trans. title.)
- 1659. Leukel, R. W. Further experiments on the control of bunt of wheat and the smuts of barley and oats. Phytopath. 16: 347-351. 1926.
- 1660. Leukel, R. W. Experiments with liquid and dust seed disinfectants for controlling covered smut of barley and stinking smut of wheat, 1926-1928. Phytopath. 19: 81. 1929.
- 1661. Leukel, R. W. Seed treatment for controlling covered smut of barley. U. S. Dept. Agric. Tech. Bull. 207. 1930.
- 1662. Leukel, R. W. Relation of dust fungicides to flow of small grains through drills and to drill injury. U. S. Dept. Agric. Circ. 119. 1930.
- 1663. Leukel, R. W. Factors affecting the development of loose smut in barley and its control by dust fungicides. U. S. Dept. Agric. Tech. Bull. 293. 1932.
- 1664. Leukel, R. W. Further experiments on the control of barley smuts. U. S. Dept. Agric. Tech. Bull. 513. 1936.
- 1665. Leukel, R. W. Factors influencing infection of barley by loose smut. Phytopath. 26: 630-642. 1936.
- 1666. Leukel, R. W. Seed treatment experiments with oats naturally and artificially inoculated with smuts. U. S. Dept. Agric. Tech. Bull. 568. 1937.
- 1667. Leukel, R. W. Studies on bunt, or stinking smut, of wheat and its control. U. S. Dept. Agric. Tech. Bull. 582. 1937.
- 1668. Leukel, R. W. New fungicides and reduced fungicide dosages for the control of kernel smut of sorghum. Phytopath. 32: 1091–1093. 1942.
- 1669. Leukel, R. W. Chemical seed treatments for the control of certain diseases of sorghum. U. S. Dept. Agric. Tech. Bull. 849. 1943.
- 1670. Leukel, R. W. Spergon, Arasan, and Merc-O-Dust ineffective for the control of oat smut. Plant Dis. Reptr. 27: 704-706. 1943.
- 1671. Leukel, R. W., and Livingston, J. E. Smut control of sorghum and effect of dust fungicides and storage on emergence. Phytopath. 35: 645-653. 1945.
- 1672. Leukel, R. W., and Nelson, O. A. Chlorine gas as a seed disinfectant. Phytopath. 29: 913-914. 1939.
- 1673. Leukel, R. W., and Nelson, O. A. The use of chlorine gas as a seed disinfectant. U. S. Dept. Agric. Circ. 576: 16. 1940.
- 1674. Leukel, R. W., Stanton, T. R., and Stevens, H. Comparison of different methods of inoculating oat seed with smut. Jour. Amer. Soc. Agron. 30: 878-882. 1938.

- 1675. Levy, J., and Bogdanovic, S. B. Sur quelques propriétés pharmacodynamiques d'Ustilago maidis. Compt. Rend. Soc. de Biol. 116: 590-
- 1676. Lez-Sapartowitsch, I. Stinking smut and its control. Westnik selsk. chosjaisteva, Moscow 8: 10-12. 1907. (In Russian; trans. title.)
- 1677. Liebe, Th. Ustilago Maydis Corda. Verhandl. Bot. Ver. Prov. Brandenb. 19: Sitzungsb. 139. 1878.
- 1678. Liebenberg, von. Ueber die Dauer der Keimkraft der Sporen einiger Brandpilze. Österr. Landw. Wochenblatt 4: 450-452, 458., 1879.
- 1679. Liebenberg, von. Die schweflige Säure als Mittel gegen den Steinbrand des Weizens. Österr. Landw. Wochenblatt 4: 13. 1880.
- 1680. Liebenberg, von. Mittel gegen den Steinbrand des Weizens. Fühling's Landw. Ztg. 1880: 567.
- 1681. Limay, H. R. de. Les maladies charbonneuses des céréales et leur traitement. Bull. Soc. d'Hort. Chateauroux 103: 249-254. 1904.
- 1682. Limber, D. P. Sori of Urocystis gladioli on Gladiolus corm scales. Phytopath. 38: 922-925. 1938.
- 1683. Limber, D. P. Notes on the stinking smuts of wheat from Afghanistan in 1939. Plant Dis. Reptr. 24: 136. 1940.
- 1684. Limbourn, E. J. Varietal bunt resistance tests-1928. Jour. Dept. Agric. West. Austr., 2nd Ser. 6: 199-205. 1929.
- 1685. Limbourn, E. J. Bunt resistance tests, 1929. Jour. Dept. Agric. West. Austr., 2nd Ser. 7: 326-327. 1930.
- 1686. Limbourn, E. J. Flag smut of wheat. Variety resistance tests, 1926 to 1930. Jour. Dept. Agric. West. Austr., 2nd Ser. 8: 214-217. 1931.
- 1687. Limbourn, E. J., and Throssell, G. L. Copper powders for the prevention of bunt in wheat. Jour. Dept. Agric. West. Austr., 2nd Ser. 4: 92–97. 1927.
- 1688. Lin, C. K. Factors affecting the germination of chlamydospores of Tilletia horrida Tak. Univ. Nanking Col. Agric. and For. Bull. 45. 1936.
- 1689. Lind, J. Danish fungi. 650 pp. Copenhagen. 1913.
- 1690. Lind, J. Om Forgiftningstilfaelde hos Mennesker og Dyr, fremkaldte af Snyltesvampe. Ugeskrift f. Landmaend 58: 197-199, 218-219. 1913.
- 1691, Lind, J. Forsøg med Midler mod Nøgen Bygbrand. Tidsskr. Planteavl 22: 212-232. 1915.
- 1692. Lind, J. Forsøg med midler mod nøgen havrebrand. Tidsskr. Planteavl 22: 458-478. 1915.
- 1693. Lind, J. Forsøg med midler mod hejrebrand og draphavrebrand. Tidsskr. Planteavl 22: 479-492. 1915.
- 1694. Lindau, G. Die mikroskopischen Pilze. xxiv+276 pp. Berlin. 1912. 1695. Lindfors, T. Om betningstider vid anvandändet av 'uspulun'. Landtmannen 8: 179-181. 1925.
- 1696. Lindfors, T. Om betning av höstutsädet. Landtmannen 9: 628-629. 1926.
- 1697. Lindfors, T. Om betydelsen av att beta höstutsädet. Landtmannen 11: 657–658. 1928.
- 1698. Lindfors, T. Magra erinringar om betning av varutsädet. Landtmannen 12: 154-155. 1929.

- 1699. Lindfors, T. Lönar det sig att beta varsäden? Landtmannen 14: 200–201. 1931.
- 1700. Lindfors, T. Korta anvisningar rörande utsädesbetning. Centralanst. Jordbruksf. Flygbl. 153: 6. 1931.
- 1701. Lindfors, T. Fösök med utsädesbetning utförda 1924–30. Centralanst. f. Försokväsendet pa Jordbruksomradet Medd. 390: 49. 1931. (German summary.)
- 1702. Lindfors, T. Vilka betningsmedel lämpa sig för varsäden? Landtman. Tidskr. f. Landtman. 15: 219–220. 1932.
- 1703. Lindfors, T. Korta anvisningar rörande utsädesbetning. Statens Växtskyddsanst. Flygbl. 2: 6. 1933.
- 1704. Lindfors, T. Forsök med utsadesbetning utforda 1931–32. Statens Växtskyddanst. Medd. 5: 1–23. 1934.
- 1705. Lindfors, T. En for Sverige ny sotsvamp. Växtskyddsnotiser, Växtskyddanst., Stockh. 1939: 68–69.
- 1706. Lindner, M. Saatgut Veredlung, einschliesslich Beizung, auf genossenschaftlichem Wege. Illus. Landw. Ztg. 46: 430-431. 1926.
- 1707. Lindroth, J. I. (later, Liro, J. I.) Anmärkningsvarda rost-och brandsvampar fran Aland och Tavast-land. Meddel. Soc. Fauna et Flora Fenn. 24: 106–108. 1901.
- 1708. Ling, L. Factors affecting spore germination and growth of Urocystis occulta in culture. Phytopath. 30: 579-591. 1940.
- 1709. Ling, L. The histology of infection of susceptible and resistant selfed lines of rye by the rye smut fungus, Urocystis occulta. Phytopath. 30: 926-935. 1940.
- 1710. Ling, L. Factors affecting infection in rye smut and subsequent development of the fungus in the host. Phytopath. 31: 617-633. 1941.
- 1711. Ling, L., and Moore, M. B. Influence of soil temperature and soil moisture on infection of stem smut of rye. Phytopath. 27: 633-636. 1937.
- 1712. Link, G. K. K., Wilcox, H. W., and Eggers, V. Growth tests with extracts of Erwinia amylovora, Phytomonas rhizogenes, T. deformans, and Ustilago zeae. Phytopath. 28: 15. 1938.
- 1713. Link, H. F. Über Mutterkorn in Cyperoideen, über Sporosorium Sorghi Ehrbg. in Zea Mays. Sitzungsber. d. Ges. Naturf. Freunde, Berlin. August, 1842.
- 1714. Linkola, K. Ustilago grandis Phragmites communis en loisena. Meddel. Soc. Faun. et Flor. Fenn. 36: 79–80. 1910.
- 1715. Linn, M. B., and Newhall, A. G. Comparison of two methods of pelleting onion seed in the control of smut. Phytopath. 38: 218-221. 1948.
- 1716. Liro, J. I. Mykologische Mitteilungen 11–15. Acta Soc. F. F. Fennica 26. 1904.
- 1717. Liro, J. I. Über die brandige aptera-Form von Polygonum dumetorum L. Ann. Soc. Zool.-Bot. Fenn. Van. 1: 24-32. 1921.
- 1718. Liro, J. I. Über die Gattung Turburcinia Fries. Ann. Univ. Fenn. Aboensis 1. Turku. 1922.
- 1719. Liro, J. I. Über das Auftreten von Ustilago milii in den Rispen der Nährpflanze. Ann. Soc. Zool.-Bot. Fenn. Van. 1: 61–64. 1923.
- 1720. Liro, J. I. Die Ustilagineen Finnlands. I. Ann. Acad. Sci. Fenn. Ser. A. 17. xviii + 636 pp. Helsingfors. 1924.

- 1721. Liro, J. I. Finland: the onion smut. Internat. Bull. of Plant Protect. 8: 150-151. 1934.
- 1722. Liro, J. I. Sipulinnoesta. Pellervo 1934: 364-366. 1934.
- 1723. Liro, J. I. Über neue, seltene und vermeinte Ustilagineen. Ann. Soc. Zool.-Bot. Fenn. Van. 6: 1-18. 1935.
- 1724. Liro, J. I. Die Ustilagineen Finnlands. II. Ann. Acad. Sci. Fenn., Ser. A. 42. xiii + 720 pp. Helsinki. 1938.
- 1725. Liskun, E. F. Effects of smut spores on animals. Selskoe choisjaistevo i djecow., St. Petersburg 228: 16-32. 1908. (Russian; trans. title.)
- 1726. Liskun, E., and Krastavitsky, J. Effect of the spores of wheat and corn smuts (Tilletia tritici und Ustilago maydis) on animals. Bull. Applied Bot. 7, No. 8: 508-526. St. Petersburg. 1914. (Russian; trans. title.)
- 1727. Livingston, J. E. The inheritance of resistance to Ustilago nuda. Phytopath. 32: 451-466. 1942.
- 1728. Livingston, J. E., and Kneen, E. A rag-doll technique for the inoculation of wheat with bunt (Tilletia levis). Phytopath. 34: 124-128. 1944.
- 1729. Ljubanski, F. The smut disease of wheat (Tilletia caries and T. Laevis).

 Bull. Soc. d'Agricult. à Elisavetgrad No. 419. 1902. (Russian; trans. title.)
- 1730. Ljung, E. W. Strabrand hos rag. Sveriges Utsadesf. Tidsskr. 1913: 230–233. 1913.
- 1731. Lobik, A. I. Smut of cereals in the Terek region. Lief. 1, Landw. Verwaltung des Terek-Gebietes, Pflanzenschutzstation Pjatigorsk 1924: 1–84. 1924. (Russian; trans. title.)
- 1732. Lobik, A. I. A method for the determination of the degree of contamination of grain with smut spores. La Défense des Plantes, Leningrad 2: 602-604. 1926. (Russian; trans. title.)
- 1733. Lobik, A. I. Experimental testing of the method of washing wheat seed for the purpose of determining the degree of infection with stinking smut. Morbi Plantarum, Leningrad 1927: 188–193. 1927. (Russian, with German summary; trans. title.)
- 1734. Lobik, A. I. On the occurrence of bunt, Tilletia foetens (Berk. et Curt.) Trel., on rye (Secale cereale). Bull. North Caucasian Plant Prot. Stat., Rostoff-on-Don 1930: 165–166. 1930.
- 1735. Lobik, A. I. On the question of the part played by grain-winnowing machines in the distribution of bunt of wheat. Bull. North Caucasian Plant Prot. Stat. Rostoff-on-Don 1930: 185-194. (Russian; trans. title.)
- 1736. Lobik, V. I. Investigation of the effect of formalin and copper carbonate on oat smut (Ustilago avenae [Pers.] Jens.). Bull. North Caucasian Plant Prot. Stat., Rostoff-on-Don 5: 149-194. 1930. (Russian, with German summary; trans. title.)
- 1737. Lobik, V. I., and Dahlstrem, A. F. Improvement of methods for the germination of wheat bunt spores in the laboratory. Summ. Sci. Res. Wk. Inst. Plant Prot. Leningrad 1935: 177-178. 1936. (Russian; trans. title.)
- 1738. Lods, E. A., and Coulson, J. G. A preliminary report on size of seed in relation to smut infection in oats. Ann. Rept. Quebec Soc. Prot. Plants 1928-1929: 80-85. 1929.

- 1739. Losana, M. Saggico sopra il carbone de Mais. 32 pp. Torino (typ. Bianco). 1828.
- 1740. Lowther, C. V. Low temperature as a factor in the germination of dwarf bunt chlamydospores. Phytopath. 38: 309-310. 1948.
- 1741. Ludwig, F. Einiges über die Brandpilze. Humboldt 1889: 257. 1742. Ludwigs, K. Pflege des Getreides während der Lagerung. Mitt. Ges. Vorratsschutz 2: 47-50. 1926.
- 1743. Luijk, A. Van. Variationsstatische Untersuchungen an Ustilagineen Meded. Phytop. Labor. Willie Comm. Scholt. 12: 36-52. 1928.
- 1744. Lundegardh, H. Utsädesbetning. De vid Centralanstaltens Botaniska avdelning pagaende undersökningarna. Landtmannen 12: 115-116. 1929.
- 1745. Lungren, E. A., and Durrell, L. W. Seed treatments for stinking smut of wheat. Colo. Agric. Expt. Sta. Bull. 333: 1-12. 1928.
- 1746. Luthra, J. C. Solar treatment of wheat for loose smut. Indian Farming 2: 416-418. 1941.
- 1747. Luthra, J. C., and Sattar, A. The loose smut disease of wheat (vernacular, 'Kangiari') and some new methods of its control. Agric. and Live-Stock in India 4: 495-504. 1934.
- 1748. Luthra, J. C., and Sattar, A. Some experiments on the control of loose smut, Ustilago tritici (Pers.) Jens of wheat. Indian Jour. Agric. Sci. 4: 177-199. 1934.
- 1749. Luthra, J. C., Sattar, A., and Sandhu, S. S. Life-history and modes of perpetuation of smut of sugarcane (Ustilago scitaminea Syd.). Indian Jour. Agric. Sci. 8: 849-861. 1938.
- 1750. Luthra, J. C., Sattar, A., and Sandhu, S. S. Experiments on the control of smut of sugarcane (Ustilago scitaminea Syd). Proc. Indian Acad. Sci. Sect. B. 12: 118-128. 1940.
- 1751. Lutman, B. F. Some contributions to the life history and cytology of the smuts. Wisc. Acad. Sci., Arts, and Letters. Trans. 16: 1191-**1244**. 1910.
- 1752. Lutman, B. F. Contributions to the life history and structure of certain smuts. Science N.S. 31: 747-748. 1910.
- 1753. McAlpine, D. The fungi of the wheat plant in Australia. Agric. Gaz. New S. Wales 9: 1009–1015. 1898.
- 1754. McAlpine, D. Experiments with rust and stinking smut in wheat during 1901. Austr. Assoc. Adv. Sci. Hobart 9: 610. 1902.
- 1755. McAlpine, D. Experiments in the prevention of stinking smut of wheat. Jour. Dept. Agric. Victoria 1: 413. 1902.
- 1756. McAlpine, D. Flag smut of wheat (U. occulta). Jour. Dept. Agric. Victoria, 3: 168-169. 1905.
- 1757. McAlpine, D. Effect of formalin and blue stone on the germination of seed wheat. Agric. Gaz. New S. Wales 17: 423-439. 1906.
- 1758. McAlpine, D. The stinking smut of wheat. Jour. Dept. Agric. Victoria 7: 171-175. 1909.
- 1759. McAlpine, D. Experiments relating to rust and smut resistance. Jour. Dept. Agric. Victoria 7: 255-260. 1909.
- 1760. McAlpine, D. The treatment of stinking smut of wheat. Jour. Dept. Agric. Victoria 8: 53. 1910.
- 1761. McAlpine, D. Rust and smut resistance in wheat and smut experi-

- ments with oats and maize. Jour. Dept. Agric. Victoria 8: 284–287. 1910.
- 1762. McAlpine, D. Notes on the smuts of Australia. Victorian Naturalist 27: 9-14. 1910.
- 1763. McAlpine, D. The smuts of Australia, their structure, life history, treatment, and classification. vii + 288 pp. 1910.
- 1764. McAlpine, D. The smut of maize and its treatment. Jour. Dept. Agric. Victoria 8: 290-298. 1910.
- 1765. McAlpine, D. A new smut in a new genus of grass. Proc. Linn. Soc. New S. Wales 36: 45–46. 1912.
- 1766. McCubbin, W. A., and Stuart, G. A. Studies in wheat smuts. Pennsylvania Dept. Agric., Harrisburg, Ann. Rept. 1928.
- 1767. McDiarmid, R. W. Field experiments with wheat, 1911. Agric. Gaz. New S. Wales 23: 650-652. 1912.
- 1768. McDonald, A. H. E. Price of copper carbonate for treating seed wheat. Agric. Gaz. New S. Wales 35: 259. 1924.
- 1769. McDonald, A. H. E., and Moodie, A. W. S. Germination tests with 'shot' wheat. Effect of treatment for bunt. Agric. Gaz. New S. Wales 34: 414-416. 1925.
- 1770. McDougall, J. C. Report of the working of the Department of Agriculture in the Central Provinces and Berar for the year ending 31st March, 1940. 30 pp. 1941.
- 1771. McKay, R. The incidence and control of loose smut and leaf spot of oats. Jour. Dept. Agric. Irish Free State 32: 234–256. 1933.
- 1772. McKay, R. Method of infection of oat grain with Ustilago avenae and the influence of external factors on the incidence of the disease. Sci. Proc. R. Dublin Soc. N. S. 21: 297-307. 1936.
- 1773. McKillican, W. C. Experiments with wheat at the Dominion Experimental Farm, Brandon, Manitoba. A summary, 1889–1923. Can. Dept. Agric. Bull. 42. N. S. 55. 1924.
- 1774. McMartin, A. Sugarcane smut: reappearance in Natal. S. Afric. Sug. Jour. 29: 55-57. 1945.
- 1775. McRae, W. Mustard smut. In Report of the Imperial Mycologist 1925-26. Sci. Repts. Agric. Res. Inst. Pusa 1925-26: 66-67. 1926.
- 1776. McRae, W. Economic Botany, III. Mycology. Ann. Rept. Bd. Sci. Advice, India, 1922–23: 21–22. 1929.
- 1777. McRae, W. Report of the Imperial Mycologist. Scient. Repts. Imper. Inst. Agric. Res., Pusa (1932–33): 134–160. 1934.
- 1778. Macias, C. The smut of wheat. Com. Par. Agric. Mexico Circ. 27. 1905.
- 1779. Mackay, A. Test of copper sulphate as a preventive of smut in wheat. Can. Expt. Farms Rept. 1900: 394.
- 1780. Mackay, A. Test of Formalin and Massel powder for the prevention of smut in oats and barley. Can. Expt. Farms Rept. 1900: 397-399.
- 1781. Mackay, A. Smut treatment. Can. Expt. Farms Rept. 1905: 364.
- 1782. Mackie, W. W. A possible new fungicide for wheat and barley smut. Science 48: 515-516. 1918.
- 1783. Mackie, W. W. Head smut in sorghum and maize. Phytopath. 10: 307-308. 1920.
- 1784. Mackie, W. W. Prevention of insect attack on stored grain. Calif. Agric. Expt. Sta. Circ. 282. 1925.

- 1785. Mackie, W. W., and Briggs, F. N. Fungicidal dusts for control of smuts. Science 52: 540. 1920.
- 1786. Mackie, W. W., and Briggs, F. N. Chemical dusts for the control of bunt. Phytopath. 11: 38. 1921.
- 1787. Mackie, W. W., and Briggs, F. N. Fungicidal dusts for the control of bunt. Calif. Agric. Expt. Sta. Bull. 364: 533-569. 1923.
- 1788. Mackie, W. W., and Briggs, F. N. Effects of wheat treated with CuCO₃ upon the common house mouse (Mus musculus). Phytopath. 16: 629-632. 1926.
- 1789. MacMillan, C. Effects of parasitism of Ustilago antherarum Fr. Bot. Gaz. 17: 17-18. 1892.
- 1790. MacMillan, H. G. An epidemic of corn smut following hail. Phytopath. 8: 584-585. 1918.
- 1791. Macrae, N. A. Preliminary report on studies of loose smut of barley. Proc. Can. Phytopath. Soc. 1929: 44-47. 1930.
- 1792. Maddox, F. Experiments at Eastfield, smut, bunt, rust. Rept. Dept. Agric. Tasmania. 1895.
- 1793. Maddox, F. Smut and bunt. Agric. Gaz. Tasmania 4: 92-95 1896.
- 1794. Maddox, F. Smut and bunt. Agric. Expt. Eastfield, Tasmania. 1897: 72–84.
- 1795. Maddox, F. Notes and results on agricultural experiments carried on under the auspices of the Council of Agriculture of Tasmania at Eastfield, Newnham. Jaunceton, Tasmania. 1897.
- 1796. Maddox, F. Smut in wheat. Agric. Gaz. New S. Wales 21: 58–59. 1910.
- 1797. Magnin, A. Sur l'hermaphrodisme du Lychnis dioica atteint d'Ustilago. Compt. Rend. Acad. Sci. Paris 107: 663-665. 1888.
- 1798. Magnin, A. Sur l'hermaphrodisme parasitaire et le polymorphisme floral du Lychnis dioica. Rev. Sci. 16: 745. 1888.
- 1799. Magnin, A. Recherches sur le polymorphisme floral, la sexualité et l'hermaphrodisme parasitaire du Lychnis vespertina. Ann. Soc. Bot. de Lyon 16: 203-231. 1889.
- 1800. Magnin, A. Sur l'hermaphrodisme lu Lychnis dioica atteint d'Ustilago. Bull. Sci. France et Belg. III, 2: 150–153. 1889.
- 1801. Magnin, A. Sur la castration androgène du Muscari comosum Mill.

 par l'Ustilago Vaillantii Tul. et quelques phénomènes remarquables
 accompagnant la castration parasitaire des Euphorbes. Compt.
 Rend. Acad. Sci. Paris 110: 1149-1152. 1890.
- 1802. Magnin, A. Observations sur le parasitisme et la castration chez le anémones et les euphorbes. Bull. Sci. France et Belg. 1891.
- 1803. Magnin, A. Sur quelques effets du parasitisme chez les végétaux. Compt. Rend. Acad. Sci. Paris. 113: 784–786. 1891.
- 1804. Magnin, A. Sixième note sur la castration parasitaire principalement sur la castration androgène du Muscari cosmosum. Ann. Soc. Bot. de Lyon 17: 41-50. 1891.
- 1805. Magnin, A. Nouvelles observations sur la sexualité et la castration parasitaire. Compt. Rend. Acad. Sci. Paris 115: 675-678. 1892.
- 1806. Magnin, A. Nouvelles observations sur la sexualité des Lychnis (parasites). Bull. Soc. Bot. de Lyon 18: 1-28. 1893.
- 1807. Magnin, A., and Giard, A. Notes sur la castration parasitaire du Me-

- landrium vespertinum Sibthp. (Lychnis dioica L.). Bull. Sci. France et Belg. 20: 150–160. 1889.
- 1808. Magnus, P. Mycologische Mitteilungen. Hedwigia 14: 17-21. 1875.
- 1809. Magnus, P. Über drei neue Pilzarten. (Ustilago succisae, Caeoma chelidonii, Puccinia nidificans). Verh. Bot. Ver. Prov. Brandb. Sitzungsber. 17: 22. 1875.
- 1810. Magnus, P. Über drei neue Pilze Schlesiens (Ustilago Urbani, Urocystis primulicola, Schinzia cypericola). Verh. Bot. Ver. Brandenb. Sitzungsber. 20: 50-54. 1878.
- 1811. Magnus, P. Bemerkung über Sorosporium und Tilletia De Baryana F. v. W. Verh. Bot. Ver. Prov. Brandenb. Sitzungsber. 20: 4. 1878.
- 1812. Magnus, P. Ustilago urbani-Protomyces graminicola, nach Passerini Conidienform einer Perenospora. Verh. Bot. Ver. Prov. Brandb. Sitzungsber. 21: 33. 1879.
- 1813. Magnus, P. Über die generische Stellung von Schinzia cypericola. Verh. Bot. Ver. Prov. Brandb. Sitzungsber. 21: 119. 1879.
- 1814. Magnus, P. Bemerkung zu A. B. Franks Notiz über Zwiebelbrand. Bot. Centralbl. 1: 348. 1880.
- 1815. Magnus, P. Ein neues Entyloma auf Helosciadium nodiflorum K. Hedwigia 21: 129–130. 1882.
- 1816. Magnus, P. Über einige Arten der Gattung Schinzia Näg. Ber. Deutsch. Bot. Ges. 6: 100. 1888.
- 1817. Magnus, P. Urocystis Kmetiana P. Magn. n. sp. im Fruchtknoten von Viola tricolor arvensis. Verh. Bot. Ver. Prov. Brandb. Sitzungsber. 31: 19. 1889.
- 1818. Magnus, P. Einfluss parasitischer Pilze auf die Ausbildung der Blütenteile der Wirtsflanze. Verh. Bot. Ver. Prov. Brandenb. Sitzungsber. 33: 6-8. 1891.
- 1819. Magnus, P. Einfluss von Parasiten auf die Ausbildung des befallenen Pflanzenteiles. Naturwissenschaftliche Rundschau 6. 1891.
- 1820. Magnus, P. Beitrag zur Kenntniss einer oesterreichischen Ustilaginee. Oesterr. Bot. Zeitschr. 12: 37-40. 1892.
- 1821. Magnus, P. Das Auftreten der Schinzia cypericola P. Magn. in Bayern und Einiges über deren Verbreitung in Europa. Abhandl. der Naturforsch.-Gesellsch. zu Nürnberg 10: 25-31. 1893.
- 1822. Magnus, P. Die von J. Peyritsch in Tirol gesammelten und im Herbarium der k.k. Universität zu Innsbruck aufbewahrten Pilze. Ber. des Naturw. Medizin. Ver. Innsbruck 21: 25-73. 1894.
- 1823. Magnus, P. Die Ustilagineen (Brandpilze) der Provinz Brandenburg, nebst Bemerkungen über Umgrenzung der Gattungen und Arten derselben. Verh. Bot. Ver. Prov. Brandenb. Sitzungsber. 37: 66-97. 1895.
- 1824. Magnus, P. Seit wann ist der Maisbrand (Ustilago maydis [DC.] Tul.) in Deutschland? Deutsche Bot. Monatschr. 13: 49-53. 1895.
- 1825. Magnus, P. Über die Ustilagineen-Gattung Setchellia P. Magn. Ber. Deutschen Bot. Ges. 13: 468-472. 1895.
- 1826. Magnus, P. Berichtigung zur Cintractia Seymouriana P. Magn. Ber. Deutschen Bot. Ges. 14: 391. 1896.
- 1827. Magnus, P. Eine nordamerikanische Ustilaginee auf Panicum crusgalli. Ber. Deutschen Bot. Ges. 14: 216-221. 1896.

- 1828. Magnus, P. Fungi. In Graebner, P., Zur Flora des Kreises Putzig (Westpreussen) und Lauenburg in Pommern. Schriften der Naturf. Ges. Danzig 9: 318-320. 1896.
- 1829. Magnus, P. Die Ustilagineen (Brandpilze) der Provinz Brandenburg. Verh. Bot. Ver. Prov. Brandenb. 37: 66-97. 1896.
- 1830. Magnus, P. Les Ustilaginées du Cynodon dactylon L. et leur distribution géographique. Bull. Soc. Myc. France 15: 265-271. 1899.
- 1831. Magnus, P. Beitrag zur Kenntnis der Neovossia Moliniae (Thm.) Koern. Ber. Deutschen Bot. Ges. 18: 73-78. 1900.
- 1832. Magnus, P. Die richtige wissenschaftliche Bezeichnung der beiden auf der Gerste auftretenden Ustilago-Arten. Hedwigia 57: 125-127. 1908.
- 1833. Magnus, P. Eine neue Tilletia aus Serbien. Hedwigia 68: 145–146. 1908. (T. belgradensis on Bromus secalinus.)
- 1834. Magnus, P. Zur richtigen Benennung und Kenntnis der in den Fruchtknoten von Bromus auftretenden Tilletia. Hedwigia 49: 100. 1909.
- 1835. Magnus, P. Ein neues Melanotaenium aus Thüringen. Ber. Deutschen Bot. Ges. 29: 456–458. 1911.
- 1836. Magnus, P. Eine neue Urocystis. Ber. Deutschen Bot. Ges. 30: 290-293. 1912.
- 1837. Mahner, A. Feldversuch mit Beizmitteln zur Bekämpfung des Haferbrandes. Wiener Landw. Ztg. 73: 13-14. 1923.
- 1838. Maire, R. Note sur le developpement saprophytique et sur la structure cytologique des sporidies-levures chez Ustilago maydis. Bull. Soc. Myc. France 14: 161-173. 1898.
- 1839. Maire, R. Quelques Uredinées et Ustilaginées nouvelles ou peu connues. Bull. Soc. Myc. France 16: 65-72. 1900.
- 1840. Maire, R. Sur la coexistence de la nielle et de la carie dans les grains de ble. Bull. Soc. Myc. France 18: 130. 1902.
- 1841. Maire, R., Brockmann-Jerosch, H., and Maire, R. Contributions à l'étude de la flore mycologique de l'Autriche. Österr. Bot. Zeitschr. 57: 271-280, 328-338, 421-424. 1907.
- 1842. Maire, R. Champignons Nord-Africains nouveaux ou peu connus. Bull. Soc. d'Histoire Naturelle d'Afrique du Nord 8: 134-200. 1917.
- 1843. Maire, R., and Marguery, F. Exsiccata Hypodermearum Galliae Orientalis. Decas quarta. Monde des Plantes 7. 1898.
- 1844. Maklakova, G. F. Report of experiments on the effect of various methods of seed disinfection on the development of bunt of wheat. La Défense des Plantes, Leningrad 4: 343-349. 1927. (Russian; trans. title.)
- 1845. Malbranche, A. Lettre (Urocystis cepulae, Elodea canadensis, Leersia oryzoides). Bull. Soc. Bot. France 28. 1881.
- 1846. Malbranche, A. Le Charbon des oignons. Bull. Soc. Bot. France 28: 277-278. 1881.
- 1847. Malencon, G. Ustilago abstrusa sp. nov. Ustilaginée nouvelle sur Juneus. Bull. Soc. Myc. France 45: 252-256. 1929.
- 1848. Malencon, G., and Yen, W. Y. Une nouvelle espèce de Sorosporium. Rev. Myc. N. S. 2: 130-131. 1937.
- 1849. Malkoff, K. The stinking smut of wheat and its control. Ghodishen Otchet Drzhavnata Zeml. Opitna. Stantziya Sadovo 2: 139-149. 1904. (Bulgarian, with German summary; trans. title.)

- 1850. Malkoff, K. Researches on various plant diseases. Arb. Staatl. Landw. Versuchsanst. Sadovo, No. 2 1907. (Bulgarian; trans. title.)
- 1851. Malzew, A. The weight determination of contamination of seed due to smut. Bull. Bureau Appl. Bot. 1: 141-144. 1908. (Russian, with German summary; trans. title.)
- 1852. Maquenne, L. Remarques sur le sulfatage des grains de semence. Compt. Rend. Acad. d'Agric. France 10: 852-853. 1924.
- 1853. Marchal, E., and Sternon, F. Sur les rapports existant entre des formes conidiennes du type Ramularia et le genre Entyloma. Bull. Soc. Roy. Bot. Belg. 47: 51-55. 1924.
- 1854. Marchionatto, J. B. La lucha contra el 'carbon volador' del Trigo. (Ensayos de orientacion). Bol. Min. Agric. Nac., Buenos Aires 28: 229-231. 1929.
- 1855. Marchionatto, J. B. Sobre algunos hongos parasitos des las gramineas toxicos para el granado. Bol. Min. Agric. Nac., Buenos Aires 29: 457–462. 1930.
- 1856. Marchis, E. de. Ricerche sull' Ustilago maydis. Bull. R. Acad. Med. Roma 27: 657–698. 1900.
- 1857. Marchis, E. de. Sui principii attivi della Ustilago maydis. Dubbi sull' esistenza di un alcaloide, l'ustilagina di Rademaker e Fischer. Arch. Farmacol. sper. e sc. affin. 1904: 265–270.
- 1858. Märcker, M. H. Gegen den Flugbrand der Gerste. Deutsche Landw. Presse 15: 88. 1887.
- 1859. Märcker, M. H. Gegen den Flugbrand der Gerste. Magdeburger Ztg. No. 79. 1887.
- 1860. Marcy, D. E. Inheritance of resistance to the loose and covered kernel smuts of sorghum. I. Dwarf yellow milo hybrids. Bull. Torr. Bot. Club 64: 209-228. 1937.
- 1861. Marcy, D. E. Inheritance of resistance to the loose and covered kernel smuts of sorghum. II. Feterita hybrids. Bull. Torr. Bot. Club 64: 245-267. 1937.
- 1862. Markova, M. F. Phsiologic races of Urocystis anemones W. Morbi Plantarum 16: 135-140. 1927. (Russian, with French summary; trans. title.)
- 1863. Marschner, G. Etwas über den Roggenstengelbrand. Nachr. über Schädlingsbekämpf. 6: 93–94. 1931.
- 1864. Marsh, R. W. Report on bunt prevention trials, 1928. Ann. Rept. Agric. and Hort. Res. Sta., Long Ashton, Briston 1928: 138-139. 1929.
- 1865. Martin, J. F. Reaction of wheat varieties to composites of races of bunt occurring in the Pacific Northwest. Jour. Amer. Soc. Agron. 28: 672-682. 1936.
- 1866. Martin, J. F. Effect of seed disinfection and delayed sowing on the control of bunt in infested soil. Jour. Amer. Soc. Agron. 30: 870– 877. 1938.
- 1867. Martin, J. F., and Sprague, R. Relative effectiveness of controlling different phsiologic races of bunt by seed disinfection. Jour. Amer. Soc. Agron. 30: 390-394. 1938.
- 1868. Martin, J. H., and Ratliffe, G. T. Loose kernel smut on feterita. Phytopath. 17: 338-339. 1927.

- 1869. Martin, J. R. Seed barley treated with bluestone. Queensland Agric. Jour. 9: 187. 1901.
- 1870. Martin, W. J. A study of the genetics of Sorosporium syntherismae and Sphacelotheca panici-miliacei. Phytopath. 33: 569-585. 1943.
- 1871. Martin, W. J., and Kernkamp, M. F. Variation in cultures of certain grass smuts. Phytopath. 31: 761-763. 1941.
- 1872. Martinet, G. Traitement des blés de semence contre la carie et le charbon. Chron. Agr. Vaud. 19: 477-480. 1906.
- 1873. Mascarenhas, J. D. Sobre a Caria (Ustilago dos botanicos). Annals das Sciencias, Paris 4: 53-65. 1819.
- 1874. Mason, E. W. On two species of Tolyposporium Woronin recorded on cultivated sorghum. Trans. Brit. Myc. Soc. 11: 284-286. 1926.
- 1875. Massalongo, C. Sul dimorfismo di natura parassitaria dei fiori di Convolvulus arvensis L. Bull. Soc. Bot. Ital. 1896: 11-14.
- 1876. Massalongo, C. Sulla scoperta in Italia della Thecaphora affinis Schneid. Bull. Soc. Bot. Ital. 1896: 211–213.
- 1877. Massee, G. E. New or critical British fungi. Grevillea 21: 120-121. 1893.
- 1878. Massee, G. E. A revision of the genus Tilletia. Bull. Misc. Inf. Roy. Gard. Kew. 1899: 141-159. 1899.
- 1879. Massee, G. E. An introduced parasite on grass. (Cintractia patagonica). Gard. Chron., Ser. 3, 33: 14. 1903.
- 1880. Massee, I. Observations on the life-history of Ustilago Vaillantii Tul. Jour, Econ. Biol. 9: 5-14. 1914.
- 1881. Massey, A. B., and Zundel, G. L. Sorghastrum, host of an undescribed smut. Phytopath. 32: 544-546. 1942.
- 1882. Mastenbroek, I. C. Een Albino In Stuifbrand Van Gerst. Tijdsskr. o. Plantenz. 55: 210-212. 1949.
- 1883. Mathur, R. S. Control of sugar-cane smut in the United Provinces. Indian Sug. 8: 439-440. 1945.
- 1884. Mattirolo, O. Sulla Tilletia controversa Kühn raccolta in Albania dal Dott. A. Baldacci. Bull. Soc. Bot. Ital. 1896: 107-109.
- 1885. Matzulevitch, B. Methods of soil analysis for the detection of infection with onion smut. Pl. Prot. Leningrad 1936: 174. (Russian; trans. title.)
- 1886. Maurizio, A. Über die Schädlichkeit der Brandpilze in Kleien und Futtermitteln. Schweiz. Landw. Zeitschr. 30: 1048–1049. 1902.
- 1887. Maurizio, A. Pollenanalytische Beobachtungen 6–9. Die Nektarproduction an gesunden und von Ustilago violacea befallenen Blüten von Melandrium album. Ber. Schweiz. Bot. Ges. 51. 1941.
- 1888. Mauz. Beobachtungen über den Kornbrand. Verh. Ges. Deutsch. Naturf. u. Ärzte 1844: 80–82.
- 1889. Mauz. Über die Impfung des Mutterkornes und des Kornbrandes. Isis 1: 77. 1846.
- 1890. Mayer, N. Wie schützt man den Weizen vor Brand? Landw. Ztg. f. Elsass-Lothringen 1900: 561.
- 1891. Mayerhofer, E., and Dragisic, B. Weiterer Bericht über kindliche Maisbrandvergiftungen (Ustilaginismus). Zeitschr. Kinderheilk. 59: 543-552. 1938.
- 1892. Maze, P. Chlorase toxique du maïs: la secretion interne et la resistance

- naturelle des végétaux superieurs aux intoxications et aux maladies parasitaires. Compt. Rend. Soc. Biol. Paris 79: 1059-1066. 1916.
- 1893. Maze, P., and Maze, P. J. Influence des fumeurs organiques sur l'infection du maïs par l'Ustilago maidis. Compt. Rend. Soc. Biol. Paris 109: 835-837. 1932.
- 1894. Maze, P., and Maze, P. J. L'inégale resistance des variétés de Zea mais a l'infection du charbon (Ustilago maidis). Compt. Rend. Soc. Biol. Paris 109: 1087-1088. 1932.
- 1895. Maze, P., and Maze, P. J. Sur l'infection du maïs par le charbon (Ustilago maidis). Compt. Rend. Soc. Biol. Paris 109: 825-827. 1932.
- 1896. Mead, H. W. A study of seed troubles in relation to root-rot of cereals. Div. of Botany Can. Dept. Agric. Ann. Rept. 1900: 84-89. 1931.
- 1897. Mead, H. W. Seed-borne molds of barley. Commun. Wallerstein Lab. 6: 26-32. 1943.
- 1898. Mehlisch, K. Eine Blattfleckenkrankheit der Dahlie. Blumen- u. Pflbau. ver. Gartenwelt. 39: 390–391. 1935.
- 1899. Mehta, K. C. On the mode of infection and perennation of the smut of 'Doob' (Cynodon dactylon Pers.). Jour. Ind. Bot. Soc. 3: 243-251. 1923.
- 1900. Meiners, J. P. Comparative growth in culture of eleven physiologic races of Ustilago bullata. Phytopath. 37: 844-845. 1947.
- 1901. Melchers, L. E. Smuts of grain and forage crops in Kansas. Kans. Agric. Expt. Sta. Bull. 210. 1916.
- 1902. Melchers, L. E. Ecologic and physiologic notes on corn smut (Ustilago zeae). Phytopath. 11: 32. 1921.
- 1903. Melchers, L. E. Control of sorghum kernel smut by the copper carbonate method. Kans. Agric. Col. Ext. Leaflet 224. 1925.
- 1904. Melchers, L. E. Diseases of cereal and forage crops in the U. S. in 1924. Plant Dis. Reptr. Suppl. 40: 106-191. 1925.
- 1905. Melchers, L. E. Studies on the control of millet smut. Phytopath. 17: 739-741. 1927.
- 1906. Melchers, L. E. Belated development of kernel smut. (Spacelotheca sorghi) in apparently healthy sorghum plants. Jour. Agric. Res. 47: 343-350. 1933.
- 1907. Melchers, L. E. Physiologic specialization of Sphacelotheca cruenta (Kühn) Potter. Jour. Agric. Res. 47: 339-342. 1933.
- 1908. Melchers, L. E. Investigations on physiologic specialization of Tilletia levis in Kansas. Phytopath. 24: 1203-1226. 1934.
- 1909. Melchers, L. E. The reaction of a group of sorghums to the covered and loose kernel smuts. Amer. Jour. Bot. 27: 789-791. 1940.
- 1910. Melchers, L. E. Climate in relation to plant diseases. Trans. Kans. Acad. Sci. 44: 172–182. 1941.
- 1911. Melchers, L. E., Ficke, C. H., and Johnston, C. O. Physiologic specialization in Sphacelotheca sorghi. Phytopath. 20: 142-143. 1930.
- 1912. Melchers, L. E., Ficke, C. H., and Johnston, C. O. A study of the physiologic forms of kernel smut (Spachelothera sorghi) of sorghum. Jour. Agric. Res. 44: 1-11. 1932.
- 1913. Melchers, L. E., and Hansing, E. D. The influence of environmental conditions at planting time on sorghum kernel smut infection. Amer. Jour. Bot. 25: 17-27. 1938.

- 1914. Melchers, L. E., and Johnston, C. O. Sulphur and copper carbonate dusts as effective fungicides for the control of sorghum kernel smuts and millet smut. Phytopath. 17: 52. 1927.
- 1915. Melchers, L. E., and Walker, H. B. The copper carbonate dust method of controlling bunt of wheat. Kans. Agric. Expt. Sta. Circ. 107. 1924.
- 1916. Melhus, I. E., and Davis, G. N. Nodal infection with the corn smut organism. Phytopath. 21: 129. 1931.
- 1917. Melhus, I. E., and Kent, G. C. Pathology and mycology of corn. Iowa Agric. Expt. Sta. Rept. 1944–45, Part 2: 60–64. 1946.
- 1918. Melhus, I. E., and Rhodes, L. I. A quick method of eliminating seed-borne organisms of grain. Science 50: 21. 1919.
- 1919. Melhus, I. E., and Semeniuk, G. Pathology and mycology of corn. Iowa Agric. Expt. Sta. Rept. 1945–46, II: 49–52.
- 1920. Mencacci, M. Experienze per determinare l'azione di alcuni trattamenti al grano. Bol. Staz. Pat. Veg. 6: 216-235. 1926.
- 1921. Mencacci, M. Trattamenti dei semi di Grano, Avena, et Orzo con uspulun germisan, kalimat e abavit. Bol. Staz. Pat. Veg., N. S. 8: 221-225. 1928.
- 1922. Menzies, J. D., and Stanberry, C. O. The effect of terminal smut galls on yield and seed grade of detassled hybrid corn. Phytopath. 37: 363. 1947.
- 1923. Merat, Fr. V. Nouvelle Flora des environs de Paris, Vol. 2, Third Edition. Paris. 1834.
- 1924. Mercer, W. B. Smut diseases of wheat. Jour. Bd. Agric. Great Britain (London) 23: 633-643. 1916.
- 1925. Merchan, A. Informe sobre tratamiento electrico de semillas artes de la sılmbra. Revist. Agri. Com. y Trab. 2: 199-201. 1919.
- 1926. Mercier, C. A. The electrification of seeds. Sci. Amer. 120: 142-143. 1919.
- 1927. Merrill, L. A., and Eliason, B. F. The grain smuts. Utah Agric. Expt. Sta. Bull. 84: 35-44. 1903.
- 1928. Mestral, A. de. Le charbon de l'avoine et la façon de combattre. Soc. Agric. Suisse Romande 48: 28. 1907.
- 1929. Meyen, F. J. F. Pflanzenpathologie. Lehre von dem kranken Leben und Bilden der Pflanzen. xi + 330 pp. Berlin. 1841.
- 1930. Meyer, A. Methods of recording the infection of crops with smut under the conditions of large scale farming. Zasch. Rast. (Plant Prot.) Leningrad 9: 133-137. 1936. (Russian; trans. title.)
- 1931. Meyer-Bahlburg, W. Kann man flugbrandkranken Weizen aussäen? Deutsche Landw. Presse 57: 608. 1930.
- 1932. Miczynski, K. Note sur le Charbon des céréales (Ustilago carbo Tul.). Bull. Intern. Acad. Sci. Cracovie 1893: 73-75.
- 1933. Miczynski, K. Der Einfluss des Steinbrandes auf die Form der Weizenähren. Zeitschr. Landw. Versuchsw. Österr. 14: 232–234. 1911.
- 1934. Middleton, G. K., and Chapman, W. H. Resistance to floral-infecting loose smut (Ustilago nuda) in fall-sown barley varieties at Statesville, North Carolina. Phytopath. 31: 351-353. 1941.
- 1935. Migula, W. Brandpilze in Thome: Flora von Deutschland, Österreich und der Schweiz. 3 (1): 243–279. 1910.

- 1936. Milan, A. Il grado di recettivita per la carie delle varieta di Frumento. Staz. Sper. Agrar. Ital. 57: 400-404. 1924.
- 1937. Milan, A. Infezione per "Teilletia" su Grano in via di accestimento. (Nota preventiva.) Nuovo Giorn. Bot. Ital., N. S. 34: 630-631. 1927.
- 1938. Milan, A. Contributo allo studio della biologia di Tilletia tritici e Tilletia laevis. Nuovi Ann. Agric. 8: 3-24. 1928.
- 1939. Milan, A. Il grado di recettivita per la 'carie' dell varieta de Frumento (ii Nota). Nuovo Giorn. Bot. Ital., N. S. 34: 1188-1199. 1928.
- 1940. Milan, A. Il grado di recettivita per la 'carie' della varieta di Frumento (III Nota). Nuovo Giorn. Bot. Ital., N. S. 38: 142-154. 1931.
- 1941. Milan, A. L'alterazione della forma sulle spiche di Grano colpite dalla carie. Nuovo Giorn. Bot. Ital., N. S. 38: 585-588. 1931.
- 1942. Milan, A. Le infezioni con 'Tilletia' attenute per trauma e il grado di recettivita dei tipi di Grano. Nuovo Giorn. Bot. Ital., N. S. 39: 90-108. 1932.
- 1943. Milan, A. Sul grado di accestimento delle piante di Grano colpite dalla 'carie.' Nuovo Giorn. Bot. Ital., N. S. 39: 603-612. 1932.
- 1944. Milan, A. Delle infezioni per 'Ustilago tritici' (Pers.) Jens. e di una facile procedura per ottenerle artificialmente. Nuovo Giorn. Bot. Ital., N. S. 40: 539-547. 1933.
- 1945. Milan, A. Il numero delle cariossidi sulle spiche di Grano sane e cariate in confronto. Nuovo Giorn. Bot. Ital., N. S. 40: 78-93. 1933.
- 1946. Milan, A. Intorno alla simultanea presenza dei parassiti 'Tilletia tritici' (Bjerk.) Wint. e 'Ustilago tritici' (Pers.) Jens. su piante di Frumento. Nuovo Giorn. Bot. Ital., N. S. 43: 586–599. 1936.
- 1947. Milan, A. Prove estive sull' 'Ustilago tritici' (Pers.) Jens. con varieta di Grano precoci. Riv. Pat. Veg. 27: 287-296. 1937.
- 1948. Milan, A. Sul 'carbone volante' del Grano in rapporto all' accestimento dell piante. Nuovo Giorn. Bot. Ital., N. S. 46: 149-157. 1939.
- 1949. Milan, A. Sensibilita per la Ustilago tritici (Pers.) Jens. di alcuni ibridi normali di Frumento. Riv. Pat. Veg. 29: 71–84. 1939.
- 1950. Miles, L. E. New discoveries in relation to seed treatment which further emphasize the need for treating. Agric. News Letter 3: 7-9. 1935.
- 1951. Millard, W. A. Report on fungoid diseases. In Report on experiments with wheat conducted at the Manor Farm, Garforth, and in the North Riding, 1921. Univ. of Leeds and Yorkshire Council for Agric. Education Circ. 123: 809. 1922.
- 1952. Miller, P. W., and McWhorter, F. P. Studies on the control of onion smut by seed treatments in Oregon. Plant Dis. Reptr. 29: 93:94. 1945.
- 1953. Miller, W. B., and Millikan, C. R. Investigations on flag smut of wheat caused by Urocystis tritici Koern. Jour. Dept. Agric., Victoria 32: 365-380, 418-432, 1934.
- 1954. Millikan, C. R. The influence of nutrition on the reaction of wheat to Urocystis tritici Koern. Jour. Dept. Agric. Victoria 37: 302-308. 1939.

- 1955. Millikan, C. R. The influence of nutrition on the reaction of wheat to Urocystis tritici Koern. III. Jour. Dept. Agric. Victoria 37: 587-596. 1939.
- 1956. Millikan, C. R., and Sims, H. J. The reactions of wheat varieties to flag smut. Jour. Dept. Agric. Victoria 35: 514-520. 1937.
- 1957. Mills, A. A. Treatment for oat smut. Utah Agric. Expt. Sta. Rept. 1893: 225-228.
- 1958. Minz, G. Parasitic fungi on imported straw. Hassedeh 24: 36. 1943.
- 1959. Minz, G. On the occurrence of Ustilago nigra on barley in Palestine. Palest. Jour. Bot. R. Ser. 4: 205-206. 1944.
- 1960. Mitchel, J. The physiological action of Ustilago maidis on the nervous system. Therap. Gaz. Detroit 10: 223-227. 1886.
- 1961. Mitra, M. Gall formation on the roots of mustard due to a smut (Urocystis coralloides Rostrup). Agric. Jour. India 23: 104-106. 1928.
- 1962. Mitra, M. A new bunt on wheat in India. Ann. Appl. Biol. 18: 178–179. 1931.
- 1963. Mitra, M. Stinking smut (bunt) of wheat with special reference to Tilletia indica Mitra. Indian Jour. Agric. Sci. 5: 1-24, 1935.
- 1964. Mitra, M. Studies on the stinking smut or bunt of wheat in India. Indian Jour. Agric. Sci. 7: 459-476. 1937.
- 1965. Mitra, M., and Taslim, M. The control of loose smut of wheat in North Bihar by the solar energy and sun-heated water methods. Agric. Live-Stock India 6: 43-47. 1936.
- 1966. Miura, Shikutaro. On the grain of barley or wheat infected by smut fungus through the flower. Ann. Phytopath. Soc. Japan 1: 16-26. 1918. (In Japanese).
- 1967. Miyabe, K. Note on Ustilago esculenta. Bot. Mag. 9: 197-198. 1895.
- 1968. Moeller, A. Protobasidiomyceten. Bot. Mittheil. aus den Tropen. 8. 180 pp. Jena. 1895.
- 1969. Moeller, A. Neue Forschungsergebnisse über Brandkrankheiten des Getreides. Zeitschr. f. Forst- und Jagdwesen 36: 254-257. 1904.
- 1970. Moeller, A. Oskar Brefelds neue Untersuchungen über Brandpilze. Deutsche Landw. Presse 14. 1906.
- 1971. Moesz, G. von. A magyar nemzeti muzeum ujabban szerzett erdekesebb hazaii üszokfajai. His Mykologiai közlemenyek 47: Bot. Közlem. 19: 64-66. 1921.
- 1972. Moesz, G. von. Über das Vorkommen eines exotischen Brandpilzes in Ungarn. Magyar Bot. Lapok 1927: 47–49. (Hungarian, with German title and summary.)
- 1973. Moldenhauer, J. Untersuchungen über die Empfänglichkeit der Wildund Kulturhaferformen für Ustilago avenae mit besonderer Berücksichtigung des Infektionsvorganges. Kühn-Arch. 15: 349-409. 1927.
- 1974. Molliard, M. Sur deux cas de castration parasitaire observés chez Knautia arvensis Coulter. Compt. Rend. Acad. Sci. Paris 116: 1306– 1308. 1893.
- 1975. Molliard, M. Note de pathologie végétale. I. Proliferations des fleurs de Bromus erectus sous l'action de l'Ustilago bromivora Tul. II. Action exercée par l'Ustilago longissima Sow. sur la structure desfaisceaux du Glyceria aquatica. Rev. Gen. Bot. 10: 87-101. 1898.
- 1976. Molliard, M. A propos d'une particularité presentée par le système

- vasculaire de la galle de l'Urocystis violae. Marcellia 1: 175-179. 1902.
- 1977. Molz, E. Neue Erfahrungen mit der Trockenbeize des Saatgutes. Deutsche Landw. Presse 53: 425–426. 1926.
- 1978. Molz, E. Zur Geschichte der Saatgut-Trockenbeize. Deutsche Landw. Presse 54: 520. 1927.
- 1979. Montemartini, L. Ecceitabilita di organismi ammalati. Riv. Pat. Veg. 25: 293-303. 1935.
- 1980. Moore, M. B. The genetics of Ustilago zeae. Phytopath. 22: 20. 1932.
- 1981. Moore, M. B. A method of inoculating wheat and barley with loose smuts. Phytopath. 26: 397-400. 1936.
- 1982. Moore, M. B. A partial-vacuum method for the inoculation of wheat and barley with loose smuts. Phytopath. 26: 103. 1936.
- 1983. Moore, M. B. Pathogenicity of different collections of Ustilago tritici and U. nuda. Phytopath. 26: 103. 1936.
- 1984. Moore, M. B. The Minnesota seed-grain treater. U. S. Dept. Agric. Misc. Publ. 330. 1938.
- 1985. Moore, M. B. Physiologic races of Ustilago tritici. Phytopath. 32: 13. 1942.
- 1986. Moore, M. B. Parasitic races of Ustilago tritici on spring wheats. Phytopath. 38: 18. 1948.
- 1987. Moore, M. B., and Allison, C. C. The distribution of intermediate types of barley smuts. Phytopath. 25: 28. 1935.
- 1988. Moore, M. B., and Allison, C. C. An albino strain of barley smut. Phytopath, 25: 27–28. 1935.
- 1989. Moore, M. B., and Munnecke, D. E. High pressure jet inoculation of wheat and barley with loose smut. Minn. Agric. Expt. Sta. Misc. Jour. 665. 1949.
- 1990. Moore, R. A. Treatment of seed oats to prevent smut. Wisc. Agric. Expt. Sta. Bull. 91: 255-260. 1902.
- 1991. Moore, R. A. Oat smut in Wisconsin. Its prevalence and method of eradication. Wisc. Agric. Expt. Sta. Bull. 91. 1902.
- 1992. Moore, R. A. The prevention of oat smut and potato scab. Wisc. Agric. Expt. Sta. Bull. 98. 1903.
- 1993. Moore, R. A. Treatment of seed grain for the prevention of smut. Wisc. Agric. Expt. Ann. Rept. 1903: 284-292. 1904.
- 1994. Moore, R. A. Oat smut and its prevention. Wisc. Agric. Expt. Sta. Bull. 111. 1904.
- 1995. Moore, R. A. Oat and barley smut investigations. Wisc. Agric. Expt. Sta. Ann. Rept. 1904: 317–320. 1905.
- 1996. Moore, R. A., and Stone, A. L. Treating seed grains for the prevention of smut. Wise, Agric. Expt. Sta. Ann. Rept. 1906: 270-274. 1907.
- 1997. Moore, R. A., and Stone, A. L. Barley smut investigations. Wisc. Agric. Expt. Sta. Ann. Rept. 1907: 409-410. 1908.
- 1998. Moore, V. A., and Schweinitz, E. A. Cornstalk disease and rabies in cattle. U. S. Dept. Agric. Bur. Anim. Ind. Bull. 10. 1896.
- 1999. Morettini, A. Aumento della resistenza alla carie del frumento Noe mediante selezione. Staz. Sper. Agrar. Ital. 53: 399-413. 1920.
- 2000. Morettini, A. Influenza dei trattamenti cuprici sulla produttivita del Frumento. Staz. Sper. Agrar. Ital. 55: 264-277. 1922.

- 2001. Morini, F. Di una nuova Ustilaginea (Tolyposporium Cocconii). Mem. R. Accad. Sci. Ist. Bologna, Ser. 5, 4: 273-300. 1883.
- 2002. Morini, F. Il carbone delle piante. Considerazione ricerche. La Clinica Veterinaria 7: 23 pp. Milan. 1884.
- 2003. Morini, F. Sulla germinazione delle spore dell'Ustilago Vaillantii Tul. Mem. R. Accad. Sc. Ist. Bologna 4: 689-695. 1886.
- 2004. Morini, F. Ancora sulla questione delle sessualita nella ustilaginee. Mem. R. Accad. Sci. 1st. Bologna 4: 283. 1886.
- 2005. Morot, L. Note sur un Doassansia nouveau. Jour. Bot. 9: 469. 1895.
- 2006. Morozov, B. A survey of fungal and bacterial diseases of agricultural plants in the government of Kaluga in 1924. La Défense des Plantes, Leningrad 2: 592-602. 1926. (Russian; trans. title.)
- 2007. Morozov, B. Cereal smuts in the Stavropol district according to the data of the investigation in 1927. Bul. North Caucasian Plant Prot. Sta. 1928: 25-29. 1928. (Russian, with German summary; trans. title.)
- 2008. Morris, H. E., and Kurtz, L. D. Wheat smut in Montana. Mont. State Col. Ext. Bull. 98. 1929.
- 2009. Mortensen, M. L. Om Rodbrand paa Byg og andre Kornsorter. Aarhus Dansk. Landbrug. 5: 301-302. 1909.
- 2010. Mortensen, M. L. Lidt om Rodbrand hos Runkelog Sukkerroer. Ugeskr. f. Landmaend, Kopenhagen 54: 168-170. 1909.
- 2011. Mortensen, M. L. Formalinbehandling of Hvede og Rug. Ugeskr. f. Landmaend 1910: 476–477.
- 2012. Mortensen, M. L., Rostrup, S., and Ravn, F. K. Oversigt over Landbrugsplanternes Sygdomme i 1909. Tidsskr. f. Landbrugets Planteavl 17: 306-331. 1910.
- 2013. Mortensen, M. L., Rostrup, S., and Ravn, F. K. Oversigt over Landbrugsplanternes Sygdomme i 1910. Tidsskr. f. Landbrugets Planteavl 18: 317-350. 1911.
- 2014. Morwood, R. B. Flag smut in wheat experiments, 1929. Queensland Agric. Jour. 33: 381-388. 1930.
- 2015. Morwood, R. B. Flag smut in wheat experiments, 1930. Queensland Agric. Jour. 36: 363. 1931.
- 2016. Morwood, R. B. Report of barley smut experiments, 1931. Queens-land Agric. Jour. 37: 134-135. 1932.
- 2017. Morwood, R. B. Covered smut of barley. Queensland Agric. Jour. 41: 236-240. 1934.
- 2018. Morwood, R. B. Report of cereal smut experiments. 1934. Queensland Agric. Jour. 43: 337-342. 1935.
- 2019. Morwood, R. B. Seed treatment of sorghums. Queensland Agric. Jour. 56: 232. 1941.
- 2020. Morwood, R. B. Diseases of sorghum. Queensland Agric. Jour. 65: 140-142. 1947.
- 2021. Mottareale, G. L'Ustilago reiliana fa zeae e la Formazione dei Tumori staminali ne Granone. Ann. R. Scuol. Sup. Agr. Portici, Ser. 2, 4: 17. 1903.
- 2022. Moulton, J. E., and Link, G. K. K. Auxin production by Ustilago zeae grown on a medium free of tryptophane. Phytopath. 30: 17. 1940.

- 2023. Mourashkinsky, F. A new method for the control of loose smut of wheat. Crop Protection, Moscow. 1934: 30-31.
- 2024. Mourashkinsky, K. E. The effect of bunt on the growth of wheat. Trans. Siberian Acad. Agric. and Forestry, Omsk, 4: 15 pp. 1925. (Russian; trans. title.)
- 2025. Mourashkinsky, K. E. Loose smut of American rye grass. Trans. Siberian Acad. Agric. and Forestry. Omsk, 6: 4 pp. 1926. (Russian, with German summary; trans. title.)
- 2026. Mourashkinsky, K. E. Effect of the source or origin of Tilletia tritici and T. levis spores on the susceptibility of wheat to infection with bunt. Trans. Siberian Inst. Agric. and Forestry, Omsk, 9: 3-10. 1928. (Russian; trans. title.)
- 2027. Mourashkinsky, K. E. Effect of the source or origin of Tilletia tritici and T. levis spores on the susceptibility of wheat to infection with bunt, II. Diseases of Cereal Crops, issued by Siberian Scient. Res. Institute for Cereal Industry, Omsk. 1932: 4-14. (Russian; trans.
- 2028. Mourashkinsky, K. E. On the determination of the degree of infection of wheat with bunt. Diseases of Cereal Crops, issued by Siberian Scient. Res. Institute for Cereal Industry, Omsk. 1932: 62-71. (Russian: trans. title.)
- 2029. Mourashkinsky, K. E. Late autumn sowing of spring wheats in relationship to bunt. Crop Protection, Moscow. 8: 23-24. 1934. (Russian; trans. title.)
- 2030. Mourashkinsky, K. E. Control of cereal diseases in the arid districts of the southeast. Omsk District, 1940 (2): 31-36. (Russian; trans. title.)
- 2031. Mouravieff, V. P. Interdependence of epidemics of stinking smut and meteorological factors. Magazine Seed Selection Direction, Sugar Trust 3: 73-94. 1928.
- 2032. Müller, H. C., and Molz, E. Versuche zur Bekämpfung des Steinbrandes bei dem Winterweizen mittels des Formaldehyd-Verfahrens. Fühling's Landw. Ztg. 63: 742-752. 1914.
- 2033. Müller, H. C., and Molz, E. Versuche zur Bekämpfung des Roggenstengelbrandes (Urocystis occulta [Wallr.] Rabenh.) Deutsche Landw. Presse 41: 161. 1914.
- 2034. Müller, H. C., and Molz, E. Über den Steinbrand des Weizens. Fühling's Landw. Ztg. 63: 204–214. 1914.
- 2035. Müller, H. C., and Molz, E. Über zwei seltene, aber gefährliche Schädlinge: Urocystis cepulae Frost und Galleruca tanaceti Leach. Zeitschr. f. Pflanzenkr. 27: 103-106. 1917.
- 2036. Müller, H. C., and Molz, E. Neue Versuche zur Bekämpfung des
- Roggenstengelbrandes. Deutsche Landw. Presse. 49: 491. 1922. 2037. Müller, H. C., and Molz, E. Fütterungsversuch mit trockengebeiztem Weizen. Deutsche Landw. Presse 52: 440. 1925.
- 2038. Müller, H. C., and Molz, E. Versuch zur Bekämpfung der Saatgutkrankheiten mittels Trockenbeize. Deutsche Landw. Presse 52: 11-12. 1925.
- 2039. Müller, H. C., Molz, E., and Morganthaler, O. Über Brandbekämpfung und den Einfluss der Bestellzeit beim Sommerweizen auf dessen Ertrag und Gesundheit. Landw. Versuchss. 88: 211-220. 1913.

- 2040. Müller, H. C., Molz, E., and Müller, K. Einige Ergebnisse unserer Beizversuche 1921–1922. Deutsche Landw. Presse. 50: 48–49. 1923.
- 2041. Müller, H. C., Molz, E., and Müller, K. Ueber die ertragreiche Wirkung von Beizmitteln. Deutsche Landw. Presse 51: 27. 1924.
- 2042. Müller, H. C., and Morganthaler, O. Versuche über die Bekämpfung des Steinbrandes bei Winterweizen. Fühling's Landw. Ztg. 62: 481–487. 1913.
- 2043. Müller, J. Der Steinbrand des Weizens und seine Bekämpfung. Landw. Zeitschr. Strassburg 37: 918–920. 1909.
- 2044. Müller-Wiener. Erfahrungen mit der Trockenbeize des Saatguts. Pflanzenbau 3: 152–154. 1926.
- 2045. Mullett, H. A. The new dry process. Jour. Dept. Agric. Victoria 23: 283-288. 1925.
- 2046. Mullet, H. A. Wheat pickling methods. Jour. Dept. Agric. Victoria 25: 290–293. 1927.
- 2047. Muncie, J. H., and Frutchey, C. W. Field trials on control of wheat stinking smut by dust fungicides. Quart. Bull. Mich. Agric. Expt. Sta. 17: 189-192. 1935.
- 2048. Mundkur, B. B. Oat smut in India. Indian Jour. Agric. Sci. 4: 895–898. 1934.
- 2049. Mundkur, B. B. Oat leaf infection by Ustilago avenae (Pers.) Jensen. Indian Jour. Agric. Sci. 5: 745-746. 1935.
- 2050. Mundkur, B. B. On the systematic position of the smut causing malformation of Vitis quadrangularis. Indian Jour. Agric. Sci. 6: 876– 887. 1936.
- 2051. Mundkur, B. B. Urocystis sorosporioides, a new record for India. Trans. Brit. Myc. Soc. 21: 240-242. 1938.
- 2052. Mundkur, B. B. Host range and identity of the smut causing root galls in the genus Brassica. Phytopath. 28: 134-142. 1938.
- 2053. Mundkur, B. B. A contribution towards a knowledge of Indian Ustilaginales. Trans. Brit. Myc. Soc. 23: 86-121. 1939.
- 2054. Mundkur, B. B. Taxonomy of the sugar-cane smuts. Kew Bull. Misc. Inf. 10: 525-533. 1939.
- 2055. Mundkur, B. B. A second contribution towards a knowledge of Indian Ustilaginales. Fragments 26–50. Trans. Brit. Myc. Soc. 24: 312, 336. 1940.
- 2056. Mundkur, B. B. Notes on Saccharum and Erianthus smuts. Kew Bull. 1941: 209-217. 1942.
- 2057. Mundkur, B. B. Studies in Indian cereal smuts. 6. The smuts on Sawan (Echinochloa frumentacea). Indian Jour. Agric. Sci. 13: 631-633. 1943.
- 2058. Mundkur, B. B. Karnal bunt, an air-borne disease. Curr. Sci. 12: 230–231. 1943.
- 2059. Mundkur, B. B. Fungi of the northwestern Himalayas: Ustilaginales. Mycologia 36: 286–293. 1944.
- 2060. Mundkur, B. B. Tilletia tumefaciens, a remarkable gall-forming smut from India. Phytopath. 34: 143-146. 1944.
- 2061. Mundkur, B. B. Some rare and new smuts from India. Indian Jour. Agric. Sci. 14: 49-52. 1944.
- 2062. Mundkur, B. B. Studies in Indian cereal smuts. 8. Nomenclature of

- Indian smut fungi and probable modes of their transmission. Indian Jour. Agric. Sci. 15: 108–110. 1945.
- 2063. Mundkur, B. B., and Khan, M. A. A dry spray method of treating oat seed against covered smut. Indian Jour. Agric. Sci. 4: 899-905. 1934.
- 2064. Mundkur, B. B., and Pal, B. P. Studies in Indian cereal smuts. II. Varietal resistance of Indian and other wheats to loose smut. Indian Jour. Agric. Sci. 11: 675-686. 1941.
- 2065. Mundkur, B. B., and Thirumalachar, M. J. Revisions of and additions to Indian fungi. I. Imp. Myc. Inst. Mycol. Pap. No. 16. 1946.
- 2066. Mundy, G. H. Maize smut (Ustilago maydis). Rhodesia Agric. Jour. 7: 1530-1532. 1910.
- 2067. Mundy, G. H. Head smut of maize (Sorosporium reilianum Kühn [McAlp.]). Rhodesia Agric. Jour. 8: 277. 1910.
- 2068. Munerati, O. La Sphacelotheca reiliana (Kühn) nel Sorghum halepense Pers. Staz. Sper. Agric. Ital. 43: 718–727. 1910.
- 2069. Munerati, O. La recettivita del frumento per la carie in rapporto col tempo di semina. Rend. Classe Sci. Fis. Mat. Nat Accad. Lincei, Ser. 5, 20: 835-840. 1911.
- 2070. Munerati, O. Sulla recettivita del frumento per la carie in rapporto al tempo di semina. Rend. Classe Sci. Fis. Mat. Nat. Accad. Lincei, Ser. 5, 21: 875-878. 1912.
- 2071. Munerati, O. Osservazioni sulla recettivita del Frumento per la carie. Rend. Acc. Lincei, Ser. 5a, 31: 125–129. 1922.
- 2072. Munerati, O. Le basse temperature al momento della germinazione fanno sfuggire il Grano all'attacco della carie? Rend. Acc. Lincei, Ser. 5, 32: 285-289. 1923.
- 2073. Munerati, O. Competition entre Ustilago tritici et Tilletia tritici chez une même plant du blé. Compt. Rend. Acad. Sci. Paris 192: 296– 297. 1931.
- 2074. Munerati, O. E possibile separare delle comuni varieta di Grano razze o linee resistenti alla carie? Italia Agric. 1933: 25-27.
- 2075. Munerati, O. Sulla possibilita di separare razze resistenti al carbone entre le comuni varieta di grano. Italia Agric. 70: 383-385. 1933.
- 2076. Munerati, O., and Hitier, H. Sur l'Attaque du ble par la carie. Influence de l'époque de la semaille. Jour. Agric. Prat. 76: 494-496. 1912.
- 2077. Munnecke, D. E. An unusual host response to certain paired monosporidial cultures of Ustilago zeae. Phytopath. 38: 19. 1948.
- 2078. Murphy, H. C., Stanton, T. R., and Stevens, H. Breeding winter oats resistant to crown rust, smut, and cold. Jour. Amer. Soc. Agron. 29: 622-637. 1937.
- 2079. Murphy, P. A. Common smuts or rusts on cereal crops. Jour. Dept. Lands and Agric. Ireland 26: 199-207. 1927.
- 2080. Murray, J. Smut preventatives. Can. Expt. Farms Rept. 1909: 275-276.
- 2081. Nagel, W. Ueber die Einwirkung höherer Temperaturen während und nach einer Beize mit verschiedenen Beizmitteln. Angew. Bot. 7: 304-319. 1925.
- 2082, Nagel, W. Das Schnellbeizverfahren. Ein Verfahren zum Beizen von

- Saatgut ohne nachfolgende Trocknung im Vergleich mit anderen Beizverfahren. Angew. Bot. 9: 420-451. 1927.
- 2083. Nagorny, P. Die kaukasischen Arten der Gattung Ustilago Pers. Scient. Pap. Appl. Sect. Tiflis Bot. Garden 5: 109–128. 1926.
- 2084. Nagorny, P. Eine neue Tilletia aus dem Kaukasus Tilletia poae sp. n. Scient. Pap. Appl. Sect. Tiflis Bot. Garden 5: 170. 1926.
- 2085. Nagorny, P. Die kaukasischen Arten der Gattung Tilletia Tulasne. Monit. Jard. Bot. Tiflis, N. S. 3-4: 89-96. 1927.
- 2086. Nagorny, P. Die kaukasischen Arten der Gattung Urocystis Rabenhorst. Scient. Pap. Appl. Sect. Tiflis Bot. Garden 6: 104-108. 1929.
- 2087. Nahmmacher, J. Beitrag zur Immunitätszüchtung der Gerste gegen Ustilago nuda forma spec. hordei. Phytopath. Zeitschr. 4: 597-630. 1932.
- 2088. Nattrass, R. M. Report on seed 'pickling' investigation. Ann. Rept. Agric. and Hort. Res. Sta., Long Ashton, Bristol, 1925: 110-112. 1926.
- 2089. Nattrass, R. M. The smut disease of maize. Cyprus Agric. Jour. 26: 81-82. 1931.
- 2090. Nattrass, R. M. Diseases of cereals. II. The flag or leaf smut of wheat. Cyprus Agric. Jour. 29: 9-12. 1934.
- 2091. Nattrass, R. M. Smut diseases of cereals. Cyprus Agric. Jour. 30: 77-78. 1935.
- 2092. Nattrass, R. M. Diseases of cereals. IV. Cyprus Agric. Jour. 33: 8-10. 1938.
- 2093. Naumann, A. Der Veilchenstengelbrand (Urocystis Violae) und sein Auftreten im Königreich Sachsen. Zeitschr. Obst- und Gartenbau, Dresden, 1905: 561-564.
- 2094. Neger, F. W. Uredineas i Ustilagineas nuevas Chilenas. Anales Univ. Santiago 93: 771-779. 1896.
- 2095. Neill, J. C. Stinking smut of wheat. I. The effect on germination of some seed disinfectants. New Zeal. Jour. Agric. 27: 159-166. 1923.
- 2096. Neill, J. C. Loose smut of wheat. I. Seed-disinfection by hot water. New Zeal. Jour. Agric. 29: 117-187. 1924.
- 2097. Neill, J. C. Loose smut on wheat. II. Field experiments on seed disinfection by hot water. New Zeal. Jour. Agric. 30: 167-174. 1925.
- 2098. Neill, J. C. Loose smut of wheat. III. A comparison in germination and percentage infection between "firsts" and "seconds" seed. New Zeal. Jour. Agric. 31: 161-163. 1925.
- 2099. Neill, J. C. Stinking smut of wheat. II. Field experiments on control. New Zeal. Jour. Agric. 30: 302-313. 1925.
 2100. Neill, J. C. Stinking smut of wheat. III. Field germination of seed
- 2100. Neill, J. C. Stinking smut of wheat. III. Field germination of seed treated with formalin and Clarke's wheat protector. New Zeal. Jour. Agric. 31: 24-25. 1925.
- 2101. Neill, J. C. Stinking smut of wheat. IV. Experimental results for season 1925-26. New Zeal. Jour. Agric. 32: 233-235. 1926.
- 2102. Neill, J. C. Stinking smut of wheat. V. Summary of 3 years' experiments on control, and detailed results for 1926-27 season. New Zeal. Jour. Agric. 35: 28-34. 1927.
- 2103. Neill, J. C. Elimination of smut diseases from the malting-barley crops of Ellesmere district. New Zeal. Jour. Agric. 44: 106-107. 1932.

- 2104. Neill, J. C. Wheat diseases in New Zealand. Notes on their incidence and control. New Zeal. Jour. Agric. 46: 137-140. 1933.
- 2105. Neill, J. C. Seed treatments for wheat, barley and oats. New Zeal. Jour. Agric. 49: 43-45. 1934.
- 2106. Neill, J. C. Field trials with "Ceresan New" seed dust. New Zeal. Jour. Agric. 48: 269-271. 1934.
- 2107. Neill, J. C. The control of stinking smut of wheat. Experiments on seed treatment with various dusts. New Zeal. Jour. Agric. 48: 170– 171. 1934.
- 2108. Neill, J. C. Effect of excess of disinfectant dusts on the field germination of seed wheat. New Zeal. Jour. Agric. 48: 174. 1934.
- 2109. Neill, J. C. Trials of Agrosan and Ceresan. New Zeal. Jour. Agric. 56: 162–163. 1938.
- 2110. Nelson, A. The grain smuts and potato scab. Wyo. Agric. Expt. Sta. Bull. 21: 5. 1885.
- 2111. Nelson, R. Comparison of dust fungicides and formaldehyde in control of onion smut. Phytopath. 39: 16. 1939.
- 2112. Nelson, R. Dust fungicides versus formaldehyde in the control of onion smut. Mich. Agric. Expt. Sta. Quart. Bull. 28: 226-247. 1946.
- 2113. Nemec, B. Die Brandbeulen von Ustilago maydis. Stud. Plant Physiol. Lab. Charles Univ. Prague 4: 1–22. 1932.
- 2114. Nemlienko, F. Control of bunt. Imp. Bur. Pl. Gen. Bull. 17: 60-61.
- 2115. Nemlienko, F. On the control of bunt (Tilletia tritici) during vernalization of wheat. Bull. Jarov. 1932: 81-86. 1935. (Russian; trans. title.)
- 2116. Nemlienko, F. Ecological factors and blister smut of maize. C. R. Pan-Sov. V. I. Lenin. Acad. Agric. Sci. Moscow 1941: 39-41. (Russian; trans. title.)
- 2117. Neuweiler, E. Bericht über die Tätigkeit der Schweizerischen Landwirtschaftlichen Versuchsanstalt Oerlikon in den Jahren 1920–23.
 IV. Pflanzenschutz. Landw. Jahrb. der Schweiz 29: 252–260. 1925.
- 2118. Neuweiler, E. Die Bekämpfung von Getreidekrankheiten durch Beizen. Landw. Jahrb. der Schweiz 42: 295–360. 1928.
- 2119. Neuweiler, E. Einfluss der Konzentration und Menge von Kupfervitriollösungen auf die Keimfähigkeit von Weizen. Landw. Jahrb. der Schweiz 42: 271–288. 1928.
- 2120. Neuweiler, E. Bericht über die Tätigkeit der Eidg. landwirtschaftlichen Versuchsanstalt Oerlikon für das Jahr. 1931. IV. Pflanzenschutz. Landw. Jahrb. der Schweiz. 47: 867-871. 1933.
- 2121. Newhall, A. G. Progress in onion-smut control by seed treatment. Phytopath. 30: 17. 1940.
- 2122. Newhall, A. G. Thiosan for onion smut control in New York. Plant Dis. Reptr. 28: 881-882. 1944.
- 2123. Nicolaisen, W. Beitrag zur Immunitätszüchtung des Hafers gegen Ustilago avenae, (Pers.) Jens. Zeitschr. f. Züchtung A 16: 255–278. 1931.
- 2124. Nicolaisen, W. Die Grundlagen der Immunitätszüchtung gegen Ustilago avenae (Pers.) Jens. Zeitschr. f. Züchtung A 19: 1–56. 1934.
- 2125. Nicolaisen, W. Untersuchungen mit Herkünften des Haferflugbrandes

- in Rahmen der Immunitätszüchtung. Zeitschr. f. Züchtung A 20: 318–345. 1935.
- 2126. Nielsen, P. Dyrkningsforsög med Hvedebrand eller Stenbrand. Ugeskr. Landmaend 4: 73–84. 1873.
- 2127. Nielsen, P. Brand. Moller-Holst: Landbrugs-Ordbog. 1877.
- 2128. Nielsen, P. Om Brand og Rustsvampe samt Midlerne til at forebygge deres Angreb paa Kornarterne. Fakse. 64 pp. 1877.
- 2129. Niemeyer. Prüfung einer Heisswasseranlage. Tech. in d. Landw. 19: 88-89. 1938.
- 2130. Niessl, G. von. Über das Vorkommen von Tilletia secalis J. Kühn. Hedwigia 15: 161. 1876.
- 2131. Niethammer, A. Ein Beitrag zur Samendesinfektion. Biochem. Zeitschr. 172: 173-211. 1926.
- 2132. Niethammer, A. Ueber die Anwendung des Caporites im Pflanzenschutzdienst. Fortschr. der Landw. 2: 81-85. 1927.
- 2133. Niethammer, A. Sekundäre Beizwirkungen. Zeitschr. f. Pflanzenkrank. u. Pflanzenschutz. 38: 83-87. 1928.
- 2134. Niethammer, A. Bemerkungen zur Ermittlung der Dosis toxica bei den Steinbrandbeizmitteln. Fortschr. der Landw. 3: 551-552. 1928.
- 2135. Niethammer, A. Versuche zur Deutung der stimulierenden Wirkung von Uspulun Universal beim Auflaufen des Saatgutes. I. Mitteilung. Die Desinfektionskraft. Zeitschr. f. Pflanzenkrank. 39: 120-122. 1929.
- 2136. Niethammer, A. Die Dosis tolerata und toxica der Beizmittel als eine Komponente der physikochemischen Struktur des Samenkornes. Zeitschr. f. Pflanzenkrank. 40: 44–50. 1930.
- 2137. Nieuwdorp, L. Traitement du charbon chez la canne à sucre. Arch. Java Suikerindustr. 12: 127-129. 1904.
- 2138. Nieves, R. Ensayos comparativos de resistencia a la 'Tilletia laevis' (Kühn) con trigos argentinos e importados, comunes y de pedigree. Bol. Mens. Min. Agric. Nac., Buenos Aires 29: 297-316. 1930.
- 2139. Nieves, R. Contribucion al conocimiento de la 'caries' del Trigo (Tilletia spp.) Sus caracteres biologicos—su comportamiento genetico—bases para la creacion de variedades resistentes. Bol. Mens. Min. Agric. Nac., Buenos Aires 29: 97-112. 1930.
- 2140. Nieves, R. Resistancia comparativa a la Tilletia levis Kühn, del trigo, en la Argentina. Phytopath. 21: 705-727. 1931.
- 2141. Nieves, R. La caries o carbon hediondo del Trigo. Bol. Mens. Min. Agric. Nac., Buenos Aires 32: 397-411. 1933.
- 2142. Nieves, R. Nota preliminar sobre un probable hibrido natural (Avena byzantina × A. fatua) atacada por Ustilago levis. Bol. Mens. Min. Agric. Nac., Buenos Aires 36: 73-79. 1934.
- 2143. Nieves, R. Infeccion experimental del Centeno de Petkus (Secale cereale v. vulgare), por las caries del Trigo: Tilletia tritici y Tilletia levis. Phytopath. 25: 503-515. 1935.
- 2144. Nieves, R. Genetica de la resistencia a la 'carie' ('Tilletia tritici' raza 5 M.A.), en la cruza Barletta × Florence (Cheg. 27-10x). Physis 12: 51-63. 1936.
- 2145. Nieves, R., Barraza, J. A., and Horovitz, N. Estudios sobre la distribucion y prevalencia relativa de la Tilletia tritici y Tilletia levis, en

- el sudeste de La Pampa, en 1932. Bol. Mens. Min. Agric. Nac., Buenos Aires 35: 79-101. 1933.
- 2146. Nilsson, E. Paralleles Auftreten von Tilletia-Infektion und Speltoicharakter bei Triticum vulgare. Hereditas 18: 262–268. 1933.
- 2147. Nilsson, G. Nagra betningsmedels skördestegrande inferkan pa Fusariumsmittat utsäde. Landtmannen 9: 224–225. 1926.
- 2148. Nisikado, Y., and Matsumota, H. On the smut disease of Sagittaria trifolia L. var. sinensis Makino caused by Doassansiopsis horiana (P. Henn.) Ber. Ohara Inst. 7: 415–427. 1936.
- 2149. Noack, M., and Fahrendorff, E. Ein Beitrag zur Kleinpilzflora der Mark. Verh. Bot. Ver. Prov. Brandenb. 67: 60-68. 1925.
- 2150. Noble, R. J. Studies on Urocystis tritici Koern., the organism causing flag smut of wheat. Phytopath. 13: 127-139. 1923.
- 2151. Noble, R. J. An advantage of the dry pickling process. Agric. Gaz. New S. Wales 25: 468, 1924.
- 2152. Noble, R. J. Studies on the parasitism of Urocystis tritici Koern., the organism causing flag smut of wheat. Jour. Agric. Res. 27: 451-489. 1924.
- 2153. Noble, R. J. Note on the longevity of spores of the fungus Urocystis tritici Koern. Jour. and Proc. Roy. Soc. New S. Wales 67: 403-410. 1934.
- 2154. Noeldechen. Dreijährige Trockenbeizversuche. Pflanzenbau 4: 198–202. 1928.
- 2155. Noeldechen. Beizversuche. Welches Beizverfahren soll angewandt werden? Pflanzenbau 6: 267-271. 1930.
- 2156. Noll, W. Deformaciones provocadas en los germenes del Trigo por los tratamientos de la semilla. Arch. Fitotec. Uruguay 3: 86-95. 1938.
- 2157. Nolte, O., and Gehring, A. Zur Bekämpfung des gedeckten Haferbrandes durch Beizung. Deutsche Landw. Presse No. 75. 1921. Ref. Zeitschr. f. Pflanzenkr. 33: 56. 1921.
- 2158. Norton, J. B. S. Ustilago reiliana on corn. Bot. Gaz. 20: 463. 1895.
- 2159. Norton, J. B. S. A study of the Kansas Ustilagineae especially with regard to their germination. Trans. Acad. Sci. St. Louis 7: 229-241. 1896.
- 2160. Norton, J. B. S., and Chen, C. C. Some methods for investigating internal seed infection. Phytopath. 10: 399-400. 1920.
- 2161. Norton, J. B. S., and Leathers, C. E. Conditions detrimental to seed production. Mo. Agric. Expt. Sta. Bull. 216: 175-226. 1918.
- 2162. Novak, S. On the question of the infection of wheat with Tilletia tritici spores of different ages. Ochrana Rostlin 9: 30-32. 1929. (Hungarian; trans. title.)
- 2163. Novopokrowski, I., and Skaskin, F. D. Effect of temperature on the germination of the chlamydospores of cereal smuts (genus Ustilago). Pamphlet of the North Caucasus Regional Land Administration, Rostoff-on-Don, 28 pp. 1925. (Russian; trans. title.)
- 2164. Novopokrowski, I., and Skaskin, F. D. The physiology of germination of grain smut fungi. Bolezni Rastenii 14: 82-100. 1925. (Russian; trans. title.)
- 2165. Obermeister, N. P. Smut in the Kuban, its distribution, degree of infection and species involved, according to observational data in 1929.

- Bull. North Caucasian Plant Prot. Stat., Rostoff-on-Don 1930: 155-162. 1930. (Russian; trans. title.)
- 2166. Oberstein. Saatbeizapparat-Austellung. Angew. Botan. 4: 185–190. 1922.
- 2167. Odry, P. Wheat disinfection experiments with winter and spring wheats and various fungicides. Növenyvedelem 1: 7. 1925.
 2168. Oemichen, C. Der Steinbrand des Weizens und seine Bekämpfung.
- 2168. Oemichen, C. Der Steinbrand des Weizens und seine Bekämpfung. Zeitschr. d. Landwirthschaftskammer f. d. Prov. Schlesien 34: 1142–1145. 1900.
- 2169. Oertel, G. Urocystis Leimbachii nov. spec. Irmischia 2: 125. 1882.
- 2170. Oertel, G. Neuer Fundort von Urocystis Leimbachii Oert. Deutsche Bot. Monatsschr. 1: 125. 1883.
- 2171. Oertel, G. Fortsetzung von "1886". Deutsche Bot. Monatsschr. 5: 89-91, 156-157. 1887.
- 2172. Oertel, G. Über Entyloma Veronicicola Lindr. Mitteil. d. Thür. Bot. Ver., N. S. 21: 104. 1906.
- 2173. Oetken, W. Flugbrandbekämpfungsversuche, inbesondere bei Sommerweizen. Illus. Landw. Ztg. 29: 783-784. 1909.
- 2174. Oetken, W. Einige Beobachtungen über Steinbrand im Weizen. Deutsche Landw. Presse 1912: 803-804. 1912.
- 2175. Olgyay, M. Vizsgalatok a kuszögspora csirazasi es fertözesi vizonyairol mesterseges fertözes esenten. Bot. Közlem. 32: 52–74. 1935. (Hungarian; with German summary.)
- 2176. Olufsen, O. Forsoeg for at opdage, om Brand i Hvede er smittende, af Scholer. Oekonomiske Annaler 10: 346. 1807.
- 2177. Olufsen, O. Den brandige Hvede kemiske Beschaffenhed. Oekonomiske Annaler 12: 227. 1810.
- 2178. Oort, A. J. P. Een nieuwe methode ter bestrijding van Tarwesteuifbrand (Ustilago tritici). Tijdskr. o. Plantenz. 40: 185–197. 1934.
- 2179. Oort, A. J. P. Problemen bij de bestrijding van de brandziekten der granen. Tijdskr. o. Plantenz. 42: 291–302. 1936.
- 2180. Oort, A. J. P. Inoculation experiments with loose smuts of wheat and barley (Ustilago tritici and U. nuda). Phytopath. 29: 717-728. 1939.
- 2181. Oort, A. J. P. De vatbaarheid voor stuifbrand van in Nederland verboude of beproefde rassen van Tarwe en Gerst. Meded. Landb. Hoogesch, Wageningen 44: 1-54. 1940.
- 2182. Oort, A. J. P. De verspreiding van de sporen van Tarwestuifbrand 'Ustilago tritici' door de lucht. Tijdskr. o. Plantenz. 46: 1–18. 1940.
- 2183. Oort, A. J. P. Onderzoekingen over stuifbrand II. Overgevoeligheid van Tarwe voor stuifbrand (Ustilago tritici). Tijdskr. o. Plantenz. 50: 73-106. 1944.
- 2184. Oort, A. J. P. Stuifbrand specialisatie, een probleem voor den kweker. Onderzoekingen over stuifbrand, III. Tijdskr. o. Plantenz 53: 25–43. 1947.
- 2185. Opiz, P. M. Ueber die Entstehung des Brands (Ustilago). Oekon. Neuigkeiten 2: 303-304. 1812.
- 2186. Opiz, P. M. Kornschmierbrand. Ost und West 11: 456. 1847.
- 2187. Oppermann, L. V. Rust og Brand som Sygdomsaarsag. Ugeskr. f. Landm. 6: 205. 1879.

- 2188. Ørsted, A. S. Om Sygdomme hos Planterne, som foraarsages af Snyltesvampe, navnlig om Rust og Brand, og om Midlerne til deres Forebyggelse. xiv + 146 pp. Kjøbenhavn. 1863.
- 2189. Orth, A. Über eine eigentümliche Einwirkung von Tilletia caries Tul. auf Triticum Spelta L. Verh. Bot. Ver. Prov. Brand. 22: 17. 1880.
- 2190. Orth, A. Über das Vorkommen von Ustilago echinata Schröt. an Phalaris arundinacea L. Verh. Bot. Ver. Prov. Brandb. 22: 17. 1880.
- 2191. Orth, A. Ueber das Auftreten parasitischer Pilze an Triticum, Phalaris und Lupinus. Landw. Versuchsstat. 26. 419–420. 1881.
- 2192. Orton, C. R. Prevalence and prevention of stinking smut in Indiana. Proc. Ind. Acad. Sci. 1911: 343-346.
- 2193. Osborn, T. G. B. A note on the pathological morphology of Cintractia spinificis (Ludw.) McAlp. Trans. Roy. Soc. S. Australia 46: 1-5. 1922.
- 2194. Osmun, A. V. Department of Botany. Mass. Agric. Expt. Sta. Rept. 1943–44: 18–24. 1944.
- 2195. Osner, G. A. Leaf smut of timothy. Cornell Univ. Agric. Expt. Sta. Bull. 381. 1916.
- 2196. Otth, G. H. Über die Brand- und Rostpilze. Mittheil. d. Naturf. Ges. Bern. 57–88. 1861.
- 2197. Ou, S. H. A preliminary report on the study of the smut of Zizania latifolia Turcz. Sinensia 9: 259-261. 1938.
- 2198. Oudemans, C. A. J. A. Thecaphora Ammophilae n. sp. Bot. Ztg. 36: 439-441. 1878.
- 2199. Oudemans, C. A. J. A. Over twee nog onbekende fungi: Septoria Dictyotae en Ustilago Vuyckii. Verslagen van de Zeittingen der Wis-en Natuurk. Afd. van de Koninkl. Akad. Amsterdam 3: 54-57. 1895.
- 2200. Padwick, G. W. Report of the Imperial Mycologist. Sci. Rept. Agric. Res. Inst. New Delhi (1937–38): 105–112. 1939.
- 2201. Padwick, G. W. Notes on Indian Fungi. IV. Mycol. Pap. Imp. Mycol. Inst. 17: 12. 1946.
- 2202. Padwick, G. W., and Henry, A. W. Studies on the temperature and host relations of Ustilago bromivora (Tul.) Fisch. v. Waldh. causing smut of Agropyron species. Proc. World's Grain Exhib. Conf. Regina 2: 248-253. 1935.
- 2203. Padwick, G. W., and Khan, A. Notes on Indian fungi. II. Mycol. Pap. Imp. Mycol. Inst. 10: 17. 1944.
- 2204. Pal, B. P., and Mundkur, B. B. Studies in Indian cereal smuts. I. Cereal smuts and their control by the development of resistant varieties. Proc. Indian Acad. Sci. Sect. B, 9: 267-270. 1939.
- 2205. Pal, B. P., and Mundkur, B. B. Studies in Indian cereal smuts. III. Varietal resistance of Indian and other wheats to flag smut. Indian Jour. Agric. Sci. 11: 687-694. 1941.
- 2206. Pal, B. P., and Mundkur, B. B. Studies in Indian cereal smuts. VII. Further studies in varietal resistance of Indian and other wheats to loose smut. Indian Jour. Agric. Sci. 15: 106-108. 1945.
- 2207. Palm, B. T. A note on Entyloma dahliae Syd. from Sumatra and Guatemala. Phytopath. 22: 868-869. 1932.
- 2208. Palmiter, D. H., and Keitt, G. W. Studies of copper-lime arsenite dusts for control of wheat bunt. Phytopath. 27: 138. 1937.
- 2209. Pammel, L. H. Smut on timothy grass. Prairie Farmer 58: 484. 1886.

- 2210. Pammel, L. H. Smuts, wheat and oat. Orange Judd Farmer 29: March. 1890.
- 2211. Pammel, L. H. Diseases of forage plants. Proc. Iowa State Improved Stockbreeders Assn. 16: 138-141. 1890.
- 2212. Pammel, L. H. Onion smut. Orange Judd Farmer 29: April. 1890.
- 2213. Pammel, L. H. Corn smut. Iowa Agric. Expt. Sta. Bull. 16. 1892. 2214. Pammel, L. H. Fungus diseases of Iowa forage plants. III. Smuts of grasses. Monthly Rev. Iowa Weather and Crop Service 1892: 9.
- 2215. Pammel, L. H. Some fungus diseases of Iowa forage plants. Iowa Acad. Sci. Proc. 1892 (Part 2): 93-94. 1892.
- 2216. Pammel, L. H. New fungous diseases of Iowa. Jour. Mycol. 7: 97-98. 1892.
- 2217. Pammel, L. H. Notes on some fungi common during the season of 1892, at Ames, Iowa. Agric. Sci. 7: 22-23. 1893.
- 2218. Pammel, L. H. Diseases of plants at Ames, 1894. Iowa Acad. Sci. Proc. 2: 203-204. 1895.
- 2219. Pammel, L. H. A manual of poisonous plants, chiefly of eastern North America, with brief notes on economic and medicinal plants and numerous illustrations. 214 pp. Cedar Rapids, Iowa. 1911.
- 2220. Pammel, L. H. Onion smut. Iowa Agric, Expt. Sta. Bull. 131: 216-221. 1912.
- 2221. Pammel, L. H. Perennial mycelium of parasitic fungi. Iowa Acad. Sci. Proc. 25: 259-263. 1920.
- 2222. Pammel, L. H., and Carver, G. W. Ustilagineae. In fungus diseases of plants at Ames, Iowa. 1895. Iowa Acad. Sci. Proc. 3: 142. 1896.
- 2223. Pammel, L. H., and Stewart, F. C. Prevention of corn and oats smut. Iowa Agric. Expt. Sta. Bull. 20. 1893.
- 2224. Pammel, L. H., Weems, J. B., and Lamson-Scribner, F. Fungus diseases of grasses. In, Grasses of Iowa. Iowa Agric. Expt. Sta. Bull. 54: **185–292**. 1901.
- 2225. Panton, J. H. Smut, its habit and remedies. Bull. Guelph. Agric. Coll. No. 56. 1890.
- 2226. Pape, H. Ein neuer, auf Schneeglöcken (Galanthus nivalis L.) schmarotzender Brandpilz (Urocystis galanthi n. sp.). Arb. Biol. Reichsanst. f. Land- und Forstw. 11: 331-336. 1923.
- 2227. Pape, H. Beitrag zur Frage der Uebertragbarkeit des Veilchenbrandes (Urocystis violae [Sow.] F. v. Waldh.) durch den Samen. Centralbl. f. Bakt. 65: 301-307. 1925.
- 2228. Pape, H. Eine für Deutschland neue Blattfleckenkrankheit der Dahlien. Gartenwelt 30: 632-634, 666-667. 1926.
- 2229. Pape, H. Dahlien und Gladiolen. Paul Parey. Berlin. 1927.
- Die Sexualität der Ustilagineen. Verh. Schweiz. 2230. Paravicini, E. Naturf. Ges. 98: 171-172. 1916.
- 2231. Paravicini, E. Untersuchungen über das Verhalten der Zellkerne bei der Fortpflanzung der Brandpilze. Ann. Mycol. 15: 57-96. 1917.
- 2232. Pari, A. La Pellagra e l'Ustilago maydis. Italia Agricola, Milan 16: 328. 1884.
- 2233. Parker, C. S. Head smut of corn in Washington. Phytopath. 11: 515. 1921.
- 2234. Parker, D. L. A note on 'perennial' prairie grass. Jour. Austr. Inst. Agric. Sci. 8: 29-30. 1942.

- 2235. Parlane, B. An epidemic occurrence of Ustilago comburens Ludwig on Danthonia pilosa R. Br., an unrecorded host for New Zealand. Trans. New Zeal. Inst. 60: 106. 1929.
- 2236. Parodi, L. R. Ustilago perennans parasito de Arrhenatherum elatius cultivado en la Facultad de Agronomia de la Plata. Rev. Argent. Agron. 5: 188. 1938.
- 2237. Parsons, 'H. B. Analyse von Ustilago Maydis. Pharm. Jour. Trans. 1882: 810.
- 2238. Pasinetti, L. Contributo allo studio delle sostanze anticrittogamiche (esperienze col Fideol N.1). Riv. Pat. Veg. 19: 193-214. 1929.
- 2239. Pasinetti, L. Contributo allo studio delle sostanze anticrittogamiche (esperienze col Fideol N.2). Riv. Pat. Veg. 21: 1-10. 1931.
- 2240. Passerini, G. A new Tilletia. Grevillea 5: 46. 1876.
- 2241. Passerini, G. Di una nuova specie di Carbone nel Grano truco, Ustilago Fischeri n. sp. Bol. Com. Agrar. Pharmense Nov. 1877.
- 2242. Passerini, G. Funghi Parmensi. Fam. IV. Ustilaginei. Nuova Gior. Bot. Ital. 9: 235–239. 1877.
- 2243. Patel, N. B. Independence in inheritance of the loose smut reaction and lemma colouration in an oat cross. Bull. Inst. Agric. Anand. India, Bot. Ser. 1: 27. 1943.
- 2244. Patouillard, N. Une forme radicicole d L'Urocystis anémones (Pers.). Jour. de Bot. 7: 237-238. 1893.
- 2245. Patouillard, N. Essai tazonomique sur les familles et les genres des Hymenomycetes. 184 pp. Lons-le-Saunier. 1900.
- 2246. Patterson, F. W. An edible smut. Phytopath. 2: 93. 1912.
- 2247. Patterson, F. W., and Charles, V. K. The occurrence of bamboo smut in America. Phytopath. 6: 351-356. 1916.
- in America. Phytopath. 6: 351-356. 1916. 2248. Peacock, R. W. Smut preventatives and their effect on the germination of the seed grain. Agric. Gaz. New S. Wales 16: 251-252. 1905.
- 2249. Peacock, R. W. Field experiments with flag smut. Agric. Gaz. New S. Wales 24: 381-384. 1913.
- 2250. Peglion, V. Su la immunita dei semi di frumento provenienti da piante colpite da infezione diffusa. Atti Accad. Sci. Med. e Natur., Ferrara 82: 137-138. 1908.
- 2251. Peglion, V. Contributo allo studio del carbone dei cereali. Atti Accad. Georgof., Firenze 1908: 482–486.
- 2252. Peglion, V. Intorno alla carie del frumento. Atti Accad. Sci. Rend. 19: 216–220. 1910.
- 2253. Peglion, V. Intorno al comportamento di alcune varieta di frumento rispetto alla carie. Rend. Cl. Sci. Pis. Mat. Nat. Accad. Linceiserie 5: 398-400. 1919.
- 2254. Peltier, G. L. Control of bunt of wheat in Nebraska. Phytopath. 18: 921-929. 1928.
- 2255. Pepper, B. B., and Haenseler, C. M. Control of European corn borer and car smut on sweet corn with dusts and sprays. New Jersey Agric. Expt. Sta. Circ. 486. 1944.
- 2256. Perevesentzeva, M. S. Five per cent magnesium arsenite as a seed disinfectant. Pl. Prot. Leningrad 3: 73-76. 1935.
- 2257. Perlet, J. Zur Bekämpfung des Mais-Beulenbrandes. Deutsche Landw. Presse 65: 7–8, 16. 1938.

- 2258. Persoon, D. C. H. Synopsis methodica fungorum. Gottingae. 1801.
- 2259. Petch, T. Ustilagineae and Uredineae of Ceylon. Ann. Roy. Bot. Gard., Peradeniya 5: 221-256. 1912.
- 2260. Petch, T. Addition to Ceylon fungi. Ann. Roy. Bot. Gard. Peradeniya 6: 195-256. 1917.
- 2261. Pethybridge, G. H. Fungus and allied diseases. In Plant Pests and Diseases in 1926, National Farmers' Union Year Book for 1927: 162–165. 1927.
- 2262. Pethybridge, G. H., and Moore, W. C. 'Dry pickling' or 'dusting' seed wheat to prevent bunt: results of cooperative trials by Advisory Mycologists in England and Wales, 1927–28. Jour. Min. Agric. 37: 429–439. 1930.
- 2263. Petit, A. Poudrage des semences contre la carie et les charbons externes. Substances et doses à employer. Bull. Agric. Algerie-Tunisie-Maroc. 2nd Ser. 33: 114-117. 1927.
- 2264. Petit, A. Le traitement à sec des semences contre la carie. Efficacité certaine de substances ayant une faible teneur de cuivre. La Tunisie Agricole. 1928.
- 2265. Petit, A. Luttre contre des Ustilaginées des céréales. Traitement des semences, substances à usages multiples, variétés resistantes. Ann. Service Bot. Tunis. 1928.
- 2266. Petit, A. Resultats d'experiences faites au sujet du traitement de la carie du Ble. Advantages de certains sels du cuivre. Compt. Rend. Acad. Agric. France 14: 157-162. 1928.
- 2267. Petit, A. Traitement de la carie du Ble au moyen de faibles doses de cuivre. Resultats d'une étude systematique. Rev. Path. Veg. Ent. Agric. 15: 238-248. 1928.
- 2268. Petit, A. Action de certains sels halogènes sur la spore d'une Ustilaginaceae, Tilletia levis. Compt. Rend. Soc. de Biol. 38: 2003-2004. 1929.
- 2269. Petit, A. Energie fongicide de certains sels halogènes de cuivre et de mercure en fonction de la concentration, Cas des solutions et des mélanges pulverulents. Ann. Serv. Bot. Tunis. 1929.
- 2270. Petit, A. Energie fongicide de certains sels halogènes de cuivre et de mercure vis-à-vis de la carie du ble, en fonction de la concentration. Ann. Serv. Bot. Tunis. 1930.
- 2271. Petit, A. Valeur de differents composés cupriques essayes au point de vue de l'action anticryptogamique vis-à-vis de la spore de la carie. Compt. Rend. Acad. Agric. France 16: 529-533. 1930.
- 2272. Petit, A. Comparison de l'efficacité de quelques substances sur la carie du ble, resultats obtenus avec les sels de cuivre purs et les mélanges employés en pratique. Rapport Congr. Agron. du Cenquantenaire. Tunis. 1931.
- 2273. Petit, A. Le traitement de la carie du Ble et la preservation des grains vis-à-vis des insectes parasites. Ann. Serv. Bot. Tunis. 7: 95-100. 1931.
- 2274. Petit, A. La desinfection à sec des semences du Ble contre la carie. Rev. Path. Veg. Ent. Agric. 18: 224-226. 1931.
- 2275. Petit, A. Observations sur la carie du Ble. Ann. Serv. Bot. Tunis. 7: 101-103. 1931.

- 2276. Petit, A. Observations sur le charbon du ble (Ustilago tritici). Ann. Serv. Bot. Tunis. 1931.
- 2277. Petit, A. Traitement des semences de Ble contre la carie, selection des variétés resistances. Rev. Path. Veg. Ent. Agric. 1931.
- 2278. Petit, A. Nouvelles observations sur le traitement de la carie du Ble (Tilletia levis Kühn), du charbon de l'Orge (Ustilago hordei Persoon, Kellerman et Swingle) et du charbon de l'Avoine (Ustilago avenae Persoon, Kellerman et Swingle). Rev. Path. Veg. Ent. Agric. 19: 208-213. 1932.
- 2279. Petit, A. Resultats experimentaux sur la preservation des céréales contre les parasites cryptogamiques en Tunisie. Rev. Path. Veg. Ent. Agric. 20: 210–260. 1933.
- 2280. Petit, A. Observations sur le traitement des semences des céréales.

 Toxicité du soufre precipite pour le charbon couvert de l'Orge. Rev.

 Path. Veg. 32: 57-59. 1935.
- 2281. Petit, A. Le traitement des caryopses des céréales. Le soufre et le soufre cuprique. Ann. Serv. Bot. Tunis. 11: 267-272. 1935.
- 2282. Petit, A. Les maladies cryptogamiques du ble. Ann. Serv. Bot. Tunis. 1935.
- 2283. Petit, A. Remarques sur la toxicité des anticryptogamiques pour les parasites de Blc. Ann. Serv. Bot. Tunis. 11: 235–263. 1935.
- 2284. Petit, A. Le charbon du Ble. Biologie—moyens de lutte. 16 pp. Tunis, Imprimerie Gorsse, Bascone & Muscat. 1936.
- 2285. Petit, A. Traitements rapides des semences de Ble tendre contre le charbon interne (Ustilago tritici). Bull. Direct. Aff. Econ., Tunis No. 2. 1937.
- 2286. Petit, A. Observations sur le traitement des grains de Ble contre le charbon interne (Ustilago tritici). Rev. Path. Veg. 24: 175-185. 1937.
- 2287. Petit, A. Le traitement des semences de Ble tendre contre Ustilago tritici. Trempages de courte durée dans l'eau chaude. Compt. Rend. Acad. Agric. France 23: 672-678. 1937.
- 2288. Petit, A. Moyens individuels et collectifs de défense contre 'Ustilago tritici'. Ann. Serv. Bot. Tunis. 14–15: 43–52. 1939.
- 2289. Petit, A. Le soufre contre le charbon couvert de l'Orge. Ann. Serv. Bot. Tunis. 14-15: 85-90. 1939.
- 2290. Petit, A. Les principaux produits anticryptogamiques destinés au traitement des semences de Ble et d'Orge. Ann. Serv. Bot. Tunis. 14–15: 53–84. 1939.
- 2291. Petri, L. Concentrazione degli ioni di H e azione del calore sulle germinabilita delle spore di Ustilago tritici. Bull. R. Staz. Pat. Veg. N. S. 6: 251-252. 1926.
- 2292. Petri, L. L'azione stimolante e disinfettante dei trattamenti dei semi di Grano eseguiti con sali di mercurio. Bull. R. Staz. Pat. Veg. N. S. 10: 326-329. 1930.
- 2293. Petty, M. A. Physical and chemical adaptation and environmental "carry over" effects in Ustilago zeae. Phytopath. 32: 14. 1942.
- 2294. Pey, H. Wheat improvement committee. Diseases and pests of cereals. Jour. Dept. Agric. Victoria 7: 368-373. 1901.
- 2295. Pfeil, K. Neue Erfahrungen bei der Bekämpfung des Weizensteinbrandes. Nachr. über Schädlingsbekämpf. 1: 131–132. 1926.

- 2296. Phillips, E. W. Time required for the production of hay fever by spores of a newly encountered fungus, Johnson Grass smut. Jour. Allergy 12: 24-27. 1940.
- 2297. Phillips, W., and Plowright, C. B. New and rare British fungi. Grevillea 10: 65–74. 1881.
- 2298. Phippin, G. D. Report on the onion disease. Proc. Essex Inst. 2: 207, 211-215. 1862.
- 2299. Piacco, R. Ipertrofia ed anomalie dell' inflorescenza maschile del Mais Causata dal carbone. Giorn. di Risicolt 23: 177-181. 1933.
- 2300. Piardi, G. Il metodo di L. Jensen per combattere nei cereali la Ustilago segetum e la Tilletia Caries. L'Italia agricola 46: 37-39. 1909.
- 2301. Pichi, P. Poche parole sul carbone e la carie dei cereali. Riv. R. Scuol. vit. enol. Conegliano, Ser. 4, 7: 459-460. 1901.
- 2302. Pichler, F. Kalkstickstoff als Staubbeize gegen Weizensteinbrand? Deutsche Landw. Presse 59: 503. 1932.
- 2303. Pichler, F. Erprobung von Saatgutbeizmitteln im Laboratorium. I. Gegen Weizensteinbrand. Zeitschr. f. Pflanzenkrank. 45: 113-131. 1935.
- 2304. Pichler, F. Über die Verwendbarkeit von Wasserstoffsuperoxyd als Saatgutbeizmittel. Phytopath. Zeitschr. 8: 245–251. 1935.
- 2305. Pichler, F. Die Bekämpfung des Haferflugbrandes. Neuheiten Pflanzenschutz 29: 49–51. 1936.
- 2306. Pichler, F. Über die Anfälligkeit verschiedener Hafersorten für Flugbrand. Neuheiten Pflanzenschutz 30: 1-3. 1937.
- 2307. Pichler, F., and Wober, A. Bestrahlungsversuche mit ultraviolettem Licht, Röntgenstrahlen und Radium zur Bekämpfung von Pflanzenkrankheiten. Centralbl. f. Bakt. 2: 319–327. 1922.
- 2308. Piekenbrock, P. Untersuchungen über das Verhalten des Ustilago tritici an Sorten und Kreuzungen. Kühn-Arch. 15: 411–456. 1927.
- 2309. Piemeisel, F. J. Some facts of the life history of Ustilago zeae (Beckm.) Unger. Phytopath. 4: 411-412. 1914.
- 2310. Piemeisel, F. J. Factors affecting the parasitism of Ustilago zeae. Phytopath. 7: 294–307. 1917.
- 2311. Pieper, H. Steinbrand und physiologische Spaltungen. Deutsche Landw. Presse 47: 543–544. 1920.
- 2312. Pierstorff, A. L., and Sayre, J. D. Further results of oat smut control in Ohio. Phytopath. 19: 102-103. 1929.
 2313. Pipal, F. J. The effect of hydrogen peroxide in preventing the smut of
- 2313. Pipal, F. J. The effect of hydrogen peroxide in preventing the smut of wheat and oats. Proc. Ind. Acad. Sci. 1916: 378-381.
- 2314. Pipal, F. J. Hot water treatment for seed wheat. Purdue Univ. Agric. Ext. Bull. 100. 1921.
- 2315. Piper, C. V. Common fungous diseases and methods of prevention. Wash. Agric. Expt. Sta. Bull. 8: 131-144. 1894.
- 2316. Pirotta, R. Sulla struttura e sulla germinazione delle Spore del Sorosporium (?) primulicola (Magn.). Nuova Giorn. Bot. Ital. 13: 235–240. 1881.
- 2317. Pirotta, R. Sull' Urocystis primulicola Magnus in Italia. Nuova Giorn. Bot. Ital. 23: 502. 1891.
- 2318. Pitzorno, M. Sulla germinazione delle spore dell' Ustilago bromivora F. de W. Rend. R. Accad. Sci. Ist. Bologna 1893: 67-70.
- 2319. Planer, J. Tractatus de ustilagine frumenti. Tübingae. 1709.

- 2320. Platz, G. A. The relation of oxygen to the germination of the chlamydospores of Ustilago zeae (Beckm.) Unger. Iowa State Coll. Jour. Sci. 2: 137-143. 1928.
- 2321. Platz, G. A. Some factors influencing the pathogenicity of Ustilago zeae (Beckm.) Unger. Iowa State Coll. Jour. Sci. 3: 177-214. 1929.
- 2322. Platz, G. A., Durrell, L. W., and Howe, M. F. Effect of carbon dioxide upon the germination of chlamydospores of Ustilago zeae (Beckm.) Unger. Jour. Agric. Res. 34: 137-147. 1927.
- 2323. Plaut, M. Neue Beizversuche und neue Beizmittel der Landwirtschaft. Chem. Zeit. 48: 433-436. 1924.
- 2324. Plaut, M. Die Wirkung von warmen Beizmitteln und Versuche zur Stimulation. Angew. Bot. 7: 153-184. 1925.
- 2325. Plaut, M. Beiz- und Stimulationsversuche mit Zuckerrübensamen und Getreide. Zeitschr. f. Pflanzenkrank. 36: 321-351. 1926.
- 2326. Plaut, M. Auswinterung und Saatgutdesinfektion. Nachr. über Schädlingsbekämpf. 3: 77-81. 1928.
- 2327. Plowright, C. B. On mimicry in fungi. Grevillea 10: 1-14. 1881. 2328. Plowright, C. B. Smut (Ustilago segetum) in oats and barley. Gard. Chron. Ser. 3, 3: 555, 596. 1888.
- 2329. Plowright, C. B. A monograph of the British Uredineae and Ustilagineae. 348 pp. London. 1889.
- 2330. Plowright, C. B. The diseases of the reproductive organs of plants caused by parasitic fungi. Gard. Chron. V, 11: 301-302, 331-332, 373, 397, 472–473, 490–491, 524–525. 1892.
- 2331. Plowright, C. B. The Ustilagineae, as reproductive parasites. Gard. Chron. III, 11: 429. 1892.
- 2332. Plowright, C. B. Ustilago on Psamma arenaria. Gard. Chron. Ser. 3, 13: 425. 1893.
- 2333. Plowright, C. B. On the recent additions to our knowledge of the Uredineae and Ustilagineae with special reference to the British species. Brit. Mycol. Soc. Trans. 1: 90-105. 1899.
- 2334. Poehlman, J. M. A simple method of inoculating barley with loose smut. Phytopath. 35: 640-644. 1945.
- 2335. Poehlman, J. M. Sources of resistance to loose smut, Ustilago nuda, in winter barleys. Jour. Amer. Soc. Agron. 39: 430-437. 1947.
- 2336. Pohjakallio, O. Keimungsversuche mit Cintractia Karii Liro. Ann. Bot. Soc. Zool.-Bot. Fenn. Van. 6: No. 3. 1935.
- 2337. Polyakoff, I. M., and Petrova, A. P. Investigation on new fungicides to replace formalin. Plant Prot. Leningrad 1939: 121-129. (Russian; trans. title.)
- 2338. Pomerleau, R., and Brunel, J. Inventaire descriptif de la flore mycologique du Québec. VI. Nat. Canadien 66: 123-128. 1939.
- 2339. Popp, W. A rapid method of examining wheat heads for bunt infection. Phytopath. 37: 418-420. 1947.
- 2340. Popp, W., and Hanna, W. F. Studies on the physiology of the oat smuts. Sci. Agric. 15: 424-434. 1935.
- 2341. Porter, R. H. Seed disinfectants for the control of covered smut and stripe of hulless barley. Phytopath. 18: 139. 1928.
- 2342. Porter, R. H., Chen, H. K., and Yu, T. F. Smut resistance in millet. Phytopath. 20: 915-916. 1930.
- 2343. Porter, R. H., Yu, T. F., and Chen, H. K. The effect of seed disinfect-

- ants on smut and on yield of millet. Phytopath. 18: 911-919. 1928.
- 2344. Porter, R. H., Yu, T. F., and Chen, H. K. The response of hulless barley to seed treatment for covered smut and stripe disease. Phytopath. 19: 657-666. 1929.
- 2345. Pospelov, V. The most recent contributions to the problem of control of smuts. Vedom, Selisk. Choz. i Promysl. Kiev 9, 1905: 268-270, 287-289. 1908. (Russian; trans. title.)
- 287-289. 1908. (Russian; trans. title.)
 2346. Potapov, A. Smuts of Siberia. Biology, methods of studying and methods of control. 89 pp. Irkutsk. 1927. (Russian; trans. title.)
- 2347. Potapov, A., Soukharev, A. A., and Chelpanova, A. I. Tilletia tritici. Jour. Bot. U. S. S. R. 28: 110-116. 1943.
- 2348. Potter, A. A. Ustilagineae on Andropogon sorghum (L.) in America. Phytopath. 2: 98. 1912.
- 2349. Potter, A. A. Head smut of sorghum and maize. Jour. Agric. Res. 2: 339-372. 1914.
- 2350. Potter, A. A. The effect of disinfection on the germination of cereal seed. Phytopath. 8: 248-249. 1918.
- 2351. Potter, A. A., and Coons, G. H. Differences between the species of Tilletia on wheat. Phytopath. 8: 106-112. 1918.
- 2352. Potter, A. A., and Coons, G. H. The species of Tilletia on wheat. Phytopath. 8: 72. 1918.
- 2353. Potter, A. A., and Melchers, L. E. Ecological observations on Ustilago zeae. Phytopath. 7: 73-74. 1917.
- 2354. Potter, A. A., and Melchers, L. E. Resistance of sorghum types to covered kernel smut. Phytopath. 8: 71. 1918.
- 2355. Potter, A. A., and Melchers, L. E. Study of the life history and ecologic relations of the smut of maize. Jour. Agric. Res. 39: 161-173. 1925.
- 2356. Poulsen, A. Warmwasserbehandlung von Gerste. Nachr. über Schädlingsbekämpf. 9: 141–145. 1934.
- 2357. Pouzin, P. Le poudrage à sec des semences contre la carie. Jour. d'Agric. Prat. 38: 272-274. 1924.
- 2358. Pouzin, P. Sur le poudrage des semences. Jour. d'Agric. Prat. 89: 89-92. 1925.
- 2359. Pouzin, P. Encore le traitement à sec des semences. Jour. d'Agric. Prat. 89: 378-379. 1925.
- 2360. Pouzin, P. A propos des traitements des semences contre la carie. Jour. d'Agric. Prat. 90: 451-453. 1926.
- 2361. Prasad, N. Long smut of sorghum-method of infection. Curr. Sci. 14: 239. 1945.
- 2362. Preininger, T. Durch Maisbrand (Ustilago maydis) bedingte Dermatomykose. Arch. Derm. Syph., Berl. 176: 108-113. 1937.
 2363. Preston, N. C. Report of the Advisory Mycologist for the period from
- 2363. Preston, N. C. Report of the Advisory Mycologist for the period from April, 1923-March, 1926. Rept. Advisory Dept. Harper Adams Agric. Coll., Newport, Salop. 1: 9-14. 1926.
- 2364. Prevost, I. B. Memoire sur la cause immédiate de la carie ou charbon des bles et de plusieurs autres maladies des plantes. 80 pp. Paris. 1807.
- 2365. Prevost, I. B. Memoire sur la cause immédiate de la carie ou charbon des bles et sur les preservatifs de la carie. Paris. 1807.
- 2366. Prevost, I. B. Memoir on the immediate cause of bunt or smut of

- wheat, and of several other diseases of plants, and on preventives of bunt. Translated from the French (see No. 2364 above) by G. W. Keitt. Phytopath. Classics 6: 1-95. 1939.
- 2367. Price, D. J., and McCormick, E. B. Dust explosions and fires in grain separators in the Pacific Northwest. U. S. Dept. Agric. Bull. 379. 1916.
- 2368. Pridham, J. T. Flag smut of wheat. Agric. Gaz. New S. Wales 24: 25-26. 1913.
- 2369. Pridham, J. T., and Dwyer, R. E. Reaction of wheat varieties to flag smut. Agric. Gaz. New S. Wales 41: 413-415. 1930.
- 2370. Prillieux, E. Quelques observations sur la formation et la germination des spores des Urocystis (Ustilaginées). Ann. Sci. Nat., Ser. 6, 10: 49-61. 1880.
- 2371. Prillieux, E. Sur la formation et la germination des spores des Urocystis. Bull. Soc. Bot. France 27: 204. 1880.
- 2372. Prillieux, E. Le Charbon du Sorgho, Ustilago Sorghi (Lk.) Passer. Bull. Soc. Bot. France 42: 36. 1895.
- 2373. Prillieux, E. Maladies des Plants agricoles I. 1895.
- 2374. Pritchard, E. W. Wheat pickles. Laboratory experiments with various pickling media. Jour. Dept. Agric. S. Australia 29: 781–786. 1926.
- 2375. Proctor, J. W. An essay on the cultivation of the onion. Trans. Essex Agric. Soc. 1847: 86-92. 1848.
- 2376. Proshkina-Kobezskaya, A. I. Disease of cultivated plants in the Ukraine 1926–1927. Protection of Plants in Ukraine 1927–1928: 25–32. 1928.
- 2377. Puchner, H., and Fischer, W. E. Prüfung eines Beizapparates 'Saatglück' der Fa. K. Volger, Eisenach (Thür.). Tech. Landw. 10: 19-20. 1929.
- 2378. Pugsley, A. T., and Vines, A. Breeding Australian barleys resistant to covered smut. Jour. Austr. Inst. Agric. Sci. 12: 44-47. 1946.
- 2379. Pusch, G. Ist Tilletia caries im Stande, Erkrankungen bei unseren Haustieren hervorzurufen, etc. Deutsche Zeitschr. f. Thiermedicin 19: 381-404. 1893.
- 2380. Pusch, G. Über die Schädlichkeit der Tilletia im Futter unserer Haustiere. Zeitschr. Infektionskrank. Par. Krank. u. Hyg. Haust. 11: 1-14. 1912.
- 2381. Putterill, V. A. Flag smut of wheat. Jour. Dept. Agric. S. Africa 1: 252-257. 1920.
- 2382. Puttick, G. F. Covered smut (Tilletia tritici) in wheat. The value of different control methods. Jour. Dept. Agric. S. Africa 8: 616-622. 1924.
- 2383. Pye, H. Wheat Improvement Committee. Diseases and pests of cereals. Jour. Agric. Victoria 7: 368-373. 1909.
- 2384. Quanjer, H. M. Onderzoekingen naar aanleiding van het heftig optreden van de brandzwam Ustilago bromivora in een om het zaad gekweektegrassoort. Tijdsskr. o. Plantenz. 19: 137–152. 1913.
- 2385. Quanjer, H. M., and Batjes, J. O. Disinfection of seed grain with hot water. The Hague. Dir. Landbouw. 1914. 2nd rev. ed.
- 2386. Quanjer, H. M., and Batjes, J. O. Nederlandsche onderzoekingen over de bestrijding van Gran-en Grasbrand en ven Strepenziekt. Mede-

- deelingen v. de Rijks Hoojere Land-, Tuin-en Boschbouwschoal 8: 129-160. 1915.
- 2387. Quodling, H. C. Pickling wheat with carbonate of copper. Queensland Agric. Jour. 24: 456-457. 1925.
- 2388. Rabate, E. Le charbon du mais. Jour. Agric. Prat. 65: 622-625. 1901.
- 2389. Rabenhorst, L. Uredo secales Rabenh., der eigentliche Roggenbrand, eine neue Pilzart. Flora 32: 209. 1849.
- 2390. Rabien, H. Ueber Keimungs- und Infektionsbedingungen von Tilletia tritici. Arb. Biol. Reichsanst. f. Land- und Forstw. 15: 297–355. 1927.
- 2391. Rabien, H. Beitrag zur Frage der Schädigung des Saatgutes durch Trockenbeizen. Nachrichtenbl. Deutschen Pflanzenschutzdienst 12: 61-62. 1932.
- 2392. Raciborski, M. Mykologische Studien. Anzeiger Akad. Wiss. Krakau 1896: 376–386. 1896.
- 2393. Raciborski, M. Ramphospora Nymphaeae. Flora 83: 75. 1897.
- 2394. Raciborski, M. Parasitische Algen und Pilze Java's III. Contrib. Bot. Inst. zu Buitenzorg. 49 pp. Batavia. 1900.
- 2395. Raciborski, M. Parasitische und epiphytische Pilze Java's. Bull. Intern. Acad. Sc. Cracovie 1909: 346-394. 1909.
- 2396. Rademaker and Fischer. Ustilagine. Pharm. Jour. Aug. 20. 1887.
- 2397. Radulescu, E. Untersuchungen über die physiologische Spezialisierung bei Flugbrand des Weizens Ustilago tritici (Pers.) Jens. Phytopath. Zeitschr. 8: 253-258. 1935.
- 2398. Radulescu, E. Untersuchungen über die physiologische Spezialisierung des Haferflugbrandes (Ustilago avenae [Pers.] Jens.). Pflanzenbau 11: 295–300. 1935.
- 2399. Radulescu, E. Uebt die Weizensorte eine selektive Wirkung auf Tilletia-Arten aus? Zeitschr. f. Pflanzenkr. 48: 39–42. 1938.
- 2400. Raeder, J. M., and Hungerford, C. W. Dust treatments for the control of oat smut in Idaho. Phytopath. 17: 569-570. 1927.
- 2401. Rafay, S. A., and Padmanabhan, S. Y. Sugarcane smut in Bihar. Curr. Sci. 4: 496–497. 1940.
- 2402. Ramamoorthy, C. S., and Mundkur, B. B. Neovossia indica in culture. Curr. Sci. 13: 49. 1944.
- 2403. Ranker, E. R. The nature of smut resistance in certain selfed lines of corn as indicated by filtration studies. Jour. Agric. Res. 41: 613– 619. 1930.
- 2404. Ranker, E. R. Synthetic nutrient solutions for culturing Ustilago zeae. Jour. Agric. Res. 41: 435-443. 1930.
- 2405. Ranninger, R., and Lerner, E. Saugkraft und Brandanfälligkeit bei Mais. Landeskultur 2: 187–188. 1935.
- 2406. Ranojevic, N. Beitrag zur Pilzflora Serbiens. Hedwigia 61: 89–103. 1902; Ann. Mycol. 8: 347–402. 1910; 12: 393–421. 1914.
- 2407. Rapin, J. Action de la temperature et du sol sur le developpement du Tilletia tritici (carie du Ble). Ann. Agric. de la Suisse 28: 79-84. 1927.
- 2408. Rapin, J. Essais de lutte contre la carie du Froment (Tilletia tritici). Rev. Romande Agric. 1946: 65-66.
- 2409. Rapin, J. Les charbons de l'Avoine. Rev. Romande Agric. 1947: 1-3.

- 2410. Raum, J. Haferbeize mit Formalin. Prakt. Bl. f. Pflanzenbau u. Pflanzenschutz 5: 127-128. 1907.
- 2411. Raum, J. Zum Flugbrand des Hafers. Prakt. Bl. f. Pflanzenbau u. Pflanzenschutz 6: 136–137. 1908.
- 2412. Ravn, K. F. Saatidens Indflydelse paa Fremkomsten af Støvbrand hos Havre. Tidsskr. f. Landbr. Planteavl 7: 142–148. 1901.
- 2413. Ravn, K. F. Forsog med Midler mod Rugens Staengelbrand. 'Tidsskr. f. Landbr. Planteavl 19: 214-228. 1912.
- 2414. Rawitscher, F. Beiträge zur Kenntnis der Ustilagineen. I. Zeitschr. f. Bot. 4: 673-706. 1912.
- 2415. Rawitscher, F. Zur Sexualität der Brandpilze; Tilletia tritici. Ber. Deutschen Bot. Ges. 32: 310–314. 1914.
- 2416. Rawitscher, F. Beiträge zur Kenntnis von Ustilagineen. II. Zeitschr. f. Bot. 14: 273-296. 1922.
- 2417. Rawitscher, F. Beiträge zur Kenntnis der Ustilagineen. III. Zeitschr. f. Bot. 19: 577-601. 1927.
- 2418. Ray, J. Etude biologique sur les parasitisme. Ustilago maydis. Compt. Rend. 86: 567–570. 1903.
- 2419. Rayss, T., and Zwirn, E. Some interesting Ustilaginales new to Palestine. Palest. Jour. Bot. (J. Ser.) 3: 114-116. 1944.
- 2420. Rea, C. Some remarks on the rusts and smuts known technically as the Uredinaceae and Ustilaginaceae. Trans. Nat. Club Worcester 3: 247-254. 1907.
- 2421. Reed, G. M. The smuts of cereals. Mo. Bd. Agric. Ann. Rept. 44: 253-265. 1911.
- 2422. Reed, G. M. Physiological specialization of parasitic fungi. Brooklyn Bot. Gard. Mem. I: 348–409. 1918.
- 2423. Reed, G. M. Varietal resistance and susceptibility of oats to powdery mildew, crown rust, and smuts. Mo. Agric. Expt. Sta. Res. Bull. 37. 1920.
- 2424. Reed, G. M. Varietal resistance and susceptibility of sorghums to Sphacelotheca sorghi (Link) Clinton and Sphacelotheca cruenta (Kühn) Potter. Mycologia 15: 132–143. 1923.
- 2425. Reed, G. M. The smuts of cereals, their nature, economic importance and the significance of recent discoveries. Brooklyn Bot. Gard. Rec. 13: 103-124. 1924.
- 2426. Reed, G. M. Physiologic races of oat smuts. Amer. Jour. Bot. 11: 282-292. 1924.
- 2427. Reed, G. M. Varietal susceptibility of wheat to Tilletia laevis Kühn. Phytopath. 14: 437–450. 1924.
- 2428. Reed, G. M. The inheritance of resistance of oat hybrids to loose smut. Mycologia 17: 163-181. 1925.
- 2429. Reed, G. M. Plant pathology. Disease resistance. Brooklyn Bot. Gard. Rec. 15: 55-57. 1926.
- 2430. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 16: 37-45.
- 2431. Reed, G. M. Further evidence of physiologic races of oat smuts. Mycologia 19: 21-28. 1927.
- 2432. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 17: 43-49. 1928.

- 2433. Reed, G. M. Physiologic races of bunt of wheat. Amer. Jour. Bot. 15: 157-170. 1928.
- 2434. Reed, G. M. New physiologic races of the oat smuts. Bull. Torr. Bot. Club 56: 449–470. 1929.
- 2435. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 18: 52-57. 1929.
- 2436. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 19: 55-60. 1930.
- 2437. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 20: 78-83. 1931.
- 2438. Reed, G. M. Inheritance of smut resistance in hybrids of Early Gothland and Monarch oats. Amer. Jour. Bot. 18: 803-815. 1931.
- 2439. Reed, G. M. Inheritance of resistance to loose and covered smut in a hybrid of Early Gothland and Victor oats. Amer. Jour. Bot. 19: 194-204. 1932.
- 2440. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 22: 53-57. 1933.
- 2441. Reed, G. M. Inheritance of resistance to loose and covered smut in hybrids of Black Mesdag with Hull-less, Silver-Mine, and Early Champion oats. Amer. Jour. Bot. 21: 278-291. 1934.
- 2442. Reed, G. M. Inheritance of resistance to loose smuts in hybrids of Fulghum and Black Mesdag oats. Bull. Torr. Bot. Club 62: 177–186. 1935.
- 2443. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 24: 50–58. 1935.
- 2444. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 25: 45–59. 1936.
- 2445. Reed, G. M. Report on the influence of the growth of the host on smut development. Misc. Amer. Philos. Soc. 1: 43-46. 1936.
- 2446. Reed, G. M. Influence of the growth of the host on smut development. Proc. Amer. Phil. Soc. 79: 303-326. 1938.
- 2447. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 28: 47–51. 1939.
- 2448. Reed, G. M. Physiologic races of oat smuts. Amer. Jour. Bot. 27: 135–143. 1940.
- **2449**. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 29: 51–56. 1940.
- **2450.** Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 30: 81–93. 1941.
- **2451**. Reed, G. M. Plant pathology. Brooklyn Bot. Gard. Rec. 31: 90–94. 1942.
- 2452. Reed, G. M., and Duncan, G. H. Flag smut and take-all. Ill. Agric. Expt. Sta. Circ. 242. 1920.
- 2453. Reed, G. M., and Faris, J. A. Influence of environmental factors on the infection of sorghums and oats by smuts. I. Experiments with covered and loose kernel smuts of sorghum. Amer. Jour. Bot. 11: 518-534. 1924.
- 2454. Reed, G. M., and Faris, J. A. Influence of environmental factors on the infection of sorghums and oats by smuts. II. Experiments with covered smut of oats and general considerations. Amer. Jour. Bot. 11: 579-599. 1924.

- 2455. Reed, G. M., Griffiths, M. A., and Briggs, F. A. Varietal susceptibility of oats to loose and covered smuts. U. S. Dept. Agric. Bull. 1275. 1925.
- 2456. Reed, G. M., and Melchers, L. E. Sorghum smuts and varietal resistance in sorghums. U. S. Dept. Agric. Bull. 1284. 1925.
- 2457. Reed, G. M., and Stanton, T. R. Relative susceptibility of selections from a Fulghum-Swedish Select cross to the smuts of oats. Jour. Agric. Res. 30: 375–391. 1925.
- 2458. Reed, G. M., and Stanton, T. R. Reaction of oat varieties to physiologic races of loose and covered smuts of red oats. Jour. Agric. Res. 52: 1-16. 1936.
- 2459. Reed, G. M., and Stanton, T. R. Inheritance of resistance to loose and covered smuts in oat hybrids. Jour. Amer. Soc. Agron. 29: 997-1006. 1937.
- 2460. Reed, G. M., and Stanton, T. R. Inheritance of resistance to loose and covered smuts in Markton hybrids. Jour. Agric. Res. 56: 159-175. 1938.
- 2461. Reed, G. M., and Stanton, T. R. Susceptibility of Lee × Victoria oat selections to loose smut. Phytopath. 32: 100–102. 1942.
- 2462. Reed, G. M., Stanton, T. R., and Wilds, G. J. Reaction of oat varieties and selections to physiologic races A-30 and A-31 of loose smut. Jour. Amer. Soc. Agron. 39: 1077-1087. 1947.
- 2463. Reed, G. M., Swabey, M., and Kolk, L. A. Experimental studies on head smut of corn and sorghum. Bull. Torr. Bot. Club. 54: 295–310. 1927.
- 2464. Reed, J. Treatment of stinking smut in wheat. Colo. Agric. Expt. Sta. Bull. 79: 1-8. 1903.
- 2465. Reess, M. Ueber Ustilago? capensis, einen neuen Brandpilz vom Cap der guten Hoffnung. Sitzungsber. d. Physik.-Medic. Soc. Erlangen 7: 70-72. 1875.
- 2466. Reess, M. Ustilago capensis n. sp. In Buchenau, Fr. Monographie der Juncaceen vom Cap. Abh. Naturw. Ver. Bremen 4: 393-515. 1875.
- 2467. Reichardt, H. W. Ein neuer Brandpilz, Ustilago Ficuum Rchdt. Verh. Zool. Bot. Ges. Wien 17: 335–336. 1867.
- 2468. Reichert, I. Die Pilzflora Ägyptens. Bot. Jahrb. 56: 598-728. 1921. 2469. Reichert, I. The control of smut disease of winter cereals in Palestine.
- 2469. Reichert, I. The control of smut disease of winter cereals in Palestine Yedeoth Proc. Agric. Expt. Sta. Zionist Organ. 3: 76–82. 1926.
- 2470. Reichert, I. Comparative bunt resistance of wheat in Palestine. Zionist Organ. Inst. Agric. and Nat. Hist. Agric. Exper. Sta. Bull. 9: 1-27. 1928.
- 2471. Reichert, I. The susceptibility of American wheat varieties resistant to Tilletia tritici. Phytopath. 20: 973-980. 1930.
- 2472. Reichert, I. A new strain of Tilletia tritici in Palestine. Ann. Appl. Biol. 17: 720-724. 1930.
- 2473. Reichert, I. Tilletia tritici on Aegilops. Trans. Brit. Mycol. Soc. 16: 133-135. 1931.
- 2474. Reichert, I. On the disease resistance of wild emmer. Palest. Jour. Bot., R., Ser. 4: 179-183. 1944.
- 2475. Reichert, I., Minz, G., and Palti, J. Trials for the control of covered smut of barley by seed dressings. Palest. Jour. Bot., R., Ser. 4: 171-174. 1944.

- 2476. Reissek, S. Ueber die durch den Brand verursachten Missbildungen des Maises. Haidinger's Naturwissenschaftl. Berichte, Wien 1: 147. 1847.
- 2477. Reissek, S. Ueber Schmierbrand am Weizen. Verh. Zool. Bot. Ges. Wien 2: 80. 1852.
- 2478. Remy, T., and Vasters, J. Mercury Chlorophenol as a fungicide. Illus. Landw. Ztg. 1914: 769-771; 776-778. 1914.
- 2479. Remy, T., and Vasters, J. Untersuchungen über die Wirkung von Chlorophenol-Quecksilber, Sublimat und einigen andern Pflanzenschutz- und Desinfektionsmitteln. Landsw. Jahrb. 58: 379–480. 1923.
- 2480. Reukauf, E. Über Tracya hydrocharidis Lagerh. Hedwigia 45: 36-39. 1906.
- 2481. Reyes, G. M. The black smut, or bunt, of rice (Oryza sativa Linnaeus) in the Philippines. Philipp. Jour. Agric. 4: 241-270. 1933.
- 2482. Reyes, G. M. Rice diseases and methods of control. Philipp. Bur. Pl. Ind. Farmer's Circ. 50. 1939.
- 2483. Richards, B. L., and Bracken, A. F. Control of stinking smut of wheat with copper carbonate. Utah Agric. Expt. Sta. Circ. 59. 1926.
- 2484. Richardson, A. E. V. Treatment of wheat for smut. Jour. Dept. Agric. Victoria 22: 224-230. 1924.
- 2485. Richardson, W. T. The use of dry pickled wheat for poultry. Jour. Dept. Agric. West. Australia, Ser. 2, 2: 477. 1925.
- 2486. Richter, H., and Müller, H. Der Brand der Dispenhirse (Sphacelotheca panici miliacei) und seine Bekämpfung. Centralbl. f. Bakt. II, 106: 32–37. 1943.
- 2487. Riehm, E. Prüfung einiger Mittel zur Bekämpfung des Steinbrandes. Mitt. Biol. Anst. f. Land- u. Forstw. Berlin 14: 8-9. 1913.
- 2488. Riehm; E. Abnorme Sporenlager von Ustilago tritiei (Pers.) Jens. Ber. Deutschen Bot. Ges. 32: 570–573. 1914.
- 2489. Riehm, E. Die Brandkrankheiten des Getreides. Deutsche Landw. Presse 41: 631-633, 649-651. 1914.
- 2490. Riehm, E. Bestimmungsprüfung des Brandsporeninhalts des Weizens. Mitt. Biol. Reichsanst. Land- u. Forstw. 21: 45-49. 1921.
- 2491. Riehm, E. Die Versuche des deutschen Pflanzenschutzdienstes zur Prüfung von Pflanzenschutzmitteln. Nachrichtenbl. Deutschen Pflanzenschutzdienst 2: 50-51. 1922.
- 2492. Riehm, E. Zur Chemotherapie der Pflanzenkrankheiten. Zeitschr. Angew. Chemie 36: 3-4. 1923.
- 2493. Riehm, E. Prüfung von Pflanzenschutzmitteln in den Jahren 1921–22. Mitt. Biol. Reichsanst. für Land- u. Forstw. 24: 98. 1923.
- 2494. Riehm, E. Zur Frage der Getreidebeizung. Zeitschr. Angew. Chemie. 38: 5-6. 1925.
- 2495. Richm, E. Prüfung von Pflanzenschutsmitteln im Jahre 1923. Mitt. Biol. Reichsanst. f. Land- u. Forstw. 26: 88. 1925.
- 2496. Riehm, E. Beizapparat Degesch. Mitt. Deutsch. Landw. Ges. 40: 424. 1925.
- 2497. Riehm, E. Anwendung staubförmiger Mittel im Pflanzenschutz. Zeitschr. Angew. Chem. 38: 1032–1034. 1925.
- 2498. Riehm, E. Prüfung von Trockenbeizvorrichtungen. Nachrichtenbl. Deutschen Pflanzenschutzdienst 6: 17-18. 1926.

- 2499. Riehm, E. Trockenbeizvorrichtungen. Mitt. Deutsch. Landw. Ges. 41: 188-191. 1926.
- 2500. Riehm, E. Lübkes Trockenbeizer 'Puk'. Deutsche Landw. Presse 44: 40. 1927.
- 2501. Riehm, E. Ergebnisse der von Mitgliedern des Deutschen Pflanzenschutzdienstes in den Jahren 1919 bis 1924 ausgeführten Richsbeizversuche. Mitt. Biol. Reichsanst. für Land- u. Forstw. 31: 33. 1927.
- 2502. Riehm, E. Beizgeräte. Biol. Reichsanst. für Land- und Forstw. Flugbl. 82: 4. 1933.
- 2503. Riofrio, B. F. Datos para la Flora Micologica de Cataluna Baleares. Bol. Real. Soc. Esp. Hist. Nat. 23: 192–195. 1923.
- 2504. Ritzema-Bos, J. Over den invloed der bemesting met kalkstikstof op de intensiteit van de aantasting van het graan door brand. Tijdsskr.
 o. Plantenz. 29: 93-94. 1923.
- 2505. Rivera, V. Carie del Frumento e raggi X. Bol. R. Staz. Pat. Veg. 6: 237-241. 1926.
- 2506. Rivier, A. Essais comparatifs de traitement du charbon nu de l'Avoine. Rev. Path. Veg. 23: 215-229. 1936.
- 2507. Rivier, A. Contribution a l'étude du traitement du charbon nu de l'Avoine. Ann. Ec. Agric. Montpellier, N. S. 25: 183-192. 1938.
- 2508. Roberts, H. F., and Freeman, G. F. Prevention of sorghum and kafir-corn smut. Kans. Agric. Expt. Sta. Bull. 149. 1907.
- 2509. Roberts, H. F., and Graf, P. W. Treatment of seed wheat for smut. Kans. Agric. Expt. Sta. Circ. 12. 1910.
- 2510. Robertson, R. Experiments to prevent smut in oats and barley. Can. Expt. Farms Rept. 1900: 283-285.
- 2511. Robinson, C. B. Sugar-cane smut (Ustilago Sacchari). Philippine Agric. Rev. 1: 295–297. 1908.
- 2512. Rodenhiser, H. A. Physiological specialization of Ustilago nuda and Ustilago tritici. Phytopath. 14: 1001-1007. 1926.
 2513. Rodenhiser, H. A. Physiologic specialization in some cereal smuts.
- 2513. Rodenhiser, H. A. Physiologic specialization in some cereal smuts. Phytopath. 18: 955-1003. 1928.
- 2514. Rodenhiser, H. A. Stunting of wheat caused by Tilletia levis and Tilletia tritici. Jour. Agric. Res. 43: 465–468. 1931.
- 2515. Rodenhiser, H. A. Heterothallism and hybridization in Sphacelotheca sorghi and S. cruenta. Jour. Agric. Res. 45: 287-296. 1932.
- 2516. Rodenhiser, H. A. The genetics of Sphacelotheca sorghi and S. cruenta. Phytopath. 23: 30. 1933.
- 2517. Rodenhiser, H. A. Studies on the possible origin of physiologic forms of Sphacelotheca sorghi and S. cruenta. Jour. Agric. Res. 49: 1069– 1086. 1934.
- 2518. Rodenhiser, H. A. Echinulation of chlamydospores and the pathogenicity of a previously undescribed race of Sphacelotheca cruenta. Phytopath. 27: 643-645. 1937.
- 2519. Rodenhiser, H. A., and Barnes, B. F. Pathogenicity of certain hybrids of covered and loose smuts of sorghum. Phytopath. 23: 30-31. 1933.
- 2520. Rodenhiser, H. A., and Holton, C. S. Physiologic races of Tilletia tritici and T. levis. Jour. Agric. Res. 55: 483-496. 1937.
- 2521. Rodenhiser, H. A., and Holton, C. S. Variability in reaction of wheat

- differential varieties to physiologic races of Tilletia levis and T. tritici. Phytopath. 32: 158-164. 1942.
- 2522. Rodenhiser, H. A., and Holton, C. S. Distribution of races of Tilletia foetida and T. caries in relation to the wheat improvement program in the United States. Phytopath. 35: 488-489. 1945.
- 2523. Rodenhiser, H. A., and Holton, C. S. Distribution of races of Tilletia caries and Tilletia foetida and their relative virulence on certain varieties and selections of wheat. Phytopath. 35: 955-969. 1945.
- 2524. Rodenhiser, H. A., and Maxwell, L. R. Effect of X-radiation on the germination of chlamydospores of Ustilago hordei. Phytopath. 31: 175–181. 1941.
- 2525. Rodenhiser, H. A., and Quisenberry, K. S. Bunt reaction of some varieties of hard red winter wheat. Jour. Amer. Soc. Agron. 30: 484-492. 1938.
- 2526. Rodenhiser, H. A., and Stakman, E. C. The control of loose smuts of wheat and barley, and barley stripe by Uspulun, Semesan, and Germisan. Phytopath. 15: 51. 1925.
- 2527. Rodenhiser, H. A., and Stakman, E. C. Physiologic specialization in Tilletia levis and Tilletia tritici. Phytopath. 17: 247–253. 1927.
- 2528. Rodenhiser, H. A., and Taylor, J. W. Studies on environmental factors affecting infection and the development of bunt in wheat. Phytopath. 30: 20. 1940.
- 2529. Rodenhiser, H. A., and Taylor, J. W. Effects of soil type, soil sterilization, and soil reaction on bunt infection at different incubation temperatures. Phytopath. 30: 400–408. 1940.
- 2530. Rodenhiser, H. A., and Taylor, J. W. The effect of photoperiodism on the development of bunt in two spring wheats. Phytopath. 33: 240– 244. 1943.
- 2531. Rodriguez, V. J. Geographic distribution and control of Tilletia spp. in Mexico. Phytopath. 36: 410. 1946.
 2532. Roekens, F. Bladvlekkenziekte der dahlia (Entyloma dahliae Syd. en
- 2532. Roekens, F. Bladvlekkenziekte der dahlia (Entyloma dahliae Syd. en Phyllosticta dahliaecola Brun.). Cult. en Handel 12: 27. 1946.
- 2533. Roemer, T. Gibt es biologische Typen von Steinbrand (Tilletia tritici) des Weizens? Kühn-Arch. 19: 1-11. 1928.
- 2534. Roemer, T. Zehnjährige Versuche über Selektionswirkung in der Symbiose von Pilz und Kulturpflanze. Kühn-Archiv. 48: 169-178. 1939.
- 2535. Roemer, T., and Bartholly, R. Die Aggressivität verschiedener 'Steinbrandherkünfte' (Tilletia tritici [Bjerk.] Wint.) und ihre Veränderung durch die Wirtssorte. Phytopath. Zeitschr. 6: 469-506. 1933.
- 2536. Roemer, T., Fuchs, W. H., and Isenbeck, K. Die Züchtung resistenter Rassen der Kulturpflanzen. Berlin. 1938.
- 2537. Roemer, T., and Kamlah, H. Gibt es eine selektive Wirkung der Wirtspflanze (Weizen) auf den Pilz (Ustilago)? Phytopath. Zeitschr. 5: 41-53. 1932.
- 2538. Roessig, K. G. De ustilaginis speciebus, illuis atque causa. Diss. 1786.
- 2539. Roethe, H. E. The installation of dust-collecting fans on threshing machines for the prevention of explosions and fires and for grain cleaning. U. S. Dept. Agric. Circ. 98. 1920.
- 2540. Rohweder, M. Heisswasserbeize im Grossen, verbunden mit chemischer

- Beizung bei Benützung einer Brennerei-Anlage. Deutsche Landw. Presse 53: 507–508. 1926.
- 2541. Rommetin, H. Resultats du traitement par l'eau chaude de l'avoine et du ble de printemps. Jour. d'Agric. Prat., N. S. 3: 407-408. 1902.
- 2542. Rommetin, H. A propos du traitement des semences par l'eau chaude. Jour. d'Agric. Prat., N. S. 3: 440-441. 1902.
- 2543. Rommetin, H. Contre le charbon de l'avoine. Jour. d'Agric. Prat., N. S. 4: 145. 1903.
- 2544. Rosam. Verbesserte Trockenbeize des Saatgutes. Deutsche Landw. Presse 56: 229. 1929.
- 2545. Rosch, A. Eine neue Methode zur schnellen Prüfung von Beizmitteln. Pflanzenbau 3: 107–109. 1926.
- 2546. Rosch, A. Studien über den Haferflugbrand, Ustilago avenae (Pers.) Jens. und den Glatthaferbrand, Ustilago perennans Rostr., mit besonderer Berücksichtigung der Immunitätsfrage beim Haferflugbrand. Bot. Arch. 13: 382–431. 1926.
- 2547. Rose, O. Der Flugbrand der Sommergetreidesaaten und Massnahmen zur Bekämpfung dieses Pilzes in der landwirtschaftlichen Praxis. Inaugural Diss. 59 pp. Rostock. 1903.
- 2548. Rosen, H. R. Tilletia texana in Missouri. Ann. Mo. Bot. Gard. 8: 357-359. 1921.
- 2549. Rosenstiel, K. V. Untersuchungen über die Widerstandsfähigkeit von Haferarten und -sorten gegen Haferflugbrand (Ustilago avenae [Pers.] Jens.) und ihre Vererbung. Phytopath. Zeitschr. 1: 317-360. 1929.
- 2550. Rostowzew, S. I. Die Brandkrankheit der Glyceria-Arten als Ursache der Krankheit und des Todes des Rindviehs. Messager agricole russe Soc. Imp. d'Agric. Moscou 3: 5-6. 1902.
- 2551. Rostrup, Fr. G. E. Skøvbrand i Bygget. Ugeskr. f. Landm. 1880: 65.
- 2552. Rostrup, Fr. G. E. Un nouvel Ustilago souterrain. Rev. Myc. 3: 32-33. 1881.
- 2553. Rostrup, Fr. G. E. Islands Svampe. Bot. Tidsskr. 14: 218–229. 1885.
- 2554. Rostrup, Fr. G. E. Om nogle af Snyltesvampe foraarsagede Misdannelser hos Blomster-planter. Bot. Tidsskr. 14: 230–243. 1885.
- 2555. Rostrup, Fr. G. E. Nye Undersogelser og Forsog over Kornsorternes Brand. Ugeskr. f. Landm. Feb. 12. 1888: 65-67.
- 2556. Rostrup, Fr. G. E. Hejrens Skøvbrand. Landmands-Blade 1889: 497.
- 2557. Rostrup, Fr. G. E. Om Kornsorternes Brand. Ugeskr. for Landm. 2: 318. 1889.
- 2558. Rostrup, Fr. G. E. Ustilago bromivora paa Hejr. Landmands-Blade 1889: 595.
- 2559. Rostrup, Fr. G. E. Ustilagineae Daniae. Danmarks Brandsvampe. Festskrift, utgivet af Den botaniska Forening i Kjøbenhavn i anledning af dens Halvhundredaarsfest, 12/4, 1890: 117-168.
- 2560. Rostrup, Fr. G. E. Nogle Undersøgelser angaaende Ustilago Carbo. Oversigt over det Kong. Danske Videnskabernes Selskabs Forhandlinger 1890: 1-17.
- 2561. Rostrup, Fr. G. E. Ustilagineae Daniae. Danmarks brandsvampe. Bot. For. Festskrift Kjøben. 1890: 148.
- 2562. Rostrup, Fr. G. E. Oversigt over de i 1889 inlobne Forespørgsler angaænde Sygdomme hos Kulturplanter. Tidsskr. f. Landbr. Planteavl 1890: 570-583.

- 2563. Rostrup, Fr. G. E. Tillaeg til "Grønlands Svampe (1888)". Meddelelser om Grønland 3: 591-643. 1891.
- 2564. Rostrup, Fr. G. E. Oversigt over de i 1890 inløbne Forespørgsler angaaende Sygdomme hos Kulturplanter. Tidsskr. f. Landbr. Plantanteavl. 1891: 498-520.
- 2565. Rostrup, Fr. G. E. Urocystis occulta. Ugeskr. f. Landm. 2: 15. 1892. 2566. Rostrup, Fr. G. E. Brand i Hvede, Byg og Havre. Ugeskr. f. Landm. 2: 45. 1892.
- 2567. Rostrup, Fr. G. E. Oversigt over de i 1892 hos Markens Avlsplanter optraadte Sygdomme. Tidsskr. f. Landbr. Planteavl. 1893: 625-644.
- 2568. Rostrup, Fr. G. E. Ustilago bromivora. Landmands-Blade No. 49: 831. 1893.
- 2569. Rostrup, Fr. G. E. Mykologische Meddelelser VI. Spredte lagttagelser fra 1894. Botan. Tidsskr. 20: 126-136. 1896.
- 2570. Rostrup, Fr. G. E. Et nyt Vaertskifte hos Uredinaceerna og Konidier hos Thecaphora Convolvuli. Oversigt over det Kgl. Danske Videnskabernes Selskabs Forhandlinger 1898: 269-276.
- 2571. Rostrup, Fr. G. E. Plantepatologi. København. 1902. 2572. Rostrup, Fr. G. E. Graessernes stinkbrand, T. striiformis (West.). In Vejledning i den Danske flora anden del blomsterløse planter. 1904: 30.
- 2573. Rostrup, Fr. G. E. Danish fungi as represented in the herbarium of E. Rostrup. 648 pp. Copenhagen. 1913. 2574. Roumeguere, C. Observations de M. Max. Cornu sur la maladie des
- oignons. Rev. Myc. 2: 176-177. 1880.
- 2575. Roumeguere, C. Une Ustilaginée destructive de la violette cultivée. Rev. Myc. 7: 165:167. 1885.
- 2576. Roze, E. L'Ustilago caricis Fuckel (U. Urceolorum Tul.) aux environs de Paris. Bull. Soc. Bot. France 35: 277-278. 1888.
- 2577. Roze, E. Sur l'Urocystis Violae Fisch. et l'Ustilago antherarum Fr. Bull. Soc. Bot. France 37: 233-234. 1890.
- 2578. Roze, E. Note sur l'Urocystis Violae F. de Waldh. Bull. Soc. Bot. France 38: 69-71. 1891.
- 2579. Rudorf, W., and Rosenstiel, K. V. Untersuchungen über die Widerstandsfähigkeit bei Weizensorten gegen Weizenflugbrand, Ustilago tritici, and über ihre Vererbung in Kreuzungen. Zeitschr. f. Züchtung, A, 19: 324-332. 1934.
- 2580. Rump, L. Studien über den Gerstenhartbrand (Ustilago hordei Kell. u. Sw.). Forsch. auf dem Gebiet der Pflanzenkr. u. der Immunität im Pflanzenreich 2: 21-76. 1926.
- 2581. Rupp. Die Organisation der Saatgutbeizung in Hessen. Nachr. über Schädlingsbekämpf. 4. 117–120. 1929.
- 2582. Russell, R. C. Testing seed for smut spores as an aid in controlling cereal smuts in Saskatchewan. Sci. Agric. 26: 372-380. 1946.
- 2583. Russell, R. C. Studies on the hot water method of treating seed barley for the control of true loose smut, Ustilago nuda. Canadian Phytopath. Soc. Proc. 1947: 14-15.
- 2584. Rutgers, A. Staubbrand auf Reis (Tilletia horrida Takahashi). Mitt. d. Lab. f. Pflanzenkr. Batavia. 1914.
- 2585. Ruttle, M. L. Comparative studies of field collections of Ustilago hordei and U. nuda. Phytopath. 23: 31. 1933.

- 2586. Ruttle, M. L. Studies on barley smut in 1933. Phytopath. 24: 16-17. 1934.
- 2587. Ruttle, M. L. Studies on barley smuts and on loose smut of wheat. New York (Geneva) Agric. Expt. Sta. Tech. Bull. 221. 1934.
- 2588. Ryakhovski, N. A. Testing new seed disinfectants and more accurate determination of the doses of fungicides used for the control of oats and millet smuts. Pl. Prot. Leningrad 1935: 77-79. (Russian; trans. title.)
- 2589. Ryakhovski, N. A., and Gamarnik, F. D. Tests of new dry seed disinfectants for the control of millet smut. Pl. Prot. Leningrad 1935: 137-140. (Russian; trans. title.)
- 2590. Ryzhkova, Z. F. Influence of fertilizers on the appearance of bunt on spring wheats. Summ. Sci. Res. Wk. Inst. Pl. Prot. Leningrad 1935: 134-135. 1936. (Russian; trans. title.)
- 2591. Saboe, L. C., and Hayes, H. K. Genetic studies of reactions to smut and of firing in maize by means of chromosomal translocations. Jour. Amer. Soc. Agron. 33: 463–470. 1941.
- 2592. Sabourova, P. V. Determination of loose smut infection in wheat by the developing ear. (Preliminary note). Pl. Prot. Leningrad. 1937: 171-173. (Russian; trans. title.)
- 2593. Sabourova, P. V. Anatomical and morphological changes in wheat ears infected with Ustilago tritici (Pers.) Jens. Bull. Pl. Prot., Leningrad 1939: 111-118. (Russian; trans. title.)
- 2594. Sabourova, P. V. Physiologische Besonderheiten bei der Bildung der an Ustilago tritici erkrankten Weizenähre. Compt. Rend. Acad. Sci. U.S.S.R., N. S. 28: 270–273. 1940.
- 2595. Safronova, N. I. Comparative studies of certain methods for the detection of bunt (Tilletia tritici) infection in wheat seed-grain. Pl. Prot. Leningrad 1936: 115-128. (Russian; trans. title.)
- 2596. Salmon, E. S., and Wormald, H. An experiment in the treatment of covered smut of barley. Jour. Bd. Agric. Great Britain (London) 24: 1388-1394. 1918.
- 2597. Salmon, E. S., and Wormald, H. Prevention of "bunt" in wheat. Jour. Min. Agric. Great Britain 27: 1013-1021. 1921.
- 2598. Salmon, E. S., and Wormald, H. A safe method of preventing bunt in wheat. Jour. Min. Agric. Great Britain 29: 722-728. 1922.
- 2599. Salmon, E. S., and Wormald, H. The prevention of 'bunt' in wheat. Jour. Min. Agric. Great Britain 30: 10. 1924.
- 2600. Salmon, S. C. Generalized standard errors for evaluating bunt experiments with wheat. Jour. Amer. Soc. Agron. 30: 647-663. 1938.
- 2601. Salmon, S. C., and Throckmorton, R. I. Wheat production in Kansas. Kans. Agric. Expt. Sta. Bull. 248. 1929.
- 2602. Sampson, K. Seed treatment for smut in cereals. Bull. Welsh Plant Breeding Sta. Aberystwyth, Scr. C., 1921–22: 46–54. 1923.
- 2603. Sampson, K. Some infection experiments with loose and covered smuts of oats which indicate the existence in them of biological species. Ann. Appl. Biol. 12: 314–325. 1925.
- 2604. Sampson, K. The relative resistance of wheat varieties to bunt (Tilletia tritici). Welsh Jour. Agric. 3: 180-196. 1927.
- 2605. Sampson, K. The biology of oat smuts. I. Viability of the chlamy-dospores. Ann. Appl. Biol. 15: 586-612. 1928.

- 2606. Sampson, K. The biology of oat smuts. II. Varietal resistance. Ann. Appl. Biol. 16: 65-85. 1929.
- 2607. Sampson, K. The biology of oat smuts. III. The development of two biological species of Ustilago kolleri (Wille) on a selection of Avena strigosa orcadensis (Marquand). Ann. Appl. Biol. 20: 258-271. 1933.
- 2608. Sampson, K. Life cycles of smut fungi. Trans. Brit. Mycol. Soc. 23: 1-23. 1939.
 2609. Sampson, K. List of British Ustilaginales. Trans. Brit. Mycol. Soc.
- 2609. Sampson, K. List of British Ustilaginales. Trans. Brit. Mycol. Soc 24: 294-311. 1940.
- 2610. Sampson, K., and Davies, D. W. Incidence of fungus diseases on oat varieties in the seasons, 1921–1922. Bull. Welsh Plant Breed. Sta., Ser. C, 1921–1922: 55–57. 1923.
- 2611. Sampson, K., and Davies, D. W. Dry treatment for smut diseases of cereals. Welsh Jour. Agric. 1: 169-176. 1925.
- 2612. Sampson, K., and Davies, D. W. Some experiments on the control of bunt in wheat by CuCO₃ and other chemicals, including data on the growth and yield of treated and untreated grain. Welsh Jour. Agric. 2: 188-212. 1926.
- 2613. Sampson, K., and Davies, D. W. The influence of Tilletia tritici (Bjerk.) Wint. and Tilletia laevis Kühn on the growth of certain wheat varieties. Ann. Appl. Biol. 14: 83-104. 1927.
- 2614. Sampson, K., and Western, J. H. The biology of oat smuts. V. A ten years' survey of six spore collections. Propagation, screening, and monospore isolation experiments. Ann. Appl. Biol. 25: 490-505. 1938.
- 2615. Sandri, G. Sulla golpe del Frumento. Verona. 1847.
- 2616. Sands, D. R. Experiments for the control of onion smut. Phytopath. 16: 758-759. 1926.
- 2617. Sandu-Ville, C. Contributiuni la studiul malurii Graului in Romania. Anal. Inst. Cerc. Agron. Rouman. 6: 324–352. 1934.
- 2618. Sandu-Ville, C. Tratarea semintei de Grau contra malurei. Anal. Inst. Cerc. Agron. Rouman. 8: 501-518. 1936.
- 2619. Sappok, H. Ist der Flugbrand der Wintergerste wirklich harmlos? Deutsche Landw. Presse 55: 521. 1928.
- 2620. Sarra, R. Dermatite acuta causata dalle spore di una Ustilaginea. Gazz. d. Ospit. 1898. No. 88: 698.
- 2621. Sartoris, G. B. Studies in the life-history and physiology of certain smuts. Amer. Jour. Bot. 11: 617-647. 1924.
- 2622. Sattar, A. Sorosporium paspali McAlp. on Paspalum scrobiculatum L., Kodra smut. Imper. Inst. Agric. Res., Pusa, Bull. 201. 1930.
- 2623. Savastano, L. Il Carbone del frumento e del frumentone. L'Agricolt. Merid. Portici 4: No. 4. 1881.
- 2624. Savastano, L. Malattie delle Graminacee. La Carie del Frumento. L'Agricolt. Merid. Portici 4: 10, 23. 1881.
- 2625. Savile, D. B. O. Entyloma fuscum and related smuts attacking Papaveracea. Can. Jour. Res. C, 24: 109-114. 1946.
- 2626. Savile, D. B. O. A new species of Stagonospora on Ambrosia. Mycologia 38: 453-454. 1946.
- 2627. Savile, D. B. O. A study of the species of Entyloma on North American composites. Can. Jour. Res. C. 25: 105-120. 1947.

- 2628. Savoff, C. Experiments in the control of loose smut of millet, Ustilago crameri Körn. Rev. Inst. des Recherches Agron. en Bulgarie 4: 91-99. 1928. (Bulgarian, with French summary; trans. title.)
- 2629. Savulescu, T. Contribution à la connaissance des Ustilaginées de Roumanie. Anal. Inst. Cerc. Agron. Roum. 7: 347-430. 1936.
- 2630. Savulescu, T. Eine neue Ustilago-Art, Ustilago Rechingeri Savul. Ann. Mycol. 35: 50–52. 1937.
- 2631. Savulescu, T. Peronosporacées, Ustilaginacées et Urédinées nouvelles pour la mycoflore de Roumanie. Bull. Sect. Sci. Acad. Roum. 22: 7-12. 1940.
- 2632. Savulescu, T., and Hulea, A. Nouvi contributi allo studio qella carie del Frumento. Bull. Sect. Sci. Acad. Roum. 26: 409-422. 1944.
- 2633. Savulescu, T., Hulea, A., and Stanescu, A. Das Vorkommen und die Verbreitung der in Rumanien den Weizenstinkbrand hervorbringenden Tilletia Arten. Phytopath. Zeitschr. 14: 148–187. 1942.
- 2634. Savulescu, T., and Rayss, T. Contribution a l'Etude de la Mycoflore de Palestine. Ann. Crypt. Exot. 8: 49–87. 1935.
- 2635. Savulescu, T., and Sandu-Ville, C. Incercari pentru stabilirea raselor fiziologice la cele doua specii de Tilletia ce produc malura Graului in Romania. Anal. Inst. Cerc. Agron. Roum. 10: 518-631. 1939.
- 2636. Sax, K. The relation between chromosome number, morphological characters and rust resistance in segregates of partially sterile wheat hybrids. Genetics 8: 301–321. 1923.
- 2637. Sayre, J. D. Formaldehyde dust for the control of oat smut. Bimonth. Bull. Ohio Agric. Expt. Sta. 14: 9-11. 1929.
- 2638. Sayre, J. D., and Thomas, R. C. New dust treatments for oats smuts. Science, N. S. 66: 398. 1927.
- 2639. Sayre, J. D., and Thomas, R. C. Formaldehyde and iodine dusts for the control of oat smut. Bimonth. Bull. Ohio Agric. Expt. Sta. 13: 19-21. 1928.
- 2640. Sayre, J. D., and Thomas, R. C. New dust treatments for oat smuts. Phytopath. 18: 139. 1928.
- 2641. Schadt, E. Schädlingsbekämpfungsversuche auf dem Gute Helmhof bei Gersthofen (Bayern). Nachr. über Schädlingsbekämpf. 3: 4-5. 1928.
- 2642. Schafer, E. G. Division of Farm Crops. Wash. Agric. Expt. Sta. Ann. Rept. 1923: 29-32.
- 2643. Schafer, E. G. Division of Agronomy. Wash. Agric. Expt. Sta. Ann. Rept. 1929: 13-19.
- 2644. Schaffnit, E. Der Haferflugbrand. Landw. Centralbl. 37: 124. 1909.
- 2645. Schaffnit, E. Zu Bekämpfung der Pilzkrankheiten des Getreidekorns. Mitt. Inst. für Pflanzenkr. der Landw. Hochschule Bonn-Poppelsdorf, in Landw. Jahrb. 57: 259–283. 1922.
- 2646. Schaffnit, E. Zum Stand der Trockenbeizfrage. Mitt. Deutschen Landw. Ges. 41: 361-374. 1926.
- 2647. Schaffnit, E. Zur Physiologie von Ustilago Hordei, Kell. und Sw. Ber. Deutschen Bot. Ges. 44: 151-156. 1926.
- 2648. Schaffnit, E., and Volk, A. Über den Einfluss der Ernährung auf die Empfänglichkeit der Pflanzen für Parasiten. I. Teil. Forschungen auf dem Gebiet der Pflanzenkrankheiten und der Immunität im Pflanzenreich. III, 3. Gustav Fischer. Jena. 1927.

- 2649. Schander, R. Bericht über das Auftreten von Krankheiten und tierischen Schädlingen an Kulturpflanzen in den Provincen Posen und Westpreussen für das Jahr 1907. Mitt. d. Kaiser-Wilhelm-Instituts für Landw. in Bromberg 1: 1-122. 1908.
- 2650. Schander, R. Versuche zur Bekämpfung des Flugbrandes im Weizen und der Gerste mittels Heiswasser und Heissluft. Landw. Centralbl. 38: 43-44. 1910.
- 2651. Schander, R. Versuche zur Bekämpfung des Flugbrandes in Weizen und Gerste mittels Heiswassers und Heissluft. Mitt. d. Kaiser-Wilhelm-Instituts für Landw. in Bromberg 4: 416-492. 1912.
- 2652. Schander, R., Stolze, and Rothmaler. Beiträge zur Frage der Trockenbeizung und zur Methodik der Untersuchung von Trockenbeizmitteln. Pflanzenbau 3: 241-260. 1927.
- 2653. Schattenberg, H. Untersuchungen über das Verhalten von Sorten, Kreuzungsnachkommenschaften und Kreuzungspopulationen gegenüber verschiedenen Herkünften von Haferflugbränden. Kühn-Archiv. 37: 409-449. 1934.
- 2654. Schellenberg, H. C. Die Vertreter der Gattung Sphacelotheca de By. auf den Polygonum-Arten. Ann. Myc. 5: 385-395. 1907.
- 2655. Schellenberg, H. C. Die Brandpilze der Schweiz. Beiträge zur Kryptogamenflora der Schweiz 3 (1): xlv + 1-180. Bern. 1911.
- 2656. Schellenberg, H. C. Ein neuer Brandpilz auf Arrhenatherum elatius (L.) M. u. K. Ber. Deutschen. Bot. Ges. 33: 316-323. 1915.
- 2657. Schelotto, B. Algunas investigaciones sobre la "caries" del trigo. Bol. Chacra Expt. "La Prevision," Argentina 1: 40-47. 1933. 2658. Schembel, S. Some observations on the biology of Urocystis cepulae
- Frost. Déf. Plantes Leningrad. 1926. (Russian; trans. title.)
- 2659. Scheuhert, A., and Lötsch, E. Fütterungsversuche mit Tilletia. Zeitsch. f. Infectionskr. Haustiere 9: 277-287. 1911.
- 2660. Schilberszky, K. Dimorphism in the flowers of Convolvulus arvensis L. Thecaphora convolvuli n. sp. Gedenkbuch d. Ungar. Naturwiss. Ges, zu ihrem 50-jährigen Jubiläum, Budapest 1892: 623. (Hungarian; trans. title.)
- 2661. Schilberszky, K. The relationships of one of the smut fungi (Thecaphora) to bindweed. Teremeszettud. Közlöny 1895: 496. (Hungarian; trans. title.)
- 2662. Schilberszky, K. Zur Blütenbiologie der Ackerwinde. Bot. Centralbl. 62: 342–346. 1895.
- 2663. Schilberszky, K., and Urbanyi, J. Laboratory evaluation of the synthetic fertilizer and disinfectant dust, "Triamid." Mezogazdasagi-Kutatasok, Budapest 2: 433-438. 1929. (Hungarian; trans. title.)
- 2664. Schindler, F. Ueber den Einfluss verschiedener Temperaturen auf die Keimfähigkeit der Steinbrandsporen. Forsch. Gebiete Agr. Physik 3: 288-293, 1880.
- 2665. Schitikova, A. Sur les moyens de combattre le charbon des céréales à l'aide des temperatures elevées. Rept. Intern. Conf. Phytopath. and Econ. Entom., Holland 1923: 272-275. 1923.
- 2666. Schitikova, A. On the question of the use of high temperatures for the control of Ustilago tritici. Trans. Fourth All-Russian Entomol-Phytopath. Congress in Moscow, 8th to 14th Dec., 1922: 141-148. 1924. (Russian: trans. title.)

- 2667. Schlechtendal, D. F. L. von. Flora Berolinensis. xiv + 284 pp. 1824.
- 2668. Schlechtendal, D. F. L. von. Einige Betrachtungen über brandige und nicht brandige Rispen. Bot. Ztg. 23: 314–317. 1865.
- 2669. Schlehuber, A. M. Genetics of resistance to four physiologic forms of bunt in two winter wheat crosses. Northwest Science 7: 43-48. 1933.
- 2670. Schlehuber, A. M. Wheat inheritance. Reaction to four bunt biotypes, spike density, and seed color. Wash. Agric. Expt. Sta. Bull. 323. 1935.
- 2671. Schlehuber, A. M. Can different degrees of bunt resistance be recognized in F₂ plants? Jour. Amer. Soc. Agron. 28: 266-270. 1936.
- 2672. Schlehuber, A. M. Studies on the effect of bunt, Tilletia tritici and Tilletia levis, on wheat. Phytopath. Zeitschr. 10: 614-631. 1937.
- 2673. Schlehuber, A. M. The inheritance of reaction to physiologic races of Tilletia tritici (Bjerk.) Wint. in a winter wheat cross. Res. Stud. St. Coll. Wash. 6: 75–96. 1938.
- 2674. Schlumberger, O. Art und Grad der Schädigung beim Befall durch Roggenstengelbrand, Urocystis occulta. Ber. a. d. Tätigk. d. Biol. Reichsanst. f. Land- und Forstw. 1920: 60–61.
- 2675. Schlumberger, O. Saatenanerkennung und Pflanzenschutz im Jahre, 1929. Nachrichtenbl. Deutschen Pflanzenschutzdienst 10: 53-54. 1930.
- 2676. Schlumberger, O. Saatenanerkennung und Pflanzenschutz im Jahre, 1930. Nachrichtenbl. Deutschen Pflanzenschutzdienst 11: 61-62. 1931.
- 2677. Schmaler, F. Über den Einfluss verschiedener Temperaturen auf die Keimfähigkeit der Steinbrandsporen. Forsch. Geb. Agr. Physic. 3: 288. 1880.
- 2678. Schmidt, E. Nachweis von Quecksilber an gebeiztem Getreide. Fortschr. der Landw. 7: 481–483. 1932.
- 2679. Schmidt, E., and Tornow, E. Nachweis der Beizung von Getreide mit Quecksilber und anderen Metallgiften. Fortschr. der Landw. 7: 40-42. 1932.
- 2680. Schmidt, E., and Tornow, E. Vereinfachte Methode zum Nachweis des Quecksilbers under der Beizung von Getreide mit Quecksilber- und Kupfersalzen. Prakt. Bl. für Pflanzenbau u. Pflanzenschutz 11: 177-183. 1933.
- 2681. Schmitt, C. G. Cultural and genetic studies on Ustilago zeae. Phyto-path. 30: 381-390. 1940.
- 2682. Schmitz, F. Untersuchungen über die Zellkerne der Thallophyten. Verh. des naturhist. Vereins der Preuss. Rheinlande u. Westfalens 1879: 361.
- 2683. Schnellhardt, O., and Heald, F. D. The spore load of market wheat. Trans. Amer. Micr. Soc. 55: 281-285. 1936.
- 2684. Schöler, N. P. Om at opdage Brand i Hvede. Ökonomiske Annaler 10: 346. 1807.
- 2685. Schöler, N. P. Brev til Pastor B. F. Ronne, angaaende Brand i Hveden ogandet muc. Landoekonom. Tidende 4: 24. 1814.
- 2686. Schöler, N. P. Forsög og Erfaringer samt derpaa grundede Bemaerkninger, betraeffende Kornrust, Brand, Meeldröie og Hanningdug. Halds. Tidsskr. f. Landoekonom 2: 345. 1833.

- 2687. Schöller, A. Ein einfacher und billiger Trockenbeizapparat. Deutsche Landw. Presse 55: 208. 1928.
- 2688. Schopfer, W. H. Über die Einwirkung von Aneurin auf das Wachstum vom Ustilago violacea. Ber. Deutschen Bot. Ges. 55: 572-576. 1937.
- 2689. Schopfer, W. H. Recherches sur la phénologie de Melandrium album (Miller) Gke. parasite par Ustilago violacea (Pers.) Fuck. Compt. Rend. Acad. Sci. Paris 210: 703-705. 1940.
- 2690. Schopfer, W. H., and Blumer, S. Les facteurs de croissance des espèces du genre Ustilago. Compt. Rend. Acad. Sci. Paris 206: 1141-1143. 1938.
- 2691. Schopfer, W. H., and Blumer, S. Untersuchungen über die Biologie von Ustilago violacea (Pers.) Fuck. II. Mitteilung: Wirkung des Aneurins und anderer Wuchsstoffe vitaminischer Natur. Arch. Mikrobiol. 9: 305-367. 1938.
- 2692. Schofer, W. H., and Blumer, S. Les hermaphrodites de Melandrium album (Miller) Garcke et dioecum (L.) Simonkai (Melandrium rubrum Garcke). Ber. Schweiz. Bot. Ges. 49: 414. 1939.
- 2693. Schoug, E. Forgiftning hos notkreatur vid fortarandet af jattegroe (Glyceria aquatica s. spectabilis). Svensk Veterinartidskrift 7: 311–314. 1899.
- 2694. Schouten, A. Lohnbeizeinrichtungen in Holland. Nachr. über Schädlingsbekämpf. 9: 136–141. 1934.
- 2695. Schribaux, E. Observations nouvelles sur le charbon des céréales. Jour. d'Agric. Prat. N. S., 7: 479-482. 1904.
- 2696. Schribaux, N. Resistance du Manitoba aux maladies criptogamiques. Rend. Classe Sci. Fis. Mat. Nat. Accad. Lincei 28: 151-153. 1919.
- 2697. Schribaux and Jagenaud. Experience de traitement à sec de la carie sur les Bles de printemps. Compt. Rend. Acad. Agric. France 14: 1270-1275. 1928.
- 2698. Schröter, J. Bemerkungen und Beobachtungen über einige Ustilagineen. Beitr. Biol. Pflanz. (Cohn) 2: 349-385. 1877.
- 2699. Schröter, J. Nachtrag zu den Bemerkungen über einige Ustilagineen. Cohn's Beiträge 2: 435-440. 1877.
- 2700. Schröter, J. Ueber Entwickelungsgeschichte der Ustilagineen. Jahresber. Schles. Ges. f. Vaterl. Cult. 60: 178. 1882.
- 2701. Schröter, J. Ueber Ustilagineen. Bot. Centralbl. 10: 108. 1882.
- 2702. Schröter, J. Ein Brandpilz vom Congo. Bot. Centralbl. 26: 26. 1886.
- 2703. Schröter, J. Ueber einen Brandpilz, Sorosporium Vivianum. Jahresber. Schles. Ges. f. Vaterl. Cult. 64: 155. 1886.
- 2704. Schröter, J. Die Pilze Schlesiens, 1. Cohn: Cryptogamen-Flora von Schlesien 3: 257-384. Breslau. 1887.
- 2705. Schuk, K. Neue Form der Warmwasserbeize gegen Ustilago tritici und U. nuda. Agrobiologie 1947: 103-113.
- 2706. Schulthess, H. H. Vorschlag einiger durch die Erfahrung bewährter Hilfsmittel gegen den Brand im Korn. Abhandl. d. Naturf.-Ges. Zürich 1: 498-506. 1761.
- 2707. Schultz, W. Maisbeulenbrand (Ustilago zeae). Forschungsdienst 3: 143-151. 1937.
- 2708. Schütz, W. Über die Einwirkung von Beizmitteln auf Keimung und Wachstum des Weizens. Bot. Arch. 33: 199-256. 1931.

- 2709. Schwaebel, F. X. Kupferhältige Trockenbeizen. Zeitschr. f. Pflanzenkrank. 40: 113-117. 1930.
- 2710. Schwarz, E. J. Parasitic root diseases of the Juncaceae. Ann. Bot. 24: 511-522. 1910.
- 2711. Scossiroli, G. O. R. Ustilago maydis e autarchia. Riv. Ital. Essenze 22: 82-86. 1940.
- 2712. Scribner, F. L. The smut of onions. Orchard and Garden 12: 113. 1890.
- 2713. Seidler, F. Selbstanfertigung eines Trockenbeizapparates. Wiener Landw. Ztg. 92: 259. 1932.
- 2714. Seiffert, J. Künstliche Blüteninfektionen zur Untersuchung der Empfänglichkeit verschiedener Gerstensorten für Ustilago hordei nuda unter Einfluss äusserer Bedingungen auf die Höhe des Brandprozentes. Kühn. Arch. 12: 32. 1927.
- 2715. Selaries, P. Observasions sur le charbon nu de l'Orge. Compt. Rend. Acad. Agric. France 23: 747-751. 1937.
- 2716. Selaries, P., and Rohmer, G. Essais sur la carie du Ble en Alsace. Ann. Epiphyt. N. S. 3: 175-185. 1937.
- 2717. Selby, A. D. Some diseases of wheat and oats. Ohio Bull. 9: 31-43. 1898.
- 2718. Selby, A. D. Onion smut. Ohio Agric. Expt. Sta. Bull. 122: 71–84. 1900.
- 2719. Selby, A. D. The prevention of onion smut. Ohio Agric. Expt. Sta. Bull. 131: 47-51. 1902.
- 2720. Selby, A. D., and Hickman, J. F. Corn smut. Ohio Agric. Expt. Sta. Bull. 78. 1897.
- 2721. Semeniuk, W. Physiologic races of Ustilago hordei (Pers.) K. and S. in Alberta. Can. Jour. Res. Sec. C, 18: 76-78. 1940.
- 2722. Semeniuk, W., and Ross, J. G. Relation of loose smut to yield of barley. Can. Jour. Res. Sec. C, 20: 491-500. 1942.
- 2723. Sempio, C. Influenza di alcune sostanze, date alle piantine per assorbimento, sullo sviluppo della carie del Grano. Riv. Pat. Veg. 28: 399-400. 1938.
- 2724. Sempio, C. Effetto delle alte temperature sul Frumento cariato al momento della spigatura. Riv. Pat. Veg. 28: 385–387. 1938.
- 2725. Sempio, C. Su un caso sperimentale di netto antagonismo in vivo ("Tilletia caries"—"Erysiphe graminis" su "Mentana"). Riv. Pat. Veg. 28: 377-384. 1938.
- 2726. Senf, U. Die Wirkung verschiedener Steinbrandbeizmittel auf eine Energie-Steigerung des Keimprozesses und der ersten Wachstumsstadien. Bot. Arch. 10: 209-290. 1925.
- stadien. Bot. Arch. 10: 209-290. 1925. 2727. Sessous, G. Beobachtungen über Steinbrandbefall. Deutsche Landw. Presse 47: 556. 1920.
- 2728. Sessous, G. Züchterische Massnahmen zur Stein- und Flugbrandbekämpfung des Weizens. Landw. Jahrbücher f. Bayern 15: 276-291. 1925.
- 2729. Setchell, W. A. Preliminary notes on the species of Doassansia Cornu. Proc. Americ. Acad. of Arts and Sci. 26: 13-19. 1891.
- 2730. Setchell, W. A. An examination of the species of the genus Doassansia Cornu. Ann. Bot. 6: 1-47. 1892.
- 2731. Setchell, W. A. Notes on Ustilagineae. Bot. Gaz. 19: 185-190. 1894.

- 2732. Seyfert, R. Über Schnallenbildung im Paarkernmyzel der Brandpilze. Zeitschr. f. Bot. 19: 577-601. 1927.
- 2733. Seymour, A. B. Notes on corn smut—a warning. Cult. and Country Gentleman 55: 323. 1890.
- 2734. Seymour, A. B. A series of specimens illustrating North American Ustilagineae. Jour. Mycol. 9: 83-84. 1903.
- 2735. Seymour, A. B., and Earle, F. S. Economic Fungi. Supplement Ustilagineae. Edit. G. P. Clinton. Cambridge, Mass. June, 1905.
- 2736. Shamel, A. D. Inquiry concerning amount of loss from smut of wheat and oats in Illinois. Ill. Agric. Expt. Sta. Circ. 54, 55. 1890.
- 2737. Shamel, A. D. Treatment of oats for smut. Ill. Agric. Expt. Sta. Bull. 64: 57-72. 1901.
- 2738. Shands, H. L., and Schaller, C. W. Response of spring barley varieties to floral loose smut inoculations. Phytopath. 36: 534-548. 1946.
- 2739. Shands, R. G. An apparent linkage of resistance to loose smut and stem rust in barley. Jour. Amer. Soc. Agron. 38: 690-692. 1946.
- 2740. Sharpe, T. A. Formali and Massel powder as preventives for smut. Can. Expt. Farms Rept. 1900: 454-455.
- 2741. Shelton, E. M. The cultivation of wheat in Queensland. Smuts of wheat. Dept. Agric. Queensland Bull. 22. 1893.
- 2742. Shen, C. I. Notes on Ustilaginales from China. Sinensia 4: 299–320. 1934.
- 2743. Shen, T. H. The inheritance of resistance to flag smut in ten wheat crosses. Bull. Nanking Coll. Agric. For. 17. 1934.
- 2744. Shepherd, E. F. S. Le charbon de la Canne à sucre. Rev. Agric. de l'Ile Maurice 14: 107-108. 1924.
- 2745. Shih, L. Über den Heterothallismus des Staubbrandes, Sphacelotheca cruenta (Kühn) Potter, der Mohrenhirse, Andropogon sorghum Brot. Arch. Mikrobiol. 9: 167–192. 1938.
- 2746. Shull, C. A. Semipermeability of seed coats. Bot. Gaz. 56: 169–199. 1913.
- 2747. Sidorin, M. I. Alexandrovskaya, Z. V., Uspenskaya, M. S., and Shirokova, Z. N. Effect of late autumn sowing of spring wheat on the degree of infection with loose smut. Pl. Prot. Leningrad 1935: 130–135. (Russian; trans. title.)
- 2748. Siegmund, W. Studien ueber die Brand- u. Rostpilze der Umgebung Reichenbergs in Böhmen. Mitteil. aus dem Verein d. Naturfreunde in Reichenberg 1879: 6-27.
- 2749. Siegwardt, W. Darf mit der "Trockenbeize Tillantin" gebeizter Weizen an Haushühner verfüttert werden? Nachrichtenbl. Deutschen Pflanzenschutzdienst 7: 77–78. 1927.
- 2750. Sieling, M. K. On the partial infection of wheat grains with bunt. Morbi Plantarum, Leningrad, 15: 8. 1926. (Russian; trans. title.)
- 2751. Sigriansky, A. M. Cereal smuts and their control measures. Pamphlet of the Narkomzem (People's Commissariat of Agriculture), Moscow, 64 pp. 1925. (Russian; trans. title.)
- 2752. Silberschmidt, W. Kritik unserer Anschauungen über Desinfektion und Desinfektions-Mittel. Correspondenzbl. Schweiz. Aerzte 49: 593-600. 1919.
- 2753. Simmonds, J. H. The work of the Plant Pathological Branch. Queensland Dept. Agric. Rept. 1935-1936: 1-3. 1936.

- 2754. Simmonds, P. M. Smuts of wild oats. Sci. Agric. 11: 78-79. 1930.
- 2755. Simmonds, P. M. Detection of the loose smut fungi in embryos of barley and wheat. Sci. Agric. 26: 51-58. 1946.
- 2756. Simmonds, P. M. A note on the use of oil as a carrier for smut fungicides. Sci. Agric. 28: 375-376. 1948.
- 2757. Singh, R. D. Annual Report of the Cerealist to Government, Punjab, Lyallpur, for the year ending 30th June, 1926. Rept. on the Operations of the Dept. of Agric., Punjab, Part II, (1): 1-45. 1927.
- 2758. Sirrine, F. A., and Stewart, F. C. Experiments on the sulphur-lime treatment for onion-smut. New York (Geneva) Agric. Expt. Sta. Bull. 182: 145–172. 1900.
- 2759. Sitensky, Fr. Phytopathologicke poznamky. Sitzungsber. Böhm Ges. Wiss. Math.-Nat. Cl., 1896. No. 32. 1896.
- 2760. Skaskin, F. D. Action of hot water on the spores of the loose smut of oats (Ustilago avenae [Pers.] Jensen). Bull. Don Inst. Agric. and Amelioration for 1922–1924: 162–178. 1925. (Russian; trans. title.)
- 2761. Skvortzoff, S. S. A simple method for detecting hyphae of loose smut in wheat grains. Pl. Prot. Leningrad 1937: 90-91. 1937. (Russian; trans. title.)
- 2762. Skvortzoff, S. S. On the physiology of the fungus Ustilago tritici (Pers.) Jens. Pl. Prot. Leningrad 1938: 65-78. 1938. (Russian; trans. title.)
- 2763. Sleumer, H. O. Über Sexualität und Zytologie von Ustilago zeae (Beckm.) Unger. Zeitschr. f. Bot. 25; 209–263. 1932.
- 2764. Smith, C. D. Feeding corn smut to dairy cows. Mich. Agric. Expt. Sta. Bull. 137. 1896.
- 2765. Smith, D. C., and Bressman, E. N. Some effects of seed treatment on the germination and subsequent growth of wheat. Jour. Agric. Res. 40: 33. 1930.
- 2766. Smith, D. C., and Bressman, E. N. Susceptibility of Markton and other varieties of oats to covered smut (Ustilago levis). Jour. Amer. Soc. Agron. 23: 465-468. 1931.
- 2767. Smith, E. F. Recent investigations of smut fungi and smut diseases by Oskar Brefeld. Jour. Mycol. 6: 1-8, 59-71, 153-164. 1890.
- 2768. Smith, F. L. The effect of corn smut on the yield of grain in the San Joaquin Valley of California. Jour. Amer. Soc. Agron. 28: 257– 265. 1936.
- 2769. Smith, R. W. Transferring smut immunity to hard red spring wheat. Jour. Amer. Soc. Agron. 24: 662. 1932.
- 2770. Smith, W. G. Diseases of Primulas. Urocystis primulicola Magnus. Gard. Chron. 22: 268. 1884.
- 2771. Smith, W. G. Diseases of field and garden crops. London. 1885.
- 2772. Smith, W. K. The two species of bunt on the same plant. Northwest Science 3: 55-59. 1929.
- 2773. Smith, W. K. Reaction of Martin wheat to three physiologic forms of Tilletia tritici. Phytopath. 22: 847-850. 1932.
- 2774. Smith, W. K. The effect of different temperatures on the reaction of Hope wheat to bunt. Phytopath. 22: 615-627. 1932.
- 2775. Smith, W. K. Inheritance of reaction of wheat to physiologic forms of Tilletia levis and T. tritici. Jour. Agric. Res. 47: 89-105. 1933.

- 2776. Sobel, M. The viability of the spores of the cereal smuts. Biologist 15: 95. 1933.
- 2777. Solms, H. Ustilago Treubii Solms. Ann. Jard. Bot. Buitenzorg 6: 79-92. 1887.
- 2778. Soraurer, P. Die Schultzbehandling des Getreides gegen die Brandkrankheiten. Zeitschr. f. Pflanzenkr. 5: 187-190. 1895.
- 2779. Southern, B. L., and Limbourn, E. J. Copper powders for the prevention of bunt in wheat. Jour. Dept. Agric. West. Australia, 2nd Ser. 6: 162-165. 1929.
- 6: 162-165. 1929. 2780. Spafford, W. J. Wheat and its diseases. Jour. Agric. S. Australia 21: 947-949. 1918.
- 2781. Spafford, W. J. Some diseases of wheat crops and their treatments. South Australia Dept. of Agric. Bull. 190. 1925.
- 2782. Spalding, V. M. Ustilago maydis and related species. Therap. Gaz. Ser. 2, 5: 121–125. 1881.
- 2783. Spangenberg, G. E. On the susceptibility of varieties of spring wheats to bunt. Protection of Plants in Ukraine 1: 33-37. 1925. (Russian; trans. title.)
- 2784. Spangenberg, G. E., and Gutner, L. S. Investigation in the field of the physiological races constituting wheat bunt (Tilletia levis Kühn and T. tritici Wint.). Summ. Sci. Res. Wk. Inst. Pl. Prot. Leningrad 1935: 489-491. 1936. (Russian; trans. titlte.)
- 2785. Spegazzini, C. Fungi argentini. Pugillus Primus. Anal. Soc. Cient., Argentina 9: 158-192. 1880.
- 2786. Spegazzini, C. Fungi argentini (Continuacion). Anal. Soc. Cient., Argentina 10: 5-33. 1880.
- 2787. Spegazzini, C. Fungi argentini nov v. critici. Anal. Mus. Nac. Buenos Aires 6: 81-367. 1899.
- 2788. Spegazzini, C. Mycetes argentinenses (Series II). Anal. Mus. Nac. Buenos Aires 1902: 49–89. 1902.
- 2789. Spegazzini, C. Mycetes argentinenses (Series IV). Anal. Mus. Nac. Buenos Aires 1909: 257–458. 1909.
- 2790. Spegazzini, C. Mycetes argentinenses (Series VI). Anal. Mus. Nac. Buenos Aires 23: 1–146. 1912.
- 2791. Spegazzini, C. Ustilagineas argentinas nuevas o criticas. Rev. Argentina Bot. 1: 145-156. 1925.
- 2792. Sperling, E. Der Einfluss des Steinbrandes auf die Form der Weizenähren. Illus. Landw. Ztg. 32: 793. 1912.
- 2793. Sprague, R. Controlling seed-borne stinking smut of wheat by disinfectants. Bull. Ore. Agric. Expt. Sta. 363. 1939.
- 2794. Sprague, R., Martin, J. F., Stephens, D. E., and Webb, R. B. Dusting seed wheat to control seed-borne smut in Oregon. Ore. Agric. Expt. Sta. Circ. 173. 1937.
- 2795. Stadler, L. J. The variety as a unit in studies of disease resistance. Phytopath. 15: 51. 1925.
- 2796. Staes, G. De invloed van het gebruik van molenstaf op den brand der graangewassen. Tijdschr. o. Plantenz. 4: 72-77. 1898.
- 2797. Staes, G. Ueber die Verbreitung des Getreidebrandes durch Verwendung von Mühlenabfällen zum Düngen. Tijdschr. o. Plantenz. 4: 72. 1898.

- 2798. Staes, G. Nordamerikanische middelen tot het voorkomen van den brand der graangewassen. Tijdskr. o. Plantenz 4: 78. 1898.
- 2799. Staes, G. Is de aanwezigheid van brandsporen in het voeder gevaarlijk voor het vee? Tijdschr. o. Plantenz. 4: 116. 1898.
- 2800. Staes, G. Een onderzoek over den stink-of steenbrand der tarwe in Belgie in 1898. Tijdschr. o. Plantenz. 5: 92-97. 1899.
- 2801. Staes, G. Een onderzoek over den stink-of steenbrand der tarwe in Belgie in 1898. Tijdschr. o. Plantenz. 5: 170-176. 1899.
- 2802. Staes, G. De brand der graangewassen. In Tijdschr. o. Plantenz. 8: 122-141. 1902.
- 2803. Stakman, E. C. Spore germinations of cereal smuts. Minn. Agric. Expt. Sta. Bull. 133. 1913.
- 2804. Stakman, E. C. Diseases of cereal and forage crops in the United States in 1921. Plant Disease Bull. Suppl. 21: 139-254. 1922.
- 2805. Stakman, E. C. The problem of specialization and variation in phytopathogenic fungi. Genetica 18: 372-389. 1936.
- 2806. Stakman, E. C. Variation in Ustilago zeae. Science, N. S. 85: 58-59. 1937.
- 2807. Stakman, E. C., Cassell, R. C., and Moore, M. B. The cytology of Urocystis occulta. Phytopath. 24: 874–889. 1934.
- 2808. Stakman, E. C., and Christensen, J. J. Physiologic specialization of Ustilago zeae and Puccinia sorghi and their relation to corn improvement. Phytopath. 16: 84. 1926.
- 2809. Stakman, E. C., and Christensen, J. J. Heterothallism in Ustilago zeae. Phytopath. 17: 827-834. 1927.
- 2810. Stakman, E. C., Christensen, J. J., and Becker, H. Pathologische Probleme bei der Züchtung krankheitswiderstandsfähiger Weizen- und Gerstensorten im Sommerweizengebiet der Vereinigten Staaten von Amerika. Der Züchter 10: 59–68. 1938.
- 2811. Stakman, E. C., Christensen, J. J., Eide, C. J., and Peturson, E. Mutation and hybridization in Ustilago zeae. Minn. Agric. Expt. Sta. Tech. Bull. 65. 1929.
- 2812. Stakman, E. C., Christensen, J. J., and Hanna, W. F. Mutation in Ustilago zeae. Phytopath. 19: 106. 1929.
- 2813. Stakman, E. C., Henry, A. W., Curran, G. C., and Christopher, W. N. Spores in the upper air. Jour. Agric. Res. 24: 599-607. 1923.
- 2814. Stakman, E. C., Kernkamp, M. F., King, T. H., and Martin, W. J. Genetic factors for mutability and mutant characters in Ustilago zeae. Amer. Jour. Bot. 30: 37-48. 1943.
- 2815. Stakman, E. C., Kernkamp, M. F., Martin, W. J., and King, T. H. The inheritance of a white mutant character in Ustilago zeae. Phytopath. 33: 943-949. 1943.
- 2816. Stakman, E. C., and Lambert, E. B. Dusting seed grain to prevent smut. Minn. Agric. Expt. Spec. Bull. 70. 1923.
- 2817. Stakman, E. C., Lambert, E. B., and Flor, H. H. Varietal resistance of spring wheats to Tilletia levis. Minn. Stud. Pl. Sci. (Biol. Sci.) 5: 307-316. 1924.
- 2818. Stakman, E. C., and Levine, M. N. Rye smut. Minn. Agric. Expt. Bull. 160. 1916.
- 2819. Stakman, E. C., Levine, M. N., Christensen, J. J., and Isenbeck, K.

- Die Bestimmung physiologischer Rassen pflanzenpathogener Pilze. Nova Acta Leopoldina, N. S. 3: 281–336. 1935.
- 2820. Stakman, E. C., Moore, M. B., and Cassell, R. C. The pathogenicity and cytology of Urocystis occulta. Phytopath. 24: 18. 1934.
- 2821. Stakman, E. C., Stevenson, F. V., and Wilson, C. T. Adaptation of monosporidial lines of Ustilago zeae to arsenic. Phytopath. 36: 411. 1946.
- 2822. Stakman, E. C., Tyler, L. J., and Hafstad, G. E. The constance of cultural characters and pathogenicity in variant lines of Ustilago zeae. Bull. Torr. Bot. Club 60: 565-572. 1933.
- 2823. Stakman, E. C., Tyler, L. J., Hafstad, G. E., and Sharvelle, E. G. Experiments on physiologic specialization and nature of variation in Ustilago zeae. Phytopath. 24: 34. 1935.
- 2824. Stanford, E. H. A new factor for resistance to bunt, Tilletia tritici, linked with the Martin and Turkey factors. Jour. Amer. Soc. Agron. 33: 559-568. 1941.
- 2825. Stanton, T. R., Coffman, F. A., and Tapke, V. F. Field studies on resistance of hybrid selections of oats to covered and loose smuts. U. S. Dept. Agric. Tech. Bull. 422. 1934.
- 2826. Stanton, T. R., Coffman, F. A., Tapke, V. F., Wiebe, G. A., Smith, R. W., and Bayles, B. B. Influence of hulling the caryopsis on covered-smut infection and related phenomena in oats. Jour. Agric. Res. 41: 621-633. 1930.
- 2827. Stanton, T. R., and Murphy, H. C. Field studies of smut resistance in oats. Jour. Amer. Soc. Agron. 34: 248-258. 1942.
- 2828. Stanton, T. R., Murphy, H. C., Coffman, F. A., and Humphrey, H. B. Development of oats resistant to smuts and rusts. Phytopath. 24: 165-167. 1934.
- 2829. Stanton, T. R., Reed, G. M., and Coffman, F. A. Inheritance of resistance to loose smut and covered smut in some oat hybrids. Jour. Agric. Res. 48: 1073-1083. 1934.
- 2830. Stanton, T. R., Shepherd, D. C., and Gaines, E. F. Markton, an oat variety immune from covered smut. U. S. Dept. Agric. Circ. 324. 1924.
- 2831. Stapledon, R. G. Variety trials with oats. Disease resistance. I. Smut. Bull. Welsh Plant Breed. Sta., Ser. C, 1920: 28–31. 1921.
- 2832. Staritz, R. Notiz über den Fund von Tilletia bullata. Hedwigia 19: 121. 1880.
- 2833. Starr, G. H. A study of the diseases of canning crops (peas and corn) in Minnesota. Minn. Agric. Expt. Sta. Tech. Bull. 89. 1933.
- 2834. Starr, G. H. Field experiments on bunt of wheat. Bull. Wyo. Agric. Expt. Sta. 226. 1938.
- 2835. Stec-Rouppertowa, W. Tilletia separata J. Kunze, a rare smut fungus in Poland. Act. Soc. Bot. Pol. 9: 539-546. 1932. (Polish; trans. title.)
- 2836. Steglich, B. Die Übertragung des Weizensteinbrandes auf den Pflanzenbestand der Weizenfelder durch infizierten Stalldünger, Samen und Ackerboden. Fühling's Landw. Ztg. 58: 738-742. 1909. 59: 162-164. 1910. 60: 54-55. 1911.
- 2837. Stelzner, G. Einfacher Nachweis von Hyphen parasitärer Pilze im Halm der Gramineen. Phytopath. Zeitschr. 8: 369-372. 1935.

- 2838. Stempell, K. L. Studien über die Entwicklungsgeschichte einiger Entyloma-Arten und über die systematische Stellung der Familie der Sporobolomycetes. Zeitschr. f. Bot. 28: 225–259. 1935.
- 2839. Stephens, D. E., and Woolman, H. M. The wheat bunt problem in Oregon. Ore. Agric. Expt. Sta. Bull. 188. 1922.
- 2840. Sternon, F. Une maladie nouvelle du dahlia, Entyloma calendulae Oudem. f. sp. dahliae. Brussels. 1918.
- 2841. Stevens, F. L. Treatment of oats, wheat, rye, or barley for smut. N. Carol. Agric. Expt. Sta. Ann. Rept. 1907: 73-74. 1908.
- 2842. Stevens, F. L. Prevention of oat and wheat smut. N. Carol. Agric. Expt. Sta. Bull. 212: 75-84. 1910.
- 2843. Stevens, H. The effect of latent infection on the smut-resistant Markton oat. Jour. Amer. Soc. Agron. 28: 711-713. 1936.
- 2844. Stevens, K., Melhus, I. E., Semeniuk, G., and Tiffany, L. A new method of inoculating some Maydeae with Ustilago zeae (Beckm.) Unger. Phytopath. 36: 411. 1946.
- 2845. Stevens, N. E. Some significant estimates of losses from plant diseases in the United States. Phytopath. 23: 975-984. 1933.
- 2846. Stevens, N. E. Losses from bunt of wheat in the United States. Phytopath. 30: 449-451. 1940.
- 2847. Stevenson, J. A. A nomenclatorial discussion of Ustilago striiformis. Plant Dis. Reptr. 30: 53-59. 1946.
- 2848. Stevenson, J. A. Fungi novi demoninati. II. Mycologia 38: 524-533. 1946.
- 2849. Stevenson, J. A., and Johnson, A. G. Nomenclature of the cereal smut fungi. Plant Dis. Reptr. 28: 663-670. 1944.
- 2850. Stevenson, J. A., and Johnson, A. G. The nomenclature of the broomcorn millet smut fungus. Phytopath. 34: 613. 1944.
- 2851. Stewart, F. C. Effects of heat on the germination of corn and smut. Iowa Acad. Sci. Proc. 2: 74. 1895.
- 2852. Stimmel, A. F. Ustilago Maydis.—Cecara Sagrada. Therap. Gaz., Ser. 2, 2: 168. 1881.
- 2853. Stirrup, H. H., and Cranfield, H. T. Attempts to control bunt (Tilletia tritici Wint.) in wheat with a formalin-gypsum dust. Ann. Appl. Biol. 15: 245–250. 1928.
- 2854. Stocker, W. Genossenschaftliche Saatgutbeizung. Nachr. über Schädlingsbekämpf, 6: 79–83. 1931.
- 2855. Stockhausen. Trockenbeize. Mitt. Deutschen. Landw. Ges. 40: 592–593. 1925.
- 2856. Stone, G. E. Onion smut. Ann. Rept. Mass. Agric. Expt. Sta. 1909: 48-49.
- 2857. Stone, G. E. The control of onion smut. Mass. Agric. Expt. Sta. Circ. 41. 1914.
- 2858. Stone, R. E. Treatment of millet seed to prevent smut. Scient. Agric. 8: 462. 1928.
- 2859. Stone, R. E. Treatment of millet seed to prevent smut. Phytopath. 18: 479. 1928.
- 2860. Störmer, K. Die Bekämpfung der Getreidebrandkrankheiten. Landw. Wochenschr. f. d. Prov. Sachsen. 12: 91–92. 1910.
- 2861. Störmer, K. Die Bekämpfung der Getreidebrandkrankheiten. Ver-

- suchsstät, f. Pflanzenk, d. Landwirtschaftskammer f. d. Prov. Sachsen. Flugblatt 1. 1910.
- 2862. Störmer, K. Die Bekämpfung des Gersten- und Weizenflugbrandes. Deutsche Landw. Presse 38: 1006, 1017. 1911.
- 2863. Störmer, K. Ueber die Bekämpfung des Steinbrandes beim Winterweizen. Deutsche Landw. Presse 38: 917, 929. 1911.
- 2864. Störmer, K. Über die Methoden zur Bekämpfung der Flugbrandarten. Fühling's Landw. Ztg. 60: 145-147. 1912.
- 2865. Straib, W. Untersuchungen über die Ursache verschiedener Sortenanfälligkeit des Weizens gegen Steinbrand. Pflanzenbau 4: 129-136. 1927.
- 2866. Straib, W. Versuche mit Düngmitteln zur Steinbrandbekämpfung des Weizens. Fortschr. der Landw. 3: 1-12. 1928.
- 2867. Straib, W. Über den Einfluss der Steinbrandinfektion auf das Gelbrostverhalten des Weizens. Phytopath. Zeitschr. 11: 571-587. 1938.
- 2868. Strampelli, N. Esperienze intorno alla malattia del frumento dovuta all' Ustilago carbo. Atti. R. Accad. Lincei, Roma 15: 211-213.
- 2869. Strampelli, N. Esperienze intorno alla carie (Tilletia Caries) del frumento. Atti R. Accad. Lincei, Roma, Rend. 28: 151-153. 1919.
- 2870. Strauss, Fr. Ueber die Persoonschen Pilzgattungen Stilbospora, Uredo und Puccinia. Ann. Wetterauischen Ges. für die gesammte Naturkunde II, 1: 79-114. 1810.
- 2871. Stringfield, G. H. Inoculating wheat with loose smut. Jour. Amer. Soc. Agron. 21: 937-938. 1929.
- 2872. Strohmeyer, O. Anatomische Untersuchung der durch Ustilagineen hervorgerufenen Missbildungen. Inaugural Diss., Erlangen. 84 pp. 1896.
- 2873. Strube. Züchterische Massnahmen zur Bekämpfung des Flugbrandes bei Weizen. Illus. Landw. Ztg. No. 29. 1909.
- 2874. Stuart, W. Fungicides for the prevention of corn smut. Ind. Acad. Sci. Proc. 1895: 96-99. 1896.
- 2875. Stuart, W. The resistance of cereal smuts to formalin and hot water. Ind. Acad. Sci. Proc. 1898: 64-70.
- 2876. Stuart, W. A study of the constituents of corn smut. Ind. Agric. Expt. Sta. Ann. Rept. 13: 26-32. 1901.
- 2877. Stuart, W. Formalin as a preventive of millet smut. Ind. Agric. Expt. Sta. Ann. Rept. 13: 25. 1901.
- 2878. Stuart, W. Formalin as a preventive of oat smut. Ind. Agric. Expt. Sta. Bull. 87. 1901.
- 2879. Stuart, W. Spore resistance of loose smut of wheat to formalin and hot water. Ind. Acad. Sci. Proc. 1901: 275-282. 1902.
- 2880. Sturgis, W. C. Diseases of the onion. Conn. Agric. Expt. Sta. Bull. 115: 14-15. 1893. 2881. Sturgis, W. C. Transplanting, as a preventive of smut upon onions.
- Conn. Agric. Expt. Sta. Ann. Rept. 1895: 176-182. 1896.
- 2882. Stutzer, A. Die Steigerung der Ernteerträge durch Beizung des Saatgutes. Deutsche Landw. Presse 1: 42. 1923.
- 2883. Sundararaman, S. Ustilago crameri Koern. on Setaria italica. Agric. Res. Inst. Pusa Bull. 97. 1921.

- 2884. Suneson, C. A., and Houston, B. R. Male-sterile barley for study of floral infection. Phytopath. 32: 431-432. 1942.
- 2885. Supper, R. Über die Wirkung von Trockenbeizen. Zeitschr. f. Pflanzenkr. 42: 319-350. 1932.
- 2886. Sutherland, J. L., and Jodon, N. E. Resistance of wheat varieties to bunt at Moccasin, Montana, and North Platte, Nebraska. Jour. Amer. Soc. Agron. 26: 296-306. 1934.
- 2887. Sutton, G. L. Notes on some of the lesser known varieties of wheats available for farmer's experiments. Agric. Gaz. New S. Wales 17: 917. 1906.
- 2888. Sutton, G. L. Varieties of wheat recommended by the Department of Agriculture. Agric. Gaz. New S. Wales 21: 185-193, 282-288, 592-598. 1910.
- 2889. Sutton, G. L. Wheat smuts and their prevention, with notes on other cereal smuts and ear cockle. West. Australia Dept. Agric. Bull. 71. 1920.
- 2890. Sutton, G. L. Copper powders for the prevention of ball smut in wheat. Jour. Dept. Agric. West. Australia, Ser. 2, 3: 246-253. 1926.
- 2891. Sutton, G. L., and Downing, R. G. Some experiments with fungicides used for the prevention of "stinking smuts" (bunt). Agric. Gaz. New S. Wales 21: 382-397. 1910.
- 2892. Sutton, G. L., and Pridham, J. T. The effects of some fungicides recommended for the prevention of stinking smut on the germination of wheat. Agric. Gaz. New S. Wales 18: 235-253. 1907.
- 2893. Svoboda, F. Effect of the content of dark (smutted) milling offals in bran on the digestibility of its nutrient constituents. Ann. Czechoslovak. Acad. Agric., Prague 3: 289–297. 1928. (Czechoslovakian, with German summary; trans. title.)
- 2894. Swanson, A. F., and Parker, J. H. Inheritance of smut resistance and juiciness of stalk in the sorghum cross, Red Amber × Feterita. Jour. Hered. 22: 51-56. 1931.
- 2895. Swingle, D. B. Grain smuts. Mont. Agric. Expt. Sta. Circ. 70. 1917.
- 2896. Swingle, W. T. The grain smuts: How they are caused and how to prevent them. U. S. Dept. of Agric. Farmers' Bull. 75. 1898.
- 2897. Sydow, H. Notizen über Ustilagineen. Ann. Mycol. 22: 277–291. 1924.
- 2898. Sydow, H. Eine neue deutsche Ustilaginee, Ustilago cichorii n. sp. Ann. Mycol. 27: 413-415. 1929.
- 2899. Sydow, H., and Sultan Ahmad. Fungi punjabenses. Ann. Mycol. 37: 439-447. 1939.
- 2900. Sydow, H., and Sydow, P. Novae fungorum species IV. Ann. Mycol. 9: 142-146. 1911.
- 2901. Sydow, H., and Sydow, P. Mykologische Mitteilungen. Ann. Mycol. 16: 240-248. 1918.
- 2902. Sydow, H., Sydow, P., and Butler, E. J. Fungi Indiae Orientalis. II. Ann. Mycol. 6: 485-515. 1907.
- 2903. Sydow, H., Sydow, P., and Butler, E. J. Fungi Indiae Orientalis. Ann. Mycol. 10: 243-280. 1912.
- 2904. Szembel, S. J. Some observations on the biology of the smut fungus Urocystis cepulae Frost. Pl. Prot. Leningrad 2: 524-530. 1926. (Russian; trans. title.)

- 2905. Szembel, S. J. Synopsis of diseases of cultivated and pasture plants recorded in the Astrakhan region in 1924 and 1925. Comment. Inst. Astrachanensis ad defensionem plantarum 1: 44-58. 1927. (Russian, French summary; trans. title.)
- 2906. Szembel, S. J. Threat to wheat in Transcaucasia. Crop Protection, Moscow 8: 22–23. 1934. (Russian; trans. title.)
- 2907. Taff, P. C. Smut in small grains. Iowa Agric. Expt. Sta. Circ. 11. 1913.
- 2908. Takahashi, Y. On Ustilago virens Cke. and a new species of Tilletia parasitic on the rice plant. Tokyo Bot. Mag. 10: 16-20. 1896.
- 2909. Takahashi, Y. On Ustilago panici-miliacei (Pers.) Winter. Tok. Bot. Mag. 16: 183–185. 1902. (Japanese; trans. title.)
 2910. Takasugi, H., and Akaishi, Y. Studies on the smuts of sorghums. I.
- 2910. Takasugi, H., and Akaishi, Y. Studies on the smuts of sorghums. I. Germination of spores of the loose kernel smut (Sphacelotheca cruenta) of sorghum. S. Manchuria Railway Co. Agric. Expt. Sta. Res. Bull. 11: 21-60. 1933. (Japanese, with English abstracts; trans. title.)
- 2911. Takasugi, H., and Akaishi, Y. Studies on the smuts of sorghums. II.

 Germination and infection power of the loose kernel smut (Sphace-lotheca cruenta [Kühn] Potter) of sorghum and its prevention. S.

 Manchuria Railway Co. Res. Bull. 16: 49-75. 1937. (Japanese, with English summary; trans. title.)
- 2912. Talieff, V. I., and Grigorovitch, A. I. On the influence of smut on the host plant. Trans. Myc. and Phytopath. Sect. Russian Bot. Soc., I. Moscow Branch, pp. 47-53. 1923. (Russian, French summary; trans. title.)
- 2913. Tamm, E., and Husfeld, B. Die elektrische Heisswasserbeize, ein neuer Weg zur technischen Durchführung des Heisswasserverfahrens. Pflanzenbau 2: 197–202, 213–220. 1926.
- 2914. Tamme, C. Versuche mit Haferflugbrand, Ustilago avenae mit besonderer Berücksichtigung der Infektions-, Beiz- und Immunitätsfrage. Bot. Arch. 20: 43–73. 1927.
- 2915. Tapke, V. F. Modified and simplified hot-water and vapor treatments for the control of loose smut in wheat with special reference to seed injury. Phytopath. 13: 38. 1923.
- 2916. Tapke, V. F. Effects of the modified hot-water treatment on germination, growth, and yield of wheat. Jour. Agric. Res. 28: 79-98. 1924.
- 2917. Tapke, V. F. Influence of varietal resistance, sap acidity, and certain environmental factors on the occurrence of loose smut in wheat. Jour. Agric. Res. 34: 313-339. 1929.
- 2918. Tapke, V. F. The role of humidity in the life cycle, distribution, and control of the loose-smut fungus of wheat. Phytopath. 19: 103. 1929.
- 2919. Tapke, V. F. Influence of humidity on floral infection of wheat and barley by loose smut. Jour. Agric. Res. 43: 503-516. 1931.
- 2920. Tapke, V. F. Seed treatments with chemical dusts and formaldehyde for smut control in oats. Phytopath. 22: 429-441. 1932.
- 2921. Tapke, V. F. An undescribed loose smut of barley. Phytopath. 22: 869–870. 1932.
- 2922. Tapke, V. F. A study of the cause of variability in response of barley

- loose smut to control through seed treatment with surface disinfectants. Jour. Agric. Res. 51: 491-508. 1935.
- 2923. Tapke, V. F. An effective and easily applied method of inoculating seed barley with covered smut. Phytopath. 25: 1038-1039. 1935.
- 2924. Tapke, V. F. Pathogenic strains in Ustilago nigra. Phytopath. 26: 1033-1034. 1936.
- 2925. Tapke, V. F. The influence of seed hulling on loose smut in naturally inoculated oats. Phytopath. 26: 588-596. 1936.
- 2926. Tapke, V. F. Physiologic races of Ustilago hordei. Jour. Agric. Res. 55: 683-692. 1937.
- 2927. Tapke, V. F. A method of inoculating seed barley with black loose smut for use in studies on physiologic races. Phytopath. 27: 115–116. 1937.
- 2928. Tapke, V. F. Seasonal cycle of Ustilago hordei. Phytopath. 27: 141. 1937.
- 2929. Tapke, V. F. Influence of environment, after seedling emergence on covered smut in barley. Phytopath. 28: 370–371. 1938.
- 2930. Tapke, V. F. Influence of environment after seedling emergence on loose smut of oats and covered smut of barley. Phytopath. 29: 22-23. 1939.
- 2931. Tapke, V. F. Preemergence and postemergence factors that influence the infection of barley by covered smut and nigra loose smut. Phytopath. 30: 23. 1940.
- 2932. Tapke, V. F. Studies on the natural inoculation of seed barley with covered smut. Jour. Agric. Res. 60: 787-810. 1940.
- 2933. Tapke, V. F. Occurrence, identification and species integrity of the loose smuts of barley, Ustilago nuda, U. nigra, and U. medians. Phytopath. 31: 22. 1941.
- 2934. Tapke, V. F. A technique for identifying the loose smuts of barley. Phytopath. 31: 284-286. 1941.
- 2935. Tapke, V. F. Occurrence, identification, and species validity of the barley loose smuts, Usulago nuda, U. nigra, and U. medians. Phytopath. 33: 194–209. 1943.
- 2936. Tapke, V. F. Physiologic races of Ustilago nigra. Phytopath. 33: 324–327. 1943.
- 2937. Tapke, V. F. Evidence of hybridization between physiologic races of Ustilago hordei in passage through host. Phytopath. 34: 993. 1944.
- 2938. Tapke, V. F. Occurrence and distribution of physiologic races of Ustilago hordei in the United States. Phytopath. 35: 489. 1945.
- 2939. Tapke, V. F. New physiologic races of Ustilago hordei. Phytopath. 35: 970-976. 1945.
- 2940. Tapke, V. F. Prolonging viability of spores and mycelium of the barley loose smut, Ustilago nuda. Phytopath. 38: 25. 1948.
- 2941. Tapke, V. F. Environment and the cereal smuts. Bot. Rev. 14: 359–412. 1948.
- 2942. Tapke, V. F., and Bever, W. M. Effective methods of inoculating seed barley with covered smut (Ustilago hordei). Phytopath. 32: 1015–1021. 1942.
- 2943. Tapke, V. F., and Meier, F. C. Copper-carbonate seed treatment for stinking smut of wheat. U. S. Dept. Agric. Misc. Circ. 108: 1-4. 1928.

- 2944. Tascher, W. R. Experiments on the control of seed-borne diseases by X-rays. Jour. Agric. Res. 46: 909-915. 1933.
- 2945. Tasugi, H., and Yamade, W. Stinking smut of the barley and the naked barley in Japan. (Preliminary report). Ann. Phytopath. Soc. Japan 1: 31-41. 1925. (Japanese, with English summary; trans. title.) 2946. Taubenhaus, J. J., and Mally, F. W. The culture and diseases of the
- onion. xv + 246 pp. New York City. 1924.
- 2947. Tavcar, A. Lodicules et culture de Froment resistant au charbon. 16th Congr. Int. Agric., Budapest, 1934, spec. Budapest: Min. Agric. Sect. 4, Theme 2: 1-9. 1934.
- 2948. Taylor, J. W. Effect of the continuous selection of large and small wheat seed on yield, bushel weight, varietal purity and loose smut infection. Jour. Amer. Soc. Agron. 20: 856-867. 1928.
- 2949. Taylor, J. W., and Coffman, F. A. Effects of vernalization on certain varieties of oats. Jour. Amer. Soc. Agron. 30: 1010-1019. 1938.
- Taylor, J. W., and Harlan, H. W. Agronomic smut. Jour. Hered. 34: 2950. 309-310. 1943.
- 2951. Taylor, J. W., and Zehner, M. G. The effect of a seed disinfectant on grain and straw yield and smut control in winter barley. Jour. Amer. Soc. Agron. 22: 113-123. 1930.
- 2952. Taylor, J. W., and Zehner, M. G. Effect of depth of seeding on the occurrence of covered and loose smuts in winter barley. Jour. Amer. Soc. Agron. 23: 132-141. 1931.
- 2953. Taylor, T. Onion blight and smut. U. S. Comm. Agric. Rept. 1872: 193-195. 1874.
- 2954. Tehon, L. R. A preliminary report on the occurrence and distribution of the common bacterial and fungous diseases of crop plants in Illinois. Ill. Nat. Hist. Survey Bull. 15: 173-325. 1924.
- 2955. Teng, S. C. Observations on the germination of the chlamydospores of Tilletia horrida Tak. Contrib. Biol. Lab. Sci. Soc. of China, Bot. Ser. 6: 111-114. 1931.
- 2956. Tennent, R. B. Copper carbonate dust treatment for seed wheat. N. Zeal. Jour. Agric. 37: 35-36. 1928.
- 2957. Terenyi, A. Die Wirkung des Wassers und Bodens bei der Kupfervitriolbeize des Weizens. Fortschr. der Landw. 2: 517-519. 1927.
- 2958. Terenyi, A. Laboratoriumsuntersuchungen mit dem "Germisan-Durz-Beizverfahren." Fortschr. der Landw. 3: 972-973. 1928.
- 2959. Terenyi, A. Biochemie der Brandkrankheiten der Getreidearten. 3. Mitteilung. Über die Kupferadsorption der Haferflugbrandsporen (Ustilago avenae [Pers.] Jens.). Hoppe-Seyler's Zeitschr. für Physiol. Chem. 192: 274-280. 1930.
- 2960. Tervet, I. W. Problems in the determination of physiologic races of Ustilago avenae and U. levis. Phytopath. 30: 24. 1940.
- 2961. Tervet, I. W. Problems in the determination of physiologic races of Ustilago avenae and U. levis. Phytopath. 30: 900-913. 1940.
- 2962. Tervet, I. W. The relation of seed quality to the development of smut in oats. Phytopath. 34: 106-115. 1944.
- 2963. Tessier, A. H. Traite des maladies des grains. 351 pp. Paris. 1783. 2964. Tessier, A. H. Moyens éprouvés pour preserver les froments de la
- carie. 15 pp. Avignon. 1786.

- 2965. Thatcher, L. E. A fungus disease suppressing expression of awns in a wheat-spelt hybrid. Jour. Agric. Res. 21: 699-700. 1921.
- 2966. Thaxter, R. On certain fungus diseases of the onion (Allium Cepa). Ann. Rept. Conn. Agric. Expt. Sta. 1889: 129-177. 1890.
- 2967. Thaxter, R. Further experiments on the smut of onion. Conn. Agric. Expt. Sta. Ann. Rept. 1890: 25. 1891.
- 2968. Theomin, O. Die Blüteninfektion bei den Brandkrankheiten des Getreides. Himmel u. Erde 21: 319-324. 1909.
- 2969. Thirumalachar, M. J. A new genus of smuts. Mycologia 36: 591-597. 1944.
- 2970. Thirumalachar, M. J. Nuclear cycle and life-history in a new species of Doassansia. Lloydia 9: 24-30. 1946.
- 2971. Thirumalachar, M. J. Species of the genera Doassansia, Doassansiopsis, and Burrillia in India. Mycologia 39: 602-611. 1947.
- 2972. Thirumalachar, M. J., and Dickson, J. G. Chlamydospore germination and artificial culture of Ustilago striiformis from timothy and bluegrass. Phytopath. 37: 730-734. 1947.
- 2973. Thirumalachar, M. J., and Dickson, J. G. Germination of spores and artificial culture of Urocystis agropyri from red top. Phytopath. 38: 25-26. 1948.
- 2974. Thirumalachar, M. J., and Dickson, J. G. Chlamydospore germination, nuclear cycle and artificial culture of Urocystis agropyri on red top. Phytopath. 39: 333-339. 1949.
- 2975. Thirumalachar, M. J., and Mundkur, B. B. Morphology and the mode of transmission of the ragi smut. Phytopath. 37: 481-486. 1947.
- 2976. Thirumalachar, M. J., Swamy, B. G. L., and Basheer, A. K. K. Contributions to the flora of Nandi Hills. Part I. Some interesting smuts and rusts. Jour. Mysore Univ., N. S., Sect. B, 3: 195-204. 1943.
- 2977. Thomas, C. C. Coix smut. Phytopath. 10: 331-333. 1920.
- 2978. Thomas, E. Le charbon et la carie des céréales. Jour. Soc. Agric. du Brabant-Hainaut 1898: No. 38.
- 2979. Thomas, E. La carie des céréales. Landbouwbl. van Limburg. 1899: 416.
- 2980. Thomas, M. B. Experiments with smut. Ind. Acad. Sci. Proc. 1900-1901: 123-124.
- 2981. Thomas, R. C. Control of stinking smut or bunt of wheat with special reference to dust treatment. Ohio Agric. Expt. Sta. Mo. Bull. 9: 22–27. 1924.
- 2982. Thomas, R. C. Effective dust treatments for the control of smut of oats. Science, N. S. 61: 47-48. 1925.
- 2983. Thomas, R. C. Control of smuts of wheat and oats with special reference to dust treatments. Ohio Agric. Expt. Sta. Bull. 390: 405-423. 1925.
- 2984. Thompson, G. C. The sorghum in Arizona. Ariz. Agric. Expt. Sta.
- Bull. 98: 47-66. 1923. 2985. Thompson, N. F. The effect of certain chemicals especially copper sulfate and sodium chloride on the germination of bunt spores. Phytopath. 11: 37-38. 1921.
- 2986. Thren, R. Gewinnung und Kultur von monokaryotischem und dikaryotischem Myzel. Ein Beitrag zur Physiologie und Genetik des

- Gerstenflugbrandes (Ustilago nuda [Jens.] Kellerm. et Sw.). Zeitschr. f. Bot. 31: 337-391. 1937.
- 2987. Thren, R. Kritische Versuche zur Resistenzprüfung der Gerste gegen Flugbrand (Ustilago nuda [Jens.] Kellerm. et Sw.). Kühn-Arch. 44: 211-231. 1937.
- 2988. Thren, R. Zur Frage der physiologischen Spezialisierung des Gerstenflugbrandes Ustilago nuda (Jensen) Kellerm. et Sw. und der Entstehung neuer Gerstenbrand-Rassen. Phytopath. Zeitschr. 13. 539-571. 1941.
- 2989. Thren, R. Über Zustandekommen und Erhaltung der Dikaryophase von Ustilago nuda (Jensen) Kellerm. et Sw. und Ustilago tritici (Persoon) Jens. Zeitschr. f. Bot. 36: 449-498. 1941.
- 2990. Throssell, G. L. A simple dry pickler. Jour. Dept. Agric. West. Australia 2: 20-21. 1925.
- 2991. Thueman, F. von. Vossia Thüm. eine neue Ustilagineen-Gattung. Österr. Bot. Zeitschr. 29: 18-20. 1879.
- 2992. Thueman, F. von. Die Ansteckung des Weizens durch den Steinbrand. Möser's Landw. Umschau 1888, No. 14: 55. Also in Österr. Landw. Wochenbl. Wien 14: 230. 1888.
- 2993. Thueman, F. von. Zur Bekämpfung des Maisbrandes. Fühling's Landw. Ztg. 28: 782. 1889.
- 2994. Tiemann, A. Untersuchungen über die Empfänglichkeit des Sommerweizens für Ustilago tritici und den Einfluss der äusseren Bedingungen dieser Krankheit. Kühn-Arch. Arb. Landw. Inst. Univ. Halle. 9. 1925.
- 2995. Tillet, M. Dissertation on the cause of the corruption and smutting of the kernels of wheat in the head, and on the means of preventing these untoward circumstances. 150 pp. Bordeaux. 1755. Translated from the French by H. B. Humphrey. Phytopath. Class. 5: 1–191. 1937.
- 2996. Tillinghast, J. A. Treatment of seed oats to prevent smut. Rhode Island Agric, Expt. Sta. Ann. Rept. 1898. 192-203.
- 2997. Timonin, M. I. Activity of patulin against Ustilago tritici (Pers.) Jens. Sci. Agric. 26: 358-368. 1946.
- 2998. Tingey, D. C. Smut studies preliminary to wheat breeding for resistance to bunt. Jour. Amer. Soc. Agron. 19: 655-660. 1927.
- 2999. Tingey, D. C. Relief wheat. Utah Agric. Expt. Sta. Bull. 264. 1935. 3000. Tingey, D. C., and Tolman, B. Inheritance of resistance to loose smut
- in certain wheat crosses. Jour. Agric. Res. 48: 631-655. 1934.
- 3001. Tingey, D. C., Woodward, R. W., and Stanton, T. R. Uton: a new high-yielding white oat resistant to loose and covered smuts. Bull. Utah Agric, Expt. Sta. 296. 1941.
- 3002. Tisdale, W. H. An effective method of inoculating barley with covered smut. Phytopath. 13: 551-554. 1923.
- 3003. Tisdale, W. H. Copper carbonate prevents bunt (stinking smut) of wheat. U.S. Dept. Agric. Circ. 394. 1926.
- 3004. Tisdale, W. H. Recent progress in the control of cereal smuts. Phytopath. 16: 645-646. 1926.
- 3005. Tisdale, W. H., and Cannon, W. N. Ethyl mercury chloride as a seed grain disinfectant. Phytopath. 19: 80. 1929.

- 3006. Tisdale, W. H., Dungan, G. H., and Leighty, C. E. Flag smut of wheat. U. S. Dept. Agric. Circ. 273. 1923.
- 3007. Tisdale, W. H., Dungan, G. H., and Leighty, C. E. Flag smut of wheat, with special reference to varietal resistance. Ill. Agric. Expt. Sta. Bull 242: 511-537. 1923.
- 3008. Tisdale, W. H., and Griffiths, M. A. Flag smut of wheat and its control. U. S. Dept. Agric. Farmers' Bull. 1213. 1921.
- 3009. Tisdale, W. H., and Griffiths, M. A. Strains of Ustilago nuda and certain host relationships. Phytopath. 17: 42. 1927.
- 3010. Tisdale, W. H., and Griffiths, M. A. Variants in Ustilago nuda and certain host relationships. Jour. Agric. Res. 34: 993-1000. 1927.
- 3011. Tisdale, W. H., and Johnston, C. O. A study of smut resistance in corn seedlings grown in the greenhouse. Jour. Agric. Res. 32: 649-668. 1926.
- 3012. Tisdale, W. H., Leighty, C. E., and Boerner, E. G. A study of the distribution of Tilletia tritici and T. laevis in 1926. Phytopath. 17: 167-174. 1927.
- 3013. Tisdale, W. H., Leighty, C. E., and Kochler, B. Further studies on flag smut of wheat. U. S. Dept. Agric. Circ. 424. 1927.
- 3014. Tisdale, W. H., Martin, J. II., Briggs, F. N., Mackie, W. W., Woolman, H. M., Stephens, D. E., Gaines, E. F., and Stevenson, F. J. Relative resistance of wheat to bunt in the Pacific Coast States. U. S. Dept. Agric. Bull. 1299. 1925.
- 3015. Tisdale, W. H., Melchers, L. E., and Clemmer, H. J. A strain of sorghum kernel smut which infects milo and Hegari. Phytopath. 16: 85. 1926.
- 3016. Tisdale, W. H., Melchers, L. E., and Clemmer, H. J. Strains of Kernel smuts of sorghum, Sphacelotheea sorghi and S. cruenta. Jour. Agric. Res. 34: 825-838. 1927.
- 3017. Tisdale, W. H., and Tapke, V. F. Infection of barley by Ustilago nuda through seed inoculation. Jour. Agric. Res. 29: 263–284. 1924.
- 3018. Tisdale, W. H., and Tapke, V. F. Infection of barley by Ustilago nuda through seed inoculation. Phytopath. 15: 59. 1925.
- 3019. Tisdale, W. H., and Tapke, V. F. Smuts of wheat and rye and their control. U. S. Dept. Agric. Farmers' Bull. 1540. 1927.
- 3020. Tisdale, W. H., and Taylor, J. W. Organic mercury seed disinfectants. Phytopath. 13: 38. 1923.
- 3021. Tisdale, W. H., Taylor, J. W., and Griffiths, M. A. Experiments with hot water, formaldehyde, copper carbonate and chlorophol for the control of barley smuts. Phytopath. 13: 153-160. 1923.
- 3022. Tisdale, W. H., Taylor, J. W., Leukel, R. W., and Griffiths, M. A. New seed disinfectants for the control of bunt of wheat and the smuts of oats and barley. Phytopath. 15: 651-676. 1925.
- 3023. Togashi, K., and Onuma, F. A new species of Urocystis on Convallaria majalis. L. Jap. Jour. Bot. 5: 21-26. 1930.
- 3024. Toomre, R. The control of barley and wheat loose smuts. Agronoomia 18: 357-394. 1938. (Estonian, with English summary; trans. title.)
- 3025. Toporkow, S. Die Bekämpfung des Flugbrandes (Ustilago carbo) der Getreidearten. Jour. Exper. Landw. St. Petersburg 4: 63. 1903.

- 3026. Tornow, E. Zur Prüfung von Saatbeizmitteln. Prakt. Bl. für Pflanzenbau und Pflanzenschutz 8: 7–9. 1930.
- 3027. Tornow, E. Einwirkung und Nachweis des Quecksilbers bei der Beizung des Saatguts. Phytopath. Zeitschr. 4: 631-637. 1932.
- 3028. Trabut, L. Sur une Ustilaginée parasite de la betterave (Entyloma leproideum). Compt. Rend. Acad. Sci. Paris 118: 1288-1289. 1894.
- 3029. Tracy, S. M., and Earle, F. S. Misssissippi fungi. Miss. Agric. Expt. Sta. Bull. 34: 79–122. 1895.
- 3030. Traen, A. E. Ueber den Einfluss der Temperatur und der Feuchtigkeit auf den Brandbefall des Hafers durch gedeckten Haferbrand (Ustilago laevis [K. and S.] Mag.). Meld. Norges Landbrukshoiskole 2-3: 157-168.
 1925. (Norwegian summary.)
 3031. Traen, A. E. Forsøk med kemiske midler til bekjaempelse av sot hos
- 3031. Traen, A. E. Forsøk med kemiske midler til bekjaempelse av sot hos korn. Meld. Norges Landbrukshoiskole 2–3: 145–156. 1925. (German summary.)
- 3032. Traen, A. E., and Jørstad, I. Kornavsopningsforsøk med kjemikalier i arene 1930–33. Meld. Statens frøkontroll i Ar. 1932–33: 1–24. 1934. (English summary.)
- 3033. Trail, J. W. H. On Doassansia Alismatis Cornu, Entyloma canescens Schröt., and E. Calendulae Oud. Scott. Nat., N. S. 1: 180-181. 1884.
- 3034. Trail, J. W. H. On the species of Entyloma parasitizing in species of Ranunculus in Scotland. Scott. Nat., N. S. 1: 227-229. 1884.
- 3035. Trail, J. W. H. Two new British Ustilaginee (Entorrhiza cypericola and Melanotaenium endogenum). Scott. Nat. 7: 241-243. 1884.
 3036. Trail, J. W. H. Revision of the Uredineae and of the Ustilagineae of
- 3036. Trail, J. W. H. Revision of the Uredineae and of the Ustilagineae of Scotland. Scott. Nat. 10: 302-327. 1890.
- 3037. Trelease, W. The genus Cintractia. Bull. Torr. Bot. Club 12: 69-70. 1885.
- 3038. Trelease, W. The smut of timothy. (Tilletia striaeformis West.). U. S. Dept. Agric. Rept. 1885: 87–88. 1885.
- 3039. Trelease, W. Preliminary list of Wisconsin parasitic fungi. Trans. Wisc. Acad. Sci. Arts Lett. 6: 106-144. 1886.
- 3040. Treviranus, C. L. Der Spelzenbrand im Roggen. Bot. Ztg. 4: 629-631. 1846.
- 3041. Troyel, N. Ueber das Mutterkorn und den Brand im Korne. Schrift. d. Gesells. Naturf. Freunde zu Berlin 1: 38. 1780.
- 3042. Truffaut, G., and Pastac, I. Sur l'emploi des colorants organiques dans le traitement des affections cryptogamiques des végétaux. Compt. Rend. Acad. Agric. France 15: 1058-1063. 1929.
- 3043. Trzebinski, J. N. Sorghum smut and its control. Westnik sacharnoi promischlen. Kiew. 7: 426–432. 1906. (In Russian.)
- 3044. Tscharner, N. E. Von dem Brand und von dem Rost im Getreide.
 Abhandl. u. Beobacht. Oekonom. Gesell. Bern 5: 27-31. 1764.
- 3045. Tu, C., and Li, H. W. Breeding millet resistant to smut in North China. Phytopath. 25: 648-649. 1935.
- 3046. Tubeuf, K. von. Diseases of plants induced by Cryptogamic parasites—(Ustilagineae, 275–328). English Edition. London. 1897.
- 3047. Tubeuf, K. von. Studien über die Brandkrankheiten des Getreides und ihre Bekämpfung. Arb. Kaiserl. Gesundheits. Biol. Abt. f. Landund Forstw. 2: 179-372. 1901.

- 3048. Tubeuf, K. von. Vorschläge zur Bekämpfung des Weizen-Steinbrandes. Mitt. Deutschen Landw. Ges. 16: 201–202. 1901.
- 3049. Tubeuf, K. von. Die Bekämpfung des Weizen-Steinbrandes durch Kandierungsverfahren III. Landw. Ztg. Berlin 22: 824. 1902.
- 3050. Tubeuf, K. von. Weitere Beiträge zur Kenntnis der Brandkrankheiten des Getreides und ihre Bekämpfung. Arb. Kaiserl. Gesundheits. Biol. Abt. f. Land- und Forstw. 2: 437–467. 1902.
- 3051. Tubeuf, K. von. Studien über die Brandkrankheiten des Getreides und ihre Bekämpfung. Arb. Kaiserl. Gesundheits. Biol. Abt. f. Land- und Forstw. 2: 179-349. 1902.
- 3052. Tubeuf, K. von. Pflanzenpatologische Wandtafeln. Brandkrankheiten des Getreides. 51 pp., Stuttgart. 1910.
- 3053. Tubeuf, K. von. Die Uebertragung des Weizensteinbrandes auf den Pflanzenbestand der Weizenfelder durch infizierten Stalldünger, Samen und Ackerboden. Fühling's Landw. Ztg. 59: 161-162. 1910.
- 3054. Tubeuf, K. von. Züchtung brandfester Weizen. Naturw. Zeitschr. f. Forst- und Landw. 18: 290–311. 1920.
- 3055. Tucker, C. M. Botany. Work of the Agricultural Experiment Station during the year ending June 30, 1937. Mo. Agric. Expt. Sta. Bull. 413: 29-33. 1940.
- 3056. Tulasne, L. R., and Tulasne, C. Memoire sur les Ustilaginées comparées aux Urédinées. Ann. Sci. Nat. Bot., Ser. 3, 7: 12–127. 1847.
- 3057. Tulasne, L. R., and Tulasne, C. Second Memoire sur les Urédinées et les Ustilaginées. Ann. Sci. Nat. Bot., Ser. 4, 2: 77-196. 1854.
- 3058. Tull, J. Horse-hoeing husbandry: or, an essay on the principles of tillage and vegetation. 1 + 269 pp. London. 1733.
- 3059. Tullis, E. C. Leaf smut of rice in the United States. Phytopath. 24: 1386. 1934.
- 3060. Tullis, E. C. Disease of rice. U. S. Dept. Agric. Farmer's Bull. 1854. 1940.
- 3061. Twentyman, R. L. Experiments on the control of "stinking" smut or bunt. Part 2. Tests of the dry copper powders. Jour. Dept. Agric. Victoria 29: 235-248. 1931.
- 3062. Tyler, L. J. Methods for determining sex differences in Sphacelotheca sorghi (Link) Clinton. Phytopath. 24: 691-693. 1934.
- 3063. Tyler, L. J. Variation in Sphacelotheca sorghi (Link) Clinton. Minn. Agric. Expt. Sta. Tech. Bull. 133: 1–48. 1938.
- 3064. Tyler, L. J. Dwarf bunt of winter wheat in New York. Plant Dis. Reptr. 29: 668-669. 1945.
- 3065. Tyler, L. J., and Shumway, C. P. Hybridization between Sphacelotheca sorghi and Sorosporium reilianum. Phytopath. 25: 375–376. 1935.
- 3066. Ubisch, G. von. Beeinflussung der Heterostyliemerkmale von Oxalis stricta durch Ustilago oxalidis. Proc. Akad. Wetersch. Amsterdam 38: 1–10. 1935.
- 3067. Uetting, W. Über den Einfluss der Temperatur auf die Keimung und Geschlechtsverteilung bei Brandpilzen. Zeitschr. f. Bot. 24: 529– 557. 1931.
- 3068. Ulbrich, E. Über eigenartige alliophylle Riesenformen von Anemone nemorosa L. mit Urocystis-Befall. Notizbl. Bot. Gartens und Museums zu Berlin-Dahlem 2: 128-134. 1931.

- 3069. Ulbrich, E. Über die Tilletiaceen-Gattungen Tuburcinia Fr. 1832, Urocystis Rbh. 1856 und Ginaniella Ciferri 1938. Notizbl. Bot. Gartens und Museums zu Berlin-Dahlem 15: 68–84. 1940.
- 3070. Ule, E. Einige neue Species und Nährpflanzen der Ustilagineen. Bot. Ver. Prov. Brandenb. Verh. 19: 1-4. 1878.
- 3071. Ule, E. Beitrag zur Kenntnis der Ustilagineen. Bot. Ver. Prov. Brandenb. Verh. 25: 212-217. 1884.
- 3072. Unamuno, L. M. Notas micologicas. XIV. Contribucion al estudio de los Uredinales y Ustilaginales de la flora espanola. Bol. Soc. Esp. Hist. Nat. 38: 19-36. 1941.
- 3073. Underwood, L. M. List of cryptogams at present known to inhabit the State of Indiana. Ind. Acad. Sci. Proc. 1893: 48. 1894.
- 3074. Underwood, L. M. List of parasitic fungi distributed by the Indiana Biological Survey. Series 1. Nos. 1–100. Ind. Acad. Sci. Proc. 1894: 154. 1895.
- 3075. Uppal, B. N., and Desai, M. K. The effectiveness of dust fungicides in controlling grain smut of sorghum. Agric. and Livestock in India 1: 396-413. 1931.
- 3076. Uppal, R. N., and Patel, M. K. Long smut of Sorghum purpureo-sericeum. Indian Jour. Agric. Sci. 13: 520-521. 1943.
- 3077. Urbanyi, E. V. Beizversuche mittels des Desinfektionsmittels "Salan". Zeitschr. f. Pflanzenkrank. 35: 290–296. 1925.
- 3078. Urion, E., and Hanus, J. Malt and beer from barley affected by smut. Brasseur Franc. 1947: 7-9.
- 3079. Utter, L. G. Culture and inoculation studies on races of the loose and covered smuts of oats. Amer. Jour. Bot. 25: 198-210. 1938.
- 3080. Utter, L. G. Studies on experimentally produced physiologic races of the oat smuts. Phytopath. 33: 14. 1943.
- 3081. Vaheeduddin, S. Hybridization between Sphacelotheca cruenta and S. reilianum. Phytopath, 26: 111. 1936.
- 3082. Vaheeduddin, S. The production of a new physiologic race of Sphacelotheca sorghi. Phytopath. 28: 656-659. 1938.
- 3083. Vaheeduddin, S. The pathogenicity and genetics of some sorghum smuts. Minn. Agric. Expt. Sta. Tech. Bull. 154. 1942.
- 3084. Valette, G. Reproduction et sexualité chez les Ustilaginées. Bull. Soc. Bot. France 78: 13-23. 1931.
- 3085. Vanderwalle, R. Contribution à l'etude des maladies charbonneuses de l'Orge. Bull. Inst. Agron, et des Stat. de Recherches de Gembloux 1: 291-322. 1932.
- 3086. Vanderwalle, R. Contribution à l'étude de la desinfection des céréales par l'eau chaude. Bull. Inst. Agron. Gembloux. 4: 1935.
- 3087. Vanderwalle, R. Contribution à l'étude du mécanisme de l'action de la chaleur dans la desinfection anti-charbonneuse des semences de céréales. Bull. Acad. Belg. Cl. Sci., Ser. 5, 21: 759-765. 1935.
- 3088. Vanderwalle, R. La desinfection des semences par la chaleur et ses bases physiologiques. Proc. Second Cong. Nat. Sci. Brussels. 1935.
- 3089. Vanderwalle, R. Les affections charbonneuses des céréales. Chron. Bot. 6: 33–34. 1940.
- 3090. Vanderwalle, R. Note sur la biologie d'Ustilago nuda tritici Schaf. Bull. Inst. Agron. Gembloux 11: 103-113. 1942.
- 3091. Vanderwalle, R. Une méthode rapide d'inoculation florale du Froment

- et de l'Orge par Ustilago nuda tritici Schaf. Parasitica 1: 58-63. 1945.
- 3092. Vanderwalle, R., and Larose, E. La desinfection à l'eau chaude des semences de Froment contre le charbon nu Ustilago nuda tritici Schaf. Bull. Inst. Agron. Gembloux 5: 74–88. 1936.
- 3093. Vanderyst, H. Maladies des Plantes. Ustilaginées. Revue Génér. Agronom. Brecht. 1903: 1–49.
- 3094. Van Poeteren, N. Verslag over de werkzaamheden van den Plantenziektenkundigen Dienst in het jaar 1925. Versl. en Meded. Plantenziekt. Dienst te Wageningen 44. 1926.
- 3095. Vanterpool, T. C. Cultural and inoculation methods with Tilletia species. Science, N. S. 75: 22–23. 1932.
- 3096. Varga, O. Zur Bestimmung des Brandsporengehaltes in Kleien. Arch. f. Chemie u. Mikroskopie 6: 342. 1923.
- 3097. Vasey, H. E. Millet smuts and their control. Colo. Agric. Expt. Sta. Bull. 242. 1918.
- 3098. Vassilievsky, A. A method for the germination of the spores of Tilletia tritici Wint. Botany of the Soviets, Leningrad 2: 97. 1933.
- 3099. Vaughan, E. K. A race of Ustilago avenae capable of infecting Black Mesdag oats. Phytopath. 28: 660-661. 1938.
- 3100. Vaughan, R. E. Onion smut. Canner 51: 51-52. 1920.
- 3101. Vaughan, R. E., and Johnson, A. G. Fight grain smuts and blights. Wis. Agric. Expt. Sta. Circ. 57. 1916.
- 3102. Vaughan, R. E., and Walker, J. C. Onion smut. Wis. Agric. Expt. Sta. Circ. 114. 1919.
- 3103. Vaughan, R. E., and Walker, J. C. Onion smut. Wis. Hort. 10: 133-135. 1920.
- 3104. Vaupel, O. Drei Jahre Trockenbeizung in Ungarn. Deutsche Landw. Presse 3: 486. 1925.
- 3105. Vavilov, N. I. Contribution to the question of varietal resistance of cereals to parasitic fungi. Rept. Plant Breeding Sta., Moscow Agric. Inst. F. 1: 1-110. 1913. (Russian, German summary; trans. title.)
- 3106. Vavilov, N. I. Immunity of plants to infectious diseases. Ann. de l'Acad. Agronomique. Petrovskoe. 239 pp. 1918. (Russian, with English summary; trans. title.)
- 3107. Vears, C. K., and Macindoe, S. L. Oat smut. The reactions of varieties to the disease. Agric. Gaz. New S. Wales 46: 187-190. 1935.
- 3108. Venkatarayan, S. V. Smut on the mat-sedge, Cyperus pangorei, Rottb. Curr. Sci. 28: 13. 1949.
- 3109. Veresciaghin, B. V. Disinfection of seeds against bunt, and loose and covered smuts. Bull. Agric. Basarabia 1937: 1-2. (Russian; trans. title.)
- 3110. Verhoeven, W. B. L. Plantenziekten, waarmede rekening moet worden gehouden jib de veldkeuring. Tijdschr. o. Plantenz. 26: 149-159. 1920.
- 3111. Verhoeven, W. B. L. Testing of some new German seed-disinfectants. Rept. Intern. Conf. Phytopath. and Econ. Entom., Holland 1923: 120-121. 1923.
- 3112. Vermorel, V. Le verdissage des semences de céréales. Compt. Rend. Acad. Agric. France 10: 28. 1924.
- 3113. Vermorel, V. Le vitriolage des semences, son replacement par le ver-

- dissage pour préserver les Bles de la carie. Compt. Rend. Acad. Agric. France 11: 885–892. 1925.
- 3114. Verona, O. Urocystis occulta (Wallr.) su frumento. Bull. R. Ist. Super. Agrar. Pisa 3: 123-127. 1927.
- 3115. Verplancke, G. Etude biometrique de quelques formes d'Ustilago zeae. Bull. Soc. Bot. Belg. 62: 137-170. 1930.
- 3116. Verwoord, L. A contribution to our knowledge of the South African Ustilaginaceae or smut fungi. Ann. Univ. Stellenbosch, Ser. A, 4: 34 pp. 1926. (Dutch; trans. title.)
- 3117. Verwoord, L. The biology, parasitism and control of Urocystis tritici Koern., the causal organism of flag smut in wheat (Triticum spp.) and recording the occurrence of Urocystis occulta (Wallr.) Rab., in S. Africa as the cause of "stem smut" in rye. S. African Dept. Agric. Sci. Bull. 76. 52 pp. 1929.
- 3118. Viegas, A. P. Alguns fungos do Brasil. III. Ustilaginales. Bragantia, S. Paulo. 4: 739–751. 1944.
- 3119. Vielwerth, V. The development of physiologic forms of the smoothspored bunt (Tilletia foetans) on moderately susceptible wheats. Ochr. Rost. 14: 66-70. 1938. (Hungarian, with German summary; trans. title.)
- 3120. Viennot-Bourgin, G. Une Ustilaginée nouvelle pour la France, Ustilago oxalidis Ellis et Tracy parasite d'Oxalis stricta L. Rev. Path. Veg. Ent. Agric. France 1: 17–23. 1932.
- 3121. Viennot-Bourgin, G. Essais sur la carie du ble en 1932. Rev. Path. Veg. Ent. Agric. France 19: 247-284. 1932.
- 3122. Viennot-Bourgin, G. Deux Ustilaginales nouvelles pour la France. Bull. Soc. Sci. Seine-et-Oise. 1933.
- 3123. Viennot-Bourgin, G. Notes sur quelques Urédinales et Ustilaginales observées en 1931-1932 dans le departement de Seine-et-Oise (region sud). Rev. Path. Veg. Ent. Agric. France. 1933.
- 3124. Viennot-Bourgin, G. Sur la présence d'Ustilago tritici sur les feuilles de ble. Rev. Path. Veg. Entom. Agric. France 22: 181-199. 1935.
- 3125. Viennot-Bourgin, G. Deux Entyloma de l'Ile de Madère. Rev. Mycol. Ann. Crypt. Exot., N. S. 2: 118-124. 1937.
- 3126. Viennot-Bourgin, G. Les deformations parasitaires provoquées par les Ustilaginées. Thesis. 189 pp. Paris. 1937.
- 3127. Viennot-Bourgin, G. Etude de la flore cryptogamique de l'Île de Madère II. Une nouvelle espèce de Tilletia. Rev. Path. Veg. Ent. Agric. France 25: 156-162. 1938.
- 3128. Viennot-Bourgin, G. Le charbon des feuilles de dahlia, Biologie, Essais de traitement. Jour. Intern. du Dahlia. Gembloux. 1947.
- 3129. Viennot-Bourgin, G. Les champignons parasites des plantes cultivées. xv + 1851 pp. in 2 vols. Masson and Co. Paris. 1949. (Ustilaginales in vol. 2).
- 3130. Vilkaitis, V. Bunt of wheat (Tilletia tritici [Bjerk.] Wint.) Kosmos (Lithuania) 1930: 359–369. (Lithuanian; trans. title.)
- 3131. Vilkaitis, V. Is bunted wheat less resistant to yellow rust? Pamphlet issued by Akc. "Spindulio" Spaustuve, Kaunas (Kovno), 10 pp. 1931. (Lithuanian, with German summary; trans. title.)
- 3132. Vilkaitis, V. A survey of the work done at the Plant Protection Station from 1927-1932. Augalu Apsaugos Staties 1927-1932 m. darbu

- apyskaita, Zemes Ukio Tyrimo Istaigos Darbai, Kaunas, pp. 7, 55, 1933. (Lithuanian, with German summary; trans. title.)
- 3133. Vilkaitis, V. I. Cereal diseases. II. Sugar beet diseases. Rept. Pl. Prot. Sta. Dotnuva 1934: 1-18. 1934. (Lithuanian, with English summary; trans. title.)
- 3134. Vilkaitis, V. Stripe smut of rye. Yearb. Agric. Acad. Dotnuva. 10: 131-141. 1936. (Lithuanian, with German summary; trans. title.)
- 3135. Visser, M. F. Warmwater-trommelontsmetter tegen stiufbrand. Tijdschr. o. Plantenz. 42: 275-290. 1936.
- 3136. Vladimirskaya, M. E. Calculation of the initial temperature of water for thermal disinfection of seed-grain against loose smut. Plant Prot. Leningrad 1938: 118-122. (Russian; trans. title.)
- 3137. Vogel, O. A., and Holton, C. S. Reaction of F₃ progenies of an Oro × Turkey-Florence cross to two physiologic races of Tilletia tritici and one of T. levis. Jour. Amer. Soc. Agron. 39: 55-59. 1938.
- 3138. Voglino, P. I funghi piu dannosi alle piante coltivate osservati nella Provincia di Torino a regioni vicine nel 1921. Ann. R. Acad. Agric. Torino 65: 53-64. 1923.
- 3139. Vogt, E. Methoden der Schädlingsbekämpfung. II. Die Saatbeize. Centralbl. f. Bakt. Part 2, 59: 55–79. 1923.
- 3140. Vogt, E. Die Temperatur der Beizlösungen. Nachrichtenbl. Deutschen Pflanzenschutzdienst 4: 62–64. 1924.
- 3141. Vohl, G. J. Mehrjährige Beobachtungen über den Einfluss äusserer Bedingungen auf den Befall des Maises mit Beulenbrand (Ustilago zeae). Pflanzenbau 14: 465–480. 1938.
- 3142. Volk, A. Weitere Aktivierungsversuche mit Trockenbeizen. Fortschr. der Landw. 2: 457–461. 1927.
- 3143. Volk, A. Neuere Erfahrungen mit Trockenbeizen. Beitr. zur Pflanzenzucht 9: 42-51. 1927.
- 3144. Volk, A. Trockenbeizwirkung in Abhängigkeit von Bodenreaktion und Bodenart. Landw. Jahrb. 70: 583-592. 1929.
- 3145. Volk, A. Beiträge zur Kenntnis der Wechselbeziehungen zwischen Kulturpflanzen, ihren Parasiten und der Umwelt. Einflüsse des Bodens, der Luft und des Lichtes auf die Empfänglichkeit der Pflanzen fur Krankheiten. Phytopath. Zeitschr. 3: 1-88. 1931.
- 3146. Volkart, A. Die Bekämpfung des Steinbrandes des Weizens und des Kornes. Landw. Jahrbuch der Schweiz 20: 445-490. 1906.
- 3147. Volkart, A. Krankheiten und Schädlinge des Getreides und ihre Bekämpfung. Mitt. Ges. Schweiz. Landw. 2: 3-20. 1906.
- 3148. Volkart, A. Der Roggensteinbrand (Tilletia secalis [Corda] Kcke.). Ber. Schweiz. Bot. Ges. 49: 495–503. 1939.
- 3149. Volosky de Hernandex, D. Desinfestantes del 'carbon de la Cebada'.

 Agric. Tec. Chile 5: 37-47. 1945. (English summary.)
- 3150. Vong-May, C., and Chan-Tsi, V. Experiments on the control of cereal smuts by the hot-water treatment. Agric. Sinica 1: 189-238. 1935.
- 3151. Voss, J. Zur Methodik der Prüfung von Weizensorten auf ihre Widerstandsfähigkeit gegen Steinbrand (Tilletia tritici). Pflanzenbau 14: 113-153. 1937.
- 3152. Voss, J. Zur Prüfung der Resistenz von Hafersorten gegen Flugbrand (Ustilago avenae [Persoon] Jensen). Zeitschr. Zücht., Ser. A, Pflanzenz. 23: 20-46. 1939.

- 3153. Vuillemin, P. Sur les effets du parasitisme de l'Ustilago antherarum. Compt. Rend. Acad. Sci. Paris 113: 662-665. 1891.
- 3154. Vuillemin, P. Sur les tumeurs ligneuses produites par une Ustilaginée chez les Eucalyptus. Compt. Rend. 118: 933-935. 1894.
- 3155. Wagner, R. J. Wasserstoffionenkonzentration und natürliche Immunität der Pflanzen. Centralbl. f. Bakt. Part 2, 44: 708-719. 1910.
- 3156. Wahl, B. Bericht über die Tätigkeit der Bundesanstalt für Pflanzenschutz in Wien im Jahr 1924. Zeitschr. Landw. Versuchsw. Deutsch-Oesterr. 1925: 1–28.
- 3157. Wahl, B. Bericht über die Tätigkeit der Bundesanstalt für Pflanzenschutz in Wien in den Jahren 1921 bis 1923. Zeitschr. Landw. Versuchsw. Deutsch-Oesterr. 1924: 48.
- 3158. Wahl, B. Bericht über die Tätigkeit der Bundesanstalt für Pflanzenschutz in Wien im Jahr 1925. Verlag der Bundesanst. für Pflanzenschutz Wien II. 28 pp. 1927.
- 3159. Wakker, J. H. Untersuchungen über den Einfluss parasitischer Pilze auf ihre Nährpflanzen. Jahrb. Wiss. Bot. 24: 499-548. 1892.
- 3160. Waldbott, G. L., and Ascher, M. S. Rust and smut, major causes of respiratory allergy. Ann. Intern. Med. 14: 215-224. 1940.
- 3161. Walker, E. A preliminary report upon treatment for rice smut. S. Carol. Agric. Expt. Sta. Bull. 41: 15-31. 1899.
- 3162. Walker, J. C. Onion diseases and their control. U. S. Dept. Agric. Farmers' Bull. 1060: 1-23. 1919.
- 3163. Walker, J. C. Experiments upon formaldehyde-drip control of onion smut. Phytopath. 10: 323-327. 1920.
- 3164. Walker, J. C. Observations on the cultivation and diseases of cabbage and onions in Europe, 1922. Plant Dis. Reptr. Suppl. 32: 1-33. 1924.
- 3165. Walker, J. C., Jones, H. A., and Clarke, A. E. Smut resistance in an Allium species hybrid. Jour. Agric. Res. 69: 1-8. 1944.
 3166. Walker, J. C., and Jones, L. R. Relation of soil temperature and other
- 3166. Walker, J. C., and Jones, L. R. Relation of soil temperature and other factors to onion smut infection. Jour. Agric. Res. 22: 235-261. 1921.
- 3167. Walker, J. C., and Wellman, F. L. Temperature relations of Urocystis cepulae (Frost). Phytopath. 14: 26. 1924.
- 3168. Walker, J. C., and Wellman, F. L. Relation of temperature to spore germination and growth of Urocystis cepulae. Jour. Agric. Res. 32: 133-146. 1926.
- 3169. Wallace, G. B. The smuts of sorghum and their control. Tanganyika Dept. Agric. Mycol. Leaflet 2. 1931.
- 3170. Walstedt, I. Some observations on the field distribution of bunt. Landtmannen, Uppsala 23: 855. 1939. (Swedish; trans. title.)
- 3171. Walter, J. M. The mode of entrance of Ustilago zeac into corn. Phytopath. 24: 1012-1020. 1934.
- 3172. Walter, J. M. Factors affecting the development of corn smut, Ustilago zeae (Beckm.) Unger. Minn. Agric. Expt. Sta. Tech. Bull. 3. 1935.
- 3173. Wang, C. S. Viability and longevity of chlamydospores of Ustilago crameri. Phytopath. 26: 1086-1087. 1936.
- 3174. Wang, C. S. The formation of chlamydospores of Ustilago crameri Kcke. on artificial media. Phytopath. 28: 860-861. 1938.

- 3175. Wang, C. S. Studies on cytology of Ustilago crameri. Phytopath. 33: 1122-1133. 1943.
- 3176. Wang, C. S. Physiologic specialization and the control of millet smut. Phytopath. 34: 1050-1055. 1944.
- 3177. Wang, D. T. Observations cytologiques sur l'Ustilago violacea (Pers.) Fuck. Compt. Rend. Acad. Sci. Paris 195: 1417-1418. 1932.
- 3178. Wang, D. T. Observations cytologiques sur l'Ustilago hordei (Pers.) Kell, et Sw. Compt. Rend. Acad. Sci. Paris 195: 1041-1044. 1932.
- 3179. Wang, D. T. Contribution à l'étude des Ustilaginées (cytologie du parasite et pathologie de la cellule hôte). Le Botaniste 26: 540-670. 1934.
- 3180. Ward, H. M. On the structure and life-history of Entyloma ranunculi (Bonorden). Phil. Trans. Roy. Soc. London B., 178: 173–185. 1887.
- 3181. Ward, H. M. Smut-fungi. Gard. Chron. Series 3, 5: 233–235, 267–268. 1889. Reprinted in Jour. Mycol. 5: 87–90. 1889.
- 3182. Ware, B. P. Experience of a practical farmer. Mass. State Bd. Agric. Rept. 17: (Appendix) 1-16. 1870.
- 3183. Wäsström, P. Ett i flere är med päsyftad verkan försökt sätt, at förekomma och utrota Sot-ax (Ustilago) i Hvete. Vetensk. Acad. Handl. 1771: 171–173.
- 3184. Webber, H. J. A preliminary enumeration of the rusts and smuts of Nebraska. Nebr. Agric. Expt. Sta. Bull. 9: 37–85. 1889.
- 3185. Weber, C. Uber den Pilz der Wurzelanschwellungen von Juncus bufonius. Bot. Ztg. 62: 369–379. 1884.
- 3186. Weck, R. Flugbrandbekämpfung bei Wintergerste in Eckendorf. Pflanzenbau 14: 369–378. 1938.
- 3187. Weck, R. Flugbrandbekämpfung bei Wintergerste in Eckendorf. Nachr. über Schädlingsbekämpf., Leverkusen 13: 93–102. 1938.
- 3188. Wehnelt, B. Mathieu Tillet—Tilletia. Die Geschichte einer Entdeckung. Nachr. über Schädlungsbekämpf., Leverkusen 12: 45–148. 1937.
- 3189. Weiser, S. Der Nährstoffgehalt von brandsporenhältigen und brandsporenfreien Koppereistauben. Fortschr. der Landw. Vienna 1: 169–171. 1926.
- 3190. Weiss, J. E. Die rationelle Bekämpfung der Getreidebrandarten. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 3: 68-69. 1900.
- 3191. Weiss, J. E. Das richtige Beizen des Saatgutes gegen die Brandpilze, besonders gegen den Steinbrand des Weizens. Prakt. Bl. Pflanzenbau u. Pflanzenschutz 4: 65–67. 1901.
- 3192. Weiss, J. E. Die Brandpilze und ihre erfolgreiche Bekämpfung durch zweckmässiges Beizen des Saatgutes. Wochenbl. Landw. Ver Bayern 1901: 733-734.
- 3193. Weiss, J. E. Der Maisbrand oder Beulenbrand des Mais (Ustilago Maydis). Prakt. Bl. Pflanzenbau u. Pflanzenschutz 5: 71-72. 1902.
- 3194. Welhausen, E. J., Kreitlow, K. W., and Leach, J. G. Observations on the prevalence and economic importance of stripe smut (Ustilago striiformis) on bluegrass. Plant Dis. Reptr. 27: 23-24. 1943.
- 3195. Welsh, J. N. The inheritance of stem rust and smut reaction and lemma colour in oats. Sci. Agric. 12: 209-242. 1931.
- 3196. Welsh, J. N. The effect of smut on rust development and plant vigour to oats. Sci. Agric. 13: 154-164. 1932.

- 3197. Wernham, C. C. Chlamydospore production on artificial media by Urocystis gladioli. Phytopath. 28: 598-599. 1938.
 3198. Werth, E. Untersuchungen über die Infection von Melandrium album
- 3198. Werth, E. Untersuchungen über die Infection von Melandrium album durch Ustilago violacea. Mitt. Biolog. Anstalt f. Land- u. Forstw. 8: 13-15. 1909.
- 3199. Werth, E. Zur Biologie des Antherenbrandes von Melandrium album. Mitt. Biol. Anst. f. Land- u. Forstw. 10: 11-12. 1910.
- 3200. Werth, E. Zur Biologie des Antherenbrandes. Arb. Biolog. Anstalt f. Land- und Forstw. 8: 427-450. 1911.
- 3201. Werth, E. Zur Biologie des Antherenbrandes von Melandrium album. Mitt. Biol. Anstalt f. Land- u. Forstw. 12: 18. 1912.
- 3202. Werth, E. Versuche über den Einfluss des Maisbrandes auf die Blütenund Fruchtbildung des Maises. Ber. Tät. Biol. Anst. f. Land- u. Forstw. 1913.
- 3203. Werth, E., and Ludwigs, K. Zur Sporenbildung bei Rost- und Brandpilzen (Ustilago antherarum Fr. und Puccinia Malvacearum Mont.).
 Ber. Deutschen Bot. Ges. 33: 522-528. 1912.
- 3204. Westendorp, G. D. Uredo striaeformis nov. sp. In Notice sur quelques cryptogames inédites ou nouvelles pour la flore belge. Acad. Roy. Belgique. Bull. 18: 406. 1852.
- 3205. Westermeier, K. Die Wirkung verschiedener Biezmittel gegen nachträgliche Steinbrandansteckung. Deutsche Landw. Presse 51: 136.
- 3206. Westermeier, K. Die Wirkung verschiedener Beizmittel gegen Nachinfektion und Ansteckungsversuche. Pflanzenbau 3: 109-112. 1926.
- 3207. Western, J. H. The biology of the oat smuts. IV. The invasion of some susceptible and resistant oat varieties, including Markton, by selected biological species of smut (Ustilago avenae [Pers.] Jens. and Ustilago kolleri [Wille]). Ann. Appl. Biol. 23: 245-263. 1936.
- 3208. Western, J. H. Sexual fusion in Ustilago avenae under natural conditions. Phytopath. 27: 547-553. 1937.
- 3209. Wheeler, W. A. Preliminary experiments with vapor treatments for the prevention of the stinking smut of wheat. S. Dak. Agric. Expt. Sta. Bull. 89: 19. 1904.
- 3210. Whetzel, H. H., and Kern, F. D. The smuts of Porto Rico and the Virgin Islands. Mycologia 18: 114-124. 1926.
- 3211. White, H. L. Anther smut of perpetual-flowering carnations. Gard. Chron. 100: 254. 1936.
- 3212. Whitehead, T. Experiments on the control of onion smut. Jour. Min. Agric. Eng. 28: 443-450. 1921.
- 3213. Whitehead, T. On the life-history and morphology of Urocystis cepulae. Trans. Brit. Mycol. Soc. 7: 65-71. 1921.
- 3214. Wickens, G. M. Smut disease of wheat in Southern Rhodesia. Rhod. Agric. Jour. 34: 271-276. 1937.
- 3215. Wiebe, G. A. The degree of bunt resistance necessary in commercial wheat. Phytopath. 27: 313-314. 1937.
- 3216. Wiehe, P. O. Division of plant pathology. Rept. Dept. Agric. Mauritius, 1939: 10-14. 1941.
- 3217. Wiehe, P. O. Division of plant pathology. Rept. Dept. Agric. Mauritius, 1942: 9-10. 1943.

- 3218. Wilcox, E. M. Treatment of seed oats for smut. Mont. Agric. Expt. Sta. Bull. 22: 24-25. 1899.
- 3219. Wilcox, E. M. Stipa Hassei not a good species. Bot. Gaz. 34: 66. 1902.
- 3220. Wilcox, E. M. Smuts of Nebraska cereals. Nebr. Agric. Expt. Sta. Bull. 131. 1912.
- 3221. Wilkinson, R. E., and Kent, G. C. Some factors determining the infection of corn by Ustilago zeae (Beckm.) Unger. Iowa St. Coll. Jour. Sci. 19: 401-413. 1945.
- 3222. Wille, N. Mykologische Notiser, II. Om nogen og daekket **B**rand paa Havre og Byg. Bot. Notiser. 1893.
- 3223. Wilson, J. D. The use of formaldehyde dust in controlling onion smut. Ohio Agric. Expt. Sta. Bimonth. Bull. 172: 6-12. 1935.
- 3224. Wilson, M. Life history and cytology of Tuburcinia primulicola Rostrup. Rept. Brit. Ass. Sec. K. Manchester. 730. 1916.
- 3225. Wilson, M. Observations on some Scottish Uredineae and Ustilagineae. Trans. Brit. Mycol. Soc. 9: 135-144. 1924.
- 3226. Wingard, S. A. Varietal resistance of wheat to loose smut. Phytopath. 31: 24-25. 1941.
- 3227. Wingard, S. A., and Fromme, F. D. Susceptibility of wheat varieties and selections to loose smut. Virginia Agric. Expt. Sta. Tech. Bull. 70. 1941.
- 3228. Winkelmann, A. Ueber den Gersten- und Weizenflugbrand und seine Bekämpfung. Illus. Landw. Ztg. 47: 509. 1927.
- 3229. Winkelmann, A. Methode zur Prüfung von Trockenbeizmitteln im Laboratorium (Vorläufige Mitteilung). Nachrichtenbl. Deutschen Pflanzenschutzdienst 7: 15-16. 1927.
- 3230. Winkelmann, A. Zur Methodik der Bestimmung des Bestäubungsgrades trockengebeizten Getreides. Nachrichtenbl. Deutschen Pflanzenschutzdienst 9: 3-5. 1929.
- 3231. Winkelmann, A. Das Kurznassbeizverfahren. Illus. Landw. Zeit. 49: 388–389. 1929.
- 3232. Winkelmann, A. Neue Beizgeräte. Deutsche Landw. Presse 58: 5. 1931.
- 3233. Winkelmann, A. Eine Methode zur schnellen Bestimmung des Beizbelages bei Verwendung kupferhältiger Trockenbeizmittel. Nachrichtenbl. Deutschen Pflanzenschutzdienst 11: 44-45. 1931.
- 3234. Winkelmann, A. Zur Beizung des Saatgutes für die Frühjahrbestellung. Deutsche Landw. Presse 58: 147. 1931.
- 3235. Winkelmann, A. Weitere erprobte Beizgeräte. Deutsche Landw. Presse 60: 93-94. 1933.
- 3236. Winkelmann, A. Warum tritt der Weizensteinbrand trotz Beizung stärker auf? Pflanzenbau 12: 149–156. 1935.
- 3237. Winter, G. Einige Notizen über die Familie der Ustilageen. Flora 59: 145-152. 1876.
- 3238. Winter, G. Die durch Pilze verursachten Krankheiten d. Kulturgewächse. 151 pp. Leipzig. 1878.
- 3239. Winter, G. Kurze Notizen. Hedwigia 18: 115-116. 1879.
- 3240. Winter, G. Bemerkungen über einige Ustilagineen und Uredineen. Hedwigia 19: 105-110. 1880.

- 3241. Winter, G. Notiz über Fund von Entyloma u. Puccinia Saxifragae. Hedwigia 19: 121. 1880.
- 3242. Winter, G. Ustilagineae. In Rabenhorst's Kryptogamenflora von Deutschland 1: 1884.
- 3243. Wismer, C. A. Inheritance of resistance to bunt and leaf rust in the wheat cross, Oro × Tenmarq. Phytopath. 24: 762-779. 1934.
- 3244. Witte, H. Redogorelse for verksamheten vid Statens centrala frokontrollanstalt under tiden 1/7/1941-30/6/1942. Medd. Fröpontralanst. Stockh. 1943: 3-68.
- 3245. Wittich, F. W. Discussion of incidence of air-borne fungus spores, O. C. Durham. Jour. Allergy 10: 47. 1938.
- 3246. Wittich, F. W. Further observations on allergy to smuts. Journal-Lancet Minneapolis 59: 382. 1939.
- 3247. Wittich, F. W. The nature of various mill dust allergens. Journal-Lancet 60: 418. 1940.
- 3248. Wittich, F. W., and Stakman, E. C. Case of respiratory allergy due to inhalation of grain smuts. Jour. Allergy 8: 189-193. 1937.
- 3249. Wittmack, L. Ustilago Maydis häufig 1877. Verh. Bot. Ver. Prov. Brand. Sitzungsber. 19: 140. 1877.
- 3250. Wolf, A. C. Physikalisch-chemische Studien über den Einfluss oberflächenaktiver Stoffe auf Samenzellen (Weizen) und Sporen von Tilletia tritici. Biochem, Zeitschr. 188: 117-133. 1927.
- 3251. Wolff, R. Beitrag zur Kenntnis der Ustilagineen. Bot. Ztg. 31: 657-661, 673-677, 689-694. 1873.
- 3252. Wolff, R. Der Brand des Getreides, seine Uraschen und seine Verhütung. Halle. 1874.
- 3253. Wolff, R. Notiz, neuen Brandpilz betreffend. Bot. Ztg. 32: 814. 1874. 3254. Wolff, R. Ustilago Kühneana W. n. sp. Hedwigia 14: 28. 1875.
- 3255. Wolley, D. C. Smut in Primula farinosa. Gard, Chron., N. S. 22: 248. 308. 1884.
- 3256. Wolley, D. C. Ustilago antherarum. Gard. Chron., Ser. 3, 5: 662.
- 3257. Woodward, R. C. A home-made mixing machine for dressing wheat with copper carbonate. Leaflet of the School of Rural Economy, Oxford. 4 pp. 1929.
- 3258. Woodward, R. W., and Tingey, D. C. Cache, a beardless and smutresistant winter wheat. Utah. Agric. Expt. Sta. Bull. 312: 10, 1944.
- 3259. Woolman, H. M. Stinking smut of wheat. Wash. Agric. Expt. Sta. Pop. Bull. 73. 1914.
- 3260. Woolman, H. M. The prevention of wheat smut. Proc. Wash. State Grain Growers, Shippers and Millers Assoc. 10: 45-49. 1916.
- 3261. Woolman, H. M. Cytological studies on the infection of wheat seedlings by Tilletia tritici (Bjerk.) Wint. Phytopath. 13: 36-37. 1923.
- 3262. Woolman, H. M. Infection phenomena and host reactions caused by Tilletia tritici in susceptible and nonsusceptible varieties of wheat. Phytopath. 20: 637-652. 1930.
- 3263. Woolman, H. M., and Humphrey, H. B. Studies in the physiology and control of bunt, or stinking smut, of wheat. U.S. Dept. Agric. Bull. 1239. 1924.
- 3264, Woolman, H. M., and Humphrey, H. B. Summary of literature on

- bunt, or stinking smut of wheat. U. S. Dept. Agric. Bull. 1210. 1924.
- 3265. Wormbs, A. Trocken- oder Nassbeize: Zwei Versuche mit künstlicher Beregnung. Nachr. über Schädlingsbekämpf. 4: 91–96. 1929.
- 3266. Woronin, M. Beitrag zur Kenntnis der Ustilagineen. Abhandl. Senckenberg. Naturforsch. Ges. 12: 559-591. 1882.
- 3267. Wu, Y. S. Stinking smut of wheat. Nat'l. Agric. Res. Bur. (Nanking, China) Bull. 20: 1-58. 1937.
- 3268. Wu, Y. S. Temperature and cultural studies on Urocystis tritici Koern. Can. Jour. Res. C, 27: 66-72. 1949.
- 3269. Wutrich, E. Ueber die Einwirkung von Metallsalzen und Säuren auf die Keimfähigkeit der Sporen einiger der verbreitetsten parasitischen Pilze unserer Kulturpflanzen. Zeitschr. f. Pflanzenkr. 2: 16-31. 1892.
- 3270. Yablokova, V. A. Response of the mycelium of Ustilago tritici in wheat grain to ultra-violet rays as dependent upon its condition. Compt. Rend. Acad. Sci. U. S. S. R., N. S. 23: 392-394. 1939. (Russian; trans. title.)
- 3271. Yablokova, V. A. The application of fluorescent microscopy for the detection of live mycelium of Ustilago tritici in the heated and non-heated wheat grain. Third communication. Jour. Bot. U. S. S. R. 29: 72-79. 1944. (Russian, with English summary; trans. title.)
- 3272. Yasuda, A. On Ustilago maydis Lev. Tok. Bot. Mag. 8: 443–445. 1894. (In Japanese.)
- 3273. Yatzynina, C. N. Dry disinfection of millet seed. La Défense des Plantes, Leningrad 4: 154-158. 1927. (Russian; trans. title.)
- 3274. Yen, W. Y. Note sur les Ustilaginées de Chine I. Contr. Inst. Bot. Nat. Acad. Peiping 2: 165-175. 1934.
- 3275. Yen, W. Y. Première note sur quelques Ustilaginées de Chine. Ann. de Cryptog. Exot. 7: 11-20. 1934.
- 3276. Yen, W. Y. Deuxième note sur quelques Ustilaginées de Chine. Rev. Myc. 7: 85-95. 1935.
- 3277. Yen, W. Y. Note sur les Ustilaginées de Chine III. Contr. Inst. Bot. Nat. Acad. Peiping 3: 41-58. 1935.
- 3278. Yen, W. Y. Note sur quelques Ustilaginées marocaines. Rev. Myc. N. S. 2: 76-84. 1937.
- 3279. Yen, W. Y. Germination des spores de quelques Ustilaginées. Bull. Soc. Mycol. Fr. 53: 339-345. 1937.
- 3280. Yen, W. Y. Recherches systematiques, biologiques et cytologiques sur les Ustilaginées de Chine. Thesis, Ser. A., No. 341, Univ. of Paris. 1937.
- 3281. Yen, W. Y. Ustilaginées d'Afrique recueillies par M. Murat. I. Rev. Myc. N. S. 3: 7-13. 1938.
- 3282. Yen, W. Y. Ustilaginées d'Afrique recueillies par M. Murat. II. Rev. Myc. 3: 85–90. 1938.
- 3283. Yersin, H., Chomette, A., Baumann, G., and Lhoste, J. L'hexachlorobenzène produit organique de synthèse utilisé dans la lutte contre le carie du Blé. Compt. Rend. Acad. Agric. France 31: 24, 1945.
- 3284. Yin, S. Y. Varietal resistance of wheat to loose smut. Acta. Agric. 1: 133-138. 1948.

- 3285. Young, P. A. Soil infestation by chlamydospores of Tilletia levis in Montana. Phytopath. 23: 39. 1933.
- 3286. Young, P. A. A new variety of Tilletia tritici in Montana. Phytopath. 25: 40. 1935.
- 3287. Young, V. H., and McClelland, C. K. Control of oat smut. Phytopath. 23: 825-830. 1933.
- 3288. Young, V. H., and McClelland, C. K. Seed treatments for corn, oats, and barley in Arkansas. Ark. Agric. Expt. Sta. Bull. 389. 1940.
- 3289. Yu, T. F. Further studies on the kernel smut resistance in millet. Chin. Jour. Expt. Biol. 1: 235-240. 1937.
- 3290. Yu, T. F. Breeding hulled barleys for resistance to covered smut (Ustilago hordei [Pers.] K. and S.) in Kiangsu Province. Nanking Jour. 9: 281-292. 1940.
- 3291. Yu, T. F. Inheritance of kernel smut resistance in millet crosses. Sci. Rec., Chungking 1: 248-250. 1942.
- 3292. Yu, T. F., and Chen, H. K. A Chinese wheat resistant to flag smut. Phytopath. 21: 1202–1203. 1931.
- 3293. Yu, T. F., Chen, H. K., and Hwang, L. Varietal resistance and susceptibility of wheats to flag smut. (Urocystis tritici Koern.). Nanking Jour. 3: 217-234. 1933.
- 3294. Yu, T. F., Chen, H. K., and Hwang, L. Seed treatment experiments for controlling kernel smut of millet. Nanking Coll. Agric. and For. Bull. (New Series) 14. 1934.
- 3295. Yu, T. F., Chen, H. K., and Hwang, L. Varietal resistance and susceptibility of foreign barleys to covered smut (Ustilago hordei [Pers.] K. and S.). Agric. Sinica 1: 83–89. 1934. (Chinese summary.)
- 3296. Yu, T. F., Chen, H. K., and Hwang, L. Varietal resistance and susceptibility of wheats to flag smut (Urocystis tritici Koern.). II. Agric. Sinica 1: 79-81. 1934. (Chinese summary.)
- 3297. Yu, T. F., and Fang, C. T. A preliminary report on further studies of physiologic specialization in Ustilago hordei. Phytopath. 35: 517-520. 1945.
- 3298. Yu, T. F., Hwang, L., and Tsiang, C. T. Varietal resistance and susceptibility of wheats to flag smut (Urocystis tritici Koern.) III. Physiologic specialization in Urocystis tritici Koern. Bull. Chin. Bot. Soc. 2: 111-113. 1936. (Chinese summary.)
- 3299. Yu, T. F., Wang, H. R., and Fang, C. T. Varietal resistance and susceptibility of wheat to flag smut (Urocystis tritici Koern.). IV. Further studies on physiologic specialization in Urocystis tritici Koern. Phytopath. 35: 332–338. 1945.
- 3300. Yu, T. F., Wang, H. R., Fang, T. C., and Yin, S. Y. Preliminary studies on physiologic specialization in Tilletia tritici and T. levis in China. Phytopath. 35: 879–884. 1945.
- 3301. Zade, A. Experimentelle Untersuchungen über die Infektion des Hafers durch den Haferflugbrand (Ustilago avenae Jens.). Fühling's Landw. Ztg. 71: 393-406. 1922.
- 3302. Zade, A. Die Anfälligkeit unserer Winterweizensorten gegenüber dem Steinbrand. Mitteil. Deutschen Landw. Ges. 38: 666-667. 1923; 39: 133-134. 1924.
- 3303. Zade, A. Neuere Untersuchungen über die Lebensweise und Bekämp-

- fung des Haferflugbrandes (Ustilago avenae [Pers.] Jens.). Angew. Bot. 6: 113–125. 1924.
- 3304. Zade, A. Der latente Pilzbefall und seine Folgeerscheinungen mit Bezug auf Sortenimmunität und Beizwirkung. Fortschr. der Landw. 6: 338-391. 1931.
- 3305. Zade, A. Neue Untersuchungen über den latenten Pilzbefall und seinen Einfluss auf die Kulturpflanzen. Fortschr. der Landw. 7: 529–532. 1932.
- 3306. Zade, A. Masseninfektion mit Haferflugbrand nach einem neuren Verfahren. Pflanzenbau 5: 43. 1938–1939.
- 3307. Zade, A. Havrens infektion genom Ustilago avenae (Persoon) Jensen. Nord. Jordbr. Forskn. 1939: 290-305. (Germany summary).
- 3308. Zade, A., and Arland, A. The relation of host and pathogen in Ustilago avenae: a reply. Bull. Torr. Bot. Club 60: 77-87. 1933.
- 3309. Zaleski, K., and Dorywalski, J. Two years' field experiments in the control of bunt in Edel-Epp winter wheat (in 1932–1933 and 1933–1934). Roczn. Nauk Rol., Poznan 35: 444–455. 1935. (Polish; trans. title.)
- 3310. Zalewsky, V. A new method of anaerobiosis in the control of Ustilago tritici on wheat. Plant Prot. Leningrad. 1935.
- 3311. Zalewsky, V. Anaerobic method for the control of loose smut of wheat. Plant Prot. Leningrad 1935: 135-138. (Russian; trans. title.)
- 3312. Zalewsky, V., and Wasjuta O. N. On the means of fighting with Ustilago tritici. Microbiol. Moscow-Leningrad 2: 155-161. 1933. (Russian; trans. title.)
- 3313. Zanzinger, F. Lichteinfluss auf Keimung und Entwickelung von Uredineen und Ustilagineen. 68 pp. München. 1898.
- 3314. Zaprometoff, N. G. Data on the development of cereal smuts in Turkestan in the period 1922 to 1924. Pamphlet of the Turkestan Entom. Sta., Phytopath. Sect., Tashkent, 26 pp. 1924.
- 3315. Zaprometoff, N. G. Diseases of cultivated plants in Middle Asia. 165 pp. Uzbekistan Plant Prot. Sta., Phytopath. Sect. Tashkent. 1925.
- 3316. Zavitz, C. A. Treatment of grain for smut. Differences in the susceptibility of varieties of oats to attacks of smut. Ontario Agric. Col. and Expt. Farm Ann. Rept. 1908: 183-185. 1909.
- 3317. Zavitz, C. A. Loose smut in oats, and stinking smut in wheat. Smut immunity in oats. Ontario Agric. Col. and Expt. Farm Ann. Rept. 1913: 132-135. 1914.
- 3318. Zehner, M. G., and Humphrey, H. B. Smuts and rusts produced in cereals by hypodermic injection of inoculum. Jour. Agric. Res. 38: 623-627. 1929.
- 3319. Zeiner, W. Das Verhalten verschiedener Sommergersten-Kreuzungen hinsichtlich der Anfälligkeit für Ustilago nuda. Zeitschr. f. Züchtung, A, 17: 229-264. 1932.
- 3320. Zellner, J. Zur Chemie der höheren Pılze. V. Über den Maisbrand . (Ustilago Maydis Tulasne). Anz. Kais. Akad. Wiss. Wien 1910: 116-117.
- 3321. Zellner, J. Chemistry of the higher fungi. VI. Relation of the higher parasitic fungi and their substrata. Jour. Chem. Soc. (London) 98: 886-887. 1910.
- 3322. Zellner, J. Zur Chemie der höheren Pilze. VIII. Über den Weizenbrand

- (Tilletia levis Kühn und tritici Winter). Sitzungsb. Akad. Wiss. Wien, Math. Nat. Kl. 1911: 847-856.
- 3323. Zellner, J. Zur Chemie der höheren Pilze VII-VIII. Anz. Kais. Akad. Wiss. Wien. Math. Nat. Kl. 1911: 411-412.
- 3324. Zellner, J. Zur Chemie der höheren Pilze. VIII. Über der Weizenbrand (Tilletia tritici and Tilletia levis). Monatshefte f. Chemie 32: 1065–1073. 1912.
- 3325. Zeuschner, M. Untersuchungen über die Dicke der Schale verschiedener Weizensorten, ihren Bau und Einfluss auf die Beizempfendlichkeit. Landw. Jahrb. 64: 611-645. 1926.
- 3326. Ziegenbein, G. Arbeitsweise und Erfolge in der Hafer- und Gerstenzüchtung an der Pflanzenzuchtstation der Universität Halle. Kühn-Arch. 60: 440-454. 1944.
- 3327. Ziling, M. K. Wheat partly infected with bunt. Jour. Div. Phytopath. Main Bot. Gard. U. S. S. R. 1926: 117-124. 1926.
- 3328. Zillig, H. Unsere heutigen Kenntnisse von der Verbreitung des Antherenbrandes, Ustilago violacea (Pers.) Fuck. Ann. Mycol. 18: 136–153. 1920.
- 3329. Zillig, H. Über spezialisierte Formen beim Antherenbrand, Ustilago violacea (Pers.) Fuck. Centralbl. f. Bakt. Part 2, 53; 33-73. 1921.
- 3330. Zillig, H. Unsere heutigen Kenntnisse von Zweibelbrand (Tuburcinia [Urocystis] cepulae [Frost] Liro) und seiner Bekämpfung. Centralbl. f. Bakt. 60: 50-58. 1923.
- 3331. Zillig, H. Ustilaginales (Brandpilze). In, Sorauer: Handbuch d. Pflanzenkrank. 3, 5th Edit.: 226–255. 1932.
- 3332. Zimmermann, F. Untersuchungen über die Eignung des Kurznassbeizverfahrens (Ge-Ka-Be Verfahrens) zur Beizung von Saatgetreide. Zeitschr. f. Pflanzenkrank. 39: 209–243. 1929.
- 3333. Zimpel. Tuburcinia Trientalis aus der Umgegend von Hamburg. Sitzungsber. d. Ges. f. Bot. Hamburg 1: 23. 1885.
- 3334. Zoebel. Die schwefelige Säure als Mittel gegen den Steinbrand des Weizens. Österr. Landw. Wochenbl. 1879: 145.
- 3335. Zopf, W. Kritische Bemerkungen zu Brefeld's Pilzsystem. Zopf: Beiträge zur Physiologie und Morphologie niederer Organismen 3: 1-14. 1893.
- 3336. Zuhr, E. Jarowisation und Brandbefall. Nachr. über Schädlingsbekämpf. 12: 13-17. 1937.
- 3337. Zundel, G. L. Wheat smut control. Proc. Wash. State Grain Growers, Shippers and Millers Assoc. 12: 34–39. 1918. 13: 34–39. 1919.
- 3338. Zundel, G. L. Ustilagineae of the State of Washington. Mycologia 12: 275–281. 1920.
- 3339. Zundel, G. L. Preliminary experiments on injury to wheat from seed treatment in Washington. Phytopath. 11: 102. 1921.
- 3340. Zundel, G. L. The effects of treatment for bunt on the germination of wheat. Phytopath. 11: 469-484. 1921.
- 3341. Zundel, G. L. Notes on the Ustilagineae of Washington. Mycologia 18: 87–89. 1926.
- 3342. Zundel, G. L. Monographic studies on the Ustilaginales attacking Andropogon. Mycologia 22: 125–158. 1930.
- 3343. Zundel, G. L. Notes on new species of Ustilaginales. Mycologia 23: 296-299. 1931.

- 3344. Zundel, G. L. New and rare North and South American Ustilaginales. Mycologia 25: 349-355. 1933.
- 3345. Zundel, G. L. The Ustilaginales of Pennsylvania. Dept. Bot., Pa. Acad. Sci. 7: 1-8. 1933.
- 3346. Zundel, G. L. Miscellaneous notes on the Ustilaginales. Mycologia 29: 583-591. 1937.
- 3347. Zundel, G. L. The Ustilagineae of South Africa. Bothalia 3: 283-330. 1938.
- 3348. Zundel, G. L. Additions and corrections to Ustilaginales. N. Amer. Flora 7: 971-1030. 1939.
- 3349. Zundel, G. L. Studies on the Ustilaginales of the world. Mycologia 31: 572-589. 1939.
- 3350. Zundel, G. L. Studies on the Ustilaginales of the world. II. Mycologia 34: 123-127. 1942.
- 3351. Zundel, G. L. Notes on the Ustilaginales of the world. IV. Mycologia 36: 400-412. 1944.
- 3352. Zundel, G. L., Stevenson, J. A., Tucker, C. M., Welch, D. S., and West, E. A note on the status of the generic name Urocystis. Phytopath. 30: 453-454. 1940.
- 3353. Zybina, S. A study of the virulence of the geographic populations of the stinking smut of wheat (Tilletia tritici and T. levis) in the U. S. S. R. Zashch. Rast. (Plant Prot.) Leningrad 19: 120-131.
 1939. (Russian, with English summary; trans. title.)

(Boldface type indicates valid species names; boldface numbers indicate pages on which main treatment is found.)

,	
Aecidium incarceratum 9	exserta 39
Anthracoidea caricis 4	fischeri 5
inclusa 5	hyperborea 4
subinclusa 5, 8	gigantospora 7
5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5	hypodytes 149, 150
Burrillia ajrekari 3	inclusa 5
limosellae 3	ischaemi 41
pustulata 3	junci 6
pustulata o	karii 6
Caeoma antherarum 206	
	krugiana 6
bistortarum 130, 183	lejoderma 4, 6
caricis 4	leucoderma 6
colchici 108	leucoderma var. usambarensis 6
decipiens 4	luzulae_7
destruens 37	major 7
flosculorum 185	montagnei 7
hypodytes 149	muelleriana 32
junci 6	patagonica 130
longissimum 139, 157	peribebuyensis 7
marginale 160	piluliformis 32
melanogramma 28	portus-argenti 7
olivaceum 23	pratensis 4
ornithogali 180	pulverulenta 8, 44
pompholygodes 103, 110	reiliana 42
ranunculacearum 103	rhynchosporae 7
schlechtendalii 32	samanensis 7
segetum 52, 120, 143, 174, 196	scirpi 8
sitophilum 52	seymouriana 138
syntherismae 184	sorghi 42
tulipae 142	sorghi-vulgaris 45
urceolorum 4	sphaerogena 190
utriculosa 39	spinificis 190
utriculosum 204	subinclusa 8
violacea 206	subinclusa 5
violaceum 206	taubertiana 8
zeae 161	usambarensis 6
Cintractia amieta 7	vuijckii 209
arctica 3	Cornuella lemnae 8
asper 3	Cornacia icinae c
avenae 182	Doassansia alismatis 8
axicola 4	deformans 9
axicola var. minor 7	deformans 9
bambusae 189	farlowii 11
carbonaria 4	horiana 10
caricicola 23	horiana 10
caricis 4	hottoniae 10
caricis var. lejoderma 6	
	hygrophilae 10
carpophyla 4	limosellae 3 martianoffiana 10
eingens 25	
crus-galli 138	niesslii 11
densa 44	nymphaeae 12
distichlidis 142, 149	obscura 10
ekmani 7	occulta 11
eructans 4	occulta var. farlowii, 11
eximia 7	opaca 11

Doassansia—Continued punctiformis 11	incertum 16 irregulare 19
reukaufii 100	lagerheimi 20
sagittariae 12	lepochydis 16
Doassansiopsis nymphaeae 12	leproideum 19
occulta 11	leucanthi 20
martianoffiana 10	limosellae 3
pustulata 3	linariae 19
Dothidea alismatis 9	lobeliae 20
771	luteo-maculans 22
Elateromyces niger 23	madiae 16
olivacea 23	magnusii 20
treubii 25	matricariae 20
Endothlaspis sorghi 42	matricariae 20
Entorrhiza aschersoniana 13	meliloti 20
cypericola 13	menispermi 20
cypericola 13 digitata 13	microsporum 20
isoetes 13	nephrolepides 21 nymphaeae 21
junci 13	oryzae 21
raunkiaeriana 14	physalidis 14
scirpicola 14	polysporium 21
Entyloma alismacaerum 9	ranunculi 22
ambiens 29	ranunculi f. thalictri 23
anceps 16	serotinum 22
antennariae 14	serotinum 15
arnicae 14	thalictri 23
arnicale 14	trailii 20
arnoseridis 14	trigonellae 23
aschersonii 14	unamunoi 17
australe 14	ungerianum 20
bellidiastri 15	ungerianum f. ficariae 22
bellidis 15	verruculosum 23
besseyi 14	verruculosum 22
bicolor 18	wisconsiniense 16
bizzozerianum 12	Erysibe antherarum 206
boltoniae 16 boraginis 15	arillata colchici 108
calendulae 15	arillata var. ranunculacearum 103, 110 arillata violarum 117
calendulae 14, 17	baccata 4
calendulae f. hieracii 19	foetida 52, 80
canescens 15, 18	hypodytes 149
castaliae 21	longissima 157
chrysosplenii 16	maydis 161
collinsiae 16	occulta 111
compositarum 16	olivacea 23
corydalis 16	panicorum f. panici glauci 172
corydalis-lutae 17	panicorum var. panici-miliacei 37
crastophilum 17	receptaculorum f. scorzonerae 188
dahliae 17	sphaerococca var. agrostidis 79
dahliae 17	typhoides 141
davisii 16	utriculosa 39, 204
erigerontes 16	vera var. avenae 120
eryngii 18	vera holci avenacei 182 vera f. hordei 174
eryngii-plani 18 eschscholtziae 18	vera i. nordei 174 vera hordei 143
eupatorii 16	vera f. tritici 196
fergussoni 15, 18	TOTAL 1, ULLULOI 100
ficariae 22	Farinaria carbonaria 4
fuscellum 18, 19	scabiosae 185
fuscum 18, 19	stellariae 206
glaucii 19	Farysia americana 23
helenii 16	caricis 23
hieracii 19	catenata 23

• • • • • • • • • • • • • • • • • • • •	_
emodensis 25	endogenum 26
nigra 23	eryngii 18
olivacea 23	fergussoni 18
olivacea 23	ficariae 22
	mediae 22
zeylanica 23	galii 26
Fusidium leptospermum 22	limosellae 3
ranunculi 22	macularis 9
	martianoffiana 10
Geminella delastrina 29	microsporum 20
foliicola 28	paridis 100
melanogramma 28	
	physalidis 14
Geminella decaisneana 29	polysporius 21
Glomosporium amaranthi 24	punctiformis 11
leptideum 24	sagittariae 12
Ginanniella primulicola 101	Puccinia melanogramma 28
Granularia violae 117	z docima metanogramma 20
Grandiaria violae III	Damahasaan mamahasaa 01
Time and 1 1 or	Ramphospora nymphaeae 21
Liroa emodensis 25	Ramularia arnicalis 14
Lycoperdon filiferum 157	Reticularia segetum 120
tritici 52	_
zeae 161	Schinzia aschersoniana 13
2000 101	cypericola 13
Malamamaiahinna anatus ananisanum	
Melanopsichium austro-americanum	digitata 13
24	scirpicola 14
eleusinis 25	Schizoderma saponariae 32
emodensis 25	Schizonella colemani 28
Melanotaenium caulinum 25	melanogramma 28
cingens 25	pusilla 29
endogenum 26	subtrifida 51
hypogaeum 26	Schroeteria decaisneana 29
lamii 26	delastrina 29
Microbotryum antherarum 206	delastrina var. reticulata 29
montagnei 7	Sclerotium alismatis 8
receptaculorum 188, 194	occultum 11
rudolphi 32	Setchellia punctiformis 11
Mundkurella heptapleuri 26	Sorosporium alsinearum 32
	andropogonis-sorghi 30
Neovossia barclayana 26	argentinum 30
horrida 27	aristidae 30
indica 27	aristidae-cyananthae 30
	anistiuae-cyanantinae ov
moliniae 28	aschersonii 14
	astragali 50
Perisporium alismatis 8	atrum 49
Phyllosticta alismatis 9	bornmulleri 30
curryi 9	bullatum 98
Physoderma endogenum 26	cenchri 33
eryngii 18	consanguineum 30
sagittariae 12	cryptum 30
Poikilosporium trailii 51	cuneatum 50
Polycystis agropyri 102	desmondii 50
anemones 103	dianthi-superbi 32
colchici 100, 108	dianthorum 32
colchici 100, 108 filipendulae 108	digitariae 39
holci 64	ehrenbergii 98
luzulae 110	enteromorphum 31
occulta 111	everhartii 31
opaca 100	filiferum 98
parallela 111	gypsophilae 32
pompholygodes 103, 108, 111	hyalinum 50, 51
ranunculacearum 103	
	junci 99
violae 117	lathyri 50
Protomyces bizzozerianum 12	magnusii 20
calendulae 15	melandrii 31
chrysosplenii 16	neilii 31

Sorosporium—Continued	sorokiniana 42
opacum 100	strangulans 49
panici-miliacei 37	valesiaca 49
paridis 100	viegasiana 49
paspali 31	Sphaeria alismatis 9
paspali-thunbergii 31	Sphaeropsis alismatis 9
piluliformis 31	Sporisorium colchici 108
purpureum 32	muricatum 204
relianum 42, 45	sorghi 45
saponariae 32	Stilbella olivaceae 23
schizocaulon var. violae 117	Suidena diivaceae 25
setariae 32	Tartianlania langia 00
	Testicularia leersiae 99
silenis-inflatae 32 simii 33	Thecaphora affinis 50
	aterrima 49
solidum 33	capsularum 51
stellariae 32	carcinodes 104
syntherismae 33, 38	cirsii 51
syntherismae 31	convolvuli 51
tumefaciens 33	cuneata 50
vossianum 28	dactylidis 17
williamsii 210	deformans 50
Sphacelotheca alpina 34, 35	deformans 50
andropogonis 41	delastrina 29
andropogonis-annulati 33	globuligera 99
arundinellae 34	guyotiana 94
austro-americana 24	hyalina 50, 51
barcinonensis 34	lathyri 50
bicornis 34	lathyri 50
borealis 34, 40	leptideum 24
bosniaca 34	melanogramma 28
cruenta 35, 36, 43, 46, 47, 48	occulta 102
cymbopogonis 37	orobi 50
densa 44	seminis-convolvuli 51
destruens 33, 37, 38	solani 51
digitariae 39	trailii 51
exserta 39	tunicae 32
exserta 39	Tilletia aculeata 160
granosa 39	airae 52
holci 36, 39	airae-caespitosae 119
holci-sorghi 42	alopecurivora 191
hydropiperis 39, 40	arctica 3
hydropiperis var. borealis 34	asperifolia 52
hydropiperis var. columellifera 40	avenae 186
inflorescentiae 40, 130	baldrati 52
inflorescentiae 40	barclayana 26
ischaemi 41	belgradensis 94
ischaemi f. heteropogonis 41	brizae 191
microspora 41	buchlöeana 52
mölleri 41	bullata 130, 183
montaniensis 42	calamagrostidis 134
pamparum 42	caries 28, 52, 79, 84, 86, 87, 88, 89, 90,
panici-miliacei 37	91, 96, 199, 200, 202, 203, 205
pappophori 42	caries var. agrostidis 79
paspali-notati 41	caries f. intermedia 72
polygoni-alpini 35	cerebrina 52
polygoni-vivipari 40, 41	contraversa_79
reiliana 33, 35, 42	controversa 79
rottboelliae 44	de baryana 191
sacchari 44	decipiens 79, 95
schweinfurthiana 45	destruens 37
sorghastri 45	earlei 80
sorghi 35, 36, 43, 45, 48	endophylla 95
sorghi 42	eremophila 80, 95
sorghi-saccharati 45	euphorbiae 80

fischeri 5	aquilegiae 113
foetans 80	avenae-elatioris 102
foetida 28, 59, 65, 68, 69, 71, 72, 73, 80,	bolivari 104
203, 205	carcinodes 104
fusca 94	cepulae 105
guyotiana 94	colchici 108
holci 94	convolvuli 51
hordei 95	coralloides 108
horrida 27	elynii 102
hyalospora 95	filipendulae 108
hypsophila 95	fischeri 109
indica 27, 28, 72, 90	galanthi 109
intermedia 58, 62, 63, 73, 76, 91	gladioli 109
laevis 80	hepaticae-trilobae 103, 110
lolii 95	horder 110
milii 191	junci 110
moliniae 28	luzulae 110
muhlenbergiae 80, 95	occulta 111
olida 95	ornithogali 113
pancicii 96	paridis 100
rauwenhoffii 94, 95	poae 102
secalis 96	primulicola 101
secalis 52, 70 separata 96	ranunculi-auricomi 113
	scillae 108
separata 52	schröteri 100
serpens 160 sessleriae 96	sorosporioides 113
sorghi-vulgarıs 45	syncocca 110 trientalis 100
sphaerococca 79	tritici 113
striaeformis 119, 191	violae 118
texana 97	violae 116
thlaspeos 194	Uredo agropyri 102
trabuti 95	alismacearum 9
triticoides 58, 62, 63, 73, 76, 91	andropogoni 41
tritici 52	anemones 103
tritici-repentis 79	antherarum 206
tumefaciens 97	avenae 120
velenovskyi 94	bistortarum 183
wilcoxiana 97	bistortarum f. marginalis 160
zonata 97	bistortarum pustulata 130, 183
zundeli 97	bistortarum ustilaginea 34, 39
Tolyposporella eremophila 80	bistortarum ustilagineae 40
Tolyposporium anthistiriae 97	carbo 174
anthistiriae 97	carbo-avenae 120
aterrimum 49	carbo var. avenae 120
bullatum 98	carbo hordei 143, 174
bursum 97	carbo var. hordei 143
cenchri 98	carbo var. panici-miliacei 37
ehrenbergii 98	carbo-tritici 196
ehrenbergii var. grandiglobum 99	carbo f. tritici 196
everhartii 31	carbo-vulgaris avenae 120
filiferum 98	caricis 4, 6
globuligerum 99	caries 52
junci 99	carpophyla 4
kochianum 99	colchici 108
leptideum 99	decipions B. caricum 4, 6
leptideum 24	decipiens f. graminum 79, 172
penicillariae 100	decipiens var. graminum 79
senegalense 98 Tracva hydrocharidis 100	destruens 37
Tracya hydrocharidis 100	digitariae 39 filipendulae 108
Tuburcinia agropyri 102 allii 103	flosculorum 185
alopecuri 102	foetida 52
anemones 103	fusco-virens 158
CHACHIOHOD AVO	10000-1110H0 100

Uredo—Continued	alopecuri 102
hydropiperis 39	anemones 103, 104
hypodytes 149	anemones 110
longissima 157	anemones var. irregularis 113
longissima var. holci 192	avenae elatioris 103
marginalis 160	
maydis 161	bolivari 102, 104, 112
	brassicae 104
melanogramma 28 occulta 111	brassicae 108
olida 95	carcinodes 104
••	cepulae 105
olivacea 23	colchici 108, 110
ornithogali 180	colchici 109
parallela 111	colchici f. allii-subhirsuti 103
piluliformis 31	colchici cepulae 105
pompholygodes 103	coralloides 104, 108
pteridiformis 160	festucae 102
ranunculacearum 103, 110, 113	filipendulae 108
ranunculacearum var. anemones-	filipendulae 108
hepaticae-trilobae 110	fischeri 109
ranunculacearum var. anemones-ne-	fraserii 109
morosae 103	galanthi 109
ranunculacearum var. hepaticae-	gei 118
trilobae 109	gladioli 109
receptaculi 188, 194	hepaticae-trilobae 110
receptaculorum 188, 194	hordei 110, 112
receptaculorum f. scorzonerae humilis	hypogea 113
188	jaapiana 110
sagittariae 12	junci 110
secalis 52, 96	ľuzulae 110
segetum 182	magica 107
segetum arrhenatherae 182	miyabeana 110
segetum f. avenae 182	occulta 103, 110, 111, 115, 116
segetum subsp. avenae 120	occulta 102, 110
segetum caricis 4	occulta var. tritici 102
segetum f. decipiens 182	ornithogali 113
segetum var. decipiens 79	parallela 111
segetum subsp. hordei 143	poae 102
segetum var. mays-zeae 161	pompholygodes 104, 110, 113
segetum var. panici 37	pompholygodes f. tulipae 142
segetum subsp. panici-miliacei 37	preussii 102
segetum subsp. tritici 194	primulicola 101
segetum tritici-repentis 79	purpurea 32
segetum f. zea mays 161	pusilla 28
seminis-convolvuli 51	ranunculi 104
sitophila 52	ranunculi-auricomi 113
sitophila agropyri 79	solida 33
sphaerococca 79	sorosporioides 113
striaeformis 191	sorosporioides 110
syncocca 110	tritici 103, 112, 113
syntherismae 31	ulei 102
tragopogi-pratensis 194	vesicaria 118
tragopogi var. scorzonerae 188	violae 117
trapogonis 188	waldsteiniae 118
urceolorum 4, 6	Ustacystis waldsteiniae 118
utriculosa 204	Ustilagidium hordei 174
vesicaria 117	tritici 196
vinosa 206	Ustilago abortifera 42
violaceae 206	aculeata 160
violarum 117	adoxae 119
zeae 161	agrestis 189
zeae-mays 161	agropyri 183, 184
Urocystis agropyri 102, 112, 116, 190	agrostis-palustris 191
agropyri 109	airae-caespitosae 119
allii 103	ambiens 28
wV	WILL SECTION AC

anduanamania annulati 22	-i 0F
andropogonis-annulati 33	cingens 25
andropogonis-tuberculata 119	coicis 136
anomala 119	comburens 136
antherarum 183, 206	consimilis 136
appendiculata 210	controversa 204
arabis-alpinae 120	cordai 204, 205
argentinum 30	coronariae 206
aristidae 30	cortaderiae 136
aristidae cyanthae 30	courtoisi 8
	crameri 136
arrhenatheri 182	
arthurii 120	cruenta 35
arundinellae 34	crus-galli 138
austro-americana 24	crypta 30
avenae 120, 145, 153, 155, 156, 171,	cylindrica 41
173, 182, 183	cynodontis 138
avenae 121	cynodontis 138
avenae f. foliicola 121	davisi 138
avenae var. levis 125, 152, 154	decipiens 6, 182
avicularis 129	destruens 37
axicola 4	destruens afoliicola 28
baldingerae 140	destruens var. digitaris 184
betonicae 129	
	dianthorum 206
betonicae 129	digitariae 39
bicornis 34	digitariae f. panici-repentis 39
bistortarum 130	digitariicola 184
bistortarum 40, 160, 183, 184	distichlydis 149
bistortarum var. glabra 184	domestica 139
bistortarum var. inflorescentiae 40	ducellieri 139
bosniaca 34	dura 182, 183
boutelouae 130	duriaeana 139
boutelouae-humilis 130	earlei 80
bromi-arvensis 130	echinata 139
bromi-erecti 149, 189	eleusinis 25
bromi-mollis 130	
	elymicola 191
bromivora 130	emodensis 25
bromivora 191	engenula 140
bromivora f. brachypodii 130	enteromorpha 31
bulgarica 133	erythronii 142
bullata 133, 145, 159, 192, 198	esculenta 140
bullata var. glabra 184	euchlaenae 161, 170
calamagrostidis 134	exigua 136
calandriniae 135	festucarum 191
calcara 135	filifera 142
calium 25	filiformis 138
candollei 39, 40	fimbristylis 4
capsularum 51	flosculorum 185
carbo 182	foetans 80
	funalis 149
carbo var. cynodontis 138	
carbo var. destruens 37	globigena 140, 190
carbo-maydis 161	glyceriae 158
carbo vulgaris f. avenaceae 182	goeppertiana 141
carbo vulgaris bromivora 130	grandis 141
carbo vulgaris hordeacea 143	halophila 142
carbo vulgaris tritici 196	heterospora 180
cardui 135	heufleri 142
caricicola 23	hierochloae-odoratae 191
caricicola 23 caricis 4, 7	hieronymi 142
caricis douglasii 4	hieronymi var. minor 172
caricis B. lejoderma 6	holci-sorghi 42
caricis var. lejoderma 4	holostei 143
carnea 119, 120	holwayi 159
catenata 23	hordei 131, 133, 143, 153, 156, 171, 173,
cesatii 31, 184	174, 175, 176, 177, 178, 198
cichorii 135	hordei 14, 196
CICHUIII 100	norder 11, 100

111012	21
Ustilago—Continued	municate 110 190 904 905
hordei var. nuda 174	muricata 119, 120, 204, 205
	negeriana 30
hordeicola 159	neglecta 172
hydropiperis var. columellifera 40	nigra 127, 145, 171, 172, 176, 177, 178 nuda 145, 146, 147, 159, 171, 173, 174,
hypodytes 149, 150, 151, 190	176 170 100 000 000
hypodytes 102, 142, 189, 204, 210	176, 178, 199, 200, 202
hypodytes var. lygei 149	nuda var. foliicola 174
hypodytes f. tritici repentis 149	nummularia 149, 150, 151
hypogaea 26 inflorescentiae 40	occulta 111 olida 95
intermedia 151	
ischaemi 41	olivacea 5, 23
isoetes 13	olivacea f. pseudocyperi 23
jacksonii 151	olivacea var. pseudo-cyperi 23 ornithogali 180
jacksonii var. ventanensis 151	
jensenii 143, 144	ornithogali f. erythronii 142 oxalidis 180
johnstonii 191	oxalidis var. major 180
junci 6	pallida 39, 119
juncicola 7	pamparum 42
kenjiana 151	panici-frumentacei 181
kolaczekii 42	panici glauci 172
kolleri 123, 125, 126, 127, 145, 148,	panici-leucophaei 181
152, 171	panici-miliacei 37, 38, 39
kühneana 157	pappophori 42
kühneana 193	pappophori var. magdalensis 42
lagerheimii 157	paradoxa 181
leersiae 99	paraguayensis 138, 181
leucoderma 6	parlatorei 181, 194
leucoderma var. usambarensis 6	parodii 182
levis 152	paspali 41
liebanni 6	paspali-notati 41
liliicola 191	paspali-thunbergii 31
linearis 192	penniseti 100
longissima 139, 157	perannans 123, 125, 127, 173, 182
longissima 157	peribebuyensis 7
longissima var. macrospora 138, 158,	persicariae 119, 120, 204
159	phalaridis 191
lorentziana 159	phlei-pratensis 191
luzulae 7	piluliformis 31
lychnidis-dioicae 206, 209	pinguiculae 183
lygei 149	poae 191
macrospora 160	poarum 191
magdalensis 42	polygoni 184
magnusii 14, 20	pulveracea 42
major 160	pustulata 183
marginalis 160	pustulata 130, 184, 194
marginalis 160	rabenhorstiana 184
marmorata 32	readeri 184
maydis 161, 169	receptaculorum 188, 194
maydis 161	rechingeri 185
maydis f. androphila 161	reesiana 135
maydis f. foliicola 161	reiliana 42
mays-zeae 161	reiliana f. foliicola 42
medians 171, 173, 176	reiliana f. zeae 42, 161
medians 172	reticulata 204, 205
microspora 41, 136	rhynchosporae 7
microthelis 171	rosulata 25
minima 172, 190	rottboelliae 44
minor 172	rudolphi 32
mölleri 41	sacchari 8, 44, 186
montagnei var. major 7	sacchari ciliaris 185
montaniensis 42	sacchari-ciliaris 44
morinae 172	salvei 191, 192, 193
mulleriana 32	salviae 129

scabiosae 185	sumnevicziana 149
scabiosae 185	superba 206
scaura 186, 191	sussisiae 194
schweinfurthiana 45	syntherismae 33, 184
schweinitzii 161	taenia 191
scillae 205	taubertiana 8
scirpi 4, 8	tecta hordei 143
scitaminea 186	thlaspeos 194
scitaminea var. sacchari-barberi 187	thümenii 23
scitaminea var. sacchari-officinorum	togata 194
187	tragopogi-pratensis 188, 194
scolochloae 120	tragopogi-pratensis 194
scolymi 187	tragopogonis 194
scorbiculata 134	treubii 25
scorzonerae 188	tritici 145, 159, 171, 176, 177, 178,
scutulata 189	196, 201
segetum 120, 143, 159, 174, 196	tritici 65, 77, 196
segetum var. avenae 120, 121	tritici foliicola 196
segetum subsp. hordei 143	tulasnei 35
segetum var. hordei f. nuda 174 segetum var. hordei f. tecta 143	tulipae 142
segetum var. norder 1. tecta 143 segetum var. nuda 174	turcomanica 134
segetum var. nuda 174 segetum subspecta 143	typhoides 141 ulei 204
segetum var. tecta 143	umbrina 180
segetum var. tritici 196	underwoodii 204
setariae 42, 184	urccolorum 4, 6
shiraiana 189	ustilagineae 40
silenes-inflatae 207	utriculorum 4, 204
silenes-nutantis 207	utriculosa 70, 89, 204, 205
sitanii 189	utriculosa 204
sitophila 52	utriculosum 204
sladenii 189	vaillantii 205
solida 33	vaillantii 205
sorghi 45	vavilovi 196
spegazzinii 102, 149, 189, 190	verrucosa 140
spegazzinii var. agrestis 149, 150,	vestergreni 140
189, 190	vinosa 206
sphaerogena 140, 190	violaceae 206
spinificis 190	violacea 183, 206
sporoboli 149	violacea f. salviae 129
stellaria 206	vuijckii 209
stipae 149, 172, 189	waldsteiniae 118
stipicola 149	washingtoniana 191
strangulans 49	williamsii 210
striaeformis f. hierochloae-odoratae	zeae 161
191	zeae-maydis 161
striiformis 103, 131, 133, 191	zeae mays 161
stygia 193	Varia malinia 90
stygia 181	Vossia moliniae 28
subinclusa 5, 8	What ratio maldataining 119
subolivacea 23	Whetzelia waldsteiniae 118